




MICROFILMED
AUG 28 1990

Produced by the Geological Survey

Orthophotograph prepared from 1:80,000-scale aerial photographs taken July 30, 1981

Projection and 10,000-foot grid ticks: Idaho coordinate system, west zone (Transverse Mercator)

1000-meter Universal Transverse Mercator grid, zone 11 1927 North American Datum

To place on the predicted North American Datum 1983 move the projection lines 16 meters north and 78 meters east as shown by dashed corner ticks

Photomagey rectified by optical scanning

Where double or mismatched image occur use the mean of image position for map point

Land lines from Notus, Idaho

1:24,000-scale topographic map dated 1971

SCALE 1:24,000

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, MENLO PARK, CALIF. 940

Copies Of These Maps Can Be Obtained
At Bonneville Blue Print Boise Idaho

W. H. S. 26-27-28-29-30-31-32-33-34-35-36-37-38-39-40-41-42-43-44-45-46-47-48-49-50-51-52-53-54-55-56-57-58-59-60-61-62-63-64-65-66-67-68-69-70-71-72-73-74-75-76-77-78-79-80-81-82-83-84-85-86-87-88-89-90-91-92-93-94-95-96-97-98-99-100-101-102-103-104-105-106-107-108-109-110-111-112-113-114-115-116-117-118-119-120-121-122-123-124-125-126-127-128-129-130-131-132-133-134-135-136-137-138-139-140-141-142-143-144-145-146-147-148-149-150-151-152-153-154-155-156-157-158-159-160-161-162-163-164-165-166-167-168-169-170-171-172-173-174-175-176-177-178-179-180-181-182-183-184-185-186-187-188-189-190-191-192-193-194-195-196-197-198-199-200-201-202-203-204-205-206-207-208-209-210-211-212-213-214-215-216-217-218-219-220-221-222-223-224-225-226-227-228-229-230-231-232-233-234-235-236-237-238-239-240-241-242-243-244-245-246-247-248-249-250-251-252-253-254-255-256-257-258-259-260-261-262-263-264-265-266-267-268-269-270-271-272-273-274-275-276-277-278-279-280-281-282-283-284-285-286-287-288-289-290-291-292-293-294-295-296-297-298-299-300-301-302-303-304-305-306-307-308-309-310-311-312-313-314-315-316-317-318-319-320-321-322-323-324-325-326-327-328-329-330-331-332-333-334-335-336-337-338-339-340-341-342-343-344-345-346-347-348-349-350-351-352-353-354-355-356-357-358-359-360-361-362-363-364-365-366-367-368-369-370-371-372-373-374-375-376-377-378-379-380-381-382-383-384-385-386-387-388-389-390-391-392-393-394-395-396-397-398-399-400-401-402-403-404-405-406-407-408-409-410-411-412-413-414-415-416-417-418-419-420-421-422-423-424-425-426-427-428-429-430-431-432-433-434-435-436-437-438-439-440-441-442-443-444-445-446-447-448-449-450-451-452-453-454-455-456-457-458-459-460-461-462-463-464-465-466-467-468-469-470-471-472-473-474-475-476-477-478-479-480-481-482-483-484-485-486-487-488-489-490-491-492-493-494-495-496-497-498-499-500-501-502-503-504-505-506-507-508-509-510-511-512-513-514-515-516-517-518-519-520-521-522-523-524-525-526-527-528-529-530-531-532-533-534-535-536-537-538-539-540-541-542-543-544-545-546-547-548-549-550-551-552-553-554-555-556-557-558-559-560-561-562-563-564-565-566-567-568-569-570-571-572-573-574-575-576-577-578-579-580-581-582-583-584-585-586-587-588-589-590-591-592-593-594-595-596-597-598-599-600-601-602-603-604-605-606-607-608-609-610-611-612-613-614-615-616-617-618-619-620-621-622-623-624-625-626-627-628-629-630-631-632-633-634-635-636-637-638-639-640-641-642-643-644-645-646-647-648-649-650-651-652-653-654-655-656-657-658-659-660-661-662-663-664-665-666-667-668-669-670-671-672-673-674-675-676-677-678-679-680-681-682-683-684-685-686-687-688-689-690-691-692-693-694-695-696-697-698-699-700-701-702-703-704-705-706-707-708-709-710-711-712-713-714-715-716-717-718-719-720-721-722-723-724-725-726-727-728-729-730-731-732-733-734-735-736-737-738-739-740-741-742-743-744-745-746-747-748-749-750-751-752-753-754-755-756-757-758-759-760-761-762-763-764-765-766-767-768-769-770-771-772-773-774-775-776-777-778-779-780-781-782-783-784-785-786-787-788-789-790-791-792-793-794-795-796-797-798-799-800-801-802-803-804-805-806-807-808-809-810-811-812-813-814-815-816-817-818-819-820-821-822-823-824-825-826-827-828-829-830-831-832-833-834-835-836-837-838-839-840-841-842-843-844-845-846-847-848-849-850-851-852-853-854-855-856-857-858-859-860-861-862-863-864-865-866-867-868-869-870-871-872-873-874-875-876-877-878-879-880-881-882-883-884-885-886-887-888-889-890-891-892-893-894-895-896-897-898-899-900-901-902-903-904-905-906-907-908-909-910-911-912-913-914-915-916-917-918-919-920-921-922-923-924-925-926-927-928-929-930-931-932-933-934-935-936-937-938-939-940-941-942-943-944-945-946-947-948-949-950-951-952-953-954-955-956-957-958-959-960-961-962-963-964-965-966-967-968-969-970-971-972-973-974-975-976-977-978-979-980-981-982-983-984-985-986-987-988-989-990-991-992-993-994-995-996-997-998-999-1000-1001-1002-1003-1004-1005-1006-1007-1008-1009-1010-1011-1012-1013-1014-1015-1016-1017-1018-1019-1020-1021-1022-1023-1024-1025-1026-1027-1028-1029-1030-1031-1032-1033-1034-1035-1036-1037-1038-1039-1040-1041-1042-1043-1044-1045-1046-1047-1048-1049-1050-1051-1052-

67461
AUG 28 1990

^A duplicate filed in the U. S.

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11103

Proposed Priority: November 22, 1989 Maximum Diversion Rate: 2.40 CFS

This is to certify, that **JOHN A. WILLIAMSON**
14252 SUNNYSLOPE RD.
CALDWELL, ID 83605

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	2.40 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: LOT 4(SENWNW), Sec. 4, Township 03N, Range 04W
LOT 1(NENENE), Sec. 6, Township 03N, Range 04W
LOT 1(NWNENE), Sec. 5, Township 03N, Range 04W
LOT 3(NENENW), Sec. 5, Township 03N, Range 04W
SESWNW Sec. 4, Township 03N, Range 04W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	04W	4	LOT 3(NENW) 2 SENW 10	LOT 4(NWNW) 37	SWNW 37	86
		5	LOT 1(NENE) 43 LOT 4(NWNW) 43	LOT 2(NWNE) 43	LOT 3(NENW) 43	172
		6	LOT 1(NENE) 42			42

Total number of acres irrigated: 300

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1992.**
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MICROFILMED

AUG 28 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11103

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

23 day of August, 1990.

R. Keith Higginson
R. Keith Higginson, Director
for

MICROFILMED

AUG 28 1990

RECEIVED
Form 202
6/85
NOV 22 1989

Ident. No. 63-11103

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of applicant JOHN A. WILLIAMSON Phone 459-9382

Post office address 14252 SUNNYSLOPE RD., CALDWELL, ID 83605

2. Source of water supply GROUNDWATER which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot 1

Sec. 6 Township 3N Range 4W B.M. CANYON County; additional

points of diversion if any: SEC. 5; NW NENE (LOT 1), NENE NW (LOT 3)

SEC. 4; SE NW NW (LOT 4), SE SW NW

4. Water will be used for the following purposes:

Amount 2.4 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 2.4 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELLS + PUMPS AS DESCRIBED

BY LICENSE #'S 63-03208, -02743, -02908, -03102

SPRINKLERS. (Drilling Permit 63-11103 for replacement well #)

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total

reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:


_____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water for _____ and beneficial use is

5 years (minimum 1 year).



* 82 4/16/90

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	4W	4					2	37	37	10									~~27~~ 86
		5	43	43			43	43											172
		6	42																42

Total number of acres to be irrigated ~~253~~
300

10. Describe any other water rights used for the same purposes as described above.

63-03208, 63-02743, 63-02908, 63-03102

11. a. Who owns the property at the point of diversion? APPLICANT


b. Who owns the land to be irrigated or place of use? APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: 5 WELLS WITH PUMPS ALL INTERCONNECTED

MICROFILMED

AUG 28 1990



Produced by the Geological Survey

Orthophotograph prepared from 1:80,000-scale aerial photographs taken July 30, 1981

Projection and 10,000-foot grid ticks: Idaho coordinate system, west zone (Transverse Mercator)

1000-meter Universal Transverse Mercator grid, zone 11 1927 North American Datum

To place on the predicted North American Datum 1983 move the projection lines 16 meters north and 78 meters east as shown by dashed corner ticks


Photoimagery rectified by optical scanning

Where double or mismatched image occur use the mean of image position for map point

Land lines from Notus, Idaho

1:24,000 scale from 1971


SCALE 1:24 000



THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U. S. GEOLOGICAL SURVEY, MENLO PARK, CALIF. 940

Copies Of These Maps Can Be Obtained At Bonnevile Blue Print Boise Idaho

18. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



MICROFILMED
AUG 28 1990

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John A. Williamson
(Applicant)

Received by JS Date 11-24-89 Time 11:20 pm Preliminary check by RW
Fee \$ 85 Receipted by JP # C012982 Date 11/22/89
Publication prepared by GG Date 1-31-90 Published in Press-Tribune
Publication approved st Date 3-13-90
2/7 & 2/14/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.


1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

AUG 28 1990

Township #3 North Range N



NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

JESENKO, PAUL
JESENKO, WANDA
HC 79 BOX 46
MELBA, ID 83641
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

63-11096
SENE Sec 23 T 01 S R 02 W
(1.200 CFS)
Total Diversión: (1.200 CFS)

Date Filed: 1/15/1990

In: T01S R02W S23

SWNE SENE NESE NWSE

63-11099

WHELAN, JANET L.
WHELAN, PATRICK D.
P.O. BOX 94
HUSTON, ID 83630
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

SWSWNE Sec 14 T 03 N R 04 W
(.120 CFS)
Total Diversión: (.120 CFS)

Dated Filed: 1/16/1990

In: T03N R04W S14 SWNE

4.0 ACRES TOTAL

63-11100

WELLS, LEWIS E.
454 HILL RD. S.
MELBA, ID 83641
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

NWSE Sec 3 T 01 S R 02 W
(.090 CFS)
Total Diversión: (.090 CFS)

Date Filed: 1/08/1990

In: T01S R02W S03 NWSE

3.0 ACRES TOTAL

63-11101

CROOKHAM CO.
P.O. BOX 520
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION

SWNE Sec 11 T 03 N R 04 W
(2.080 CFS)
Total Diversión: (2.080 CFS)

Dated Filed: 1/12/1990

In: T03N R04W S11 NENE NWNE SWNE SENE

104.0 ACRES TOTAL

63-11103

WILLIAMSON, JOHN A.
14252 SUNNYSLOPE RD.
CALDWELL, ID 83605
Source: GROUNDWATER

Diversión Pt: LOT 4 (SENNWNW) Sec 4 T 03 N R 04 W
SESNNWNW Sec 4 T 03 N R 04 W
LOT 1 (NWNENE) Sec 5 T 03 N R 04 W
LOT 3 (NENENW) Sec 5 T 03 N R 04 W
LOT 1 (NENENE) Sec 6 T 03 N R 04 W

Use: IRRIGATION
(2.400 CFS)
Total Diversión: (2.400 CFS)

Date Filed: 11/22/1989

In: T03N R04W S04 Lot 3 (NENW) Lot 4 (NWNW) SWNW SENW
S05 Lot 1 (NENE) Lot 2 (NWNW) Lot 3 (NENW) Lot 4 (NWNW)
S06 Lot 1 (NENE)

300.0 ACRES TOTAL

63-11107

BISH WELL
C/O ALTHA M. BISH
3805 BRIAN
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt:
Use: DOMESTIC

SWNWSW Sec 34 T 04 N R 03 W
(.150 CFS)
Total Diversión: (.150 CFS)

Dated Filed: 1/09/1990

In: T04N R03W S34 SWSW

63-11113

PAXTON, ROBERT L.
17369 HWY. 95
WILDER, ID 83676
Source: SPRING

Diversión Pt: NWNESE Sec 3 T 03 N R 05 W
(.200 CFS)
Use: IRRIGATION
Total Diversión: (.200 CFS)

Date Filed: 1/19/1990

In: T03N R05W S03 NESE NWSE

10.0 ACRES TOTAL

63-11115

BROWN, OMERA
BROWN, JAY DEAN
2098 S. BLVD. S.
MELBA, ID 83641
Source: GROUNDWATER
Diversión Pt:
Use: IRRIGATION
STOCKWATER
DOMESTIC

NENE Sec 13 T 01 S R 02 W
(1.580 CFS)
(.070 CFS)
(.040 CFS)
Total Diversión: (1.690 CFS)

Date Filed: 1/24/1990

In: T01S R02W S13 NENE NWNE

79.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filled with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before FEBRUARY 26, 1990.

R. KEITH HIGGINSON, Director

February 7, 14, 1990

AFFIDAVIT OF PUBLICATION

RECEIVED

FEB 13 1990

STATE OF IDAHO)
) ss.
County of Canyon)

Rebecca Stiehl

Department of Water Resources
Western Regional Office

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two times

—in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

February 7, 14, 1990

Rebecca Stiehl

STATE OF IDAHO)
)
COUNTY OF CANYON)

On this 14th day of February in the year of 1990, before me, a Notary Public, personally appeared Rebecca Stiehl, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he/she executed the same.

Janne Lusk
Notary Public for Idaho
Residing at Nampa

MY COMMISSION EXPIRES
JULY 12th, 1991

MICROFILMED

AUG 28 1990

September 4, 1992

JOHN A. WILLIAMSON
14252 SUNNYSLOPE RD.
CALDWELL ID 83605

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11103

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

SEP 11 1992

RECEIVED
SEP - 1 1992

RECEIVED

SEP 3 1992

OFFICE USE ONLY
Amt. of Fee \$ 150.00
Date 9-1-92
Receipt No. W015334
Receipt by JCN

Department of Water Resources
Western Regional Office

STATE OF IDAHO
Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11103 Telephone No. (208)459-7333

2. Name(s) of Permit Holder(s): John A. Williamson

3. Mailing Address: 14252 Sunny Slope, Caldwell ID 83605

4. Source of Water: Ground Water

If GROUNDWATER, Well Driller's Name: Cope Drilling Date Drilled: 7/29/92

OPTIONAL:

Pump horsepower: 100 Pressure (psi): 55 Dynamic pumping level (ft.): 350 est

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 300 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 2.4 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No _____ Installed? _____ Yes _____ No _____

OR

Flow Measurement Port: Required? _____ Yes ☒ No _____ Installed? _____ Yes _____ No _____

8. Fee Enclosed: \$ 150 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Roger L Williamson 459 7333
Name Telephone No.

14252 Sunny Slope Rd
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

8/28/92
Date

Roger L Williamson V.R. Williamson Orchards
Signature (and title, if on behalf of a company or organization)

RECEIVED
SEP 1 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 63-11103 Reviewed by Klg Date 9/3/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source

✓ Ground water source

yes Drilling permit required?

yes Copy in the file? Drilling Permit No. 63-92-W-465-000

500 Amount paid for permit yes Correct?

yes Well log in the file?

LICENSE EXAMINATION FEE

yes Required?

150 Amount Submitted

yes Correct?

MEASURING DEVICE

NA Required?

 Installed?

 Waiver requested?

PRIORITY CALCULATION

Date proof received NA

Date proof due -

No. of days late =

Priority Date +

New Priority Date

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address

Proof Made 9/1/92
9/4/92 Klg

6/92

\$200.00

Water Right Permit No. #63-02743
Injection Permit No. 63-92-W-465State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) John A. Williamson
2. Mailing Address 14252 Sunnyslope Rd.
City & State Caldwell, ID Zip Code 83605 Telephone 459-9382
- ☒ Well Owner () Well Operator () Other, specify _____
3. Proposed well location NW 1/4 NE 1/4, or Gov't Lot No. _____
Sec. 5, Twp. 3N, Rge. 4W, County Canyon
Street Address of Well Site _____
Lot, block and subdivision _____
4. Proposed use of well:
- () Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
- Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
- ☒ Non-Domestic: Any beneficial use not included within the definition of domestic.
- () Injection
- () Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
- () Other _____
(Describe)
5. Well construction information:
- A. () New well () Deepen () Modify ☒ Replace - See Condition 9
- B. Proposed Casing Diameter 16" Proposed Maximum Depth 700'
- C. Anticipated bottom hole temperature:
- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)
6. Construction Start Date July, 1992
7. Anticipated Well Driller Pete Cope #213
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature John C. Williamson Date 6-17-92
Title Son - OWNER Representative
(Owner, Firm Representative, Other)

MICROFILMED

SEP 11 1992

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved

Date 6/17/92

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

D. R. Tuttle
Signature of Authorized Department Representative

Mgr. Western Reg Off
Title

Receipt No. W Received by KW Fee \$200.00 Date 6-17-92

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension expires: _____

RECORDED
SEP 11 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

USE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

pg 1 of 3

1. WELL OWNER

Name JOHN A. WILLIAMSON
Address 14252 SUNNYSLOPE CALDWELL 83605
63-92-W-465
Drilling Permit No. _____
Water Right Permit No. 63-11103

7. WATER LEVEL

125
Static water level _____ feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

NEW WELL

- ☐ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase ☐ Modification
☐ Abandoned (describe abandonment or modification procedures such as liners, screen, materials, plug depths, etc. in lithologic log, section 9.)

8. WELL TEST DATA

NOT AVAILABLE

- ☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped

3. PROPOSED USE IRRIGATION

- ☐ Domestic ☐ Irrigation ☐ Monitor
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
2 1/2	0	3	TOPSOIL		X
	3	4	HARDPAN		X
	4	20	FINE TO CRSE SAND		X
	20	55	LITE BRN CLAY		X
	55	87	FINE TO CRSE SAND		X
	87	135	LITE GREEN CLAY		X
	135	145	FINE SAND	X	
	145	205	LITE BRN CLAY		X
	205	208	FINE SAND	X	
	208	255	LITE BRN CLAY		X
	255	274	GREY CLAY		X
	274	289	FINE TO CRSE SAND	X	
	289	362	GREY CLAY		X
	362	370	FINE SAND	X	
	370	374	SHALE BALLS & SAND	X	
	374	395	GREY CLAY		X
	395	399	FINE SAND	X	
	399	403	GREY CLAY		X
	403	405	FINE TO MED SAND	X	
	405	417	GREY CLAY		X
	417	423	FINE SAND	X	
	423	425	SANDY BRN CLAY		X
	425	433	FINE TO CRSE SAND	X	
	433	452	SANDY GREY CLAY		X
	452	469	FINE SAND	X	
	469	475	DARK BRN CLAY		X
	475	527	SANDY GREY CLAY		X
	527	530	FINE SAND	X	
	530	540	SANDY GREY CLAY		X
	540	550	FINE SAND	X	
	550	622	GREY CLAY		X
	622	626	FINE SAND	X	
	626	645	GREY CLAY		X
	645	661	FINE TO MED SAND	X	
	661	671	SANDY GREY CLAY		X

CONTINUED

4. METHOD DRILLED

REVERSE ROTARY

- ☐ Rotary ☐ Air ☐ Auger ☐ Reverse rotary
☐ Cable ☐ Mud ☐ Other _____
(backhoe, hydraulic, etc.)

5. WELL CONSTRUCTION

SEE ATTACHED

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness _____ Diameter _____ From _____ To _____
_____ inches _____ inches + _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet

Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun

Size of perforation? _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet

Well screen installed? ☒ Yes ☐ No

Manufacturer ROSCOE MOSS Type VEE WIRE

Top Packer or Headpipe _____

Bottom of Tailpipe _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☒ Yes ☐ No ☐ Size of gravel 3/8

Placed from 705 feet to 130 feet

Surface seal depth 130 Material used in seal: ☐ Cement grout

☒ Bentonite ☒ Puddling clay ☐ _____

Sealing procedure used: ☐ Slurry pit

☐ Temp. surface casing ☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded

☐ Solvent Weld ☐ Cemented between joints

Describe access port 2" PIPE

Work started 7/14/92 finished 7/22/92

6. LOCATION OF WELL

Sketch map location must agree with written location of Water Resources

Subdivision Name Western Regional Office

Lot No. _____ Block No. _____

County CANYON

Address of Well Site USTICK RD

(give at least name of road)

T. 3N N ☐ or S ☐

NE 1/4 NW 1/4 Sec. 5 R. 4W E ☐ or W ☐

11. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name PETE COPE DRILLING Firm No. 213

Address 6505 W CHINDEN Date 7/29/92

Signed by Drilling Supervisor Joseph Jones

and

(Operator) Kevin Chastain

(If different than the Drilling Supervisor)

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

pg 2 of 3

[illegible]

pg 3 of 3

WILLIAMSON FRUIT RANCH
14252 SUNNY SLOPE ROAD
CALDWELL ID 83605
Permit# 63-92-W-465

"16" casing record .250 wall welded

1.5	-	365	366.5
375	-	425	50
435	-	450	15
470	-	540	70
550	-	655	105
695	-	705	10

616.5 total casing

16" Screen record .40 slot Roscoe Moss Continuous wire.

365	-	375	10
425	-	435	10
450	-	470	20
540	-	550	10
655	-	695	40

90 total screen

706.5 total screen+casing

6" Casing Record .250 Wall Welded

1.5	-	419	420.5
439	-	457	18

438.5

6" Screen Record .35 Slot ROSCOE MOSS Continuous wire

419	-	439	20
-----	---	-----	----

10

448.5 total casing + screen

MICROFILMED

SEP 11 1992

June 30, 1992

JOHN A. WILLIAMSON
14252 SUNNYSLOPE RD.
CALDWELL ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 63-11103

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



MICROFILMED

SEP 11 1992

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
August 23, 1990

JOHN A. WILLIAMSON
14252 SUNNYSLOPE RD.
CALDWELL, ID 83605

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11103

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of

MICROFILMED

AUG 28 1990

Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

AUG 28 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RW DATE: 12-21-89 APPLICATION: 63-11103

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

Gov't. Lots:

☒ P/D
☒ P/U

* See Attached

ADDITIONAL INFORMATION

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion:
☒ Field check required: Field check by: _____
☒ Field report attached:
☒ Critical groundwater area:
☒ Groundwater management area:
☒ Send dam safety information:
☒ Send power requirement letter:
☒ Send fish farm requirement letter:
☒ Power residency affidavit:
☒ Power efficiency form:
☒ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.) 200 AC
☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

RECEIVED
JUL 26 1990

Department of Water Resources.

Large Diversion Permits DATE REQUESTED: Letter Sent 1-22-90, Copy Attached
Additional information on reverse side: See memo dated 7/22/90

PROCESSING

YES NO

X

In form for advertising:

X

Statewide advertising:

X

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

✓

Affidavit of publication received:

✓

Application published correctly: If not, record action taken.

✓ Publication dates and paper recorded on application:

 Protests received. Final date for protest February 26, 1990

 Protest dates, resolution of protest recorded on application:

✓ Recommendations attached: Approve, Over

✓ Measuring device required:

✓ Measuring port required: Not under Flow Task Force Concepts

✓ Water delivered by water master? District #

✓ Special conditions of approval or cover letter:

916 26A (Attendant Zuppan)

 See below for additional information

Recommended Date or Priority 11/22/1989 ✓

Recommended by: Dnr

Date 7/22/1990

STATE OFFICE REVIEW

P23 P17 4626

See below for additional information. By KW

Date 8-21-90

ADDITIONAL INFORMATION

Memorandum

TO: 63-11103

FROM: Dave Tuthill

RE: Supplemental Information for Diversion for Irrigation of More than 200 acres.

DATE: July 22, 1990

Pursuant to Section 42-203A(5)(a-e), additional information is needed for applications involving irrigation of more than 200 acres. The purpose of this memorandum is to document the required information for the above-referenced application.

Based on a conversation between Rob Whitney of this office and the applicant, and information in the file, this application can be viewed as nothing more than increasing the rate of flow for the irrigated system to 0.02 cfs per acre. Based on the concepts developed by the Flow Task Force of the Department, this type of additional rate of diversion has a negligible impact on most aquifers. As there is no known shortage of ground water in the vicinity of the proposed diversion, and the fact that there was no protest of any type in this matter, the information normally required in rule 4,5. is moot in this case.

MICROFILMED

AUG 23 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

January 22, 1990

John A. Williamson
14252 Sunnyslope Rd.
Caldwell, ID 83605

RE: Application for Permit #63-11103

Dear Mr. Williamson:

The purpose of this letter is to request some additional information in regard to the above referenced Application for Permit to appropriate water. This information will be required before this office can recommend approval of the application.

Enclosed is a copy of Rules 4,5,3 thru 4,5,3,6,7 which outline the required information. This covers the following items:

- a) effect on existing water rights,
- b) sufficiency of water supply,
- c) good faith, delay, or speculative purposes,
- d) financial resources, and
- e) local public interest.

I realize that this request may take considerable time to complete, but please make at least a partial response to the above request within 30 days to avoid delays in approving the application. Any questions or concerns may be directed to this office.

Sincerely,


Robert B. Whitney
Sr. Water Resource Agent

Addressed in memo dated 1/22/90

RECORDED

AUG 28 1990

63-11103

WILLIAMSON, JOHN A.
14252 SUNNYSLOPE RD.
CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: LOT 4 (SENWNW) Sec 4 T 03N R 04W
 SESWNW Sec 4 T 03N R 04W
 LOT 1 (NWNENE) Sec 5 T 03N R 04W
 LOT 3 (NENENW) Sec 5 T 03N R 04W
 LOT 1 (NENENE) Sec 6 T 03N R 04W

Use: IRRIGATION (2.400 CFS)
Total Diversion: (2.400 CFS)

Date Filed: 11/22/1989

In: T03N R04W S04 Lot 3 (NENW) Lot 4 (NWNW) SWNW SENW
 S05 Lot 1 (NENE) Lot 2 (NWNE) Lot 3 (NENW) Lot 4 (NWNW)
 S06 Lot 1 (NENE)

300.0 ACRES TOTAL

MICROFILMED

AUG 28 1990