


JUN 05 1990

George W Crookha
(Applicant)

George W Crookha
(Applicant)

OCT 26 1994

2. Measurements: None - theoretical

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo


Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	US Elec	40	R-8887-02-446		12

4.

Scale: 1" = _____
Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
Aerial Photo Attached (required for irrigation of 10+ acres)
Photo of Diversion and System Attached



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



FOUND ACRES = 106.5

Permit acres = 104

OCT 26 1994

63-11101
5/27/93



P/D 9
North half of
P/u

District water in
ditch delivered
to all acres.
Well may be
discharged to
ditch.



P/D 9 South half
of P/u

OCT 26 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11101

Priority: January 12, 1990

Maximum Diversion Rate: 2.08 CFS
Maximum Diversion Volume: 468.0 AF

This is to certify, that CROOKHAM CO
PO BOX 520

CALDWELL ID 83605 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 12, 1990; and has submitted Proof of Beneficial Use on October 19, 1990. An examination indicates that the works have a diversion capacity of 2.460 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	2.08 CFS	468.0 AF

LOCATION OF POINT(S) OF DIVERSION: SWNE , Sec. 11, Township 03N, Range 04W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	04W	11	NENE 6	NWNE 30	SWNE 38	104
			SENE 30			

Total number of acres irrigated: 104

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.


OCT 26 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11101

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 13TH
day of OCTOBER, 1994.

Acting for  R. Keith Higginson, Director

OCT 26 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

OCT 19 1990

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-11101 Telephone No. 459-7451

Name(s) of Permit Holder(s): Crookham Company

Post Office Address: Box 520, CALDWELL, ID 83605

Source of Water: Groundwater

If ground water, well driller's name: PETE COPE Date drilled: 4/30/90-5/11/90

Extent of Use:
Domestic _____ (No. of households) Irrigation 104 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 2.08 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 9/13/90

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes X No Installed? Yes X No

OR

Flow Measurement Port: Required? Yes X No Installed? Yes X No

Fee Enclosed: \$ 150.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

George W CROOKHAM 459-7451
Name Telephone No.

Box 520 CALDWELL, ID 83605
Address

MICROFILMED

FEB 07 1991

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

10/15/90 George W Crookham Stockholder
Date Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-11101

Proposed Priority: January 12, 1990 Maximum Diversion Rate: 2.08 CFS
This is to certify, that CROOKHAM CO.

P.O. BOX 520
CALDWELL, ID 83605

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	04/10 to 11/15	2.08 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SWNE Sec. 11, Township 03N, Range 04W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N 04W 11	NENE 4	NWNE 30	SWNE 40	
	SENE 30			104

Total number of acres irrigated: 104

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **June 1, 1992**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
5. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

24th day of May, 1990

MICROFILMED

JUN 05 1990

[Signature]
for R. Keith Higginson, Director

Form 202
6/85

146 12 1990

Department of Water Resources
Western Regional Office

Ident. No. 63-11101

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT**

To appropriate the public waters of the State of Idaho

1. Name of applicant CROOKHAM COMPANY Phone 459-7451
Post office address Box 520 CALDWELL, ID 83605
2. Source of water supply GROUNDWATER which is a tributary of N/A
3. Location of point of diversion is _____ ¼ of SW ¼ of NE
NW ¼, Govt. Lot _____
Sec. 11 Township 03N Range 04W B.M. CANYON County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 2.08 for IRRIGATION purposes from 4/10 to 11/15 (both dates inclusive)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 2.08 cubic feet per second and/or (b) _____ acre feet per annum

- 6. Proposed diverting works:**

- a. Description of ditches, flumes, pumps, headgates, etc. DRILLED WELL/W GRAVITY FURROW
IRRIGATION

- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.

- c. Proposed well diameter is 16 inches; proposed depth of well is 300 feet.

- d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years (minimum 1 year).

water to the proposed

JUN 05 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
03N	04W	11			40				~~40~~										40
03N	04W	11				30													30
03N	04W	11		~~30~~															30
03N	04W	11	4																4

Total number of acres to be irrigated 104

10. Describe any other water rights used for the same purposes as described above. _____

X Nampa / Wilder IRRIGATION DIST.

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Supplemental WATER FOR IRRIGATION.

MICROFILMED

JUN 03 1993

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

JUN 05 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

George W. Crook
(Applicant)

(Company Owner)

Received by JH Date 1-12-90 Time 11:40 am Preliminary check by JS
Fee \$ 85.00 Receipted by JFW # W007564 Date JAN. 12, 1990
Publication prepared by GG Date 1-31-90 Published in Press-Tribune
Publication approved st Date 3-13-90
2/7 & 2/14/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

JUN 03 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 14, 1994

CROOKHAM CO
PO BOX 520
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-11101

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads 'Shelley W. Keen'.


Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

OCT 26 1994

LICENSE REVIEW CHECKLIST



PERMIT NO. 63-11101 DATE 7-22-94 ✓

NAME	Yes	No		Or Address Change?
PRIORITY DATE	—	✓		Advance? — Advanced to: — Order to reinstate needed? — Incorrect fee for rate recommended? <u>NO</u>
SOURCE	—	✓		Changes or just clarification of originally intended source? — Notice of Intent to Void necessary? —
POINT OF DIV	—	✓		Amendment needed? —
	—	✓		Overlaps? —
PLACE OF USE	—	✓		Amendment needed? —
	—	✓		Overlaps? <u>NA</u>
DIV RATE	—	✓		Measurement Q = <u>NONE</u> Theoretical Q = <u>2.46</u> <u>104 x .02 = 2.08</u>
Capacity: <u>2.46</u> Combined rates exceed capacity — Permit/fee limits: <u>2.08</u> Allowable: <u>2.08</u>				
ANNUAL VOLUME	—	✓		Season of use: <u>0/4.5 (3-15-41-15)</u> Calculations: <u>104 x 4.5 = 468</u> Flow limit: — cfs x — x 1.9835 = — Combined volumes exceed capacity/allowable —
USES	—	✓		Change in Nature of Use or additional uses? — Amendment necessary? —
REMARKS	—	✓		Multiple p/d(s) in ¼ ¼? — <u>WB3</u> Other <u>Nampa-Wilder On Dist</u>
CONDITIONS	—	✓		Measuring/Locking Devices
	—	✓		Watermaster control - District —
	<u>B32</u>	✓		Irrigation Overlap
	—	✓		Water Quality
	—	✓		Other —

COMMENTS: _____

RECOMMENDED	CFS	VOLUME	LICENSE
<u>Irrigation</u>	<u>2.08</u>	<u>468</u>	✓
_____	_____	_____	1ST AMENDMENT LETTER _____
_____	_____	_____	FINAL AMENDMENT LETTER _____



(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

[illegible]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 30 1993
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11101

1. Owner: Crookham Co.

Phone No. 459 7451

Current Address: Po Bx 520 Caldwell 83605

2. Accompanied by: George Crookham, Bruce Hobday

EXAM DATE: 5/27/93

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: groundwater

tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-2347, 63-8556

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NE	11	3N	4W	Canyon	Site VISIT, Orthophoto


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	4W	11	6	30	38	30													104

OCT 26 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	US Elec	40	R-8887-02-646		12

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - theoretical

OCT 26 1994

E. NARRATIVE/REMARKS/COMMENTS

16" x 800' well, Static level 40' per owner. Test drawdown was to 140' at time of pump installation, however, a smaller pump is used and drawdown estimated at 100'. Well discharges to concrete ditch just below Nampa-Meridian control device and may be co-mingled as necessary to irrigate 107 found acres. Because of live water already in ditch, the pump was not started.

* Open discharge to uniform ditch - flow measurement device not necessary.

Overlap with 63-8556 not significant - separate acres
Overlap with 63-2347 is not apparent. ~~A~~ Although a license was issued for irrigation from an unnamed stream in N $\frac{1}{2}$ NWNE (20 ac), I don't believe the right is being used. It was possibly replaced with irrigation district water. No claim has been filed. See attached map.

Riverside electric - pump installation. Pump curve?

Have conditions of permit approval been met? ☒ yes ☐ no

*

OCT 26 1994

Additional Computation Sheets Attached

HP equation: $\frac{40 \times 8.8 \times .7}{100} = 2.46 \text{ cfs}$

allow 2.08 cfs

$$V_{I,R} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 104 \times 4.5 = 468$$

$$V_{D,R} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 2.08 \times 246 \times 1.9835 = 1014.9$$

$$V = \text{Smaller of } V_{I,R} \text{ and } V_{D,R} = 468$$

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRR	3/15	11/15	2.08	468
Totals:			2.08	468

Change P.D. as reflected above Add P.D. as reflected above None
Change P.U. as reflected above Add P.U. as reflected above Other

Field Examiner's Name Cindy J. Hodges Date 6/1/93

SEAL

OCT 26 1994

* NO CHANGES

BC

63-11101
3N4W

R4W F
MARSING QUADRANGLE
IDAHO

7.5 MINUTE SERIES (ORTHOPHOTOGRAPH)

516


47° 30"

GREENLEAF 5 MI.
3.3 MI. TO IDAHO 19 230 000 FEET

519

113





47.8

T1503
N/NW

H/NW

7.1

16.5

3279

N/NW

4
22.0

T2446
N/NW

N/NW

24.0

2
31.5

33.7

T5085
NW

T5083
N/NW

1/2 T2445
N/NW

T5084
NW

(7.0)

2
35.5

(17.3)

N/NW

NW

3
23.9

T2546
N/NW

N/NW

63-11101

(2.0)

(31.4)

2
12.0

FOUND ACRES = 106.5

Permit acres = 104

OCT 26 1994

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11101

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 3N, Rge 4W, Sec. 11, SW 1/4 NE 1/4 or Lot _____.

2. Owner: Crookham Co.

Address _____, City _____, St _____

3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____

4. Access Port: Yes ☒ No _____ Static Water Level: 40'
Pressure Gauge: Yes _____ No ☒ Casing Diameter: 16" (?)
Flowing: Yes _____ No ☒ Temperature: _____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

RECEIVED
OCT 26 1994

63-11101
5/27/93



P/D 9
North half of
P/u

District water in
ditch delivered
to all acres.
Well may be
discharged to
ditch.



P/D 9 South half
of P/u

OCT 26 1994

January 3, 1991

CROOKHAM CO.
P.O. BOX 520
CALDWELL, ID 83605

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11101

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.


The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region



CONVERSATION MEMORANDUM

DATE 1-8-1991

FILE 63-11101

NAME OF PARTY Crookham Co.

EMPLOYEE GENE GIBSON

RE: MEASUREMENT Device

George Crookham called about a letter he had received from Rita Fleck. He stated that there was a port for measurement of the flow and if it was not useable there was a weir in the ditch the water could flow over, or a weir could be put in down further in the ditch if ness.

MICROFILMED

FEB 07 1991

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
May 24, 1990

CROOKHAM CO.
P.O. BOX 520
CALDWELL, ID 83605

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P63-11101

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

MICROFILMED

JUN 05 1990

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED

JUN 10 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

JESENKO, PAUL
JESENKO, WANDA
HC 79 BOX 48
MELBA, ID 83641

Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION

Date Filed: 1/15/1990
In: T01S R02W S23

SENE Sec 23 T 01S R 02W
(1.200 CFS)
Total Diversion: (1.200 CFS)

SWNE SENE NESE NWSE

WHELAN, JANET L.
WHELAN, PATRICK D.
P.O. BOX 94
HUSTON, ID 83630
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION

SWSWNE Sec 14 T 03N R 04W
(.120 CFS)
Total Diversion: (.120 CFS)

Date Filed: 1/16/1990
In: T03N R04W S14 SWNE

4.0 ACRES TOTAL

WELLS, LEWIS E.
454 HILL RD. S.
MELBA, ID 83641
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION

NWSE Sec 3 T 01S R 02W
(.090 CFS)
Total Diversion: (.090 CFS)

Date Filed: 1/08/1990
In: T01S R02W S03 NWSE

3.0 ACRES TOTAL

CROOKHAM CO.
P.O. BOX 520
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION

SWNE Sec 11 T 03N R 04W
(2.080 CFS)
Total Diversion: (2.080 CFS)

Date Filed: 1/12/1990

In: T03N R04W S11 NENE NWNE SWNE SENE

104.0 ACRES TOTAL

WILLIAMSON, JOHN A.
14252 SUNNYSLOPE RD.
CALDWELL, ID 83605
Source: GROUNDWATER

Diversions Pt: LOT 4 (SENNW) Sec 4 T 03N R 04W

LOT 1 (NWNENE) Sec 5 T 03N R 04W

LOT 3 (NENENW) Sec 5 T 03N R 04W

LOT 1 (NENENE) Sec 6 T 03N R 04W

Use: IRRIGATION (2.400 CFS)
Total Diversion: (2.400 CFS)

Date Filed: 11/22/1989

In: T03N R04W S04 Lot 3 (NENW) Lot 4 (NWNW) SWNW SENW
S05 Lot 1 (NENE) Lot 2 (NWNE) Lot 3 (NENW) Lot 4 (NWNW)
S06 Lot 1 (NENE)

300.0 ACRES TOTAL

BISH WELL
C/O ALTHA M. BISH
3805 BRIAN
CALDWELL, ID 83605
Source: GROUNDWATER
Diversions Pt:
Use: DOMESTIC

SWNWSW Sec 34 T 04N R 03W
(.150 CFS)
Total Diversion: (.150 CFS)

Date Filed: 1/09/1990

In: T04N R03W S34 SWSW

PAXTON, ROBERT L.
17369 HWY. 95
WILDER, ID 83676
Source: SPRING

Diversions Pt:
Use: IRRIGATION

Tributary: SNAKE RIVER
NWNESE Sec 3 T 03N R 05W
(.200 CFS)
Total Diversion: (.200 CFS)

Date Filed: 1/19/1990

In: T03N R05W S03 NESE NWSE

10.0 ACRES TOTAL

BROWN, OMER
BROWN, JAY DEAN
2098 S. BLVD. S.
MELBA, ID 83641
Source: GROUNDWATER
Diversions Pt:
Use: IRRIGATION
STOCKWATER
DOMESTIC

NENE Sec 13 T 01S R 02W
(1.580 CFS)
(.070 CFS)
(.040 CFS)
Total Diversion: (1.690 CFS)

Date Filed: 1/24/1990

In: T01S R02W S13 NENE NWNE

79.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before FEBRUARY 28, 1990.

R. KEITH HIGGINSON, Director
February 7, 14, 1990

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

RECEIVED
FEB 13 1990

Department of Water Resources
Western Regional Office

Rebecca Stiehl

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two times

—in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

February 7, 14, 1990

Rebecca Stiehl

STATE OF IDAHO)
)
COUNTY OF CANYON)

On this 14th day of February in the year of 1990, before me, a Notary Public, personally appeared Rebecca Stiehl, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he/she executed the same.

Janet Lusk
Notary Public for Idaho
Residing at Nampa

MY COMMISSION EXPIRES
JULY 12th, 1991

RECORDED
JUN 05 1990

63-11101

CROOKHAM CO.
P.O. BOX 520
CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: SWNE Sec 11 T 03N R 04W

Use: IRRIGATION (2.080 CFS)
Total Diversion: (2.080 CFS)

Date Filed: 1/12/1990

In: T03N R04W S11 NENE NENE SWNE SENE
104.0 ACRES TOTAL

MICROFILMED

JUN 03 1990