

[illegible]

63-11095

JUN 05 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
APR 16 1992
Department of Water Resources

A. GENERAL INFORMATION


Permit No. 63-11095
1. Owner: Ronald Rice Phone No. 888-7708
Current Address: 6295 Ustick Rd Meridian, Id 83642
2. Accompanied by: Ronald EXAM. DATE: 8-17-91
Address: same Phone No. same
Relationship to Permit Holder: owner
3. Source: groundwater tributary to -NA-

B. OVERLAP REVIEW

1. Other water rights with same place of use: none ☐ Copies Attached
2. Other water rights with same point of diversion: none ☐ Copies Attached ☐ Copies of Field Exam's Attached


C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more).



7N
J



PERMIT 103-11095 INIT Dave
T. R. S. Q/Q
P/D 3n lw 4 SWNW
SCALE _____
PHOTO ID. _____

PLU →
PLD →

Produced by the Geological Survey
Orthophotograph prepared from 1:80,000-scale aerial photographs taken July 4, 1981
Projection and 10,000-foot grid ticks: Idaho coordinate system, west zone (Transverse Mercator)
1000-meter Universal Transverse Mercator grid, zone 11
1927 North American Datum
To place on the predicted North American Datum 1983 move the projection lines 15 meters north and 77 meters east as shown by dashed corner ticks
Photoimagery rectified by optical scanning
Where double or mismatched image occur use the mean of image position for map point
Land lines from Star, Idaho
1:24,000-scale topographic map dated 1971
There may be discrepancies between positions on land lines and photoimagery

Copies Of
At Bonne

THIS MAP CO
FOR SALE BY U. S

This map has been prepared by the Idaho Department of Water Resources Idaho Code §42-1410 to assist claimants in filing notices of claims and objections River Basin Adjudication. No warranty, either express or implied, is made responsibility is assumed by IDWR, its employees, its agents, contractors, and firms particularly Bonneville Blueprint Supply Co., Inc. or its employees for the completeness or usefulness of any information set forth on this map

MICROFILMED

NOV 19 1992



✓ 63-11095

3N 1W 5-4

11/15/92

(100)

(100)


2	2	1	2	1
44.08	44.44	44.50	44.30	44.50

MICROFILMED

NOV 19 1992

44.45.00

44.46.00



63-11/1995



View of well.
@ the south/end
part of the property.

Discharge pipe is
pointing east, while
the other ditch
irrigates to the west.



South Eastern
ditch, irrigates to
the north.

MISSOURI MED

NOV 19 1992

63-11095



@ Mid/South ditch.
going north. Irrigates
West.



North eastern field.
irrigates north & ditch
goes east. Notice the
underroad transfer system
@ the bottom of the picture.

MICROFILMED

NOV 19 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11095

Priority: January 10, 1990

Maximum Diversion Rate: 1.87 CFS
Maximum Diversion Volume: 420.8 AF

This is to certify, that RONALD L RICE
6295 W USTICK RD
MERIDIAN ID 83642

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated January 10, 1990; and
has submitted Proof of Beneficial Use on January 26, 1991. An examination indicates
that the works have a diversion capacity of 3.010 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.87 CFS	420.8 AF

LOCATION OF POINT(S) OF DIVERSION: SWNW , Sec. 4, Township 03N, Range 01W
ADA County

PLACE OF USE: IRRIGATION
TWN RGE SEC

	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N 01W 4 Lot 3(NENW) 20 Lot 4(NWNW) 34.5 SWNW 39				93.5

Total number of acres irrigated: 93.5

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

RECORDED


NOV 19 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11095

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 27th
day of OCTOBER, 1992.


Acting for R. Keith Higginson, Director

NOV 19 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11095

Proposed Priority: January 10, 1990 Maximum Diversion Rate: 2.00 CFS

This is to certify, that RONALD L. RICE
6295 W. USTICK RD.
MERIDIAN, ID 83642

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	2.00 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SWNW Sec. 4, Township 03N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	01W	4	LOT 3(NENW) 20	LOT 4(NWNW) 40	SWNW 40	100


Total number of acres irrigated: 100

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

24th day of May, 1970.

for 
R. Keith Higginson, Director

MICROFILMED

JUN 03 1990

RECEIVED

JAN 11 1990

Ident. No. 63-11095

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: RONALD L. RICE
Address: 6295 W. USTICK RD.
MERIDIAN, ID 83642

208-888-7708

2. Source: GROUNDWATER

Trib. to:

3. Location of Point of Diversion:

SWNW Sec. 4, Township 03N, Range 01W
ADA County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	2.000		

5. Total quantity appropriated is:

2.000 CFS (and/or) AF

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.
WELL, PUMP AND CEMENT DITCHES.

b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.

c. Proposed well diameter is 16 inches; proposed depth of well is 150
feet.

d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:

IRRIGATION OF 100 ACRES.

9. Place of Use: IRRIGATION

TWN	RGE	SEC	*	ACRES	ACRES	ACRES	TOTAL
03N	01W	4	Lot 3 (NE1/4)	20	Lot 4 (NW1/4)	40	100
					SW1/4	40	100
					Total number of acres irrigated: 100		

10. Describe any other water rights used for the same purposes.
NAMPA-MERIDIAN IRRIGATION DIST.

* Lots added to database 1/23/90, SL

MICROFILMED

JUN 05 1990

11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT & ALDIN PORTER
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.
APPLICANT RENTS MR. PORTER'S LAND.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X. Ronald S. Rine
Applicant


Received by SL kw Date 1-11-90 Time 1:45 Preliminary check by SL
Fee \$ 65.00 Receipted by kw # C013921 Date 1-10-90
Publication prepared by GG Date 1-24-90 Published in ID Statesman
Publication approved SL Date 4-4-90 ^{2/1 & 2/8/90}

MICROFILMED

JUN 05 1990

Drilling Permit 63-90-B-003 approved 1/10/90,
SL.

Section 4 3N 1W



Not To scale

3N 1W 5.4

63-11095

100m

100m

100m

100m

2	2	1	1	1	1
41.08	41.44	41.80	42.16	42.52	42.88

53124
B.

53124
B.

1964.5.01


1964.6.50

1964.7.01

1964.7.01

1964.7.01

1964.7.01



MICROFILMED
JUN 05 1990

RECEIVED

FEB 12 1990

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

Department of Water Resources
Western Regional Office

LEGAL ADVERTISING INVOICE

Amount Due

73.20

Account Name Idaho Department of Water Resources - Western			Account Number 47628	
Address 2735 Airport Way		City/State Boise, Idaho		Zip 83705
Ordered By Gail Garrett	P.O. Number	Rate nt	Run Dates February 1, 8, 1990	
Identification Notice of Application for Water Right			Estimated Inches	Real Inches
Number of Affidavits Requested 1				Legal Number 4717

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11095
Rice, Ronald L.
6295 W. Usfick Rd.
Meridian, ID 83642
Source: Groundwater
Diverson Pt: SWNW Sec 4 T 03N R 01W

Use: Irrigation (2,000 CFS)
Total Diverson: (2,000 CFS)
Date Filed: 1/10/1990
In: T03N R01W S04 Lot 3 (NENW)
Lot 4 (NWNW) SWNW
100.0 ACRES TOTAL
63-11102

Shiloh Homeowners Assn.
10481 W. Edna
Boise, ID 83704
Source: Groundwater
Diverson Pt: SWNW Sec 35 T 04N R 01E
Use: Irrigation (.060 CFS)
Total Diverson (.060 CFS)
Date Filed: 12/14/1989
In: T04N R01E S35 SWNW
2.0 ACRES TOTAL
63-11105

Floating Feather Rental Co.
10601 Horseshoe Bend Rd.
Boise, ID 83703
Source: Groundwater
Diverson Pt: SESENE Sec 10 T 04N R 01E
Use: Irrigation (.160 CFS)
Use: Commercial (.250 CFS)
Total Diverson (.410 CFS)
Date Filed: 8/21/1989
In: T04N R01E S10 SENE
8.0 ACRES TOTAL
63-11108

The Woods Association Inc.
c/o John Evans
4920 River Vista Way
Boise, ID 83703
Source: Groundwater
Diverson Pt: Lot 2 (SWNE)
Sec 23 T 04N R 01E
Use: Aesthetic (2,000 CFS)
Total Diverson: (2,000 CFS)
Date Filed: 1/09/1990
In: T04N R01E S23 Lot 2 (SWNE)
The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before February 20,

Debbie Richards

, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for 2

☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of February 1, 19 90

and ending with the issue of February 8, 19 90

Debbie Richards

STATE OF IDAHO)

ss.

COUNTY OF ADA)

MICROFILMED

JUN 05 1990

On this 8th day of February 1990, before me, a Notary Public, personally appeared Debbie Richards

, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same

Notary Public for Idaho

Residing at Boise, Idaho

My commission expires:



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 27, 1992

RONALD L RICE
6295 W USTICK RD
MERIDIAN ID 83642

RE: WATER RIGHT NO. 63-11095

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
OCT 29 1992

September 23, 1992

RONALD L RICE
6295 W USTICK RD
MERIDIAN ID 83642

RE: WATER RIGHT NO. 63-11095

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
NOV 19 1992

LICENSE REVIEW CHECKLIST

Permit # 63-11695

Date 9-21-92
Q8

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u> ✓ </u>	Address Change?
PRIORITY DATE	<u> </u>	<u> ✓ </u>	Advance?
	<u> </u>	<u> ✓ </u>	Memo to Advance
	<u> </u>	<u> ✓ </u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u> ✓ </u>	Incorrect Fee for rate recommended?
	<u>NA</u>	<u> </u>	Disagree with Actual Measurement?
			<u>93.5 x .02 = 1.87 cfs (IRR)</u>
	<u> </u>	<u> ✓ </u>	Disagree with Theoretical?
	<u> </u>	<u> ✓ </u>	Limited by Capacity? <u>3.01 cfs</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	<u> </u>	<u> ✓ </u>	Disagree with Examiner's Calculations?
			<u>93.5 x 4.5 = 420.8 cfs (IRR)</u>
	<u> </u>	<u> ✓ </u>	Limited by Flow? <u>1.87 x 245 x 1.9835 = 908.7 > 420.8</u>
SOURCE	<u> </u>	<u> ✓ </u>	Changes? Clarification of <u>Originally</u>
			<u>Intended</u> source
	<u> </u>	<u> ✓ </u>	Notice of Intent to Void.
P/D			Verify with Map
	<u> </u>	<u> ✓ </u>	Amendment Needed?
	<u> </u>	<u> ✓ </u>	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	<u> </u>	<u> ✓ </u>	Amendment Needed?
	<u> </u>	<u> ✓ </u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u> ✓ </u>	Change(s) in Nature of Use?
	<u> </u>	<u> ✓ </u>	Amendment Needed?
REMARKS	<u> </u>	<u> ✓ </u>	Multiple P/Ds in 1/4 1/4?
	<u> </u>	<u> ✓ </u>	Non-Irr. Uses
	<u> </u>	<u> ✓ </u>	Special Overlap Condition
	<u> </u>	<u> ✓ </u>	Other
CONDITIONS	<u> </u>	<u> ✓ </u>	Measuring Device
	<u> </u>	<u> ✓ </u>	W/Master Control
	<u>R32</u>	<u> </u>	Overlap
	<u> </u>	<u> ✓ </u>	Water Quality
			DATES/MISC
		<u> ✓ </u>	Water Dist.
		<u> </u>	App Rec'd
		<u> ✓ </u>	Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduced Acres, rate</u>		

License 10-Day ✓ 15-Day Special Correspondence

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	RONALD L RICE 6295 W USTICK RD MERIDIAN ID 83642 (208) 888-7708	01/10/1990	IRRIGATION	03-15 11-15	1.87 CFS	420.8 AFA
TOTAL DIVERSION:					1.87 CFS	420.8 AFA

Stage: LICENSE

Place of use Legal Description for: IRRIGATION

Audit: 09/21/92 SKAGGS

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This system makes use of a 205ft well, 20hp motor a 18" casing and a 8" steel discharge. The system waters around 95 acres and with a static water level of 18' the dynamic level is only 41'.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible	NA	20	NA	NA	8"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NW	4	3n	1w	ADA	Quads/Aerial/Verification

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3n	1w	4																	93.5

MICROFILMED

NOV 19 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

$$\text{Theoretical; } \frac{20 \cdot 8.8 \cdot 70}{41 + (2.3 \cdot 0)} = \frac{123.2}{41} = 3.01 \text{ cfs}$$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\text{Theoretical} = 3.01 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

Polysonic was not available at this time

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 93.5 \times 4.5 = 420.8 \text{ af}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 7.00 \times 245 \times 1.9835 = 971.92 \text{ af}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 420.8 \text{ af}$$

2. Volume Calculations for Other Uses:

MITROFUMED

NOV 19 1992

[illegible]

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	2.00 cfs	420.8 AFA
			Totals:	2.00 cfs 420.8 AFA

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None☐ Other


Field Examiner's Name DAVID T. GRAY
Signature [Signature]
13/92 Certification Date _____
Field Report Preparation Date 12-15-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

APPROXIMATED

NOV 19 1992



Produced by the Geological Survey

Orthophotograph prepared from 1:80,000-scale aerial photographs taken July 4, 1981

Projection and 10,000-foot grid ticks: Idaho coordinate system, west zone (Transverse Mercator)

1000-meter Universal Transverse Mercator grid, zone 11 1927 North American Datum

To place on the predicted North American Datum 1983 move the projection lines 15 meters north and 77 meters east as shown by dashed corner ticks

Photoimagery rectified by optical scanning

Where double or mismatched image occur use the mean of image position for map point

Land lines from Star, Idaho

1:24,000-scale topographic map dated 1971

There may be discrepancies between positions on land lines and photoimagery

Copies Of
At Bonn

THIS MAP C
FOR SALE BY U.


This map has been prepared by the Idaho Department of Water Resources Idaho Code §42-1410 to assist claimants in filing notices of claims and objection River Basin Adjudication. No warranty, either express or implied, is made responsibility is assumed by IDWR, its employees, its agents, contractors, and firms particularly Bonneville Blueprint Supply Co. Inc. or its employees for completeness or usefulness of any information set forth on this map

MICROFILMED

NOV 19 1992

3N 1W 5.4

✓ 63-11095



63-11095



View of well.
© the south end
part of the property.

Discharge pipe is
pointing east, while
the other ditch
irrigates to the west




South Kestler
ditch, irrigates to
the north.

NOV 19 1992

63-11695

@ Mid/South ditch.
going north. Irrigates
west.



North eastern field.
irrigates with a ditch
going east. Notice the
underroad transfer system
at the bottom of the picture.



MICROFILMED

NOV 19 1992

Form 238-I
05/90

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11095

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 3N, Rge 1W, Sec. 4, SW 1/4 NW 1/4 or Lot _____.

2. Owner: Ronald Rice

Address 6295 W. Hick Rd, City Mendon, St Idaho

3. Casing $\geq$ 12 inches above ground: Yes X No _____

4. Access Port: Yes X No _____ Static Water Level: 11'
Pressure Gauge: Yes _____ No X Casing Diameter: 18"
Flowing: Yes X No NA Temperature: NA

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No X

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: Well is in fine shape.

RECORDED
NOV 19 1992

March 12, 1991

RONALD L. RICE
6295 W. USTICK RD.
MERIDIAN, ID 83642

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11095

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the STATE Regional Office in Boise at (208)327-7900.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

MAR 18 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

JAN 30 1991

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-11095 Telephone No. 208-888-7708

Name(s) of Permit Holder(s): RONALD L. RICE

Post Office Address: 6295 W. Ustick rd. Meridian Id. 83642

Source of Water: GROUND WATER

If ground water, well driller's name: PETE COPE Date drilled: 5-1-90

Extent of Use:
Domestic _____ (No. of households) Irrigation 100 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 5.0 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: May-1-90

One of the following may be a condition of approval of your permit: PER-PHONE CONVERSATION WITH STEVE LESTER
Measuring device: Required? Yes No Installed? Yes No
Device to be used - could be POLY SONIC EQUIPMENT.
OR

Flow Measurement Port: Required? Yes No Installed? Yes No

Fee Enclosed: \$ 125.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

RONALD L. RICE 208-888-7708
Name Telephone No.

6295 W. Ustick rd. Meridian Id. 83642
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

1-28-91
Date

Ronald L. Rice
Signature (and title if on behalf of a company or organization)

MAR 18 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-11095

Date 2-19-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, prepare data entry form.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
☒ Drill permit req'd?
☒ Copy in file? Drill permit no. 63-90-2-003
☐ Well log in file?
100.00 Amt paid for drilling permit? ☒ Correct?

LICENSE EXAMINATION FEE

- 462 Required?
125.00 Amount submitted?
462 Correct amount?

MEASURING DEVICE

- 465 Measuring device or access port required?
☐ Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

needs well log - OK

*check meas. device
needs flow meas*

proof acceptable

PRIORITY CALCULATION

Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

<u>NA</u>		
	-	
	=	
	+	
	=	

[Signature]

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
May 24, 1990

RONALD L. RICE
6295 W. USTICK RD.
MERIDIAN, ID 83642

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P63-11095

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

MICROFILMED

JUN 05 1990

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 05 1980

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RL DATE: 1/22/90 APPLICATION: 63-11095

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use:
Nature of proposed use: (Include description of use)
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map:
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
Fee:
Yes ☐ No* ☐ In form to receipt:

Gov't. Lots:
N P/D
Y P/U

ADDITIONAL INFORMATION

YES NO

☒ ☐ Overlapping place of use: (Describe source & relationship to present application on the back.)
☐ ☒ Overlapping point of diversion:
☐ ☐ Field check required: Field check by: _____
☐ ☐ Field report attached:
☐ ☐ Critical groundwater area:
☐ ☐ Groundwater management area:
☐ ☐ Diversion within interim protected river area
☐ ☐ Send dam safety information:
☐ ☐ Send power requirement letter:
☐ ☐ Send fish farm requirement letter:
☐ ☐ Power residency affidavit:
☐ ☐ Power efficiency form:
☐ ☐ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐ ☐ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ ☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side: _____

MAY 14 1990

Department of Water Resources

PROCESSING

APPLICATION NO. 63-11095

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☐
☐ ☒

Publication dates and paper recorded on application:

Protests received. Final date for protest February 20, 1990

Protest dates, resolution of protest recorded on application:

☐ ☒
☒ ☒

Recommendations attached: Approve, Dnr

Measuring device required:

Measuring port required:

☐ ☒
☐ ☒

Water delivered by water master? District # 63-P05

Special conditions of approval or cover letter:

016,

See below for additional information

Recommended Date or Priority 1/10/1990Recommended by: DnrDate 5/6/1990

STATE OFFICE REVIEW

P05, P23, P03, P1646 013See below for additional information. By KWDate 5-21-90

ADDITIONAL INFORMATION

Overlyplu63-04789 domestic well.63-02388 Boise River, Irrig. dist. water.

9/89

Drilling Permit No. 63-90-2-003Water Right Permit No. 63-11095

Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

1. Applicant RONALD L. RICE
2. Mailing Address 6295 W. USTICK RD.
MERIDIAN ID. 83642 Telephone 888 7708
(X) Well Owner () Well Operator () Other, specify _____
3. Proposed well location SW 1/4 NW 1/4, or Gov't lot No. _____,
Sec. 4, Twp. 3 N., Rge. 1 W., County Ada,
Street Address of Well Site _____,
Lot, block and subdivision _____
4. Proposed use of well:
() Single family or stockwater use (less than 13,000 gallons per day)
(X) Irrigation (more than 1/2 acre)
() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
() Other (describe fully) _____
5. Well construction information:
A. (X) New well () Deepen () Replace - See Condition 9.
B. Proposed surface diameter 16 in Maximum depth 150 ft
C. Anticipated bottom hole temperature:
(X) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Construction Start Date 3-1-90
7. Anticipated Well Driller PETE COPE WELL DRILLING CO.
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature Ronald L. Rice Date 1-6-90
Title Owner
(Owner, Firm Representative, Other)

MICROFILMED

JUN 05 1990

Drilling Permit No. X 63-90-2-003

Water Right No. 63-11095

REQUEST FOR EXPEDITED ISSUANCE OF A DRILLING PERMIT

Ronald Rice, Applicant, requests issuance of Drilling Permit prior to approval of a water right. The request is made for the following reason(s):

The lack of seeded water on dry years, delivered through one headgate and head ditch for three farms, 180 acres, and having to rotate, makes it difficult to get a good contrast on our crops. We need a well to properly control the amount and timing the irrigation of the perishable crops we are raising, onion seed, corn seed, lima beans, sugar beets, grain & alfalfa.

Applicant understands that the drilling permit does not constitute a water right and does not authorize diversion or use of water from the well.

Applicant acknowledges that by accepting a drilling permit and commencing construction he accepts all risk that the well may not ultimately be approved for use.

January 9 1990
Date

X Ronald L. Rice
Applicant's Signature

Owner
Applicant's Title

MICROFILMED

JUN 05 1990

63-11095

RICE, RONALD L.
6295 W. USTICK RD.
MERIDIAN, ID 83642

Source: GROUNDWATER

Diversion Pt: SWNW Sec 4 T 03N R 01W

Use: IRRIGATION (2.000 CFS)
Total Diversion: (2.000 CFS)

Date Filed: 1/10/1990

In: T03N R01W S04 Lot 3 (NENW) Lot 4 (NWNW) SWNW

100.0 ACRES TOTAL

MICROFILMED

JUN 03 1990