


Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Quail W. Lane, this 21 day of May, 19 91.

Quail W. Lane
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by GG Fee = \$20.00

Received by JFW Date 3-21/91

Publication prepared by GG Date 3-27-91

Published in Press-Tribune

Publication dates 4/3 & 4/10/91

Receipt No. W013138

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, L. GLEN SAXTON, of the Department of Water Resources hereby approve the above referenced application for amendment provided the conditions as set forth in permit No. 63-11094 are met.


Witness my hand this

9th day of

May, 19 91

L. Glen Saxton
Chief, Water Allocation Bureau

DEC 11 1991



T 2N R 1W S.31

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

EAST

Bennett Rd

N Robinson Rd

n/2
SE 1/4 SE 1/4 31 2N R1W

x

Point of Diversion

Kramer Rd

West

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

David W. Lowe
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

FEB 01 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11094

Phone No. 466-1926

EXAM. DATE: 7-15-92

Phone No. same

1. Owner: Donald W. Lowe
Current Address: Rt 1 S. Robinson Rd Kuna Ida 83634
2. Accompanied by: Donald Lowe
Address: same
Relationship to Permit Holder: same

3. Source: groundwater tributary to WA-

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = Not to scale.

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).


SEP 22 1994



plu
← pld

PERMIT 63-11074 INIT QJ
T. R. S. Q/Q
P/D 2n 1w 32 17WSW
SCALE _____
PHOTO ID. _____

SEP 22 1994



3
17.0

T 3694
1
17.2

3
27.3

9
3.7

5
12.6

6
9.2

8
6.8

2
10.1

6
21.3

T 3695
2
21.0

4
5.2

7
7.9

3
6.7

7
7.1

4
2.7

5
1.2

6
9.8

2
23.6

8
2.7

3
6.7

3
25.8

6
5.8

1
6.1

4
15.6

1
3.5

4
7.8

5
17.5

1
32.9

2
32.6

4
48.9

2
8.1

10
26.0

12
12.6

15
9.7

4
8.5

5
6.0

8
3.7

5
3.1

6
4.0

13
8.0

14
6.8

1
13.2

3
20.1

1
31.0

3
1.2

9
12.6

SEP 22 1994

63-11094

View of system LOOKING
EAST.



View of field looking
west.



RECEIVED

SEP 22 1994

63-11094

Looking south/west



SEP 22 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11094

Priority: February 25, 1990

Maximum Diversion Rate: 1.15 CFS

Maximum Diversion Volume: 338.9 AF

This is to certify, that DERALD W LOWE

RT 1 S ROBINSON RD

KUNA ID 83634

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 29, 1989; and has submitted Proof of Beneficial Use on June 29, 1991. An examination indicates that the works have a diversion capacity of 1.150 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.15 CFS	338.9 AF

LOCATION OF POINT(S) OF DIVERSION: NWSW, Sec. 32, Township 02N, Range 01W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	01W	31	NESE 25	NWSE 27	SESE 23.3	75.3

Total number of acres irrigated: 75.3

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.


SEP 22 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11094

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 9TH
day of SEPTEMBER, 1994.

Acting for  Keith Higginson, Director



BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-11094

IN THE NAME OF DERALD W. LOWE

) ORDER OF
) REINSTATEMENT
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before May 1, 1991; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on June 28, 1991;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-11094 be REINSTATED with an advance in priority to February 25, 1990.

Dated this 27th day of November, 1991.


L. GLEN SAXTON
Chief, Water Allocation Bureau

DEC 11 1991

RECEIVED
JUN 28 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received 125.00
Date 6-28-91
Receipt # 0021016
Receipt by [initials]
Reviewed by [initials]
Sent to region

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-11094

Name(s) of Permit Holder: DERALD W. LOWE

Post Office Address: Rt#1 S. Robinson Rd Kuna 83634

Telephone No. 466-1926

Source of Water: well

Extent of Use:

Domestic (number of households)

Stockwater (number and type of stock)

Irrigation 84 (acres)

Other/Remark

Total rate and/or volume for which proof is submitted 1.68 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: 21 June 91

Measuring Device: Required? Yes X No
Installed? Yes No

Fee enclosed \$ 125.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes X No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

DERALD W. LOWE
(Name)

466-1926
(Telephone Number)

6375 Robinson Rd Kuna, ID 83634
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

28 Jan 91
Date

DERALD W. LOWE
Signature of Permit Holder (and title, if appropriate)

DEC 11 1991

STATE OF IDAHO

APPROVED

APPLICATION FOR AMENDMENT OF A PERMIT

To change the point of diversion and/or the place of use.

Comes now Derald W. Lowe

Phone 466-1926

of (address) Rt 1 S Robinson Rd. Kuna 83634, and represents to the

Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 6311094, and requests that the permit and permit map be changed as follows:

1. Point of diversion: NW 1/4 SW 1/4, Section 32, Township 2N, Range 1W, B.M., County of Canyon. Other points of diversion: _____

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 1.68 for IRRIGATION purposes from MAR 15 to Nov. 15 (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	01W	31													32	27		25	84


Total number of acres to be irrigated = 84

4. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or the place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

DEC 11 1981

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.



That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Charles W. Lane, this 21 day of May, 19 91.
Charles W. Lane
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by GG Fee = \$20.00

Received by JFW Date 3-21/91

Publication prepared by GG Date 3-27-91

Published in Press-Tribune

Publication dates 4/3 & 4/10/91

Receipt No. W013138

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, L. GLEN SAXTON, of the Department of Water Resources hereby approve the above referenced application for amendment provided the conditions as set forth in permit No. 63-11094 are met.

Witness my hand this

9th day of

May, 19 91

DEC 11 1991

L. Glen Saxton
Chief, Water Allocation Bureau



STATE OF IDAHO

For Office Use Only
\$15 FEE Received by 24
Date 3-6-91
Receipt # W013086

MAR 06 1991

Department of Water Resources
Western Regional Office

DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 63-11094Name(s) of Permit Holder: Derald W. LowePost Office Address: Rt 1 S. Robinson Rd. Kuna ID 83634Telephone No. 466-1926Date Proof Is Due: 5-1-91

Describe what work has been completed toward the development of this water right: NONE
(This must be filled out! If no work has been completed, show "none".)

Costing \$

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Permit holder is acquiring adjoining property & wishes to drill only one well. He needs time to close the sale & re-locate the well & distribution system.

Permit holder(s) request an extension to 5-1, 1992.
(1 yr. minimum)

Derald W. Lowe
(Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be DENIED for failure of the permit holder to proceed with diligence toward the development of Permit No. 63-11094.

Signed this 12TH day of March, 19 91.

R. Keith Higgins
Director

DEC 11 1991

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-11094

Proposed Priority: December 29, 1989 Maximum Diversion Rate: 1.68 CFS

This is to certify, that **DERALD W. LOWE**
RT. 1 S. ROBINSON RD.
KUNA, ID 83634

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	1.68 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: NESE Sec. 31, Township 02N, Range 01W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
------------	------------	------------	--------------	--------------	--------------	--------------

02N	01W	31	NESE 32	NWSE 27	SESE 25	84
-----	-----	----	---------	---------	---------	----

Total number of acres irrigated: 84

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **May 1, 1991**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this

3rd day of April, 1990.

R. Keith Higginson
for R. Keith Higginson, Director
RECORDED

APR 16 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant DERAID W. Lowe Phone 466-1926
Post office address Rt#1 S. Robinson Rd Kuna, Id 83634
2. Source of water supply Ground water which is a tributary of N/A
3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of _____ $\frac{1}{4}$, Govt. Lot _____
Sec. 31 Township 2N Range 1W B.M. Canyon County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:

Amount 1.68 for IRRIGATION purposes from MAR 15 to NOV. 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 1.68 and/or (b) _____

cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. well - Pump - well
drop into Cement Ditch
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 12" inches; proposed depth of well is 250-300 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 year years (minimum 1 year).

MICROFILMED

APR 19 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	1W	31													32	27		25	84

Total number of acres to be irrigated 84

10. Describe any other water rights used for the same purposes as described above. Borse-Kuna
Irrigation District


11. a. Who owns the property at the point of diversion? Derald W. Lowe

b. Who owns the land to be irrigated or place of use? Derald W. Lowe

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. N/A

12. Remarks: _____


APR 17 1964



T 2N R 1W S.31

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

EAST



Scale: 2 inches equal 1 mile.

West

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

David W. Lowe

(Applicant)

Received by RL Date 12/29/89 Time 2:00 Preliminary check by RL
Fee \$ 65⁰⁰ Receipted by RL # W007296 Date 12/29/89
Publication prepared by GG Date 1-10-90 Published in Press-tribune
Publication approved RL Date 2/16/90 1/17 & 1/24/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECEIVED

APR 19 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 12, 1994

DERALD W LOWE
RT 1 S ROBINSON RD
KUNA ID 83634

RE: WATER RIGHT NO. 63-11094

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads 'Shelley W. Keen'.

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

SEP 22 1994

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L6311094	T02N R01W S31 GROUNDWATER																	
	:															25	27	23 : 75
6302388	BOISE RIVE :																	:
A6302388	BOISE RIVE :																	:
6311094	GROUNDWATE :															32	27	25 : 84
6311525	GROUNDWATE :									03-31	04-29							60
6311739	GROUNDWATE :	40	40	40	40													160
M6311739	GROUNDWATE :	40	40	40	40													160
6311940	GROUNDWATE :									40			40				34	114

No Overlaps

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-11094 DATE 8-22-94



NAME	Yes	No	☒	Or Address Change?
PRIORITY DATE	☒	☐		Advance? <u>YES</u> Advanced to: <u>2-25-90</u> Order to reinstate needed? <u>done</u> Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐	☒		Changes or just clarification of originally intended source? _____ Notice of Intent to Void necessary? _____
POINT OF DIV	☐	☒		Amendment needed? <u>Charge to NWSE Sec 32</u> Overlaps? _____
PLACE OF USE	☐	☒		Amendment needed? _____ Overlaps? _____
DIV RATE	☐	☒		Measurement Q = <u>1.15</u> Theoretical Q = <u>.90</u> <u>75.3 x .02 = 1.5</u>
OPEN DISCHARGE				Capacity: <u>1.15</u> Combined rates exceed capacity _____ Permit/fee limits: <u>1.68</u> Allowable: <u>1.15</u>
ANNUAL VOLUME	☐	☒		Season of use: <u>D/4.5 (3-15 to 11-15)</u> Calculations: <u>75.3 x 4.5 = 338.85</u> Flow limit: _____ cfs x _____ x 1.9835 = _____ Combined volumes exceed capacity/allowable _____
USES	☐	☒		Change in Nature of Use or additional uses? _____ Amendment necessary? _____
REMARKS	☐	☒		Multiple p/d(s) in 1/4 1/4? _____ <u>WB3</u> Other <u>BOISE-KUNA IRR DIST</u>
CONDITIONS	☐	☒		Measuring/Locking Devices _____ <u>R32</u> Watermaster control - District _____ Irrigation Overlap _____ Water Quality _____ Other _____
COMMENTS: <u>Reduce acres & rate to capacity.</u>				

RECOMMENDED

CFS

VOLUME

LICENSE ☒

Irrigation

1.15

338.9

ADJUSTMENT MEMO NEEDED YES

1ST AMENDMENT LETTER _____

TOTALS

FINAL AMENDMENT LETTER _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

FEB 01 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 163-11094

1. Owner: Ronald W. Lowe

Phone No. 466-1926

Current Address: Rt 1 S. Robinson Rd Kuna Ida 83634

2. Accompanied by: Ronald Lowe

EXAM. DATE: 7-15-92

Address: same

Phone No. same

Relationship to Permit Holder: same

3. Source: groundwater tributary to WT

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = Not to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

SEP 3 8 1994

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This system uses a 230' 12" well with a 30 hp motor. The static level is 130' while the dynamic level is 205'. The system irrigates 75.3 acres according to the aerial photo; it does this by dirt ditches & diversions thereof.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
submersible		30			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
*			nw	se	32	2n	1w	CANYON	Quads; Aerial

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
*	2n	1w	32												- estimates -	25	27	233	75.3

* See Memo for explanation. BC

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
1 Cipolatti Weir	Cipolatti	steel	—	—	1'	—

2. Measurements:

Theoretical = $30 \times 8.8 \times 70 = 184.8 = .90 \text{ cfs}$ Cipolatti 1' weir
 $205 + (2.3 \times 0.01) = 205$ @ $5\frac{3}{4}" = 1.15 \text{ cfs}$
 well logs open discharge

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Cipolatti Weir = 1.15 cfs need = $75.3 \times .02 = 1.51 \text{ cfs}$

2. Alternate Method for Checking Purposes:

Theoretical = $.90 \text{ cfs}$

Allow = 1.15 cfs
 System Capacity

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

— NA —

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{i.r.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 75.3 \times 4.5 = 338.85 \text{ AFA}$

$V_{d.r.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.15 \times 245 \times 1.9835 = 558.85 \text{ AFA}$

$V = \text{Smaller of } V_{i.r.} \text{ and } V_{d.r.} = 338.85 \text{ AFA}$

2. Volume Calculations for Other Uses:

None.

SEP 28 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

*

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>3-15</u>	<u>11-15</u>	<u>1.15 cfs</u>	<u>338.85 AFA</u>
Totals:			<u>1.15 cfs</u>	<u>338.85 AFA</u>

2. Recommended Amendments

- * ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name DAVE GRAY
JFW Signature [Signature]
Certification Date _____
Field Report Preparation Date 8-18-92

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

* See attached memo. BC

SEP 22 1994

MEMORANDUM

TO: File 63-11094 / Derald W. Lowe
FROM: Brenda Chapman
DATE: August 22, 1994
RE: Adjustments Made

=====

* The final recommendations for the following portion(s) of the field exam were based on the information below.

C. DIVERSION AND DELIVERY SYSTEM

1. Point of Diversion: Exam map confirms well location in NWSW of Section 32.
2. Place of Use: Place of use is in Section 31.

H. RECOMMENDATIONS

2. Recommended Amendments

☐ Change P.D.	☐ Add P.D.	☒ None
☐ Change P.U.	☐ Add P.U.	☐ Other

The exam map confirms the point of diversion is still in the permitted NWSW of Section 32; therefore, an amendment is not necessary.

SEP 22 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 12, 1994

DERALD W LOWE
RT 1 S ROBINSON RD
KUNA ID 83634

RE: WATER RIGHT NO. 63-11094

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

SEP 22 1994

4814

4813

2 N.

4812

30"

1.1 N.


4811

4810

4809

PLU
← PH

PERMIT 03-11074 INIT 02
T. R. S. Q/Q
P/D 2n 1w 32 17W5W
SCALE _____
PHOTO ID. _____



Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11094

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 2n, Rge 1w, Sec 34, NE 1/4 52 1/4 or Lot _____.

2. Owner: Donald W. Lowe

Address Rt. 1 S. Robertson Rd., City Kura, St Idaho

3. Casing $\geq$ 12 inches above ground: Yes X No _____

4. Access Port:	Yes <u>X</u> No _____	Static Water Level:	<u>130'</u>
Pressure Gauge:	Yes _____ No <u>X</u>	Casing Diameter:	<u>12"</u>
Flowing:	Yes <u>X</u> No _____	Temperature:	<u>NA</u>

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ✓

If answer to Item 5 is Yes, describe in remarks and attach photo.


Remarks: _____

52-1-11094

63-11074




View of system LOOKING
EAST.



View of field looking
west.

SEP 2 1963

63-11094



Looking south/west

100.

SEP 23 1963

December 5, 1991

DERALD W. LOWE
RT. 1 S. ROBINSON RD.
KUNA ID 83634

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11094

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

DEC 11 1991

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Dorald W Lowe
Address 2415 Robinson Rd Kuna 83634
Drilling Permit No. 63-W-91-086
Water Right Permit No. 63-11094

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

- ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
250 inches	12 inches	1 feet	18 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

- Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet


Surface seal depth 18' Material used in seal: ☐ Cement grout☒ Bentonite ☐ Puddling clay ☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld

☐ Cemented between stringDescribe casing plug: Plug in Well Seal

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County _____

Adm SW Sec. 32 T. 2 N R. 1 E W

7. WATER LEVEL

Static water level 130' feet below land surface.Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ PlugTemperature 60 °F. Quality Clear

Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Batter ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>100+</u>	<u>265'</u>	<u>1/2</u>

9. LITHOLOGIC LOG

Bore Diam.	Depth From	Depth To	Material	Water Yes No
16	0	11	Soil	X
16	11	14	Broken lava	X
16	14	18	Solid lava	X
12	18	22	Broken lava	X
12	22	45	Broken lava Red	X
12	45	47	Solid lava	X
12	47	56	Broken lava	X
12	56	62	Red Cinder	X
12	62	70	Broken lava	X
12	70	76	Broken lava Red	X
12	76	86	Solid lava	X
12	86	100	Broken lava	X
12	100	118	Solid lava	X
12	118	124	Broken lava Red	X
12	124	145	Solid lava	X
12	145	153	Broken lava	X
12	153	163	Broken lava Red	X
12	163	171	Solid lava	X
12	171	183	Broken lava Craters	X
12	183	189	Solid lava	X
12	189	207	Broken lava	X
12	207	213	Broken lava	X

10.

Work started 4/22/91 finished 5/3/91

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
compiled with at the time the rig was removed.Firm Name Domestic Pump & Well Firm No. _____Address 17630 Orchard Stampa Date 5/4/91Signed by (Firm Official) [Signature]

and

(Operator) [Signature]

Drilling Permit No. 63-W-91-086
Water Right Permit No. x 63-11094
Injection Permit No. _____

RECEIVED
NOV 20 1991

State of Idaho
Department of Water Resources

RECEIVED
NOV 21 1991

Department of Water Resources

APPLICATION FOR DRILLING PERMIT

Department of Water Resources
Western Regional Office

1. Applicant (please print) Donald W. Lowe
2. Mailing Address Rt 15 Robinson Rd., Kuna ID 83634
Telephone 466-1926
- ☒ Well Owner () Well Operator () Other, specify _____
3. Proposed well location NW 1/4 SW 1/4, or Gov't Lot No. _____
Sec. 32, Twp. 2N, Rge. 1W, County Canyon
Street Address of Well Site _____
Lot, block and subdivision _____
4. Proposed use of well:
() Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic.
() Injection
() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
5. Well construction information:
A. ☒ New well () Deepen () Replace - See Condition 9
B. Proposed Surface Diameter 12" Proposed Maximum Depth 220'
C. Anticipated bottom hole temperature:
☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)
6. Construction Start Date April 10th 1991
Anticipated Well Driller Sylvan Adamson Pump Napa
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature Donald W. Lowe Date 21 Mar 91
Title _____
(Owner Firm Representative Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approval Date 3/21/91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules Regulations.

SPECIFIC CONDITIONS:

APR 11 1991

Steve Laster for
Signature of Authorized Department Representative

Manager, Western Region
Title

Receipt No. W013138 Received by JFW Fee 200.00 Date 3/21/91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 12, 1991

Derald W. Lowe
Rt. 1 South Robinson Road
Kuna, ID 83634

Re: Permit No. 63-11094

Dear Permit Holder:

In the department's review of the proof of beneficial use submitted in connection with the above referenced permit, the department was not able to locate a drilling permit which should have been applied for before construction of your well began. We have also been unable to locate a well log which should have been submitted by your well driller 30 days after completion of the construction of your well.

If you have a drilling permit or a copy of the well log, please provide this office with a copy of each. If you do not have a copy of the well log, please contact your driller and ask that he submit a copy. In your return letter, please be sure to show the above referenced permit number on any documents. Also, please address any correspondence directly to me. Your response, with both forms attached, should be received within 20 days of the date of this mailing.

This information is needed before the department can proceed further with the examination of your system and the eventual issuance of a license of water right.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

NOV 14 1991

EXPENDITURE VOUCHER

AUDITOR USE

STATE OF IDAHO
Office of State Auditor

AGENCY USE

5281
Date
05/22/91
Code
193002

VENDOR: If you require additional information regarding this payment, please contact the State agency listed below.

AGENCY NAME: DEPT. OF WATER RESOURCES

Document No.	
Pre-Audit	Date
Warrant No.	

PAY
TO

DERALD W. LOWE
ROUTE 1, S. ROBINSON RD.
KUNA, ID 83634

CHECK ONE:

(1) MISCELLANEOUS EXPENDITURE
() STATE CONTRACT

() PURCHASE ORDER

() MISCELLANEOUS
ENCUMBRANCE REQUISITION

PAYMENT: () PARTIAL () FINAL

Encumbrance Reference No.

LINE No.	PROGRAM	FUND	ACCT.		DESCRIPTION	LINE AMOUNT	AGENCY USE
			Maj	Min			
1	05 20 199	1238	8831		REFUNDS PER GLEN SAXTON WR #63-11094 RECEIPT #W013259 5/21/91 15.00	15.00	
TOTAL						15.00	

NOTE: Final payment must be accompanied by a receiving copy

TO STATE AUDITOR

Request is hereby made that a warrant be authorized and drawn in payment of the item or items described above. I hereby certify that the items described were ordered by proper authority; that they are necessary in the public service, that the items have been received and accounted for, and that the account as stated is correct and just.

AUDITOR'S CERTIFICATE

I hereby certify that the above account is in proper form; that totals carried hereon are correct; that receipts when required by law or regulation of the State Board of Examiners covering items for which reimbursement is asked are submitted herewith; and that there are funds in the state treasury and balances in appropriation accounts out of which the same may be lawfully paid.

Date

Head of Agency or Institution

State Auditor



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 21, 1991

DERALD W. LOWE
ROUTE 1, S. ROBINSON RD.
KUNA, ID 83634

Dear Mr. Lowe:

RE: Permit No. 63-11094

LAPSE NOTICE

Enclosed is a copy of the approved application for amendment. Returned, however, is the request for extension of time. Since on March 12, 1991, the department denied a previous request, the department will not consider a second request even though an amendment and drilling permit have been approved. A \$15 refund will be sent to you in a couple of weeks.

You are notified that under the provisions of Section 42-218a of the Idaho Code, Permit No. 63-11094 lapsed since the department could not approve the first request for extension of time you submitted and will not consider the second.

The permit cannot be reinstated unless an adequate amount of work has been completed to allow you to submit proof of beneficial use of water. If you are diverted and using water from the well for irrigation purposes you should complete and return the proof of beneficial use form along with the examination fee within sixty days of the date of this lapse notice. If it is not received by that time, the permit will be of no further force or effect and you will need to file a new application.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,



L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

c: Fiscal Sec.

CERTIFICATION OF MAILING

I hereby certify that on 5-21-91
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above



DEC 11 1991

Drilling Permit No. 63-W-91-086
Water Right Permit No. 63-11094
Injection Permit No. _____

State of Idaho
Department of Water Resources

RECEIVED
MAR 25 1991

APPLICATION FOR DRILLING PERMIT

Department of Water Resources

1. Applicant (please print) Donald W. Lowe
2. Mailing Address Rt 15 Robinson Rd., Kuna ID 83634
Telephone 466-1926
- ☒ Well Owner ☐ Well Operator ☐ Other, specify _____
3. Proposed well location NW 1/4 SW 1/4, or Gov't Lot No. _____
Sec. 32, Twp. 2N, Rge. 1W, County Canyon
Street Address of Well Site _____
Lot, block and subdivision _____
4. Proposed use of well:
☐ Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
☒ Non-Domestic: Any beneficial use not included within the definition of domestic.
☐ Injection
☐ Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
5. Well construction information:
A. ☒ New well ☐ Deepen ☐ Replace - See Condition 9
B. Proposed Surface Diameter 12" Proposed Maximum Depth 220'
C. Anticipated bottom hole temperature:
☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212° or more (Geothermal well)
6. Construction Start Date April 10th 1991
- Anticipated Well Driller Sylvan Adamson Pump Napa
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature Donald W. Lowe Date 21 Mar 91
Title _____
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is

Approval

Date

3/21/91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules Regulations.

SPECIFIC CONDITIONS:

Steve Laster for
Signature of Authorized Department Representative

Manager, Western Region
Title

Receipt No. W013138 Received by JFW Fee 200.00 Date 3/21/91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

**NOTICE OF APPLICATION
FOR AMENDMENT**

NO. 63-11094

Notice is hereby given that permit No. 63-11094 in the name of Derald W. Lowe of Kuna, Idaho was filed on 12/29/1989 for the diversion of groundwater with a point of diversion within the NESE S31, T02N R01W, S.M., Canyon County to be used for irrigation purposes for 3/15 to 11/15 within portions of SE 1/4 S31, T02N R01W.

The permit holder now proposes to amend the permit by changing the point of diversion of groundwater to within the NWSW of S32, T02N, R01W, Canyon County, to be used for the same purposes and on the same lands as described above.

Any protests against the approval of the proposed amendment must be filed with the Department of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before April 22, 1991.

R. KEITH HIGGINSON

Director

April 3, 10, 1991

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)

) ss.

County of Canyon)

Sharla O'Krakel

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper
two times

—in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

April 3, 10, 1991

Sharla O'Krakel

STATE OF IDAHO)

COUNTY OF CANYON)

On this 10th day of April in the year of 1991, before me, a Notary Public, personally appeared Sharla O'Krakel, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he/she executed the same.

[Signature]
Notary Public for Idaho
Residing at Nampa

MY COMMISSION EXPIRES
JULY 12th, 1991

RECEIVED
APR 11 1991

Department of Water Resources
Western Regional Office

DEC 11 1991

NOTICE OF APPLICATION FOR AMENDMENT

NO. 63-11094

Notice is hereby given that permit No. 63-11094 in the name of Derald W. Lowe of Kuna, Idaho was filed on 12/29/1989 for the diversion of groundwater with a point of diversion within the NESE S31, T02N R01W, B.M., Canyon County to be used for irrigation purposes for 3/15 to 11/15 within portions of SE1/4 S31, T02N R01W.

The permit holder now proposes to amend the permit by changing the point of diversion of groundwater to within the NWSW of S32, T02N, R01W, Canyon County, to be used for the same purposes and on the same lands as described above.

Any protest against the approval of the proposed amendment must be filed with the Department of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before April 22, 1991.

R. Keith Higginson
Director

Published in the Press-Tribune on 4/3 and 4/10/1991.

DEC 11 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

March 12, 1991

DERALD W LOWE
ROUTE 1, S. ROBINSON RD.
KUNA ID 83634

Dear Mr. Lowe:

Re: Permit No. 63-11094

Enclosed is a copy of the denied request for extension of time which you submitted to the department in connection with the above referenced permit. Section 42-204, Idaho Code, provides that the department can not grant an extension of time since no work was completed toward the development of the permit.

Within one year of the time you actually intend to develop a well and beneficially use the water, I suggest that you file a new application. Since Idaho is now under a mandatory permit procedure to develop a water right, the new application will provide an additional period of time for development, although the priority date will be later in time.

Please feel free to contact any of our regional offices if you wish assistance in completion of the new application.

Sincerely,



L. GLEN SAXTON
Chief, Water Allocation Bureau

Enc: Extension of Time

DEC 11 1991

138156
February 28, 1991

DERALD W. LOWE
RT. 1 S. ROBINSON RD.
KUNA, ID 83634

PROOF DUE NOTICE

RE: PERMIT NO. 63-11094

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

DEC 11 1991

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
April 3, 1990

DERALD W. LOWE
RT. 1 S. ROBINSON RD.
KUNA, ID 83634

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P63-11094

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

RECEIVED

APR 19 1990

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED
APR 1 1990

AFFIDAVIT OF PUBLICATION

RECEIVED
JAN 30 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11074
KARCHER RANCHETTES WATER CORP.
C/O JAMES FINGERLOS
13711 JARETT ST.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversi on Pt: SENW
Use: IRRIGATION
DOMESTIC

Sec 14 T 03N R 03W
(.600 CFS)
(.400 CFS)
Total Diversion: (1.000 CFS)

Date Filed: 12/06/1989
In: T03N R03W S14
30.0 ACRES TOTAL

SENW

63-11088

TOMLINSON, JULIA
TOMLINSON, FLOYD
2629 TRACK RD.
MELBA, ID 83641
Source: GROUNDWATER
Diversi on Pt: NESW
Use: IRRIGATION

Sec 23 T 01N R 02W
(1.060 CFS)
Total Diversion: (1.060 CFS)

Date Filed: 12/28/1989
In: T01N R02W S23
53.0 ACRES TOTAL
DILLON, THOMAS E.
RT. 1 BOX 310
MIDDLETON, ID 83644

SENW

NESW

63-11089

Source: WASTE WATER
Diversi on Pt: SENWSE
Use: IRRIGATION

Tributary: WILLOW CREEK
Sec 28 T 05N R 02W

(.900 CFS)

IRRIGATION STORAGE
IRRIGATION FROM STORAGE
Total Diversion: (.900 CFS)

(20.00 AF)
(20.00 AF)
(20.00 AF)

Date Filed: 12/28/1989
In: T05N R02W S28
45.0 ACRES TOTAL

SENW

NESW

NWSE

63-11093

CLIFFORD, DONNA R.
8001 BUTTE RD.
MELBA, ID 83641
Source: SPRING
Diversi on Pt: NWNENE
Use: IRRIGATION
STOCKWATER
RECREATION

Tributary: SNAKE RIVER
Sec 10 T 01S R 02W
(.200 CFS)
(.020 CFS)
(.200 CFS)
Total Diversion: (.200 CFS)

NENE

63-11094

LOWE, DERALD W.
RT. 1, S. ROBINSON RD.
KUND, ID 83634
Source: GROUNDWATER
Diversi on Pt: NESE
Use: IRRIGATION

NESE

Sec 31 T 02N R 01W
(1.680 CFS)
Total Diversion: (1.680 CFS)

Date Filed: 12/29/1989
In: T02N R01W S31
84.0 ACRES TOTAL

NESE

NWSE

SESE

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before FEBRUARY 8, 1990.

R. KEITH HIGGINSON, Director
January 22, 29, 1990

STATE OF IDAHO)
) ss.
County of Canyon)

Rebecca Stiehl

Department of Water Resources
Western Regional Office

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper two times —in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

January 22, 29, 1990

STATE OF IDAHO)
)
COUNTY OF CANYON)

On this 29th day of January in the year of 1990, before me, a Notary Public, personally appeared Rebecca Stiehl, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he/she executed the same.

Carne Lusk
Notary Public for Idaho
Residing at Nampa

MY COMMISSION EXPIRES
JULY 12th, 1991

63-11094

LOWE, DERALD W.
RT. 1 S. ROBINSON RD.
KUNA, ID 83634

Source: GROUNDWATER

Diversion Pt: NESE Sec 31 T 02N R 01W

Use: IRRIGATION (1.680 CFS)
Total Diversion: (1.680 CFS)

Date Filed: 12/29/1989

In: T02N R01W S31 NESE NWSE SESE

84.0 ACRES TOTAL