

PLAT SHOWING WATERFORD PARK SUBDIVISION


LOCATED IN
SE 1/4 OF THE NW 1/4, SECTION 24, T.3N., R.2E., B.M.
BOISE, ADA COUNTY, IDAHO

1989

• HUBBLE ENGINEERING, INC. •

LEGEND

- SET 5/8" X 30" IRON PIN
- SET 1/2" X 24" IRON PIN
- DATA OF RECORD
- PROPERTY CORNER - WITNESS CORNER
- PROPERTY BOUNDARY LINE
- PUBLIC UTILITIES, DRAINAGE, AND IRRIGATION EASEMENT 10 FEET FROM PROPERTY LINE, EXCEPT AS OTHERWISE NOTED



CURVE	RADIUS	DELTA	ARC	TANGENT	CHORD	CHORD BEARING
1	20.00'	90°18'16"	31.42'	20.00'	20.00'	N 45°32'00" E
2	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'08" E
3	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 45°32'00" E
4	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'08" E
5	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 45°32'00" E
6	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'08" E
7	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 45°32'00" E
8	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'08" E
9	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 45°32'00" E
10	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'08" E
11	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 45°32'00" E
12	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'08" E
13	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 45°32'00" E
14	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'08" E
15	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 45°32'00" E
16	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'08" E
17	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 45°32'00" E

- BUILDING SETBACKS SHALL CONFORM TO THE APPLICABLE ZONING REGULATIONS OF THE CITY OF BOISE.
- ALL LOT LINES COMMON TO A PUBLIC RIGHT-OF-WAY HAVE A TEN (10) FOOT WIDE PERMANENT PUBLIC UTILITIES, DRAINAGE, IRRIGATION AND STREET LIGHT EASEMENT.
- THIS SUBDIVISION IS SUBJECT TO COMPLIANCE WITH THE IDAHO CODE SECTION 31-3805 CONCERNING IRRIGATION WATER.
- ANY RESUBDIVISION OF THIS PLAT SHALL COMPLY WITH THE APPLICABLE ZONING REGULATIONS IN EFFECT AT THE TIME OF RESUBDIVISION.
- EACH SIDE OF COMMON LINES HAVE A FIVE (5) FOOT PERMANENT PUBLIC UTILITIES, IRRIGATION, AND DRAINAGE EASEMENT, EXCEPT AS OTHERWISE SHOWN.
- A STRIP OF LAND SHALL BE RESERVED ALONG EACH PROPERTY BOUNDARY LINE (COMMON LOT LINES) WITHIN THIS SUBDIVISION FOR THE PURPOSE OF TRANSPORTATION OF DRAINAGE. SAID STRIP OF LAND SHALL BE A TOTAL OF TEN (10) FEET IN WIDTH AND BEING FIVE (5) FEET ON BOTH SIDES OF SAID PROPERTY LINES, AS DESCRIBED BY WARRANTY DEED OR OTHER LEGAL FORMS OF PROPERTY CONVEYANCE.
- RESPONSIBILITY FOR ALL DRAINAGE AND IRRIGATION FACILITIES OUTSIDE THE PUBLIC ACCESS RIGHT-OF-WAY IS HELD WITH THE LOT OWNERS ON WHOM LAND SAID DRAINAGE AND IRRIGATION FACILITIES ARE CONSTRUCTED.
- ALL LOTS WITHIN THIS SUBDIVISION ARE SINGLE-FAMILY RESIDENTIAL LOTS.
- NO BUILDING PERMITS SHALL BE ISSUED ON ANY LOT IN THIS SUBDIVISION UNTIL THE PROVISIONS OF RECORDED INSTRUMENT NO. _____ HAVE BEEN FULFILLED AS DETERMINED BY THE CITY OF BOISE.
- AT THE TIME OF PLAT RECORDING, ONLY THE EXTERIOR BOUNDARY PINS WERE SET.

UNPLATTED

BASIS OF BEARING

FOUND BRASS CAP
CENTER OF SECTION 24

TBN R2E

P/D

use

→ 24

MICROFILMED
JUN 05 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant

PLAT SHOWING WATERFORD PARK SUBDIVISION

LOCATED IN
SE 1/4 OF THE NW 1/4, SECTION 24, T.3N., R.2E., B.M.,
BOISE, ADA COUNTY, IDAHO

1989

• HUBBLE ENGINEERING, INC. •

63-11092

LEGEND

- SET 8/8" X 30" IRON PIN
- SET 1/2" X 24" IRON PIN
- DATA OF RECORD
- PROPERTY CORNER - WITNESS CORNER
- PROPERTY BOUNDARY LINE
- PUBLIC UTILITIES, DRAINAGE AND IRRIGATION EASEMENT 10 FEET FROM PROPERTY LINE, EXCEPT AS OTHERWISE NOTED

SCALE: 1" = 50'

S. TAWNY WOODS PLACE

MONUMENT CERTIFICATE

THIS CERTIFIES THAT THIS PLAT IS BEING RECORDED IN ACCORDANCE WITH THE PROVISIONS OF IDAHO CODE, TITLE 55, CHAPTER 2, SECTION 1-1333 AND THAT ALL INTERIOR MONUMENTS WILL BE SET WITHIN ONE YEAR FROM THE RECORDING DATE OF THIS PLAT.

E. DON HUBBLE IDAHO NO. 3555

SOUTHSHORE 1

TOTAL
1.4 ac WELL

REAL POINT OF BEGINNING
(INITIAL POINT)
SET 2" X 3/8" PIPE - SE CORNER
LOT 1, BLOCK 4, SOUTHSHORE 1

1/4 CORNER
FOUND ALUMINUM CAP

UNPLATTED

UNPLATTED


CURVE	RADIUS	BELTA	ARC	TANGENT	CHORD	CHORD BEARING
C-1	20.00'	90°18'16"	31.32'	20.00'	20.00'	N 45°32'00" E
C-2	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-3	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-4	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-5	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-6	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-7	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-8	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-9	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-10	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-11	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-12	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-13	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-14	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-15	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-16	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-17	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-18	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-19	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-20	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-21	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-22	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-23	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-24	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-25	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-26	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-27	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-28	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-29	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-30	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-31	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-32	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-33	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-34	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-35	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E
C-36	20.00'	90°00'00"	31.42'	20.00'	20.00'	N 44°37'06" E


- BUILDING SETBACKS SHALL CONFORM TO THE APPLICABLE ZONING REGULATIONS OF THE CITY OF BOISE.
- ALL LOT LINES COMMON TO A PUBLIC RIGHT-OF-WAY HAVE A TEN (10) FOOT WIDE PERMANENT PUBLIC UTILITIES, DRAINAGE, IRRIGATION AND STREET LIGHT EASEMENT.
- THIS SUBDIVISION IS SUBJECT TO COMPLIANCE WITH THE IDAHO CODE SECTION 31-3605 CONCERNING IRRIGATION WATER.
- ANY RESUBDIVISION OF THIS PLAT SHALL COMPLY WITH THE APPLICABLE ZONING REGULATIONS IN EFFECT AT THE TIME OF RESUBDIVISION.
- EACH SIDE OF COMMON LINES HAVE A FIVE (5) FOOT PERMANENT PUBLIC UTILITIES, IRRIGATION, AND DRAINAGE EASEMENT, EXCEPT AS OTHERWISE SHOWN.
- A STRIP OF LAND SHALL BE RESERVED ALONG EACH PROPERTY BOUNDARY LINE (COMMON LOT LINES) WITHIN THIS SUBDIVISION FOR THE PURPOSE OF TRANSPORTATION OF DRAINAGE. SAID STRIP OF LAND SHALL BE A TOTAL OF TEN (10) FEET IN WIDTH AND BEING FIVE (5) FEET ON BOTH SIDES OF SAID PROPERTY LINES, AS DESCRIBED BY WARRANTY DEED OR OTHER LEGAL FORMS OF PROPERTY CONVEYANCE.
- RESPONSIBILITY FOR ALL DRAINAGE AND IRRIGATION FACILITIES OUTSIDE THE PUBLIC ACCESS RIGHT-OF-WAY IS HELD WITH THE LOT OWNERS ON WHOM SAID DRAINAGE AND IRRIGATION FACILITIES ARE CONSTRUCTED.
- ALL LOTS WITHIN THIS SUBDIVISION ARE SINGLE-FAMILY RESIDENTIAL LOTS.
- NO BUILDING PERMITS SHALL BE ISSUED ON ANY LOT IN THIS SUBDIVISION UNTIL THE PROVISIONS OF RECORDED INSTRUMENT NO. _____ HAVE BEEN FULFILLED AS DETERMINED BY THE CITY OF BOISE.
- AT THE TIME OF PLAT RECORDING, ONLY THE EXTERIOR BOUNDARY PINS WERE SET

UNPLATTED

BASIS OF BEARING

FOUND BRASS CAP
CENTER OF SECTION 24





RECEIVED
OCT 20 1993

3N2E
63-11092



P/u, Back yard
- Wellhead behind
Shrubs.



P/u, front
yard.

UNRECORDED
OCT 20 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-11092

Priority: November 27, 1989

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

2.3 AF

This is to certify, that BONNIE STITZEL
TOM STITZEL

2246 TAWNY WOODS PLACE
BOISE ID 83706

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 27, 1989; and has submitted Proof of Beneficial Use on April 13, 1990. An examination indicates that the works have a diversion capacity of .060 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	2.3 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 7(SWSEW), Sec. 24, Township 03N, Range 02E
ADA County

PLACE OF USE: IRRIGATION
TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

03N 02E 24	Lot 7(SEW) 0.5			0.5
------------	----------------	--	--	-----

Total number of acres irrigated: 0.5

CONDITIONS/REMARKS:


1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Place of use is located within Lots 15 and 16 of Block 1, Waterford Park Subdivision.

RECORDED
OCT 20 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-11092

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 18TH
day of September, 1993.


Acting for R. Keith Higginson, Director



001 20 1993

RECEIVED

APR 13 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

no fee incl.

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-11092 Telephone No. 386-9307

Name(s) of Permit Holder(s): Thomas E. & Bonnie E. Stitzel

Post Office Address: 2246 Tawny Woods Place, Boise, ID 83706

Source of Water: (formerly named 1309 E. Pennsylvania)
ground water

If ground water, well driller's name: Boise Valley? Date drilled: 1978

Extent of Use:
Domestic 1 (No. of households) Irrigation 1/2 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 0.02 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: September, 1978

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

Fee Enclosed: \$ N/A (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Thomas E. Stitzel 386-9307
Name Telephone No.
2246 Tawny Woods Pl. Boise, ID. 83706
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JUN 05 1990

4/11/90
Date

[Signature]
Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11092

Proposed Priority: November 27, 1989 Maximum Diversion Rate: 0.02 CFS

This is to certify, that **BONNIE STITZEL**
TOM STITZEL
1309 E. PENNSYLVANIA ST.
BOISE, ID 83706

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.02 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SWSNW Sec. 24, Township 03N, Range 02E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N 02E 24	SENW 0.5			0.5

Total number of acres irrigated: 0.5

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **May 1, 1991**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.04 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

3rd day of April, 1990

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

JUN 05 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMITRECEIVED
NOV 28 1989Department of Water Resources
Western Regional Office

To appropriate the public waters of the State of Idaho

1. Name of applicant Tom & Bonnie Stitzel Phone 386-9307
Post office address 1309 E. Pennsylvania St. Boise, ID 83706
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 24 Township 3N Range 2E B.M. Ada County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .02 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a)
- .02
- cubic feet per second and/or (b) _____ acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Existing 6" x 67' well,
1 hp submersible pump, pipelines to house
and sprinklersb. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.c. Proposed well diameter is 6 inches; proposed depth of well is 67 feet.d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is

1 years (minimum 1 year).

MICROFILMED

JUN 05 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	2E	24								0.5									0.5

Total number of acres to be irrigated 0.5

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: This filing covers approximately 1/2 acre that is added to the 1/2 acre covered by a 1978 water right for domestic use claimed in SRBA. Total irrigation will be about 1 acre of our 1 1/2 acre parcel.

MICROFILMED

JUN 05 1990

PLAT SHOWING WATERFORD PARK SUBDIVISION

LOCATED IN
SE 1/4 OF THE NW 1/4, SECTION 24, T.3N., R.2E., B.M.
BOISE, ADA COUNTY, IDAHO

1989

• HUBBLE ENGINEERING, INC. •

LEGEND

- SET 5/8" X 30" IRON PIN
- SET 1/2" X 24" IRON PIN
- (S. 89°20'04" E.) DATA OF RECORD
- PROPERTY CORNER — WITNESS CORNER
- PROPERTY BOUNDARY LINE
- PUBLIC UTILITIES, DRAINAGE, AND IRRIGATION EASEMENT 10 FEET FROM PROPERTY LINE, EXCEPT AS OTHERWISE NOTED


SCALE: 1" = 50'

S. TAWNY WOODS PLACE

MONUMENT CERTIFICATE

THIS CERTIFICATE THAT THIS PLAT IS BEING RECORDED UNDER THE PROVISIONS OF IDAHO CODE SECTIONS 11-1333 AND THAT ALL INTERIOR MONUMENTS WILL BE SET WITHIN ONE YEAR FROM THE RECORDING DATE OF THIS PLAT.

E. DON HUBBLE IDAHO NO. 3555



CURVE	RADIUS	DELTA	ARC	TANGENT	CHORD	CHORD BEARING
1	20.00	90.00	3.14	20.00	20.00	N. 45.00° 00' 00\"
2	20.00	90.00	3.14	20.00	20.00	N. 45.00° 00' 00\"
3	20.00	90.00	3.14	20.00	20.00	N. 45.00° 00' 00\"
4	20.00	90.00	3.14	20.00	20.00	N. 45.00° 00' 00\"
5	20.00	90.00	3.14	20.00	20.00	N. 45.00° 00' 00\"
6	20.00	90.00	3.14	20.00	20.00	N. 45.00° 00' 00\"
7	20.00	90.00	3.14	20.00	20.00	N. 45.00° 00' 00\"
8	20.00	90.00	3.14	20.00	20.00	N. 45.00° 00' 00\"
9	20.00	90.00	3.14	20.00	20.00	N. 45.00° 00' 00\"
10	20.00	90.00	3.14	20.00	20.00	N. 45.00° 00' 00\"
11	20.00	90.00	3.14	20.00	20.00	N. 45.00° 00' 00\"
12	20.00	90.00	3.14	20.00	20.00	N. 45.00° 00' 00\"
13	20.00	90.00	3.14	20.00	20.00	N. 45.00° 00' 00\"
14	20.00	90.00	3.14	20.00	20.00	N. 45.00° 00' 00\"
15	20.00	90.00	3.14	20.00	20.00	N. 45.00° 00' 00\"
16	20.00	90.00	3.14	20.00	20.00	N. 45.00° 00' 00\"

- 1) BUILDING SETBACKS SHALL CONFORM TO THE APPLICABLE ZONING REGULATIONS OF THE CITY OF BOISE.
- 2) ALL LOT LINES COMMON TO A PUBLIC RIGHT-OF-WAY HAVE A TEN (10) FOOT WIDE PERMANENT PUBLIC UTILITIES, DRAINAGE, IRRIGATION AND STREET LIGHT EASEMENT.
- 3) THIS SUBDIVISION IS SUBJECT TO COMPLIANCE WITH THE IDAHO CODE SECTION 31-3605 CONCERNING IRRIGATION WATER.
- 4) ANY RESUBDIVISION OF THIS PLAT SHALL COMPLY WITH THE APPLICABLE ZONING REGULATIONS IN EFFECT AT THE TIME OF RESUBDIVISION.
- 5) EACH SIDE OF COMMON LINES HAVE A FIVE (5) FOOT PERMANENT PUBLIC UTILITIES, IRRIGATION, AND DRAINAGE EASEMENT, EXCEPT AS OTHERWISE SHOWN.
- 6) A STRIP OF LAND SHALL BE RESERVED ALONG EACH PROPERTY BOUNDARY LINE (COMMON LOT LINES) WITHIN THIS SUBDIVISION FOR THE PURPOSE OF TRANSPORTATION OF DRAINAGE. SAID STRIP OF LAND SHALL BE A TOTAL OF TEN (10) FEET IN WIDTH AND BEING FIVE (5) FEET ON BOTH SIDES OF SAID PROPERTY LINES, AS DESCRIBED BY WARRANTY DEED OR OTHER LEGAL FORMS OF PROPERTY CONVEYANCE.
- 7) RESPONSIBILITY FOR ALL DRAINAGE AND IRRIGATION FACILITIES OUTSIDE THE PUBLIC ACCESS RIGHT-OF-WAY IS HELD WITH THE LOT OWNERS ON WHOSE LAND SAID DRAINAGE AND IRRIGATION FACILITIES ARE CONSTRUCTED.
- 8) ALL LOTS WITHIN THIS SUBDIVISION ARE SINGLE-FAMILY RESIDENTIAL LOTS.
- 9) NO BUILDING PERMITS SHALL BE ISSUED ON ANY LOT IN THIS SUBDIVISION UNTIL THE PROVISIONS OF RECORDED INSTRUMENT NO. _____ HAVE BEEN FULFILLED AS DETERMINED BY THE CITY OF BOISE.
- 10) AT THE TIME OF PLAT RECORDING, ONLY THE EXTERIOR BOUNDARY PINS WERE SET.

BAIS OF BEARING

FOUND BRASS CAP
CENTER OF SECTION 24

TBN R 2E

P/D
use → 24

MICROFILMED
JUN 05 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant

Received by st DL Date 11-28-89 Time 2:30 PM Preliminary check by fw
Fee \$ 30- Receipted by DL # C013033 14 Date 11-27-89
Publication prepared by GG Date 1-10-90 Published in ID Statesman
Publication approved JA Date 2/21/90
1/18 & 1/25/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED
JUN 05 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 22, 1993

BONNIE STITZEL
TOM STITZEL
2246 TAWNY WOODS PLACE
BOISE ID 83706

RE: WATER RIGHT NO. 63-11092

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to be 'JJ', followed by a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

OCT 20 1993

WR0749NP
No. L63-11092

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 09/15/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	BONNIE STITZEL 2246 TAWNY WOODS PLACE BOISE ID 83706 (208) 386-9307	11/27/1989	IRRIGATION	03-15 11-15	0.02 CFS	2.3 AFA
TOTAL DIVERSION:					0.02 CFS	2.3 AFA
C	TOM STITZEL 2246 TAWNEY WOODS PLACE BOISE ID 83706 (208) 386-9307					

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.06 CFS

Point(s) of Diversion: T03N R02E S24 Lot 07(SW SE NW)

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE									
T	R	S	: Lt Ac Lt Ac Lt Ac Lt Ac	:	NENW	NWNW	SWNW	SESW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM	
03N	02E	24	:	:	:	:	:	07-.5	:	:	:	:	:	:	:	:	:	:	:	:	0.5
TOTAL ACRES																			0.5		

Pou County: ADA

Other Water Rights Listing Overlapping Place(s) of use:
63-00242A 63-09246

Conditions of Approval:

- R52 - This right when combined with all other rights shall provide no
- more than .03 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: Place of use is located within Lots 15 and 16 of Block 1,
Waterford Park Subdivision.

Dates:	App. Received:	11/27/1989	Priority Date:	11/27/1989
	Proof Due Date:	05/01/1991	Proof Made Date:	04/13/1990
	Exam Made Date:	06/24/1993	Exam Sent to S.O.:	08/19/1993
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 09/15/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 63-11092 Date 9-15-93 Brenda Chapman

NAME Check Yes No Or Address Change?

PRIORITY DATE ✓ Advance? ✓ Memo to Advance ✓
✓ Order to Reinstate Needed?
✓ Incorrect Fee for rate recommended?

SOURCE ✓ Changes? Clarification of **Originally Intended** source
✓ Notice of Intent to Void - Source change.

P/D ✓ Amendment Needed?
✓ Is Overlap Analysis a Consideration?

P/U ✓ Amendment Needed?
✓ Is Overlap Analysis a Consideration?

TOTAL CFS -NA- Disagree/Measurement NOPE DONE

✓ Pumping Theoretical $(8.8 \times .70 \times 1 \text{ HP})$
✓ $(30 \text{ psi} = .06 \text{ CFS})$ $(40' + 2.31 \times 40) = .05 \text{ CFS}$
✓ System Capacity .06
 Allowable Amount: Permit limit @ .02 CFS

TOTAL VOLUME Rate/ac 4.5 AFA Irr. Season D
 Season Recommended 3-15 to 11-15
✓ Disagree with Examiner's Calculations?
.5 X 4.5 = 2.25

✓ Flow limit: .02 x 246 x 1.9835 = 9.7

USES ✓ Change(s) in Nature of Use?
✓ Amendment Needed?

REMARKS ✓ Multiple P/Ds in 1/4 1/4?
✓ Special Overlap Condition
✓ Other

CONDITIONS ✓ Measuring/Locking Devices Misc/Dates
✓ W/Master Control ✓ Water Dist
R52 ✓ Irrigation Overlap 11-27-89 App Rec'd
✓ Water Quality 6-24-93 Exam Made

COMMENTS:

RECOMMENDED	CFS	VOL	LICENSE
Irrigation	<u>.02</u>	<u>2.3</u>	<u>✓</u>
Domestic	<u> </u>	<u> </u>	<u> </u>
Stockwater	<u> </u>	<u> </u>	<u> </u>
	<u> </u>	<u> </u>	<u> </u>

AMEND

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 25 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: ~~Tom & Joe~~ Thomas E. & Bonnie E. Stitzel
Current Address: 2208 Tawny Woods PL BOISE 83706
2. Accompanied by: Mr Stitzel
Address: _____
Relationship to Permit Holder: _____
Permit No. 63-11092
Phone No. 386 9307
EXAM. DATE: 6/24/93
Phone No. _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-00242, 2392, 22 9246 9386
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached *See Subdivision map*



Scale: 1" = _____

- ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

8" x 67' well, Submersible pump. Total property size = 1.4 acres. This permit provides for additional .5 ac irrigation above that under SRBA claim No. A63-19740. Total irrigated area ~ 1 ac.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1	Submersible		

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	7	6E	NW	24	3N	2E	Ada		Site Visit, Orthoquad, Sub plat map

6. **Place(s) of Use:**

Indicate Method of Determination Above

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	2E	24								.5									.5
										6.7									

Do not use this space

OCT 20 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Static WL = 12 est P.L. = 40' Pressure set 20-40 psi
Horsepower equation

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{1 \times 8.8 \times .7}{40 + (2.31 \times 30)} = \underline{\underline{.06 \text{ cfs}}} \text{ system capacity}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

allow .02 for irrig.

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{.5 \times 4.5 = 2.25}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{.02 \times 246 \times 1.9835 = 9.8}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\quad}$$

2. Volume Calculations for Other Uses:

OCT 20 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

overlaps do not affect this permit. All Separate lands.
No Surface water available for this parcel.

Place of use known as Lots 15 & 16, Waterford Park Sub.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRR	3/15	11/15	.02	2.25
Totals:				

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name CINDY HODGES
Signature CJ Hodges
Certification Date _____
Field Report Preparation Date 7/1/93

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

OCT 20 1993

PLAT SHOWING WATERFORD PARK SUBDIVISION

LOCATED IN
SE 1/4 OF THE NW 1/4, SECTION 24, T.3N., R.2E., B.M.,
BOISE, ADA COUNTY, IDAHO


1989

• HUBBLE ENGINEERING, INC. •

63-11092

LEGEND

- SET 5/8" X 30" IRON PIN
- SET 1/2" X 34" IRON PIN
- DATA OF RECORD
- PROPERTY CORNER - WITNESS CORNER
- PROPERTY BOUNDARY LINE
- PUBLIC UTILITIES, DRAINAGE AND IRRIGATION EASEMENT 10 FEET FROM PROPERTY LINE, EXCEPT AS OTHERWISE NOTED



CURVE	RADIUS	DELTA	ARC	TANGENT	CHORD	CHORD BEARING
1	100.00	18.46	31.42	17.36	31.42	N. 45.38° E. 31.42
2	100.00	18.46	31.42	17.36	31.42	N. 45.38° E. 31.42
3	100.00	18.46	31.42	17.36	31.42	N. 45.38° E. 31.42
4	100.00	18.46	31.42	17.36	31.42	N. 45.38° E. 31.42
5	100.00	18.46	31.42	17.36	31.42	N. 45.38° E. 31.42
6	100.00	18.46	31.42	17.36	31.42	N. 45.38° E. 31.42
7	100.00	18.46	31.42	17.36	31.42	N. 45.38° E. 31.42
8	100.00	18.46	31.42	17.36	31.42	N. 45.38° E. 31.42
9	100.00	18.46	31.42	17.36	31.42	N. 45.38° E. 31.42
10	100.00	18.46	31.42	17.36	31.42	N. 45.38° E. 31.42
11	100.00	18.46	31.42	17.36	31.42	N. 45.38° E. 31.42
12	100.00	18.46	31.42	17.36	31.42	N. 45.38° E. 31.42
13	100.00	18.46	31.42	17.36	31.42	N. 45.38° E. 31.42
14	100.00	18.46	31.42	17.36	31.42	N. 45.38° E. 31.42
15	100.00	18.46	31.42	17.36	31.42	N. 45.38° E. 31.42
16	100.00	18.46	31.42	17.36	31.42	N. 45.38° E. 31.42
17	100.00	18.46	31.42	17.36	31.42	N. 45.38° E. 31.42
18	100.00	18.46	31.42	17.36	31.42	N. 45.38° E. 31.42
19	100.00	18.46	31.42	17.36	31.42	N. 45.38° E. 31.42
20	100.00	18.46	31.42	17.36	31.42	N. 45.38° E. 31.42
21	100.00	18.46	31.42	17.36	31.42	N. 45.38° E. 31.42
22	100.00	18.46	31.42	17.36	31.42	N. 45.38° E. 31.42
23	100.00	18.46	31.42	17.36	31.42	N. 45.38° E. 31.42
24	100.00	18.46	31.42	17.36	31.42	N. 45.38° E. 31.42

- BUILDING SETBACKS SHALL CONFORM TO THE APPLICABLE ZONING REGULATIONS OF THE CITY OF BOISE.
- ALL LOT LINES COMMON TO A PUBLIC RIGHT-OF-WAY HAVE A TEN (10) FOOT WIDE PERMANENT PUBLIC UTILITIES, DRAINAGE, IRRIGATION AND STREET LIGHT EASEMENT.
- THIS SUBDIVISION IS SUBJECT TO COMPLIANCE WITH THE IDAHO CODE SECTION 31-3400 CONCERNING IRRIGATION WATER.
- ANY RESUBDIVISION OF THIS PLAT SHALL COMPLY WITH THE APPLICABLE ZONING REGULATIONS IN EFFECT AT THE TIME OF RESUBDIVISION.
- EACH SIDE OF COMMON LINES HAVE A FIVE (5) FOOT PERMANENT PUBLIC UTILITIES, IRRIGATION, AND DRAINAGE EASEMENT, EXCEPT AS OTHERWISE SHOWN.
- A STRIP OF LAND SHALL BE RESERVED ALONG EACH PROPERTY BOUNDARY LINE (COMMON LOT LINES) WITHIN THIS SUBDIVISION FOR THE PURPOSE OF TRANSPORTATION OF DRAINAGE. SAID STRIP OF LAND SHALL BE A TOTAL OF TEN (10) FEET IN WIDTH AND BEING FIVE (5) FEET ON BOTH SIDES OF SAID PROPERTY LINES, AS DESCRIBED BY WARRANTY DEED OR OTHER LEGAL FORMS OF PROPERTY CONVEYANCE.
- RESPONSIBILITY FOR ALL DRAINAGE AND IRRIGATION FACILITIES OUTSIDE THE PUBLIC ACCESS RIGHT-OF-WAY IS HELD WITH THE LOT OWNERS ON WHOSE LAND SAID DRAINAGE AND IRRIGATION FACILITIES ARE CONSTRUCTED.
- ALL LOTS WITHIN THIS SUBDIVISION ARE SINGLE-FAMILY RESIDENTIAL LOTS.
- NO BUILDING PERMITS SHALL BE ISSUED ON ANY LOT IN THIS SUBDIVISION UNTIL THE PROVISIONS OF RECORDED INSTRUMENT NO. HAVE BEEN FULFILLED AS DETERMINED BY THE CITY OF BOISE.
- AT THE TIME OF PLAT RECORDING, ONLY THE EXTERIOR BOUNDARY PINS WERE SET.

BASIS OF BEARING

FOUND BRASS CAP
CENTER OF SECTION 24

Received by st DL Date 11-28-89 Time 2:30 PM Preliminary check by fw
Fee \$ 30- Received by DL # C013033 #4 Date 11-27-89
Publication prepared by GG Date 1-10-90 Published in ID Statesman
Publication approved DL Date 2/21/90
1/18 & 1/25/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:



IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: 63-11092
2. OWNER: Tom Shitael Phone: 386 9307
Address: 2208 Tawny woods PL BOISE
3. WELL LOCATION: Twp 3N, Rge. 2E, Sec. 24, SE 1/4 NW 1/4
County _____ (Provide sketch map and photo on reverse.)
4. DRILLER: Boise Pump Lic. No. 207
When Drilled? 1978
5. WELL CONSTRUCTION TD = 67'
Casing Diameter 8 1/2 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☒ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 67 ft. Method Drilled Cable
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☐ No N/A Pressure Gauge: ☐ Yes ☐ No
Condition of Piping and Valving OK
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION
Depth to Static Water 12 ft. Water Temperature COLD °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☐ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☒ Domestic ☒ Irrigation 1 ac ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

OCT 20 1993

G. Hodges

Signature of Dept. Representative & Title

6/24/93

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



OCT 20 1993

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT



P/u, Back yard
- Wellhead behind
Shrubs.



P/u, front
yard.

6/24/93
1993

May 2, 1990

BONNIE STITZEL
TOM STITZEL
2246 TAWNY WOODS PLACE
BOISE, ID 83706

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11092

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JUN 05 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-11092

Date: 4-20-90

General Considerations:

5 Name same as permit
5 Signature the same as permit holder
5 Address change _____ If yes, prepare a data entry
5 Proof received timely _____
_____ Reinstated

Source of Water:

5 Surface water
5 Groundwater
_____ 1. well log in file
_____ 2. drilling permit
5 A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

5 Rate of diversion appropriate for uses
5 Is rate or volume and fee appropriate?
5 Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

5 Is a measuring device or access port required?
5 Has one been installed?
5 Waiver or modification of measuring device requested

Remarks: Proof acceptable

5 Priority Calculation:
Date proof received _____
Date proof due _____ -
No. of days late _____ =
Priority date _____ +
NEW PRIORITY DATE _____ =

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
April 3, 1990

BONNIE STITZEL
TOM STITZEL
1309 E. PENNSYLVANIA ST.
BOISE, ID 83706

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P63-11092

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

JUN 03 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED

JUN 10 1990

RECEIVED

JAN 31 1990

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Department of Water Resources
Western Regional Office

Amount Due

50.52

Account Name Idaho Department of Water Resources (Western)			Account Number #47628	
Address 2735 Airport Way		City/State Boise, ID		Zip 83705
Ordered By Gail Garrett	P.O. Number	Rate NT	Run Dates 1990 January 18, 25	
Identification Applications for Water Rights			Estimated Inches	Real Inches
1 Number of Affidavits Requested				Legal Number #4596

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11084
McFadden, Robert L.
McFadden, Irene
4255 N. McDermott
Meridian, ID 83642
Source: Groundwater
Diversion Pt:

SWNE Sec. 32 T04N R01W
SENE Sec. 32 T04N R01W
Use: Irrigation (1.000 CFS)
Stockwater (.050 CFS)
Domestic (.040 CFS)
Total Diversion: (1.090 CFS)

Date Filed: 12/18/1989
In: T04N R01W S32 NENE NWNE
SWNE SENE
50.0 Acres Total

63-11092
Stitzel, Tom*
1309 E. Pennsylvania St.
Boise, ID 83705
Source: Groundwater

Diversion Pt: SWSENE Sec. 24
T03N R02E
Use: Irrigation (.020 CFS)
Total Diversion: (.020 CFS)
Date Filed: 11/27/1989
In: T03N R02E S24 SENW
.5 Acres Total

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before FEBRUARY 5, 1990.

R. KEITH HIGGINSON
Director
Pub. Jan. 18, 25, 1990

4596

Debbie Richards

, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for 2

☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of January 18, 19 90

and ending with the issue of January 25, 19 90

Debbie Richards

STATE OF IDAHO)

ss.

COUNTY OF ADA)

On this 25th day of January, 1990, in the year of

before me, a Notary Public, personally appeared Debbie Richards, known or identified

to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Notary Public for Idaho

Residing at Boise, Idaho

My commission expires: 12/93

MICROFILMED

JUN 05 1990

63-11092

STITZEL, TOM
1309 E. PENNSYLVANIA ST.
BOISE, ID 83706

Source: GROUNDWATER

Diversion Pt: SWSENW Sec 24 T 03N R 02E

Use: IRRIGATION (.020 CFS)
Total Diversion: (.020 CFS)

Date Filed: 11/27/1989

In: T03N R02E S24 SENW

.5 Acres Total

MICROFILMED

JUN 05 1990