


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Chris A. Emmert
(Applicant)

Watt's Place



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 21 1992
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Chris A. Emmert Permit No. 63-11091
Current Address: 7180 Bowmont Rd.; Nampa, Idaho 83686 Phone No. 466-3670
2. Accompanied by: Chris Emmert & Jeni Emmert EXAM. DATE: 8-30-91
Address: same Phone No. _____
Relationship to Permit Holder: owner and father
3. Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = Not to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more).

MICROFILMED
OCT 27 1992

1
18.2

3
4.0

14.4

T3678

3
7.6

2
6.9

4
12.7

63-11091

System Diagram

8
6.9

7
7.7

5.3

T21

T3679

T3739

P14
8/27/

1
7.4

2
3.7

3
12.2

4
7.3

← CONCRETE DITCH →

5
3.5

1
24.1

12" BURIED
CONCRETE TILE

12" BURIED CONCRETE TILE

2
5.2
CONCRETE
DITCH

6
2.3

7
3.0

8
1.4

9
6.1

GATED PIPE

DIRT DITCH

3
35.9

← MEASUREMENT WEIR

MICROFILMED

OCT 27 1992

36

GATED PIPE

6" STEEL PIPE WELL SITE

T4821

T3708

2

6.2

T3645

T3964

T3680

PERMIT 63-11091 INIT _____
T. R. S. Q/Q
3 2N 2W 35
4

1
18.2

T3678

3
7.6

2
6.9

4
12.7

5
16.5

15.8

8
6.9

7
7.7

6
5.3

T2N

T3679

T3739

P14
8/27/91

2
10.4

2
3.7

1
7.4

3
12.2

4
7.3

24.1

5
3.5

2
5.2

3
35.9

6
2.3

7
3.0

8
1.4

9
6.1

35

36

T4821

T3708

6.2

2
7.2

6.2

MICROFILMED

OCT 27 1992

2
17.8

2
4.8

4
6.3

3
6.6

PHOTO ID. Y 6

P/U

P/I

OCT 27 1992

63-11091



#1

P/D



#2

Delivery ditch looking
East from well site

MICROFILMED

OCT 27 1992

63-11091



#3
Site where measurement
was taken.



#4
P/U.

MICROFILMED
OCT 27 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11091

Priority: January 5, 1990

Maximum Diversion Rate: 1.42 CFS

Maximum Diversion Volume: 324.0 AF

This is to certify, that CHRIS A EMMERT
7180 BOWMONT RD
NAMPA ID 83686

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 5, 1990; and has submitted Proof of Beneficial Use on April 4, 1991. An examination indicates that the works have a diversion capacity of 1.420 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	1.42 CFS	324.0 AF

LOCATION OF POINT(S) OF DIVERSION: SESE , Sec. 35, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	35	NESE 38	SESE 34		72

Total number of acres irrigated: 72

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED

OCT 27 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11091

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 8TH
day of OCTOBER, 1992.

Acting for *Norman C. Young*
R. Keith Higginson, Director

FILED

OCT 17 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11091

Proposed Priority: January 5, 1990 Maximum Diversion Rate: 1.60 CFS
This is to certify, that **CHRIS A. EMMERT**

6198 SOUTHSIDE BLVD.
NAMPA, ID 83686

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	1.60 CFS

LOCATION OF POINT(S) OF DIVERSION: SWSESE Sec. 35, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	35	NESE 40	SESE 40		80
Total number of acres irrigated:						80

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **May 1, 1992**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
5. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

13th day of April, 1990

MICROFILMED

APR 19 1990

R. Keith Higginson
R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant CHRIS A. EMMERT Phone (208) 466-4790
Post office address 6198 So Side Blvd Nampa, Ida 83686
2. Source of water supply ground water which is a tributary of N/A
3. Location of point of diversion is ~~SW~~ SE 1/4 of ~~SW~~ SE 1/4 of ~~SW~~ SE 1/4, Govt. Lot _____
Sec. 35 Township 2N Range 2W B.M. Canyon County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 1.60 for irrigation purposes from April 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 1.60 and/or (b) 240 N/A
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well - pump - cement ditches
underground tile line
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 12 inches; proposed depth of well is 200 feet.
d. Is ground water with a temperature of greater than 90°F being sought? no
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
3 years (minimum 1 year).

MICROFILMED

APR 19 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	2W	35													40			40	80

Total number of acres to be irrigated 80

10. Describe any other water rights used for the same purposes as described above. _____

Boise - Kuna Irrigation Dist.

11. a. Who owns the property at the point of diversion? Chris A. Emmert

b. Who owns the land to be irrigated or place of use? " " "


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

RECEIVED

APR 10 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Chris A. Emmert
(Applicant)

Received by MS Date 1-5-90 Time 11:25 am Preliminary check by RW
Fee \$ 65.00 Receipted by JH # 0007411 Date 1-5-90
Publication prepared by GG Date 2-14-90 Published in Press-Tribune
2/21 & 2/28/90
Publication approved st Date 3-30-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

APR 19 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11091

EMMERT, CHRIS A.
6198 S. SIDE BLVD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversi on Pt:
Use: IRRIGATION

SESE Sec 35 T 02N R02W
(1.600 CFS)
Total Diversi on: (1.600 CFS)

Date Filed: 1/05/1990
In: T02N R02W S35

NESE
80.0 ACRES TOTAL
63-11114

HASTRITER, ERNEST RAYMOND
JONES, RAMONA B.
7993 DEERBORNE RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversi on Pt:
Use: IRRIGATION
DOMESTIC

NWNWNE Sec 7 T 02N R 01W
(.060 CFS)
(.170 CFS)
Total Diversi on: (.230 CFS)

Date Filed: 12/21/1989
In: T02N R02W S07

NWNE
2.0 ACRES TOTAL
63-11116

HENRICKSON, TERRY R.
HENRICKSON, KATHY F.
5705 E. GREENHURST
NAMPA, ID 83651
Source: GROUNDWATER
Diversi on Pt:

NWSE Sec 6 T 02N R 01W
SESE Sec 6 T 02N R 01W
(1.420 CFS)
Total Diversi on: (1.420 CFS)

USE: IRRIGATION
Date Filed: 1/31/1990
In: T02N R01W S06

SENE Lot 3 (NENW) Lot 4 (NWNW) NESE
SESE
71.0 ACRES TOTAL
63-11117

HYER, W. CLARE
HYER, YVONNE F.
17050 MIDLAND BLVD.
NAMPA, ID 83687
Source: GROUNDWATER
Diversi on Pt:
Use: IRRIGATION
DOMESTIC

SWSWSW Sec 4 T 03N R 02W
(.040 CFS)
(.040 CFS)
Total Diversi on: (.080 CFS)

Date Filed: 2/01/1990
In: T03N R02W S04

SWSW
1.5 ACRES TOTAL
63-11120

PETERSON, GARY E.
PETERSON, SUE Z.
RT. 1 BOX 254A
MIDDLETON, ID 83644
Source: GROUNDWATER
Diversi on Pt:
Use: IRRIGATION

NESW Sec 26 T 05N R 02W
(.040 CFS)
Total Diversi on: (.040 CFS)

Date Filed: 2/01/1990
In: T05N R02W S26

NESW
2.0 ACRES TOTAL
63-11125

COOK, PAUL J.
JOHNSON-COOK, SHARON J.
24567 KINGSBURY LN.
MIDDLETON, ID 83644
Source: GROUNDWATER
Diversi on Pt:
Use: IRRIGATION

SESENE Sec 34 T 05N R 02W
(.060 CFS)
Total Diversi on: (.060 CFS)

Date Filed: 2/08/1990
In: T05N R02W S34

SENE
2.0 ACRES TOTAL
63-11128

CALVARY ASSEMBLY OF GOD
817 CTR. MIDLAND BLVD.
NAMPA, ID 83651
Source: GROUNDWATER
Diversi on Pt:

SENE NESENE Sec 29 T 03N R02W
(.030 CFS)
Total Diversi on: (.030 CFS)

Use: IRRIGATION
Date Filed: 1/30/1990
In: T03N R02W S29

NENE SENE
1.0 ACRES TOTAL
63-11129

ORCUTT, SHIRLEY
4907 12TH AVE. RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversi on Pt:
Use: IRRIGATION

NENESE Sec 9 T 02N R 02W
(.200 CFS)
Total Diversi on: (.200 CFS)

Date Filed: 1/30/1990
In: T02N R02W S09

NESE
10.0 ACRES TOTAL
63-11130

COLLEGE OF IDAHO
2112 CLEVELAND BLVD.
CALDWELL, ID 83605
Source: GROUNDWATER

Diversi on Pt: NESE Sec 27 T 04N R 03W
Use: IRRIGATION (.800 CFS)
Total Diversi on: (.800 CFS)

Date Filed: 1/24/1990
In: T04N R03W S27

NESE NWSE
40.0 ACRES TOTAL
63-11131

E.G. JOHNSON FARMS INC.
C/O E.G. JOHNSON
24007 HWY. 2026
PARMA, ID 83660
Source: GROUNDWATER
Diversi on Pt:
Use: STOCKWATER

NENE Sec 25 T 05N R 05W
(1.000 CFS)
Total Diversi on: (1.000 CFS)

Date Filed: 1/29/1990
In: T05N R05W S25

NENE
63-11132

E.G. JOHNSON FARMS INC.
C/O E.G. JOHNSON
24007 HWY. 2026
PARMA, ID 83660
Source: GROUNDWATER

Diversi on Pt: SESE Sec 24 T 06N R 06W
Use: STOCKWATER (.260 CFS)
Total Diversi on: (.260 CFS)

Date Filed: 1/29/1990
In: T06N R06W S24

SESE
63-11133

RELK, A. JACK
RELK, KELLY J.
8260 HAPPY VALLEY RD.
NAMPA, ID 83686

15633 K. CHER RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversi on Pt:
Use: COMMERCIAL

NENW Sec 16 T 03N R 03W
(.040 CFS)
Total Diversi on: (.040 CFS)

Date Filed: 2/06/1990
In: T03N T03W S16

NENW
63-11137

TRUEBLOOD, MARY E.
25370 HOMEDALE RD.
WILDER, ID 83676
Source: GROUNDWATER
Diversi on Pt:
Use: IRRIGATION

SWSE Sec 2 T 03N R 05W
(.300 CFS)
Total Diversi on: (.300 CFS)

Date Filed: 2/05/1990
In: T03N R05W S02 SWSE

15.0 ACRES TOTAL
63-11138

HUFF, RICHARD
14565 LAKE AVE.
NAMPA, ID 83651
Source: GROUNDWATER
Diversi on Pt:
Use: IRRIGATION

NWSE Sec 23 T 03N R 03W
(3.000 CFS)

Date Filed: 2/06/1990
In: T03N R03W S23

SWNE SENE NESE

150.0 ACRES TOTAL
63-11139

LIVINGSTON, DALE H.
7736 BOWMONT RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversi on Pt:
Use: IRRIGATION

SWSWSW Sec 35 T 02N R 02W
(1.500 CFS)
Total Diversi on: (1.500 CFS)

Date Filed: 2/14/1990
In: T02N R02W S35

SWSW SESW
75.0 ACRES TOTAL
63-11141

HENRICKSON, LINDA
HENRICKSON, TIM
3720 E. LEWIS
NAMPA, ID 83686
Source: GROUNDWATER
Diversi on Pt:

NWNE Sec 8 T 02N R 01W
NENW Sec 8 T 02N R 01W
(1.000 CFS)

Use: IRRIGATION

Date Filed: 1/26/1990
In: T02N R01W S08

NENW NWNW SENW
50.0 ACRES TOTAL
63-11142

HILLCREST MEMORIAL GARDENS
15862 INDIANA AVE.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversi on Pt:
Use: IRRIGATION
DOMESTIC

NWNW Sec 14 T 03N T03W
(.500 CFS)
(.060 CFS)
Total Diversi on: (.560 CFS)

Date Filed: 2/02/1990
In: T03N R03W S14

NWNW
25.0 ACRES TOTAL
63-11143

WADSWORTH, MARSHA
WADSWORTH, DEWAYNE
318 S. KINGS RD
NAMPA, ID 83651
Source: INDIAN CREEK
Diversi on Pt:
Use: IRRIGATION

Tributary: BOISE RIVER
NWSW Sec 25 T 03N R 02W
(.050 CFS)
Total Diversi on: (.050 CFS)

Date Filed: 1/29/1990
In: T03N R02W S25

NWSW
1.5 ACRES TOTAL
63-11144

BOWER, WALLACE
16798 HWY 20-26
CALDWELL, ID 83605
Source: GROUNDWATER
Diversi on Pt:
Use: IRRIGATION

SWSESW Sec 6 T 04N R 03W
Total Diversi on: (.050 CFS)

Date Filed: 1/26/1990
In: T04N R03W S06

SESW
3.0 ACRES TOTAL
63-11145

RORABAUGH, RONALD
4913 E. ORCHARD
NAMPA, ID 83651
Source: GROUNDWATER
Diversi on Pt:
Use: IRRIGATION

Sec 19 T 03N T01W
(.030 CFS)

Date Filed: 2/07/1990
In: T03N R01W S19 Lot 1 (NWNW)

1.0 ACRES TOTAL
63-11146

JONES, CALVIN
JONES, DOROTHY
2714 SOUTHSIDE BLVD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversi on Pt:

NWSWNW Sec 1 T 02N R 02W
(.060 CFS)
(.020 CFS)
(.040 CFS)
Total Diversi on: (.120 CFS)

Date Filed: 1/29/1990
In: T02N R02W S01

SWNW
2.0 ACRES TOTAL
63-11147

ROBISON, STANLEY S.
ROBISON, ORPHENA E.
15591 SUNNY SLOPE
CALDWELL, ID 83605
Source: GROUNDWATER
Diversi on Pt:
Use: IRRIGATION

SESENE Sec 15 T 03N R 04W
(.040 CFS)
Total Diversi on: (.040 CFS)

Date Filed: 1/08/1990
In: T03N R04W S15

SENE
2.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise Idaho 83705 on or before MARCH 12, 1990.

R. KEITH HIGGINSON, Director
February 21, 28, 1990

Source: GROUNDWATER
Diversion Pt: NWSE Sec 6 T 02N R 01W
SESE Sec 6 T 02N R 01W
(1.420 CFS)
USE: IRRIGATION
Date Filed: 1/31/1990
In: T02N R01W S06
Total Diversion: (1.420 CFS)
SENE Lot 3 (NENW) Lot 4 (NWNW) NESE
SESE
71.0 ACRES TOTAL
63-11117

HYER, W. CLARE
HYER, YVONNE F.
17050 MIDLAND BLVD.
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt: SWSWSW Sec 4 T 03N R 02W
Use: IRRIGATION DOMESTIC (.040 CFS)
(.040 CFS)
Total Diversion: (.080 CFS)
Date Filed: 2/01/1990
In: T03N R02W S04
SWSW
1.5 ACRES TOTAL
63-11120

PETERSON, GARY E.
PETERSON, SUE Z.
RT. 1 BOX 254A
MIDDLETON, ID 83644
Source: GROUNDWATER
Diversion Pt: NESW Sec 26 T 05N R 02W
Use: IRRIGATION (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 2/01/1990
In: T05N R02W S26
NESW
2.0 ACRES TOTAL
63-11125

COOK, PAUL J.
JOHNSON-COOK, SHARON J.
24567 KINGSBURY LN.
MIDDLETON, ID 83644
Source: GROUNDWATER
Diversion Pt: SESENE Sec 34 T 05N R 02W
Use: IRRIGATION (.060 CFS)
Total Diversion: (.060 CFS)
Date Filed: 2/08/1990
In: T05N R02W S34
SENE
2.0 ACRES TOTAL
63-11128

CALVARY ASSEMBLY OF GOD
817 CTR. MIDLAND BLVD.
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: SENENE Sec 29 T 03N R02W
NESENE Sec 29 T 03N R02W
(.030 CFS)
Total Diversion: (.030 CFS)
Use: IRRIGATION
Date Filed: 1/30/1990
In: T03N R02W S29
NENE SENE
1.0 ACRES TOTAL
63-11129

ORCUTT, SHIRLEY
4907 12TH AVE. RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt: NENESE Sec 9 T 02N R 02W
Use: IRRIGATION (.200 CFS)
Total Diversion: (.200 CFS)
Date Filed: 1/30/1990
In: T02N R02W S09
NESE
10.0 ACRES TOTAL
63-11130

COLLEGE OF IDAHO
2112 CLEVELAND BLVD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt: NESE Sec 27 T 04N R 03W
Use: IRRIGATION (.800 CFS)
Total Diversion: (.800 CFS)
Date Filed: 1/24/1990
In: T04N R03W S27
NESE NWSE
40.0 ACRES TOTAL
63-11131

E.G. JOHNSON FARMS INC.
C/O E.G. JOHNSON
24007 HWY. 2026
PARMA, ID 83660
Source: GROUNDWATER
Diversion Pt: NENE Sec 25 T 05N R 05W
Use: STOCKWATER (1.000 CFS)
Total Diversion: (1.000 CFS)
Date Filed: 1/29/1990
In: T05N R05W S25
NENE
63-11132

E.G. JOHNSON FARMS INC.
C/O E.G. JOHNSON
24007 HWY. 2026
PARMA, ID 83660
Source: GROUNDWATER
Diversion Pt: SESE Sec 24 T 06N R 06W
Use: STOCKWATER (.260 CFS)
Total Diversion: (.260 CFS)
Date Filed: 1/29/1990
In: T06N R06W S24
SESE
63-11133

RELK, A. JACK
RELK, KELLY J.
8260 HAPPY VALLEY RD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt: LOT 3 (NWSW) Sec 19 T 02NR 01W
Use: IRRIGATION (.800 CFS)
Total Diversion: (.800 CFS)
Date Filed: 2/06/1990
In: T02N R01W S19 Lot 3 (NWSW)
40.0 ACRES TOTAL
63-11134

WILD ROSE PROPERTY OWNERS ASSN. INC.
C/O JACK A. MELLENTIN
12668 WILD ROSE LN.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt: NENENW Sec 36 T 03N R 03W
NWENW Sec 36 T 03N R 03W
(.250 CFS)
(.300 CFS)
Total Diversion: (.550 CFS)
Use: DOMESTIC IRRIGATION
Date Filed: 2/01/1990
In: T03N R03W S36 NENW
15.0 ACRES TOTAL
63-11135

TAYLOR ROBERT M.
TAYLOR, SUSAN
216 PAT LN.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt: NWSESE Sec 4 T 03N R 03W
Use: IRRIGATION (.030 CFS)
Total Diversion: (.030 CFS)
Date Filed: 2/08/1990
In: T03N R03W S04
SESE
1.0 ACRES TOTAL

NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt: SWSWSW Sec 35 T 02N R 02W
Use: IRRIGATION (1.500 CFS)
Total Diversion: (1.500 CFS)
Date Filed: 2/14/1990
In: T02N R02W S35
SWSW
75.0 ACRES TOTAL
63-11141

HENRICKSON, LINDA
HENRICKSON, TIM
3720 E. LEWIS
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt: NWNE Sec 8 T 02N R 01W
NENW Sec 8 T 02N R 01W
(1.000 CFS)
Use: IRRIGATION
Date Filed: 1/26/1990
In: T02N R01W S08
NENW NWNW SENW
50.0 ACRES TOTAL
63-11142

HILLCREST MEMORIAL GARDENS
15862 INDIANA AVE.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt: NWNW Sec 14 T 03N T03W
Use: IRRIGATION DOMESTIC (.500 CFS)
(.060 CFS)
Total Diversion: (.560 CFS)
Date Filed: 2/02/1990
In: T03N R03W S14
NWNW
25.0 ACRES TOTAL
63-11143

WADSWORTH, MARSHA
WADSWORTH, DEWAYNE
318 S. KINGS RD
NAMPA, ID 83651
Source: INDIAN CREEK
Diversion Pt: NWSW Tributary: BOISE RIVER
Use: IRRIGATION Sec 25 T 03N R 02W
(.050 CFS)
Total Diversion: (.050 CFS)
Date Filed: 1/29/1990
In: T03N R02W S25
NWSW
1.5 ACRES TOTAL
63-11144

BOWER, WALLACE
16798 HWY 20-26
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt: SWSESW Sec 6 T 04N R 03W
Use: IRRIGATION Total Diversion: (.050 CFS)
Date Filed: 1/26/1990
In: T04N R03W S06
SESW
3.0 ACRES TOTAL
63-11145

RORABAUGH, RONALD
4913 E. ORCHARD
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: Sec 19 T 03N T01W
Use: IRRIGATION (.030 CFS)
Date Filed: 2/07/1990
In: T03N R01W S19 Lot 1 (NWNW)
1.0 ACRES TOTAL
63-11146

JONES, CALVIN
JONES, DOROTHY
2714 SOUTHSIDE BLVD.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt: NWSWNW Sec 1 T 02N R 02W
Use: IRRIGATION (.060 CFS)
STOCKWATER (.020 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.120 CFS)
Date Filed: 1/29/1990
In: T02N R02W S01
SWNW
2.0 ACRES TOTAL
63-11147

ROBISON, STANLEY S.
ROBISON, ORPHENA E.
15591 SUNNY SLOPE
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt: SESENE Sec 15 T 03N R 04W
Use: IRRIGATION (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 1/08/1990
In: T03N R04W S15
SENE
2.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filled with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise Idaho 83705 on or before MARCH 12, 1990.
R. KEITH HIGGINSON, Director
February 21, 28, 1990

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Kathleen D. Steed

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper
Two Times

—in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

February 21, 28, 1990

Kathleen D. Steed

STATE OF IDAHO)
)
COUNTY OF CANYON)

On this 28th day of February in the year of 1990, before me, a Notary Public, personally appeared Kathleen D. Steed, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he/she executed the same.

RECEIVED

MAR 1 1990

Department of Water Resources
Western Regional Office

Janet Lusk
Notary Public for Idaho
Residing at Nampa



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 14, 1992

CHRIS A EMMERT
7180 BOWMONT RD
NAMPA ID 83686

RE: WATER RIGHT NO. 63-11091

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

9/28/92

Water Right # 63-11091

RECEIVED


SEP 29 1992

Department of Water Resources

Pamela,

The shaded area on the map below are the acres that are missing from the total acres. The draft copy has a total acreage of 68 acres. Total acres should be 72 acres.

Chris Emmert



RECEIVED

OCT 27 1992

Watt's Place

14.2

C

31.1

23.5

A
14.4

9.8

D310

456D

C

7.3

453D

G

3.3

H

15.9

G

6.8

E

16.5

21.3

D311

457D

J

4.7

D312

7.5

K

14.1

L

5.3

M

23.7

7.6

4.6

E

15.5

O

12.4

35

30

A

17.5

A

6.5

C

6.2

459D

September 23, 1992

CHRIS A EMMERT
7180 BOWMONT RD
NAMPA ID 83686

RE: WATER RIGHT NO. 63-11091

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

LICENSE REVIEW CHECKLIST

Permit # 63-11091

Date 9-21-92

CS

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☐	☒	Disagree with Actual Measurement?
	☐	☒	~~68 x .02 = 1.36 cfs (IRR)~~ <u>72 x .02 = 1.44 / 1.42 cfs (IRR)</u>
	☐	☒	Disagree with Theoretical?
	☒	☒	Limited by Capacity? <u>1.42 cfs</u> (measured)
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u> <u>3-15 to 11-15</u> Standard Irr. Season <u>4-01 to 11-01</u> Per Permit Season Recommended
	☐	☒	Disagree with Examiner's Calculations?
	☐	☒	Limited by Flow? ~~68 x 4.5 = 306 cfs (IRR)~~ <u>72 x 4.5 = 324 cfs (IRR)</u> <u>1.36 x 214 x 1.9835 = 577.3</u> <u>7306</u> <u>1.44</u> <u>602.2 > 324</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u> <u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☐	☒	Non-Irr. Uses
	☐	☒	Special Overlap Condition
	☐	☒	Other
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>B32</u>	☐	Overlap
	☐	☒	Water Quality
			DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made

COMMENTS/MEMOS NEEDED: Reduced Acres, rate
Review of all maps resulted in an additional 4 acres
allowed in SPSE per JT.

License 10-Day ☒ 15-Day ☐ Special Correspondence ☐

WR0749NP
No. L63-11091

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 10/02/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CHRIS A EMMERT 7180 BOWMONT RD NAMPA ID 83686 (208) 466-3670	01/05/1990	IRRIGATION	04-01 11-01	1.42 CFS	324.0 AFA
TOTAL DIVERSION:					1.42 CFS	324.0 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 1.42 CFS

Point(s) of Diversion: T02N R02W S35 SE SE

Place of use Legal Description for: IRRIGATION

		NE				NW				SW				SE										
T	R S	: Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	: Lt	Ac	Lt	Ac	Lt	Ac	: Lt	Ac	Lt	Ac	: Lt	Ac	Lt	Ac	: SUM
02N	02W 35	:								:						:	38			:	34			: 72.0
TOTAL ACRES																						72.0		

Pou County: CANYON

Other Water Rights Listing Overlapping Place(s) of use:
63-11091

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Dates:	App. Received:	01/05/1990	Priority Date:	01/05/1990
	Proof Due Date:	05/01/1992	Proof Made Date:	04/04/1991
	Exam Made Date:	08/30/1991	Exam Sent to S.O.:	02/20/1992
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 10/02/92 SKAGGS

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE								NW								SW								SE								SUM																		
		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE																				
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac																			
L6311091	T02N R02W S35	GROUNDWATER																																																		
	:									:									:									:	38									34	:	72												
	:									:									:									:									:									:						
6302388	BOISE RIVE	:									:									:									:									:									:					
A6302388	BOISE RIVE	:									:									:									:									:									:					
6303039	GROUNDWATE	:									:	40		30		40	:									:									:									:	110							
A6303039	GROUNDWATE	:									:	10		27			:									:									:									:	37							
6303157	GROUNDWATE	:									:									:	06	:									:									:									:	6		
6310632	GROUNDWATE	:									:									:									:									:	32		30	:									:	62
6311091	GROUNDWATE	:									:									:									:	40									:	40	:									:	80	
6311139	GROUNDWATE	:									:									:									:	35		40	:									:									:	75
--86 MAP--	C27Q-Y 6	:	43		42		39		39	:	42		39		40		32	:	34		41		42		38	:	40		35		32		40	:	618																	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

RECEIVED
FEB 21 1992

A. GENERAL INFORMATION


1. Owner: Chris Emmert Permit No. 63-11091
Phone No. 466-3670
Current Address: 7180 Bowmont Rd.; Nampa, Idaho 83686
2. Accompanied by: Chris Emmert & Jeni Emmert EXAM. DATE: 8-30-91
Address: same Phone No. _____
Relationship to Permit Holder: owner and father
3. Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = Not to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

MICROFILMED
OCT 27 1992

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

See attached

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	<i>Ditachi</i>	<i>25</i>	<i>Unknown</i>	<i>Red Jacket</i>	<i>6"</i>

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		<i>SW</i>	<i>SE</i>	<i>SE</i>	<i>35</i>	<i>2N</i>	<i>2W</i>	<i>Canyon</i>	<i>ortho photo quad map</i>

6. Place(s) of Use:

Indicate Method of Determination

Quad map & grid

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
<i>2W</i>	<i>2W</i>	<i>35</i>													<i>38</i>			<i>30</i>	<i>68</i>

MICROFILMED

OCT 27 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Owners 18" weir	Cipolletti				18"	
Staff gauge					1'	

2. Measurements:

A measurement was taken at an 18" cipolletti weir installed by the owner in a concrete ditch at a site about 200' NE of the well site. The weir was properly installed but had a fence across the top making the measurement a bit tenuous. Several attempts indicated .43' in head.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

.43' on an 18" cipolletti weir = 1.42 cfs.

68 ac @ 1" / ac =

1.36 cfs

2. Alternate Method for Checking Purposes:

$$\frac{25 \times 8.8 \times .7}{100 + (2.3 \times 0)} = 1.54 \text{ cfs.}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 68 \times 4.5 = 306 \text{ oia}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.36 \times 246 \times 1.9835 = 663.6$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 306 \text{ oia}$

2. Volume Calculations for Other Uses:

NA

MICROFILMED

OCT 27 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

No overlaps.
Period of use should comply with department standards for the river.
This permit supplements Boise-River Irrigation Dist. water

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Irrigation</i>	<i>3-15</i>	<i>11-15</i>	<i>1.36 cfs</i>	<i>306 ofa</i>
Totals:			<i>1.36 cfs</i>	<i>306 ofa</i>

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Melvin T. Schulte

Signature

Melvin T. Schulte

Certification Date

1-7-92

Field Report Preparation Date

1-7-92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

OCT 27 1992

63-11091 NARRATIVE

A 10" diameter well with a 25 Hp submersible pump and a 6" steel discharge pipe diverts water to an open dirt ditch located about six feet South of the well. The dirt ditch can also receive Boise-Kuna Irrigation District water at a headgate 20' East of the well site. The dirt ditch flows East about 150' where it flows into a concrete ditch. The concrete ditch flows North about 2,500' to irrigate a 36 acre field by siphon tubes.

Five feet from the well a 6" steel pipe can divert water about 200' West to an 8" gated pipe to irrigate a 2 acre field. The 6' pipe can also discharge water into a dirt ditch about 50' West of the well site. This dirt ditch flows North about 500' to irrigate a small 2 acre pasture by flood irrigation or it dumps into a concrete ditch. The concrete ditch flows East and West a total of about 300' to irrigate a 5 acre field by siphon tubes. The concrete ditch also flows into a gated pipe to irrigate a westerly corner of the 5 acre field. From the concrete ditch a buried 12" concrete tile pipe crosses the 5 acre field in a Northerly direction for about 500' to deliver water to a concrete ditch. This concrete ditch flows North about 1,600' to irrigate a 24 acre field by siphon tubes.

About 500' North from its inception the last concrete ditch mentioned above can divert water into a 12" buried concrete tile pipe that crosses the 24 acre field in an Easterly direction. The concrete tile pipe delivers water to the same concrete ditch that irrigates the 36 acre field mentioned in the first paragraph above. All irrigation in this system is applied by gravity flow from siphon tubes, gated pipe or flood irrigation from a dirt ditch.

MICROFILMED

OCT 27 1992

18.2

3
4.0

14.4

T3678

3
7.6

2
6.9

4
12.7

63-11091
System Diagram

8
6.9

7
7.7

5.3

T2

T3679

T3739

P14
8/27/

2
3.7

←CONCRETE DITCH→

3
12.2

4
7.3

1
24.1

12" BURIED
CONCRETE TILE

12" BURIED CONCRETE TILE

2
5.2
CONCRETE
DITCH

GATED PIPE

3

35.9

DIRT DITCH

MEASUREMENT WEIR

9
6.1

MICROCHIEF

OCT 27 1992

36

GATED PIPE

6" STEEL PIPE WELL SITE

T4821

T3708

T3645

T3964

T3650

PERMIT 63-11091 INIT

T. R. S. Q/Q

2N 2W 35

18.2

T3678

T3739

T3679

T 2 N

P14
8/27/91

RECORDED

OCT 27 1992

T4821

T3708

2
17.8

2
4.8

4
6.3

36

35

3
35.9

2
5.2

9
6.1

8
1.4

7
3.0

5
3.5

1
7.4

4
7.3

3
12.2

2
3.7

6
5.3

7
7.7

8
6.9

5
16.5

4
12.7

2
6.9

3
7.6

2
6.3

3.3

7.5

2

6

14.6

PERMIT 63-11091 INIT

T. R. S. Q/Q

P/D 8W 2W 35 SESE

SCALE

PHOTO ID. Y 6

BM
2603

34

N

Gravel
Pit

P/U

ROAD

P/D

2650

2674

OCT

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11091

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP2N, Rge2W, Sec. 35, SE1/4 SE1/4 or Lot _____.

2. Owner: Chris Emmert

Address 7180 Bowmont Rd, City ampa, St 83686

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port: Yes ☒ No ☐ Static Water Level: 90
Pressure Gauge: Yes ☐ No ☒ Casing Diameter: 10"
Flowing: Yes ☐ No ☒ Temperature: _____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒


If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

NOT RECORDED

OCT 27 1992

63-11091



#1

P/D



#2

Delivery ditch looking
East from well site

RECEIVED

OCT 27 1992

63-11091



#3

Site where measurement
was taken.



#4

P/U.

REPRODUCTION

OCT 27 1992

April 25, 1991

CHRIS A. EMMERT
7180 BOWMONT RD.
NAMPA, ID 83686

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11091

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED

JUN 03 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-11091

Date 4-10-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
☒ Drill permit req'd?
Feb 21, 1990 ☒ Copy in file? Drill permit no. _____
☐ Amt paid for drilling permit? _____ Correct?
☐ Well log in file?

LICENSE EXAMINATION FEE

- Yes Required?
125.00 Amount submitted?
Yes Correct amount?

MEASURING DEVICE

- Yes Measuring device or access port required?
Yes Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

need well log and drilling Permit

proof acceptable OK

PRIORITY CALCULATION

Date proof received N/A
Date proof due _____ - _____
No. of days late _____ = _____
Priority date _____ + _____
NEW PRIORITY DATE _____ = _____

address change *PS 4-11-91*

LB

RECEIVED

STATE OF IDAHO

APR 1 1991

DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Western Regional Office

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-11091 Telephone No. 466-3670Name(s) of Permit Holder(s): CHRIS A. EMMERTPost Office Address: 7180 BOWMONT RD. NAMPA, IDA 83686Source of Water: GROUND WATERIf ground water, well driller's name: JOHNSTON DRILLING Date drilled: Feb. 27, 1990Extent of Use:
Domestic _____ (No. of households) Irrigation 80 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____Total rate and/or volume for which proof is submitted 1.60 ~~1.60~~ cfs _____ acre/feetShow date water was first diverted and beneficially used under this permit: April 15, 1990

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ NoFee Enclosed: \$ 125.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

CHRIS EMMERT 466-3670
Name Telephone No.7180 BOWMONT RD. NAMPA, IDA. 83686
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JUN 03 1991

April 3/91
DateChris A. Emmert
Signature (and title if on behalf of a company or organization)

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Chris A Emmert
Address 6198 S. Side Blvd. Nampa ID 83686
Owner's Permit No. 63-90-W-004 63-11091

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

- ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>250</u> inches	<u>10</u> inches	<u>+ 1 1/2</u> feet	<u>20</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 20 Material used in seal: ☐ Cement grout☒ Bentonite ☐ Pudding clay ☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld☐ Cemented between strataDescribe access port 1/4 plug in top

7. WATER LEVEL

Static water level 90 feet below land surface.Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ PlugTemperature 56 OF. Quality GOOD - HARD

Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>600</u>	<u>92</u>	<u>24</u>
_____	_____	_____
_____	_____	_____

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
12	0	3	TOPSOIL		
12	3	19	BROKEN BASALT		
12	19	20	SOLID BLACK BASALT		
10	20	39	BLACK BASALT		
	39	41	LOOSE CAVING BASALT BOULDERS		
	41	57	BLACK BASALT HARD		
	57	68	LOOSE BROWN BASALT BOULDERS		
	68	77	BLACK BASALT		
	77	82	CINDERS		
	82	165	BLACK BASALT		
	165	170	BASALT		
	170	175			
	175	180			
	180	200			
10	200	210	BASALT NO CO		

RECEIVED
MAY 17 1990
Department of Water Resources


RECEIVED
MAY 16 1990
Department of Water Resources

RECEIVED
MAY 17 1990
Department of Water Resources
Western Regional Office

10.

Work started JAN 17 90 finished FEB 27 90

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name _____

Lot No. _____ Block No. _____

County CANYONSE 1/4 SE 1/4 Sec. 35, T. 2N N/S, R. 2W E/W.

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name Johnston Drilling Firm No. 92Address 3790C S. Side Blvd. Date MAR 1 90Signed by (Firm Official) E O Johnston

and

(Operator) E O Johnston

3/89

Drilling Permit No. 63-90-W-004Water Permit No. 63-11091 (Application Pending)Injection Permit No.

RECEIVED
JAN 15 1990

State of Idaho
Department of Water Resources
Department of Water Resources

D R I L L I N G P E R M I T

RECEIVED
JAN 05 1990

Department of Water Resources
Western Regional Office

1. Applicant Chris A. Emmert
2. Address 6192 SO. SIDE BLVD
Merger ID. 23626 Telephone ²⁰⁸ 466-4790
(☒) Well Owner (☒) Well Operator (☐) Other, specify
3. Proposed well location SE 1/4 SE 1/4, or Gov't lot No. ,
Sec. 35, Twp. 2N, Rge. 2W, County Canyon,
Lot, block and subdivision
4. Proposed use of well: (Check all that apply)
(☐) Domestic (☐) Stockwater (☐) Monitoring
No. of households No. of livestock
(☒) Irrigation (1.60 cfs) (☐) Industrial (☐) Municipal
(☐) Injection (☐) Other, Specify
5. Well construction information:
(☒) New well (☐) Deepen (☐) Replace
Proposed surface diameter 12" Maximum depth 200'
Anticipated bottom hole temperature:
(☒) 85°F or less (Cold water well)
(☐) 85°F to 212°F (Low temp. geothermal well)
(☐) 212°F or more (Geothermal well)
6. Anticipated construction start date March 12 1990 A.S.A.P. Per telegram with applicant 1/12/90 SL
7. Well Driller (if known) Johnston Well Drilling
Address RT#1 Mollie
8. Applicant's signature Chris A. Emmert
Title Owner
Date Jan. 2 1990

JUN 03 1991

ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is Approved

If approved, this permit authorizes the construction of a well subject to the following conditions:

GENERAL CONDITIONS

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS

Dated this 9th day of JANUARY, 19 90.

Signed David R. T. Still
Title Manager, Western Regional Office

Received by JD Fee \$100⁰⁰ Date 1-5-90

Receipt No. W007411 Construction start extension to JUN 03 1991

Extension approved by _____

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
April 16, 1990

CHRIS A. EMMERT
6198 SOUTHSIDE BLVD.
NAMPA, ID 83686

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P63-11091

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

MICROFILMED

APR 19 1990

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

APR 19 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RW DATE: 2-14-90 APPLICATION: 63-11091

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use: Gov't. Lots: N P/D
☒ Nature of proposed use: (Include description of use) N P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

- ☒ a Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ a Overlapping point of diversion:
Field check required: Field check by: _____
Field report attached:
Critical groundwater area:
Groundwater management area:
Send dam safety information:
Send power requirement letter:
Send fish farm requirement letter:
Power residency affidavit:
Power efficiency form:
Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side: _____

RECEIVED
MAR 30 1990

Department of Water Resources

YES NO

Statewide advertising:

SEND COPIES TO

YES NO

Adjudication Bureau

YES NO

Other

~~YES~~ / NO

Application published correctly: If not, record action taken.

Special conditions of approval or cover letter:

016 26A (A) 2 years

Recommended by:

Date 3/29/90

STATE OFFICE REVIEW

P03, P23, P05, P17

46 26 01G

See below for additional information. By

Date 3-30-90

ADDITIONAL INFORMATION

Well For Supplemental Water For Lands
Irrigated w/ Boise-Kune I.D. Water

Drilling Permit

63-90-W-004

approval 1/9/90 at
owner's request.

52

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

FEBRUARY 14, 1990

Press-Tribune
P.O. Box 9399
Nampa, ID 83652

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 12, 1990.

Yours truly,

GAIL GARRETT
Secretary

Encl.

RECEIVED

FEB 15 1990

63-11091

EMMERT, CHRIS A.
6198 S. SIDE BLVD.
NAMPA, ID 83686

Source: GROUNDWATER

Diversion Pt: SESE Sec 35 T 02N R 02W

Use: IRRIGATION (1.600 CFS)
Total Diversion: (1.600 CFS)

Date Filed: 1/05/1990

In: T02N R02W S35 NESE SESE

80.0 ACRES TOTAL

RECORDED
JAN 11 1990