

T4N
RIW

T4N
T3N



Produced by the Geological Survey

Orthophotograph prepared from 1:80,000-scale aerial photographs taken July 4, 1981

Projection and 10,000-foot grid ticks: Idaho coordinate system, west zone (Transverse Mercator)

1000-meter Universal Transverse Mercator grid, zone 11 1927 North American Datum

To place on the predicted North American Datum 1983 move the projection lines 15 meters north and 77 meters east as shown by dashed corner ticks

Photoimagery rectified by optical scanning
Where double or mismatched image occur use the mean of image position for map point

MICROFILMED
APR 19 1990
No joint lots
C


This map has been prepared by the Idaho Department of Geology

RECORD OF SURVEY

A PORTION OF THE NE1/4 OF SECTION 32

T. 4 N., R. 1 W., B. M.

ADA COUNTY, IDAHO



SCALE: 1" = 200'

LEGEND

- ⊙ BRASS CAP MONUMENT - FOUND
- 5/8" REBAR - FOUND
- ⊙ 3/4" BAR - FOUND
- 1/2" REBAR - SET W/PLAS. CAP
- CALCULATED POINT
- (N. 8°13' W., 30.0') DATA OF RECORD
- PROPERTY BOUNDARY LINE
- ⊙ "PK" NAIL


CERTIFICATION

I, GREG L. SKINNER, DO HEREBY CERTIFY THAT I AM A REGISTERED LAND SURVEYOR, LICENSED BY THE STATE OF IDAHO, AND THAT THIS MAP HAS BEEN PREPARED FROM AN ACTUAL SURVEY MADE ON THE GROUND BY ME, AND THAT THIS MAP IS AN ACCURATE REPRESENTATION OF SAID SURVEY, AND IS IN CONFORMITY WITH THE CORNER PERPETUATION AND FILING ACT, IDAHO CODE 55-1601 THROUGH 55-1612.



BASIS OF BEARING:

1975 J-U-B ENG.
SURVEY - DWG. #N750521
FOR OSCAR FLOWER



IRR LAND

FEB 01 1993

414-32-1-0-0-00-00

SURVEY FOR:

BOB McFADDEN

SKINNER
LAND SURVEYING

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 01 1992

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Robert L. & Irene McJadden Permit No. 63-11084
Phone No. 286-9257
Current Address: 4255 N. Mc Dermott Rd., Meridian, Idaho 83642
2. Accompanied by: Irene McJadden EXAM. DATE: 8-20-91
Address: same Phone No. same
Relationship to Permit Holder: owner
3. Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____ ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more).

RECEIVED

FEB 01 1993



Orthophotograph prepared from 1:80,000-scale aerial
photographs taken July 4, 1981

(Transverse Mercator)
1000-meter Universal Transverse Mercator grid, zone 11
1927 North American Datum

Photomimagery rectified by optical scanning


Microfilm
FEB 01 1993

63-11084



#1

PID



#2

View of pressure tank
for domestic use.

MIDWEST MED

FEB 01 1993

63-11084



#3

View of part of
lawn area and
canals looking
West from well.



#4

Stock tank
located at far
West side of
P14.

RECEIVED

FEB 01 1993

63-11084



#5
Some of stock



#6.
Gated pipe used to
irrigate

RECEIVED
FEB 01 1963

63-11084



#7

Part of P14



8" DISCHARGE
3'x8' tank

RECEIVED
FEB 01 1957

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11084

Priority: December 18, 1989

Maximum Diversion Rate: 0.84 CFS
Maximum Diversion Volume: 190.9 AF

This is to certify, that ROBERT L MC FADDEN
IRENE MC FADDEN

4255 N MC DERMOTT
MERIDIAN ID 83642

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 18, 1989; and has submitted Proof of Beneficial Use on March 1, 1991. An examination indicates that the works have a diversion capacity of .840 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.84 CFS	189.0 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	1.3 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.84 CFS	190.9 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 32, Township 04N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	01W	32	NENE 6	NWNE 10	SWNE 22	
			SENE 4			42

Total number of acres irrigated: 42

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC

TWN RGE SEC

04N 01W 32 SENE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.

FEB 01 1993

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 63-11084

CONDITIONS/REMARKS:

2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall use the full allotment of his surface water right, to the extent it is available, in conjunction with groundwater diverted pursuant to this right.
7. Domestic use is for 1 home.
8. Stockwater use is for 100 horses and range cattle.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 27TH day of JANUARY, 1993.

Acting for


R. Keith Higginson, Director

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11084

Proposed Priority: December 18, 1989 Maximum Diversion Rate: 1.09 CFS

This is to certify, that ROBERT L. MC FADDEN

IRENE MC FADDEN

4255 N. MC DERMOTT

MERIDIAN, ID 83642

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	1.00 CFS
STOCKWATER	01/01 to 12/31	0.05 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
Totals		1.09 CFS

LOCATION OF POINT(S) OF DIVERSION:

SENE Sec. 32, Township 04N, Range 01W
SWNE Sec. 32, Township 04N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N 01W 32	NENE 6	NWNE 9	SWNE 16	
	SENE 19			50
Total number of acres irrigated:				50

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 1993.
2. Subject to all prior water rights.
3. Single point of diversion on line between SWSE and SESE, S32 T4N, R1W.
4. Stockwater use is for 100 cattle and 10 horses.
5. Domestic use is for one home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

3rd day of April, 1990

MICROFILMED

APR 19 1990

R. Keith Higginson
for R. Keith Higginson, Director

Ident. No. 63-11084

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: ROBERT L. MC FADDEN 208-286-9257
Address: 4255 NORTH MC DERMOTT
MERIDIAN, ID 83642
AND/OR
Name: IRENE MC FADDEN 208-286-9257
Address: 4255 NORTH MC DERMOTT
MERIDIAN, ID 83642

2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: SWNE, SENE Sec. 32, Township 04N, Range 01W
ADA County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	1.000		
STOCKWATER	01/01	12/31	0.050		
DOMESTIC	01/01	12/31	0.040		

5. Total quantity appropriated is:
1.090 CFS (and/or) AF

6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc.
WELL, 6" CASING, PIPELINE, SPRINKLERS, GATED PIPE
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is 6 inches; proposed depth of well is 472
feet.
d. Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 3 years.

8. Description of proposed uses:
IRRIGATION 50 ACRES, 1/D HOUSEHOLD, 100 BEEF CATTLE, 10 HORSES

APR 19 1990

* database corrected per orthophoto, attached. 1/5/90 JL

9. Place of Use: IRRIGATION

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
04N 01W 32	NENE 6	NWNE 9	SWNE 16	50
	SENE 19			50

Total number of acres irrigated: 50

Place of Use: STOCKWATER, same as IRRIGATION use

Place of Use: DOMESTIC, ~~same as IRRIGATION use~~ NENE AND SENE
4N 1W S. 32

* DATABASE
changed per
comm. with 99,
assisting Sr. Agent to
applicant.
- SL 1/5/90
and per IOWA
Standards

10. Describe any other water rights used for the same purposes.
IRRIGATION DISTRICT WATER

11. a. Who owns the property at the point of diversion?
APPLICANT

b. Who owns the land to be irrigated or place of use?
APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks: Single point of diversion on line between T4N, R1W, S32, SWNE & SENE. *

13. Map of proposed point of diversion and place of use attached? [X]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

+ Robert L. McFadden
Applicant

Received by GG Date 12-18-89 Time 11:45A Preliminary check by SL

Fee \$ 65.00 Receipted by GG # W007163 Date 12-18-89

Publication prepared by GG Date 1-10-90 Published in ID Statesman
1/18 & 1/25/90


Publication approved SL Date 2/21/90

MICROFILMED

APR 19 1990

T4N
RIW

T4N
T3N



Produced by the Geological Survey

Orthophotograph prepared from 1:80,000-scale aerial photographs taken July 4, 1981

Projection and 10,000-foot grid ticks: Idaho coordinate system, west zone (Transverse Mercator)

1000-meter Universal Transverse Mercator grid, zone 11 1927 North American Datum

To place on the predicted North American Datum 1983 move the projection lines 15 meters north and 77 meters east as shown by dashed corner ticks

Photoimagery rectified by optical scanning

Where double or mismatched image occur use the

NO GOVT LOTS
MICROFILMED
APR 19 1990
NORTH
C

This map has been prepared by the Idaho Department of Geology

RECEIVED

JAN 31 1990

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Department of Water Resources
Western Regional Office

Amount Due

50.52

Account Name Idaho Department of Water Resources (Western)			Account Number #47628	
Address 2735 Airport Way		City/State Boise, ID		Zip 83705
Ordered By Gail Garrett	P.O. Number	Rate NT	Run Dates 1990 January 18, 25	
Identification Applications for Water Rights			Estimated Inches	Real Inches
Number of Affidavits Requested 1				Legal Number #4596

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s)
have been filed to appropriate the
public waters of the State of Idaho:

63-11084

McFadden, Robert L.

McFadden, Irene

4255 N. McDermott

Meridian, ID 83642

Source: Groundwater

Diversion Pt:

SWNE Sec. 32 T04N R01W

SENE Sec. 32 T04N R01W

Use: Irrigation (1.000 CFS)

Stockwater (.050 CFS)

Domestic (.040 CFS)

Total Diversion: (1.090 CFS)

Date Filed: 12/18/1989

In: T04N R01W S32 NENE NWNE

SWNE SENE

50.0 Acres Total

63-11092

Stitzel, Tom

1309 E. Pennsylvania St.

Boise, ID 83705

Source: Groundwater

Diversion Pt: SWSENE Sec. 24

T03N R02E

Use: Irrigation (.020 CFS)

Total Diversion: (.020 CFS)

Date Filed: 11/27/1989

In: T03N R02E S24 SENW

.5 Acres Total

The permit(s) will be subject to
all prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Western Region,
2735 Airport Way, Boise, Idaho
83705 on or before FEBRUARY 5,
1990.

R. KEITH HIGGINSON

Director

Pub. Jan. 18, 1990

Debbie Richards

, being duly
sworn, deposes and says: That she is the Principal Clerk of The
Idaho Statesman, a daily newspaper printed and published at Boise,
Ada County, State of Idaho, and having a general circulation therein
and which said newspaper has been continuously and uninterruptedly
published in said County during a period of twelve consecutive
months prior to the first publication of the notice, a copy of which is
attached hereto; that said notice was published in The Idaho
Statesman in conformity with Section 60-108, Idaho Code as
amended, for _____ 2 _____

☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of January 18, 19 90

and ending with the issue of January 25, 19 90

Debbie Richards

STATE OF IDAHO)

ss.

COUNTY OF ADA)

On this 25th day of January in the year of
1990

before me, a Notary Public, personally appeared

Debbie Richards, known or identified

to me to be the person whose name subscribed to the within in-
strument, and being by me first duly sworn, declared that the
statements therein are true, and acknowledged to me that she
executed the same.

Notary Public for Idaho

Residing at Boise, Idaho

My commission expires: 12/93

APR 19 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 28, 1993

ROBERT L MC FADDEN
IRENE MC FADDEN
4255 N MC DERMOTT
MERIDIAN ID 83642

RE: WATER RIGHT NO. 63-11084

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

FEB 01 1993

RECORD OF SURVEY

A PORTION OF THE NE1/4 OF SECTION 32

T. 4 N., R. 1 W., B. M.

ADA COUNTY, IDAHO



SCALE: 1" = 200'

LEGEND

- BRASS CAP MONUMENT - FOUND
- 5/8" REBAR - FOUND
- 3/4" BAR - FOUND
- 1/2" REBAR - SET W/PLAS. CAP
- CALCULATED POINT
- (N. 8°13' W. 30.0') DATA OF RECORD
- PROPERTY BOUNDARY LINE
- "PK" NAIL

CERTIFICATION


I, GREG L. SKINNER, DO HEREBY CERTIFY THAT I AM A REGISTERED LAND SURVEYOR, LICENSED BY THE STATE OF IDAHO, AND THAT THIS MAP HAS BEEN PREPARED FROM AN ACTUAL SURVEY MADE ON THE GROUND BY ME, AND THAT THIS MAP IS AN ACCURATE REPRESENTATION OF SAID SURVEY, AND IS IN CONFORMITY WITH THE CORNER PERPETUATION AND FILING ACT, IDAHO CODE 55-1601 THROUGH 55-1612.



BASIS OF BEARING:
1975 J-U-B ENG.
SURVEY - DWG. #N750521
FOR OSCAR FLOWER

IRR LAND

FEB 01 1993



414-32-1-0-0-00-00

SURVEY FOR:

BOB McFADDEN

SKINNER
LAND SURVEYING



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 31, 1992

Robert McFadden
4255 N. McDermott
Meridian, ID 83642

RE: Permit #63-11084

Dear Mr. McFadden:

Per our telephone conversation yesterday, I am sending you a copy of the map prepared by the field examiner of the system on the above referenced water right. The area that is cross hatched and highlighted in yellow is the area recommended for licensing. If you disagree with the findings, you will need to provide information and evidence supporting your claim.

I will withhold the permit from further processing for another 10 days to allow you to respond. If I receive no response in that time, I will assume that the draft license is correct and continue processing. If you have any further questions, please feel free to contact me directly at 327-7943 and I will be happy to assist you.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

Enclosure

FEB 01 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 14, 1992

ROBERT L MC FADDEN
IRENE MC FADDEN
4255 N MC DERMOTT
MERIDIAN ID 83642

RE: WATER RIGHT NO. 63-11084

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

FEB 01 1993

LICENSE REVIEW CHECKLIST

Permit # 63-11084

Date 12-11-92
RS

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☐	☒	Disagree with Actual Measurement?
	☒	☐	Disagree with Theoretical? <u>Flowing well</u>
	☒	☐	Limited by Capacity? <u>3 cfs .84 gfs (measured)</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	☐	☒	Disagree with Examiner's Calculations?
	☒	☐	Limited by Flow? <u>42.37 x 4.5 = 190.7 afa (IRR) .6 afa (DOM) 1.3 afa (STOCK)</u> <u>.36 x 245 x 1.9835 = 174.9 > 166.5</u> <u>.84 x 245 x 1.9835 = 408 > 189</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D			Verify with Map
	☐	☒	Amendment Needed? <u>Drop SLONE</u>
	☐	☒	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☒	☐	Non-Irr. Uses <u>DOM / Home STOCK / 100 mixed</u>
	☐	☒	Special Overlap Condition
	☐	☒	Other
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>R32</u>	☐	Overlap
	☐	☒	Water Quality
			DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduced Acres, rate</u> <u>Bad result from Measurement - Allow .02 cfs</u> <u>per acre / Allow 42 acres per map provided</u> <u>(survey) by Mr. McFadden. Changes made per J.J. 1-11-93</u>		
License	☒	10-Day	☒
		15-Day	☐
		Special Correspondence	☐

WRO749NP
No. L63-11084

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 12/11/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	ROBERT L MC FADDEN	12/18/1989	IRRIGATION	03-15 11-15	0.36 CFS	166.5 AFA
C	IRENE MC FADDEN		STOCKWATER	01-01 12-31	0.02 CFS	1.3 AFA
	4255 N MC DERMOTT		DOMESTIC	01-01 12-31	0.04 CFS	0.6 AFA
	MERIDIAN ID 83642					
	(208) 286-9257					
				TOTAL DIVERSION:	0.36 CFS	168.4 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.36 CFS

Point(s) of Diversion: T04N R01W S32 SE NE

Place of use Legal Description for: IRRIGATION

	NE				NW				SW				SE				
T R S	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM
04N 01W 32	04		09		20		04										37.0
																	TOTAL ACRES 37.0

Place of use location for STOCKWATER is the same location as described for: IRRIGATION

Place of use Legal Description for: DOMESTIC

	NE				NW				SW				SE				
T R S	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
04N 01W 32							D										

Pou County: ADA

Non-Irrigation Uses: ~~100 BEEF CATTLE, 10 HORSES~~

Other Rights: ~~IRRIGATION DISTRICT WATER~~

Other Water Rights with Same Point(s) of Diversion and Source:
63-11084

Other Water Rights Listing Overlapping Place(s) of use:
63-02016 63-11084 63-11629

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

Remarks: Domestic use is for 1 home.
Stockwater use is for 100 horses and range cattle.

WR0749NP
No. L63-11084

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 12/11/92
PAGE: 2

Dates: App. Received: 12/18/1989 Priority Date: 12/18/1989
Proof Due Date: 05/01/1993 Proof Made Date: 03/01/1991
Exam Made Date: 08/20/1991 Exam Sent to S.O.: 11/30/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 12/11/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 01 1992

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 63-11084
1. Owner: Robert L. & Irene Mc Jadden Phone No. 286-9257
Current Address: 4255 N. Mc Dermott Rd., Meridian, Idaho 83642
2. Accompanied by: Irene Mc Jadden EXAM. DATE: 8-20-91
Address: same Phone No. same
Relationship to Permit Holder: owner
3. Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____ ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more).

RECEIVED

FEB 01 1993

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

*An artesian well with a 6" casing that rises 3' above ground
diverts water to a buried 8" ^{PVC} pipe for irrigation, a 2"
steel pipe for stockwater, and labor and garden and a 1 1/4"
buried steel pipe for domestic use. The domestic pipe
goes to a pump house 15' from the well head that contains
a 1 1/2 Hp pump and pressure tank. The domestic system
registered 30 psi at exam. From the pump house a
1" buried pipe delivers water to a single home 70' away.*

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
<i>Domestic</i>	<i>GE</i>	<i>1 1/2</i>	<i>5ACR395Q2N 2090</i>	<i>Redjet</i>	<i>1 1/4"</i>

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					<i>32</i>	<i>4N</i>	<i>1W</i>	<i>ADA</i>	<i>ORTHO. PHOTO</i>

6. Place(s) of Use:

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
<i>4N</i>	<i>1W</i>	<i>32</i>	<i>4</i>	<i>9</i>	<i>20</i>	<i>4</i>													<i>37</i>

MICROFILMED

FEB 01 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: *POLYSONIC 161.14 GPM = .36 cfs*

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 37 \times 4.5 = 166.5$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .36 \times 246 \times 1.9835 = 175.7$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 166.5$

2. Volume Calculations for Other Uses:

$100 \text{ hld} \times 12 \text{ GPD/hld} \times 365 \text{ d/yr} = 438000 / 325,850 = 1.34 \text{ AFA}$

$100 \text{ hld} \times .00022 = .022 \times 365 \times 1.9835 = 15.9 \text{ AFA}$

int/ext domestic use = 1.2 AFA

RECEIVED

FEB 01 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

A valve at the well diverts water to a 6" buried pipe that flows to a 3' x 8' stock tower located about 120' North. From the tower water discharges to 400' of 8" gated pipe to irrigate about 37 acres. A valve at the well also diverts water to a 1 1/4" ^{buried} pipe that takes water West to hydrants to irrigate lawns & garden and then to several stock tanks. 100 head of stock year around is the maximum use for stockwater. Irrigation District Water also used on acres. (Nampa / Meridian + Settlers Irrig. Districts)

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/15	11/15	.36	166.5
STOCKWATER	1/1	12/31	.02	1.3
DOMESTIC	1/1	12/31	.04	1.2
Totals:			.36 cfs	169.0 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

MEL SCHULTE

Signature

Mel Schulte by Lori Guavere

Certification Date

Field Report Preparation Date

5/29/92

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



FEB 01 1993

T4N
T3N



Produced by the Geological Survey

Orthophotograph prepared from 1:80,000-scale aerial
photographs taken July 4, 1981

Projection and 10,000-foot grid ticks: Idaho
coordinate system, west zone
(Transverse Mercator)

1000-meter Universal Transverse Mercator grid, zone 11
1927 North American Datum

To place on the predicted North American Datum 1983 move
the projection lines 15 meters north and 77 meters east
as shown by dashed corner ticks

Photomastery rectified by optical scanning

RECEIVED
FEB 01 1993

MODE SELECT
INPUT

OUTER DIAMETER
8.5252 IN

PIPE MATERIAL
? PVC

WALL THICKNESS
0.1161 IN

INNER LINING
? NO LING.

KIND OF FLUID
? WATER

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
6.109 IN U

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

MODE SELECT
T0 CHECK

0299.0 MMSEC
~~096.48~~ % T0

MODE SELECT
INPUT

OUTER DIAMETER
8.5252 IN

PIPE MATERIAL
? PVC

WALL THICKNESS
0.1161 IN

INNER LINING
? NO LING.

KIND OF FLUID
? ANOTHER

SOUND VELOCITY
1530 M/S-

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
6.398 IN U

MODE SELECT
T0 CHECK

0300.9 MMSEC
099.77 % T0

DAMPING SET
09 SEC

ZERO MODE
ZERO OPR

05-22 04:5800 *R
+161.144E 00GPM

RECEIVED
FEB 01 1993

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11084

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 4N, Rge 1W, Sec. 32, SE 1/4 NE 1/4 or Lot _____.

2. Owner: Robert L. McFadden

Address 4255 N. McDermott Rd., City Meridian, St IO

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port: Yes ☐ No ☐ Static Water Level: Artesian
Pressure Gauge: Yes ☐ No ☒ Casing Diameter: 6"
Flowing: Yes ☒ No ☐ Temperature: _____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____


RECEIVED
FEB 01 1993

63-11084



#1

PID




#2

View of pressure tank
for domestic use.

RECEIVED
FEB 6 1963

FEB 6 1963

63-11084



#3

View of part of
lawn area and
canals looking
West from well.




#4

Stock tank
located at far
West side of
P14.

FEB 01 1964

63-11084




#5
Some of stock



#6.
Gated pipe used to
irrigate


FEB 01 1993

63-11084



#7

Part of P14



8" DISCHARGE

3' x 8' tank

April 12, 1991

ROBERT L. MC FADDEN
IRENE MC FADDEN
4255 N. MC DERMOTT
MERIDIAN, ID 83642

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11084

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

APR 22 1991

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Robert L. McFadden

Address 1255 North McDermott
Meridian, Idaho

Owner's Permit No. 63-89-W-192

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness Diameter From To feet
250 inches 6 inches 2 feet 467 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number From To
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 20 Material used in seal: ☐ Cement grout
☒ Bentonite ☒ Pudding clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent
Weld _____
☐ Cement _____
Describe access port Top

7. WATER LEVEL

Static water level _____ feet below land surface.
Flowing? ☒ Yes ☐ No G.P.M. flow 300
Artesian closed-in pressure 6 p.s.i.
Controlled by: ☒ Valve ☐ Cap ☐ Plug
Temperature 63 OF. Quality 3rd
Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailor ☐ Air ☒ Other Flow

Discharge G.P.M.

Pumping Level

Hours Pumped

300

Surface

Flow 18 hours

9. LITHOLOGIC LOG

Bore Diam.	Depth From	To	Material	Water Yes	No
8	0	1	Top soil		
8	1	15	gravel		
8	15	20	clay		
6	20	25	clay		
	25	34	sand		
	34	39	clay		
	39	44	sand		
	44	49	clay		
	49	54	sand		
	54	59	clay		
	59	64	sand		
	64	69	clay		
	69	78	sand		
	78	134	clay - sandy		
	134	138	sand		
	138	176	clay - sandy		
	176	188	sand - fine		
	188	218	clay - sandy		
	218	229	clay - blue		
	229	250	clay - brown		
	250	251	sand - brown		
	251	278	clay - blue		
	278	284	sand - blue-gray		
	284	289	clay - brown		
	289	308	clay - blue - sandy		
	308	314	sand - blue - brown		
	314	343	clay - brown		
	343	346	sand - dark gray		
	346	359	clay - brown		
	359	363	sand - fine - brown		
	363	370	clay - brown		
	370	390	sand - brown		
	390	408	clay - brown		
	408	410	gravel - white		
	410	414	clay - brown		
	414	422	sand - white		
	422	437	clay - brown		
	437	442	clay - blue		
	442	443	clay - brown		
	443	444	sand - white		

10. Work started 10-8-89 finished 11-10-89

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.
Firm Name Dufree Well Drilling Firm No. 379
Address Ames, Idaho Date 11-19-89
Signed by (Firm Official) _____ and _____
(Operator) same

6. LOCATION OF WELL

Sketch map location must agree with title record.
N
W
E
S
Subdivision Name _____
APR 19 1990
Lot No. _____ Block No. _____
County Ada
SW 1/4 NE 1/4 Sec. 32, T. 4 N, R. 1 E, W.

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-11084

Date 4-10-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
☒ Drill permit req'd?
☒ Copy in file? Drill permit no. 63-89-W-192
100.00 Amt paid for drilling permit? ☒ Correct?
☒ Well log in file?

LICENSE EXAMINATION FEE

- ☒ Required?
125.00 Amount submitted?
☒ Correct amount?

MEASURING DEVICE

- NO Measuring device or access port required?
☐ Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

PRIORITY CALCULATION

Date proof received	<u>NA</u>	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

[Signature]

RECEIVED
MAR 1 1991

For Office Use Only
Amt. of Fee \$ 125.00
Date 3-1-91
Receipt No. W013070
Received by g4

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-11084 Telephone No. 286-9257

Name(s) of Permit Holder(s): Robert L. McFadden or Irene McFadden

Post Office Address: 4255 N McDermott Meridian ID 83642

Source of Water: groundwater

If ground water, well driller's name: Dufoe Date drilled: 11-9-89

Extent of Use:
Domestic 1 (No. of households) Irrigation 50 (No. of acres)
Stockwater 100 cattle (No. and type of stock) Other _____
10 horses

Total rate and/or volume for which proof is submitted 1.09 cfs cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 12-1-89

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

Fee Enclosed: \$ 125.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Robert McFadden 286-9257
Name Telephone No.

above
Address

The above information is my true statement of the extent to which the above numbered 63-11084 permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

APR 22 1991

3-1-91 Robert L. McFadden
Date Signature (and title if on behalf of a company or organization)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
April 3, 1990

ROBERT L. MC FADDEN
IRENE MC FADDEN
4255 N. MC DERMOTT
MERIDIAN, ID 83642

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P63-11084

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

MICROFILMED

APR 19 1990

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

APR 19 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: R DATE: 1/5/90 APPLICATION: 63-11084

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

Gov't. Lots:
N P/D
N P/U

ADDITIONAL INFORMATION

YES NO
☒ ☐ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ ☐ Overlapping point of diversion:
☐ ☐ Field check required: Field check by: _____
☐ ☐ Field report attached:
☐ ☐ Critical groundwater area:
☐ ☐ Groundwater management area:
☐ ☐ Diversion within interim protected river area
☐ ☐ Send dam safety information:
☐ ☐ Send power requirement letter:
☐ ☐ Send fish farm requirement letter:
☐ ☐ Power residency affidavit:
☐ ☐ Power efficiency form:
☐ ☐ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐ ☐ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ ☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____
Additional information on reverse side: _____

MAR 12 1990
Department of Water Resources

PROCESSING

APPLICATION NO.

63-11084

YES NO

☒ ☐
☒ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest February 5, 1990

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, Deny

Measuring device required:

Measuring port required:

Water delivered by water master? District # 63-P05

Special conditions of approval or cover letter:

OIG, 26A (Allow 3 years)

See below for additional information

Recommended Date or Priority 12/18/1989Recommended by: DurDate 3/1/90

STATE OFFICE REVIEW

P05, P23, P03, P1746 26 01GSee below for additional information. By KWDate 3/27/90

ADDITIONAL INFORMATION

Overlap

Plu - 63-02016 Five Mile Creek, probably other areas except possible
some areas in NWNE (same 40 acres in 1/4 sec).
Also - Tracy Dist. with 63-02388 Buin River s/er groundwater
from Settlers I.O. 63-03060.

RECEIVED

FEB 12 1990

Department of Water Resources
Western Regional Office

Nampa & Meridian Irrigation District

1503 FIRST STREET SOUTH NAMPA, IDAHO 83651-4395

Phones: Area Code 208

OFFICE: Nampa 466-7861
Boise 343-1884

SHOP: Nampa 466-0663
Boise 345-2431

9 February 1990

Dave Tutthill
Department of Water Resources
Western Region
2735 Airport Way
Boise, Idaho 83705

Dear Dave:

While reviewing applications for a new well, Right Number 63-11084, we have investigated this and found that this property has existing gravity flow irrigation for the entire property and that his only need for water would be domestic or stock water. Anything additional would be only considered to be supplemental. I question if this is necessary.

Sincerely,

John P. Anderson

John P. Anderson
District Water Superintendent

pc: Each Director
Secretary of the Board
Bill Ringert
File

JPA:jj

*Answered by telecon on
2/22/90.*

No further response needed.

*Over
2/22/90*

MICROFILMED

APR 19 1990

APPROXIMATE IRRIGABLE ACRES

RIVER FLOW RIGHTS — 23,000

BOISE PROJECT RIGHTS — 40,000

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

JANUARY 10, 1990

The Idaho Statesman
P.O. Box 40
Boise, ID 83707

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 5, 1990.

Yours truly,

GAIL GARRETT
Secretary

Encl.

RECORDED

APR 10 1990

63-11084

MC FADDEN, ROBERT L.
MC FADDEN, IRENE
4255 N. MC DERMOTT
MERIDIAN, ID 83642

Source: GROUNDWATER

Diversion Pt:	SWNE	Sec 32 T 04N R 01W
	SENE	Sec 32 T 04N R 01W

Use: IRRIGATION	(1.000 CFS)
STOCKWATER	(.050 CFS)
DOMESTIC	(.040 CFS)
Total Diversion:	(1.090 CFS)

Date Filed: 12/18/1989

In: T04N R01W S32	NENE	NWNE	SWNE	SENE
-------------------	------	------	------	------

50.0 ACRES TOTAL

INDEXED FILMED

APR 19 1990

WELL DEALER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

3/89

Drilling Permit No. 63-89-W-192Water Permit No. 63-11084

Injection Permit No. _____

RECEIVED

OCT 03 1989

Department of Water Resources
Western Regional OfficeState of Idaho
Department of Water Resources*Western Region*
2735 Airport Way.
Boise 83705
334-2190

DRILLING PERMIT

Robert L. McFarland

- Applicant Robert L. McFarland
- Address Box 85
Sweet Idaho 83470 Telephone 554-3429
☒ Well Owner () Well Operator () Other, specify _____
- Proposed well location SW 1/4 NE 1/4, or Gov't lot No. _____,
Sec. 32, Twp. 4N, Rge. 1W, County ADA,
Lot, block and subdivision _____
- Proposed use of well: (Check all that apply)
☒ Domestic () Stockwater () Monitoring
No. of households 1 No. of livestock _____
() Irrigation () Industrial () Municipal
() Injection () Other, Specify _____
- Well construction information:
☒ New well () Deepen () Replace
Proposed surface diameter 6" Maximum depth 200' more or less
Anticipated bottom hole temperature:
☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
- Anticipated construction start date Oct. 1, 1989
- Well Driller (if known) Duane Well Drilling
Address 837 West Town Nampa, Idaho
- Applicant's signature Robert L. McFarland
Title owner
Date Apr 15, 1989

MICROFILMED

APR 18 1990

COPY FOR FILE

ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is Approved.

If approved, this permit authorizes the construction of a well subject to the following conditions:

GENERAL CONDITIONS

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

~~SPECIFIC CONDITIONS~~ This Permit is being changed from Dm & ST to adding IRRIGATION TO THE Dm & ST USES. Application for Permit filed (63-11084) filed 12-18-89. Additional fee of \$90.00 paid for Drilling Permit 12-18-89

Dated this 4th day of Oct, 19 89.

Signed David R. Tuttle

Title Mgr, Western Reg IDWR

Received by SA Fee \$90.00 Date 12-18-89

MICROFILMED

APR 19 1990

Receipt No. 120010121 Construction start extension to _____

Extension approved by _____