


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

MAR 23 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Jack Cooper
(Applicant)

Jack Cooper, Director, Boise Park System

RECEIVED

APR - 9 1993

A. GENERAL INFORMATION

Permit No. 63-11075

1. Owner: Boise Park System Phone No. 384-4240

Phone No. 384-4240

Current Address: 1104 Royal Blvd. Boise, ID 83706

2. Accompanied by: Red Smith EXAM. DATE: 6-27-12

EXAM. DATE: 6-27-12

Address: _____ Phone No. _____

Phone No. _____

Relationship to Permit Holder: Groundskeeper

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None


☐ Copies Attached

2. Other water rights with same point of diversion: None

☐ Copies Attached ☐ Copies of Field Exam's Attached☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = Not to scale.

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

JUL 01 1993

PERMIT 63-11075 INIT MS

T. R. S. Q/Q

P/D 4N 2E 19 NW/SE

SCALE

PHOTO ID. x-9 Engle

JUL 14 1991






PHOTO ONE-

The 8" well with sprinkler controls in the back ground.



PHOTO TWO-

The sprinklers measured during the exam. Along the north-western edge of the park, facing north-east.

RECEIVED
JUL 01 1993



PHOTO THREE-

P/U. Facing east with the tennis courts in the background.



PHOTO FOUR-

P/U. Facing south-east.

RECEIVED
JUL 01 1993

STATE OF IDAHO
IDAHO DEPARTMENT OF WATER RESOURCES
NOTICE OF CHANGE OF WATER RIGHT OWNERSHIP

RECEIVED

MAR 25 1999

WATER RESOURCES
WESTERN REGION

Please print or type. Attach pages with additional information. Instructions are on the back of this page.
 Incomplete forms will be returned.

Water Right or Adjudication Claim No(s): See Attached Sheet

The following **REQUIRED** information must be submitted with this form:

A. A copy of the most recent **DEED, TITLE POLICY, CONTRACT OF SALE** or other legal document indicating your ownership of the property and water rights or claims in question, **WITH ATTACHED LEGAL DESCRIPTION.**

AND

B. **PLAT OF PROPERTY** or **SURVEY MAP** for parcel of ten acres or less. (These are usually attached to your deed or on file with the county.)

OR

C. For water rights or adjudication claims involving ten or more irrigated acres, a USDA Farm Service Agency **AERIAL PHOTO** with irrigated acres outlined and point(s) of diversion clearly marked.

Name and Address of Former Owner/Claimant See Attached Sheet

4. New Owner/Claimant(s) City of Boise
 Name Connector (Check one): ☐ and, ☐ or, ☐ and/or
 New Mailing Address Parks & Recreation Dept.
1104 Royal Blvd.
 City, State and ZIP Code Boise, ID 83706
 New Telephone Number (208) 384-4060

5. Date you acquired the property _____

6. If you have acquired only a portion of the former owner's property, IDWR may need to split the water right(s) or adjudication claim(s). If this applies, describe in detail your portion of each water right or adjudication claim in the spaces below. If necessary, attach additional pages.

Number of acres you irrigate _____ Number and type of stock _____

Diversion rate in CFS _____ Number of homes _____ Other uses _____

If a water right or adjudication claim is being split and you are not sure how to identify your portion of the original right or claim, please contact the nearest IDWR office for assistance.

7. Signature of New Owner or Claimant(s) James R. Ball
Director

Corporations or other organizations must submit a list of directors and/or officers demonstrating authority to sign this form.

3. For Snake River Basin Adjudication Claims: Please attach a Notice of Appearance completed by your attorney, if you wish IDWR to correspond with him or her for all matters related to your claims.

City of Boise
Parks & Recreation Department
Water Rights/Adjudication Claims

Names are those found on adjudication profile reports, if water right has been claimed. In many instances different names appear on water right profile reports. The water right names also need to be changed to the corrected name and address.

A63-00164A	City of Boise Parks and Recreation Dept. 1104 Royal Blvd. Boise, ID 83706	A63-03116	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-00164C	City of Boise Parks and Recreation Dept. 1104 Royal Blvd. Boise, ID 83706	A63-03132	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-02792	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-03147	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-02841	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-03413	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-02843	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-03565 ✓	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-02925	Boise Parks System 1104 Royal Blvd. Boise, ID 83706	A63-07034 ✓	City of Boise Parks and Recreation Dept. 1104 Royal Blvd. Boise, ID 83706
A63-02933	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-07179 ✓	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-02971	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-07523	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-02972	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-07524	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-03069	Boise Parks and Recreation 1104 Royal Blvd. Boise, ID 837062898	63-07549	City of Boise Park Dept. City Hall Boise, ID 83701

E.C. Underhill

63-07728	City of Boise Dept. of Parks City Hall Boise, ID 83702	A63-09670	Boise Park System 1104 Royal Blvd. Boise, ID 83706
63-07592	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-10022	City of Boise Dept of Parks 1104 Royal Blvd Boise, ID 83706
A63-07666	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-10188	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-07668	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-10246	Boise Park System Jullion Park 1104 Royal Blvd. Boise, ID 83706
A63-08025	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-10296	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-08263	Boise Park System 1104 Royal Blvd. Boise, ID 83706	✓ 63-10305	Boise City Parks Dept. 1104 Royal Blvd. Boise, ID 83706
A63-08600	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-10395A	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-09112	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-10395B	Boise Park System 1104 Royal Blvd. Boise, ID 83706
✓ 63-09138	City of Boise c/o Louis Uranga P.O. Box 500 Boise, ID 83701	✓ 63-10750	Boise Park System Mountain View Park 1104 Royal Blvd. Boise, ID 83706
A63-09192	Boise Park System 1104 Royal Blvd. Boise, ID 83706	✓ 63-10752	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-09276	City of Boise Parks and Recreation Dept. 1104 Royal Blvd. Boise, ID 83706	✓ 63-10760	City of Boise Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-09326	Boise Park System 1104 Royal Blvd. Boise, ID 83706	✓ 63-11075	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-09362	Boise Park System 1104 Royal Blvd. Boise, ID 83706		

✓ 63-11816

Boise Park System
1104 Royal Blvd.
Boise, ID 83706

✓ 63-11822

Boise Park System
1104 Royal Blvd.
Boise, ID 83706

A63-22375

City of Boise

A63-30418

City of Boise
Parks & Recreation Dept.
1104 Royal Blvd.
Boise, ID 83706

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11075

Priority: November 28, 1989

Maximum Diversion Rate:

0.20 CFS

Maximum Diversion Volume:

21.6 AF

This is to certify, that BOISE PARK SYSTEM
1104 ROYAL BLVD
BOISE ID 83706

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 28, 1989; and has submitted Proof of Beneficial Use on July 16, 1990. An examination indicates that the works have a diversion capacity of .270 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.20 CFS	21.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSE , Sec. 19, Township 04N, Range 02E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	02E	19	NWSE	4.8		4.8

Total number of acres irrigated: 4.8

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.
6. Place of use is known as Castle Hill Park.

JUL 01 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11075

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 4th
day of JUNE, 1995.

Acting for R. Keith Higginson, Director

JUN 01 1995

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11075

Proposed Priority: November 28, 1989 Maximum Diversion Rate: 0.20 CFS

This is to certify, that **BOISE PARK SYSTEM**
1104 ROYAL BLVD.
BOISE, ID 83706

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.20 CFS
------------	----------------	----------

<u>LOCATION OF POINT(S) OF DIVERSION:</u>	NWSE	Sec. 19, Township 04N, Range 02E ADA County
---	------	--

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	02E	19	SWNE 3	NWSE 10		13
Total number of acres irrigated:						13

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1991.
2. Subject to all prior water rights.
3. Place of use is known as Castle Hill Park.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

19th day of March, 1990.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

MAR 23 1990

RECEIVED

NOV 28 1989

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT**

To appropriate the public waters of the State of Idaho

Department of Water Resources
Western Regional Office

1. Name of applicant Boise Park System (Castle Hill Park) Phone 384-4240

Post office address 1104 Royal Boulevard, Boise, Idaho 83706

2. Source of water supply Groundwater which is a tributary of --

3. Location of point of diversion is 1/4 of NW 1/4 of SE 1/4, Govt. Lot

Sec. 19 Township 4N Range 2E B.M. Ada County; additional

points of diversion if any: N/A

4. Water will be used for the following purposes:

Amount .20 for irrigation purposes from March 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .20 and/or (b) —
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Deep well with submersible pump supplying buried sprinkler irrigation system in this park.

b. Height of storage dam — feet; active reservoir capacity — acre-feet; total reservoir capacity — acre-feet; period of year when water will be diverted to storage: — to — inclusive.

c. Proposed well diameter is 10 inches; proposed depth of well is 40 feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the project is 1 years (minimum 1 year).

MICROFILMED

MAR 23 1990


9. Description of place of use:
- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (*example: D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

Remark N/A :
13 acres ;
.20 sp is
< .02 cfr/ac.
R 11/28/89

12. Remarks: Water will be used for night irrigation of Castle Hill Park lawn and planting areas. The amount applied far exceeds that normally used for irrigation but this is necessary to insure minimum public inconvenience during daylight hours and is consistent with previous applications approved for city parks. The high application rate is necessary to provide peak irrigation requirements during the maximum growing season within the limited time available for night irrigation during daylight hours in the summer.

MAR 23 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

MAR 23 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)

Jack Cooper, Director, Boise Park System

Received by SS Date 11/28/89 Time 1:50 pm Preliminary check by SL
Fee \$ 3000 Receipted by JH # W0006807 Date 11-28-89
Publication prepared by GG Date 11-29-89 Published in ID Statesman
Publication approved SL Date 1/5/90
12/7 & 12/14/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

MAR 27 1990

RECEIVED
DEC 21 1989

Department of Water Resources
Western Regional Office

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

169.32

Account Name		Account Number	
Idaho Department of Water Resources - Western		47628	
Address		City/State	Zip
2735 Airport Way		Boise, Idaho	83705
Ordered By	P.O. Number	Rate	Run Dates
Gail Garrett		nt	1989 December 7, 14
Identification		Estimated Inches	Real Inches
Notice of Application for Water Right			
Number of Affidavits Requested		Legal Number	
1		4280	

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10953
CLOVERDALE MEMORIAL PARK INC.
1200 N. CLOVERDALE RD.
BOISE, ID 83704
Source: GROUNDWATER
Diversification Pt:
NENE Sec 9 T 03N R 01E
NWNE Sec 9 T 03N R 01E
Use: IRRIGATION (1.500 CFS)
WILDLIFE (.120 CFS)
Total Diversion: (1.500 CFS)
Date Filed: 8/25/1989
In: T03N R01E S09 NENE NWNE
S10 SWNW
75.0 ACRES TOTAL

63-11040
ALBERTSONS INC.
P.O. BOX 20
250 PARKCENTER BLVD.
BOISE, ID 83726
Source: GROUNDWATER
Diversification Pt:
SENESE Sec 9 T 03N R 01E
Use:
FIRE PROTECTION (1.450 CFS)
Total Diversion: (1.450 CFS)
Date Filed: 8/25/1989
In: T03N R01E S09 NENE SESE

63-11054
TLUCEK, JERRY L.
TLUCEK, MARY LOU
RT. 1
MELBA, ID 83641
Source: GROUNDWATER
Diversification Pt:
NESE Sec 7 T 01S R 01W
Use: STOCKWATER (1.200 CFS)
COMMERCIAL (.040 CFS)
DOMESTIC (.080 CFS)
Total Diversion: (1.320 CFS)
Date Filed: 11/02/1989
In: T01S R01W S07 NESE

63-11064
CHEVRON PIPE LINE CO.
201 N. PHILLIPPI ST.
BOISE, ID 83706
Source: GROUNDWATER
Diversification Pt:
NWSWSW Sec 8 T 03N R 02E
Use: IRRIGATION (.010 CFS)
Total Diversion: (.010 CFS)
Date Filed: 9/11/1989
In: T03N R02E S08 SWSW
0.2 ACRES TOTAL

63-11067
HAMPTON HOMES
HOMEOWNERS ASSN.
925 N. DOVE LN.
BOISE, ID 83703
Source: GROUNDWATER
Diversification Pt:
SENE Sec 11 T 03N R 01E
Use:
IRRIGATION (.090 CFS)
DOMESTIC (.300 CFS)
FIRE PROTECTION (.300 CFS)
Total Diversion: (.600 CFS)
Date Filed: 9/01/1989
In: T03N R01E S11 SENW
3.0 ACRES TOTAL

63-11068
BOISE WATER CORP.
P.O. BOX 7488
BOISE, ID 83707
Source: GROUNDWATER
Diversification Pt:
NESE Sec 8 T 03N R 02E
Use: MUNICIPAL (2.790 CFS)
Total Diversion: (2.790 CFS)
Date Filed: 11/17/1989
In: Service area of Boise Water Corp.

63-11069
BOISE PROJECT BOARD
OF CONTROL
214 BROADWAY
BOISE, ID 83702
Source: BOISE RIVER
Tributary: SNAKE RIVER
Diversification Pt:
LOT 7 (SENE) Sec 11 T 02N R 03E
Use:
POWER (2500.000 CFS)
Total Diversion: (2500.000 CFS)
Date Filed: 11/15/1989
In: T02N R03E S11
Lot 4 (NENE)
Lot 6 (NWNE)
Lot 6 (SWNE)
Lot 7 (SENE)

63-11073
WESTERN STATES
EQUIPMENT CO.
P.O. BOX 38
BOISE, ID 83707
Source: GROUNDWATER
Diversification Pt:
SWSW Sec 18 T 03N R 01E
Use: IRRIGATION (.020 CFS)
Total Diversion: (.020 CFS)
Date Filed: 10/23/1989
In: T03N R01E S18 SWSW
1.0 ACRES TOTAL

63-11075
BOISE PARK SYSTEM
1104 ROYAL BLVD.
BOISE, ID 83706
Source: GROUNDWATER
Diversification Pt:
NWSE Sec 19 T 04N R 02E
Use: IRRIGATION (.200 CFS)
Total Diversion: (.200 CFS)
Date Filed: 11/28/1989
In: T04N R02E S19 NWSE
13.0 ACRES TOTAL

67-07803
ONWEILER, BILL
P.O. BOX AU
McCALL, ID 83638
Source: WEISER RIVER
EAST FORK
Tributary: WEISER RIVER
Diversification Pt:
NWSE Sec 15 T 17N R 01E
Use: POWER (50.000 CFS)
Total Diversion: (50.000 CFS)
Date Filed: 8/03/1989
In: T17N R01E S31 Lot 4 (SWSW)

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho, 83705 on or before DECEMBER 26, 1989.

R. KEITH HIGGINSON
Director
Pub. Dec. 7, 14, 1989

_____, being duly she is the Principal Clerk of The per printed and published at Boise, having a general circulation therein een continuously and uninterruptedly a period of twelve consecutive ion of the notice, a copy of which is was published in The Idaho ction 60-108, Idaho Code as

_____, being duly she is the Principal Clerk of The per printed and published at Boise, having a general circulation therein een continuously and uninterruptedly a period of twelve consecutive ion of the notice, a copy of which is was published in The Idaho ction 60-108, Idaho Code as

_____, being duly she is the Principal Clerk of The per printed and published at Boise, having a general circulation therein een continuously and uninterruptedly a period of twelve consecutive ion of the notice, a copy of which is was published in The Idaho ction 60-108, Idaho Code as

_____, being duly she is the Principal Clerk of The per printed and published at Boise, having a general circulation therein een continuously and uninterruptedly a period of twelve consecutive ion of the notice, a copy of which is was published in The Idaho ction 60-108, Idaho Code as

_____, being duly she is the Principal Clerk of The per printed and published at Boise, having a general circulation therein een continuously and uninterruptedly a period of twelve consecutive ion of the notice, a copy of which is was published in The Idaho ction 60-108, Idaho Code as

_____, being duly she is the Principal Clerk of The per printed and published at Boise, having a general circulation therein een continuously and uninterruptedly a period of twelve consecutive ion of the notice, a copy of which is was published in The Idaho ction 60-108, Idaho Code as

_____, being duly she is the Principal Clerk of The per printed and published at Boise, having a general circulation therein een continuously and uninterruptedly a period of twelve consecutive ion of the notice, a copy of which is was published in The Idaho ction 60-108, Idaho Code as

_____, being duly she is the Principal Clerk of The per printed and published at Boise, having a general circulation therein een continuously and uninterruptedly a period of twelve consecutive ion of the notice, a copy of which is was published in The Idaho ction 60-108, Idaho Code as

_____, being duly she is the Principal Clerk of The per printed and published at Boise, having a general circulation therein een continuously and uninterruptedly a period of twelve consecutive ion of the notice, a copy of which is was published in The Idaho ction 60-108, Idaho Code as

_____, being duly she is the Principal Clerk of The per printed and published at Boise, having a general circulation therein een continuously and uninterruptedly a period of twelve consecutive ion of the notice, a copy of which is was published in The Idaho ction 60-108, Idaho Code as

_____, being duly she is the Principal Clerk of The per printed and published at Boise, having a general circulation therein een continuously and uninterruptedly a period of twelve consecutive ion of the notice, a copy of which is was published in The Idaho ction 60-108, Idaho Code as

_____, being duly she is the Principal Clerk of The per printed and published at Boise, having a general circulation therein een continuously and uninterruptedly a period of twelve consecutive ion of the notice, a copy of which is was published in The Idaho ction 60-108, Idaho Code as

_____, being duly she is the Principal Clerk of The per printed and published at Boise, having a general circulation therein een continuously and uninterruptedly a period of twelve consecutive ion of the notice, a copy of which is was published in The Idaho ction 60-108, Idaho Code as

_____, being duly she is the Principal Clerk of The per printed and published at Boise, having a general circulation therein een continuously and uninterruptedly a period of twelve consecutive ion of the notice, a copy of which is was published in The Idaho ction 60-108, Idaho Code as

_____, being duly she is the Principal Clerk of The per printed and published at Boise, having a general circulation therein een continuously and uninterruptedly a period of twelve consecutive ion of the notice, a copy of which is was published in The Idaho ction 60-108, Idaho Code as

_____, being duly she is the Principal Clerk of The per printed and published at Boise, having a general circulation therein een continuously and uninterruptedly a period of twelve consecutive ion of the notice, a copy of which is was published in The Idaho ction 60-108, Idaho Code as

_____, being duly she is the Principal Clerk of The per printed and published at Boise, having a general circulation therein een continuously and uninterruptedly a period of twelve consecutive ion of the notice, a copy of which is was published in The Idaho ction 60-108, Idaho Code as

_____, being duly she is the Principal Clerk of The per printed and published at Boise, having a general circulation therein een continuously and uninterruptedly a period of twelve consecutive ion of the notice, a copy of which is was published in The Idaho ction 60-108, Idaho Code as

_____, being duly she is the Principal Clerk of The per printed and published at Boise, having a general circulation therein een continuously and uninterruptedly a period of twelve consecutive ion of the notice, a copy of which is was published in The Idaho ction 60-108, Idaho Code as

_____, being duly she is the Principal Clerk of The per printed and published at Boise, having a general circulation therein een continuously and uninterruptedly a period of twelve consecutive ion of the notice, a copy of which is was published in The Idaho ction 60-108, Idaho Code as



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 7, 1993


BOISE PARK SYSTEM
1104 ROYAL BLVD
BOISE ID 83706

RE: WATER RIGHT NO. 63-11075

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

JUL 01 1993

LICENSE REVIEW CHECKLIST

Permit # 63-11075 Date 4-29-93 Brenda Chapman

NAME Yes No Address Change?

PRIORITY DATE Advance?
 Memo to Advance
 Order to Reinstate Needed?

TOTAL CFS Incorrect Fee for rate recommended?

HP INFO NOT Disagree/Measurement

* AVAILABLE-BUT Pumping Theoretical

PARK OFFICIAL System Capacity

SAID PUMP SET AT 120gpm Allowable Amount:

TOTAL VOLUME Rate/ac AFA Irr. Season

 Standard Irr. Season

 Season Recommended

 Disagree with Examiner's Calculations?

 Flow limit:

SOURCE Changes? Clarification of Originally

 Intended source

 Notice of Intent to Void.

P/D Amendment Needed?

 Is Overlap Analysis a Consideration?

P/U Amendment Needed?

 Is Overlap Analysis a Consideration?

USES Change(s) in Nature of Use?

 Amendment Needed?

REMARKS Multiple P/Ds in 1/4 1/4?

 Non-Irr. Uses

 Special Overlap Condition

 Other

CONDITIONS Measuring Devices Dates/Misc

 W/Master Control Water Dist

 Overlap App Rec'd

 Water Quality Exam Made

COMMENTS:

LICENSE AMEND SPECIAL PARAGRAPH

* CAPACITY = 120 gpm x .00223 = .27 CFS

SPRINKLER SPECS ON PLAN

3.9 - 7.1 gpm

AVERAGE 5.5 / ual 6 gpm

(L)

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	BOISE PARK SYSTEM 1104 ROYAL BLVD BOISE ID 83706 (208) 384-4240	11/28/1989	IRRIGATION	03-15 11-15	0.20 CFS	21.6 AFA
TOTAL DIVERSION:					0.20 CFS	21.6 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.27 CFS

Point(s) of Diversion: T04N R02E S19 NW SE

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE										
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM		
			:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	
04N	02E	19	:					:					:					:						:	4.8	
																					TOTAL ACRES		:	4.8		

Pou County: ADA

Other Water Rights with Same Point(s) of Diversion and Source:
63-04993 63-10938 63-11075

Other Water Rights Listing Overlapping Place(s) of use:
63-02406 63-10938 63-11075

Conditions of Approval:

- R27 - This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.

Remarks: Place of use is known as Castle Hill Park.

Dates: App. Received: 11/28/1989 Priority Date: 11/28/1989
Proof Due Date: 04/01/1991 Proof Made Date: 07/16/1990
Exam Made Date: 06/29/1992 Exam Sent to S.O.: 04/07/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 04/30/93 CHAPMAN

RECEIVED
APR - 9 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT Department of Water Resources

A. GENERAL INFORMATION


Permit No. 63-11075
Phone No. 384-4240
1. Owner: Boise Park System
Current Address: 1104 Royal Blvd. Boise, ID 83706
2. Accompanied by: Red Smith EXAM. DATE: 6-29-92
Address: _____ Phone No. _____
Relationship to Permit Holder: Groundskeeper
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = Not to scale.

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

JUL 01 1993

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

An 8" well provides water to a five acre park.
 The park is watered by underground sprinklers. A measurement
 was made on one station with 15 sprinkler heads at 60 psi.
 The acreage calculations were made from a sketch diagram (attached),
 and a planimeter. Calculated perimeter, less basketball & tennis courts.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	N/A				

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SE	19	4N	2E	Ada	USGS Photo Quad

6. **Place(s) of Use:**

Indicate Method of Determination USGS Photo Quad

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	2E	19														4.8			4.8

JUL 01 1993

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pressure Gauge						
Lasico Planimeter			#42P	B-9084B		

2. Measurements:

60 psi	1- Rainbird 47 head	=	14.0 GPM
	14- Royal Coach 10090 & 10091 heads in the station measured	=	13.0 GPM

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$(13.0 \text{ GPM} \times 14 + 14.0 \text{ GPM}) \times \frac{1}{448.8} = .44 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$.04 \text{ cfs} \times \frac{1}{\text{acre}} \times 4.8 \text{ acres} = .19 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 4.8 \times 4.5 = 21.6 \text{ ac-ft}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .19 \text{ cfs} \times 245 \times 1.9835 = 93.3 \text{ ac-ft}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 21.6 \text{ ac-ft}$$

2. Volume Calculations for Other Uses:

RECORDED

JUL 01 1993

* See Remarks

H. REMARKS AND OVERLAP REVIEW ANALYSIS

A high diversion rate is necessary to insure minimum public inconvenience during daylight hours and is consistent with previous recommendations for city parks. The high rate is necessary to allow night irrigating during the maximum growing season.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	.19 cfs	21.6 afa
Totals:			.19 cfs	21.6 afa


2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name Mark Senior
JFW 2/2/93
Signature [Signature]
Certification Date _____
Field Report Preparation Date 7-7-92




- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

JUL 01 1993

PERMIT 63-11075 INIT CWS
T. R. S. Q/Q
P/D 4N 2E 19 NW/SE
SCALE _____
PHOTO ID. X-8 Engle



Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11075

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 4N, Rge 2E, Sec. 19, NW1/4 SE 1/4 or Lot _____.

2. Owner: Boise Park System
Address 1104 Royal Blvd., City Boise, St ID

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port: Yes ☐ No ☒ Static Water Level: _____
Pressure Gauge: Yes ☐ No ☒ Casing Diameter: 8"
Flowing: Yes ☒ No ☐ Temperature: _____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

JUL 01 1993



PHOTO ONE-

The 8" well with sprinkler controls in the back ground.



PHOTO TWO-

The sprinklers measured during the exam. Along the north-western edge of the park, facing north-east.

MICROFILMED

JUL 01 1993




PHOTO THREE-

*P/U. Facing east with the
tennis courts in the background.*



PHOTO FOUR-

P/U. Facing ~~North~~ -st.

RECEIVED
JUL 01 1993

December 7, 1990

BOISE PARK SYSTEM
1104 ROYAL BLVD.
BOISE, ID 83706

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11075

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

DEC 18 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-11075

Date: 11-30-90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change _____ If yes, prepare a data entry
☒ Proof received timely
☒ _____ Reinstated

Source of Water:

- ☐ Surface water
☒ Groundwater
☒ 1. well log in file
☒ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- _____ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ Is a measuring device or access port required?
_____ Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	-
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED
JUL 16 1990

For Office Use Only
Amt. of Fee \$ 50.00
Date 7/16/90
Receipt No. 6012663
Received by J. Harrison

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. P63-11075 (Castle Hill Park) Telephone No. 384-4240

Name(s) of Permit Holder(s): Boise Park System

Post Office Address: 1104 Royal Boulevard Boise, ID 83706

Source of Water: Ground water

If ground water, well driller's name: Bunn Well Drilling Date drilled: 9-19-79

Extent of Use:
Domestic _____ (No. of households) Irrigation 5 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted .20 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: June 1981

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Skip Gates 384-4326
Name Telephone No.
Boise Park System 1104 Royal Boulevard
Address

MICROFILMED

DEC 18 1990

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

7/13/90 Paul Philbrook - Park Designer
Date Signature (and title if on behalf of a company or organization)

BOISE CITY
P.O. BOX 500, Boise, ID 83701

FORM NO. 060499

VOUCHER NO.	COMMENTS	VOUCHER DATE	ITEM AMOUNT
3329880702	PARKS	06-25-90	50.00
RECEIVED JUL 16 1990 Department of Water Resources MICROFILMED DEC 18 1990			

CHECK 00000034872

FOR TOTAL OF

50.00

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
March 19, 1990

BOISE PARK SYSTEM
1104 ROYAL BLVD.
BOISE, ID 83706

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P63-11075

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

MAR 23 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

MAR 23 1990

PD



26

5.19

NWSE

PD

11

SWNE

NWSE

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: 82 DATE: 11/28/89 APPLICATION: 63-11075

REQUIRED INFORMATION


- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map:
- ☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
- ☒ Fee:
- ☒ Yes ☐ No* In form to receipt:

Gov't. Lots:
N P/D
N P/U

ADDITIONAL INFORMATION

- | YES | NO | |
|-------------------------------------|-------------------------------------|--|
| ☒ | ☐ | Overlapping place of use: (Describe source & relationship to present application on the back.) |
| ☒ | ☐ | Overlapping point of diversion: |
| ☐ | ☐ | Field check required: Field check by: _____ |
| ☐ | ☐ | Field report attached: |
| ☒ | ☐ | Critical groundwater area: |
| ☒ | ☐ | Groundwater management area: <u>Boise front but cold H₂O < 300' deep.</u> |
| ☒ | ☐ | Diversion within interim protected river area |
| ☐ | ☒ | Send dam safety information: |
| ☐ | ☒ | Send power requirement letter: |
| ☐ | ☒ | Send fish farm requirement letter: |
| ☐ | ☒ | Power residency affidavit: |
| ☐ | ☒ | Power efficiency form: |
| ☐ | ☒ | Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.) |
| ☐ | ☒ | Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.) |
| ☐ | ☒ | *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT |

☒ DATE REQUESTED: _____
Additional information on reverse side:



Department of Water Resources

PROCESSING

APPLICATION NO. 63-11075

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☐
☒ ☐

Publication dates and paper recorded on application:

Protests received. Final date for protest December 26, 1989

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, Deny

Measuring device required:

Measuring port required:

Water delivered by water master? District # 63-P05

Special conditions of approval or cover letter: _____

55, 56

See below for additional information

Recommended Date or Priority 11/28/1989 ✓Recommended by: DWDate 2/14/1990

STATE OFFICE REVIEW


P05, P23P1658 46See below for additional information. By KWDate 3/6/90

ADDITIONAL INFORMATION

OverlapP10Other wells 63-04993 & 63-10938P1663-02406 Waste water, Drainage Dist. for 20 ac. irrig.
in SWNE and all of NWSE.Other wells for other land - as in p10 above.

CITY OF BOISE
PAYMENT VOUCHER

PO DATE	PV DATE	ACCTG PERIOD	BUDGET FY	FUND	SCHEDULED PYMT DATE	COMMENTS (12)	DATE REQUIRED
ORIGINAL ORDER		CONFIRMING ORDER		DATE PURCHASING APPROVED		TOTAL LINE ITEM BUDGETED:	
CODE		PREPARING DEPT/DIV		INVOICE TO: CITY OF BOISE PO BOX 500 BOISE ID 83701		AMT BUDGETED THIS PURCHASE:	
REMIT TO: (name & address)		ATTN:		VENDOR: (name & address)		LINE EXPENDED TO DATE:	
						AMT AVAILABLE IN LINE:	
						IF PURCHASE TOTAL EXCEEDS AMT AVAIL IN LINE, ATTACH EXPLANATION WHY AND WHERE FUNDS WILL BE DRAWN.	
				DELIVER TO: (name & address)			

PO LN NO	AGCY (DEPT)	ORG (DIV)	ACTIVITY	OBJ/ REV	SUB OBJ	REPT CAT	BAL SHT ACCT	FXD AST	DESCRIPTION	NO. OF UNITS	PRICE/UNIT	AMOUNT	P/F
 JUN 08 1990 Department of Water Resources													
 MAR 20 1990													

APPROVALS		TOTAL
DEPT. HEAD REVIEWED FOR CONSISTENCY WITH CITY POLICY VEHICLE/COMMUNICATIONS SHOP/OTHER	PURCHASING ACKNOWLEDGE BID PROCESS AND AUTHORIZE PURCHASE	

SPECIAL INSTRUCTIONS:

☐ MAIL
 ☐ RETURN TO DEPT
 ☐ OTHER

DEPARTMENT _____ PURCHASING _____

ACCT INT _____

63-11075

BOISE PARK SYSTEM
1104 ROYAL BLVD.
BOISE, ID 83706

Source: GROUNDWATER

Diversion Pt: NWSE Sec 19 T 04N R 02E

Use: IRRIGATION (.200 CFS)
Total Diversion: (.200 CFS)

Date Filed: 11/28/1989

In: T04N R02E S19 SWNE NWSE

13.0 ACRES TOTAL

MICROFILMED

MAR 23 1990