




3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NOT TO SCALE

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

N/A Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		5	SUBMERSIBLE	JUCAZZI	6" 556A10-S

*Code to correspond with No. on map and aerial photo

466-2149 4/88

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: NONE

MAY 25 1993

63-11073

8" HP
SUBMERSIBLE
WELL



SHRUB
AREA



GRASS
AREA

RECEIVED
MAY 25 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11073

Priority: November 1, 1989

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

2.7 AF

This is to certify, that WESTERN STATES EQUIPMENT CO

PO BOX 38

BOISE ID 83707

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 23, 1989; and has submitted Proof of Beneficial Use on April 10, 1992. An examination indicates that the works have a diversion capacity of .190 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	2.7 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 18, Township 03N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	01E	18	SWSW	0.6		0.6

Total number of acres irrigated: 0.6

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

RECORDED

MAY 25 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-11073

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 28TH
day of April, 1993.

Acting for *R. Keith Higginson*
R. Keith Higginson, Director

MAY 25 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-11073)
IN THE NAME OF WESTERN STATES EQUIPMENT) ORDER OF
REINSTATEMENT)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before April 1, 1992; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit had lapsed for failure to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on April 10, 1992;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-11073 be REINSTATED with an advance in priority to November 1, 1989.

Dated this 15th day of April, 1992.


L. GLEN SAXTON
Chief, Water Allocation Bureau

RECEIVED

MAY 20 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11073

Proposed Priority: October 23, 1989 Maximum Diversion Rate: 0.02 CFS
This is to certify, that **WESTERN STATES EQUIPMENT CO.**

P.O. BOX 38
BOISE, ID 83707

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.02 CFS

LOCATION OF POINT(S) OF DIVERSION: SWSW Sec. 18, Township 03N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	01E	18	SWSW	1		1
Total number of acres irrigated:						1

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **April 1, 1992.**
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

19th day of March, 19 90

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

MAR 23 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Western States Equipment Co. Phone 888-2287
Post office address P.O. 38 Boise Id. 83707
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of SW $\frac{1}{4}$ of SW $\frac{1}{4}$ Govt. Lot _____
Sec. 18 Township 03N Range 01E B.M. Ada County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .02 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .02 CFS. and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. _____
Pump w/ sprinkler system for lawn and landscaping.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is UNKNOWN inches; proposed depth of well is UNKNOWN 50' feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? no
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

MICROFILMED

MAR 23 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
03N	01E	18											1.0						1.0

Total number of acres to be irrigated 1.0

10. Describe any other water rights used for the same purposes as described above. _____

none.

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: WATER WILL BE USED FOR IRRIGATION PURPOSES ON GROUNDS OF BUSINESS.

WELL DRILLED - Sept-1987.

MICROFILMED

MAR 23 1990



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

A full-page view of a blank sheet of graph paper. The grid consists of 20 columns and 20 rows of squares, formed by thin black lines. The paper is otherwise empty, with no text or markings.

Scale: 2 inches equal 1 mile.

MAR 23 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Application for permit to appropriate the public waters of

Pat Shad
(Applicant)
Personnel Assistant

Received by JFW Date Oct. 23 1989 Time 2:30 PM Preliminary check by fw
Fee \$ 30.00 Receipted by L.H. # W006563 Date Oct. 27 1989
Publication prepared by GG Date 11-29-89 Published in ID Statesman
Publication approved st Date 12-22-89
12/7 & 12/14/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

MAR 23 1990

WESTERN STATES

EQUIPMENT COMPANY

BOISE

General Offices
P.O. Box 38
Boise, ID 83707
FAX 888-3932
208/888-2287

Boise Industrial
P.O. Box 38
Boise, ID 83707
208/323-0800

POCATELLO

P.O. Box 4640
Pocatello, ID 83205
208/232-2640

SPOKANE

P.O. Box 3668
Spokane, WA 99220
FAX 535-9307
509/535-1744

COLFAX

P.O. Box 19
Colfax, WA 99111
509/397-4644

PASCO

P.O. Box 1335
Pasco, WA 99301
509/547-9541

LA GRANDE

P.O. Box 400
LaGrande, OR 97850
503/963-3101

PENDLETON

P.O. Box 967
Pendleton, OR 97801
503/276-5812

JOHN DAY

P.O. Box 400
John Day, OR 97845
503/575-1301

November 30, 1989

RECEIVED
DEC 05 1989

Department of Water Resources
Western Regional Office

Mr. Rob Whitney
Department of Water Resources
2735 Airport Way
Boise, Idaho 83705


Dear Mr. Whitney:

Per your request, following is a list of the corporate officers for Western States Equipment Company.

R. Clair Miles, President
B. L. Bernhardt, Vice President
N. L. Howard, Vice President
J. D. King, Vice President & Treasurer
F. Inouye, Secretary

The mailing address for all would be P.O. Box 38, Boise, Idaho 83707.

Sincerely,



J. D. King
Vice President
& Treasurer

JDK/L10/sh



YOUR
CATERPILLAR
DEALER

DEC 21 1989

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

Department of Water Resources
Western Regional Office

LEGAL ADVERTISING INVOICE

Amount Due

169.32

Account Name		Account Number	
Idaho Department of Water Resources - Western		47628	
Address		City/State	Zip
2735 Airport Way		Boise, Idaho	83705
Ordered By	P.O. Number	Rate	Run Dates
Gail Garrett		nt	1989 December 7, 14
Identification		Estimated Inches	Real Inches
Notice of Application for Water Right			
Number of Affidavits Requested			Legal Number
1			4280

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10953 CLOVERDALE MEMORIAL PARK INC.

1200 N. CLOVERDALE RD. BOISE, ID 83704

Source: GROUNDWATER

Diversion Pt: NENE Sec 9 T 03N R 01E

NWNE Sec 9 T 03N R 01E

Use: IRRIGATION (1.500 CFS)

WILDLIFE (.120 CFS)

Total Diversion: (1.500 CFS)

Date Filed: 8/25/1989

In: T03N R01E S09 NENE NWNE

S10 SWNW

75.0 ACRES TOTAL

63-11040 ALBERTSONS INC.

P.O. BOX 20

250 PARKCENTER BLVD. BOISE, ID 83726

Source: GROUNDWATER

Diversion Pt: SENESW Sec 9 T 03N R 01E

Use: FIRE PROTECTION (1.450 CFS)

Total Diversion: (1.450 CFS)

Date Filed: 8/25/1989

In: T03N R01E S09 NESW SESW

63-11054 TLUCEK, JERRY L.

TLUCEK, MARY LOU

RT. 1

MELBA, ID 83641

Source: GROUNDWATER

Diversion Pt: NESW Sec 7 T 01S R 01W

Use: STOCKWATER (1.200 CFS)

COMMERCIAL (.040 CFS)

DOMESTIC (.080 CFS)

Total Diversion: (1.320 CFS)

Date Filed: 11/02/1989

In: T01S R01W S07 NESW

63-11064 CHEVRON PIPE LINE CO.

201 N. PHILLIPPI ST.

BOISE, ID 83706

Source: GROUNDWATER

Diversion Pt: NWSWSW Sec 8 T 03N R 02E

Use: IRRIGATION (.010 CFS)

Total Diversion: (.010 CFS)

Date Filed: 9/11/1989

In: T03N R02E S08 SWSW

0.2 ACRES TOTAL

63-11067 HAMPTON HOMES

HOMEOWNERS ASSN.

925 N. DOVE LN.

BOISE, ID 83703

Source: GROUNDWATER

Diversion Pt: SENW Sec 11 T 03N R 01E

Use: IRRIGATION (.090 CFS)

DOMESTIC (.300 CFS)

FIRE PROTECTION (.300 CFS)

Total Diversion: (.600 CFS)

Date Filed: 9/01/1989

In: T03N R01E S11 SENW

3.0 ACRES TOTAL

63-11068 BOISE WATER CORP.
P.O. BOX 7488
BOISE, ID 83707

Source: GROUNDWATER

Diversion Pt: NESW Sec 8 T 03N R 02E

Use: MUNICIPAL (2.790 CFS)

Total Diversion: (2.790 CFS)

Date Filed: 11/17/1989

In: Service area of Boise

Water Corp.

63-11069 BOISE PROJECT BOARD

OF CONTROL

214 BROADWAY

BOISE, ID 83702

Source: BOISE RIVER

Tributary: SNAKE RIVER

Diversion Pt: LOT 7 (SENE) Sec 11 T 02N R 03E

Use: POWER (2500.000 CFS)

Total Diversion: (2500.000 CFS)

Date Filed: 11/15/1989

In: T02N R03E S11

Lot 4 (NENE)

Lot 6 (NWNE)

Lot 6 (SWNE)

Lot 7 (SENE)

63-11073 WESTERN STATES

EQUIPMENT CO.

P.O. BOX 38

BOISE, ID 83707

Source: GROUNDWATER

Diversion Pt: SWSW Sec 18 T 03N R 01E

Use: IRRIGATION (.020 CFS)

Total Diversion: (.020 CFS)

Date Filed: 10/23/1989

In: T03N R01E S18 SWSW

1.0 ACRES TOTAL

63-11075 BOISE PARK SYSTEM

1104 ROYAL BLVD.

BOISE, ID 83706

Source: GROUNDWATER

Diversion Pt: NWSE Sec 19 T 04N R 02E

Use: IRRIGATION (.200 CFS)

Total Diversion: (.200 CFS)

Date Filed: 11/28/1989

In: T04N R02E S19 SWNE NWSE

13.0 ACRES TOTAL

67-07803 ONWEILER, BILL

P.O. BOX AU

MCCALL, ID 83638

Source: WEISER RIVER

EAST FORK

Tributary: WEISER RIVER

Diversion Pt: NWSE Sec 15 T 17N R 01E

Use: POWER (50.000 CFS)

Total Diversion: (50.000 CFS)

Date Filed: 8/03/1989

In: T17N R01E S31 Lot 4 (SWSW)

The permit(s) will be subject to

all prior water rights. Protests must

be filed with the Director, Dept. of

Water Resources, Western Region,

2735 Airport Way, Boise, Idaho,

83705 on or before DECEMBER 26,

1989.

R. KEITH HIGGINSON

Director

Pub. Dec. 7, 14, 1989

63-11068
63-11069
63-11073
67-07803

_____ , being duly
she is the Principal Clerk of The
per printed and published at Boise,
having a general circulation therein
een continuously and uninterruptedly
a period of twelve consecutive
ion of the notice, a copy of which is
was published in The Idaho
ction 60-108, Idaho Code as

ative daily ☐ single ☐ odd skip

ssue of December 7, 19 89

December 14, 19 89

Richard

December _____ in the year of
a Notary Public, personally appeared
_____, known or identified
name subscribed to the within in-
first duly sworn, declared that the
nd acknowledged to me that she

Idaho
se, Idaho

expires: 12/93



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 30, 1993


WESTERN STATES EQUIPMENT CO
PO BOX 38
BOISE ID 83707

RE: WATER RIGHT NO. 63-11073

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:cz

Enclosure

RECEIVED

MAY 25 1993

LICENSE REVIEW CHECKLIST

Permit # 63-11073

Date 4-22-93 BC

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u>Already Done</u>
	<u> </u>	<u>✓</u>	Memo to Advance
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u>Refunded</u>		Incorrect Fee for rate recommended?
	<u>-NA-</u>		Disagree/Measurement <u>none done</u>
	<u>✓</u>	<u> </u>	Pumping Theoretical $(8.8) \times (.70) \times (5) = .19 \text{ CFS}$ $(50 + [2.31 \times 50 \text{ psi}])$
	<u> </u>	<u>✓</u>	System Capacity <u>.19</u>
	<u> </u>	<u> </u>	Allowable Amount: <u>Limited by permit to .02</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Standard</u> Season Recommended
	<u> </u>	<u>✓</u>	Disagree with Examiner's Calculations?
	<u> </u>	<u>✓</u>	<u>.6 acre x 4.5 = 2.7 gfa</u>
	<u> </u>	<u>✓</u>	Flow limit: <u>.02</u> x <u>246</u> x <u>1.9835</u> = <u>9.76</u> > <u>2.7</u>
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u> </u>	<u>Intended</u> source
	<u> </u>	<u>✓</u>	Notice of Intent to Void.
P/D	<u> </u>	<u>✓</u>	Amendment Needed?
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U	<u> </u>	<u>✓</u>	Amendment Needed?
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use?
	<u> </u>	<u>✓</u>	Amendment Needed?
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4?
	<u> </u>	<u>✓</u>	Non-Irr. Uses
	<u> </u>	<u>✓</u>	Special Overlap Condition
	<u> </u>	<u>✓</u>	Other
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Devices
	<u> </u>	<u>✓</u>	W/Master Control
	<u>R52</u>	<u> </u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
			Dates/Misc
			Water Dist
			App Rec'd
			Exam Made
COMMENTS: <u>I USED examiner's 50' pumping level but 50 psi</u> <u>because of sprinkling system.</u>			
LICENSE	<u>✓</u>	AMEND	SPECIAL PARAGRAPH

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	WESTERN STATES EQUIPMENT CO PO BOX 38 BOISE ID 83707 (208) 888-2287	11/01/1989	IRRIGATION	03-15 11-15	0.02 CFS	2.7 AFA
TOTAL DIVERSION:					0.02 CFS	2.7 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.19 CFS

Point(s) of Diversion: T03N R01E S18 SW SW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE				
T	R	S		NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	SUM
				Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
03N	01E	18	:																	
																				0.6
																				TOTAL ACRES
																				0.6

Pou County: ADA

Other Water Rights with Same Point(s) of Diversion and Source:
63-04434 63-11073

Other Water Rights Listing Overlapping Place(s) of use:
63-11073

Conditions of Approval:

- R52 - This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

Dates: App. Received: 10/23/1989 Priority Date: 11/01/1989 (Priority Date Advanced.)
Proof Due Date: 04/01/1992 Proof Made Date: 04/10/1992 (Proof Received Late.)
Exam Made Date: 11/04/1992 Exam Sent to S.O.: 04/07/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Comments: Date: 03/27/1992 User-ID: GUSTAFSO Subject: 15 DAY CALL UP
PROOF RETURNED - NEEDS WELL DRILLING INFO

Date: 03/27/1992 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Date: 04/06/1992 User-ID: VAULT Subject: Lapse Notice Sent
Lapse Notice Sent

Date: 04/10/1992 User-ID: VAULT Subject: Lapse Notice Sent
Lapse Notice Sent

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
APR - 9 1993
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11073

1. Owner: WESTERN STATES EQUIPMENT Phone No. 888-2287

Current Address: PO. BOX 38, BOISE ID 83707

2. Accompanied by: SUE HALL EXAM DATE: 11/04/92

Address: SAME Phone No. SAME

Relationship to Permit Holder: ASST. MGR

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-04434

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SW	SW	18	3N	1E	ADA	QUAD


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	1E	18											.6						.6

MAY 25 1993

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



//// SHRUB + TREE AREA
 //// GRASS

Scale: 1" = NOT TO SCALE

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

N/A Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		5	SUBMERSIBLE	JUCCAZZI	6" 556A10-5

*Code to correspond with Np. on map and aerial photo

466-2149 4/88

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: NONE

MAY 23 1993

E. NARRATIVE/REMARKS/COMMENTS

An 8" submersible well supplies water to ~.6 acres landscape via underground sprinklers. No other water rts used. The Co uses water for domestic + Manufacturing purposes.

(Priority reinstated to 11/1/89 per order dated 4/15/92)

Have conditions of permit approval been met? ☒ yes ☐ no

MAY 25 1993

F. FLOW CALCULATIONS

Measured Method: Theoretical

Additional Computation Sheets Attached (for acreage)

$$\frac{5 \times 8.8 \times .7}{50 + (40 \times 2.31)} = \frac{30.8}{142.4} = .22 \text{ cfs}$$

LIMITED to .02 cfs
(per permit)

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .6 \times 4.5 = 2.7 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .02 \times 246 \times 1.9835 = 9.8 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 2.7 \text{ AFA}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/15	11/15	.02 cfs	2.7 AFA
Totals:			.02 cfs	2.7 AFA

2. Recommended Amendments


☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Loi Conner Date 11/25/92

JFW 2/2/93

Reviewer _____ Date _____



SEAL

MAY 25 1993

$$9 \times 150 = .03$$

$$9 \times 150 = .03$$

$$9 \times 240 = .05$$

$$9 \times 240 = .05$$

$$9 \times 190 = .04$$

$$9 \times 65 = .01$$

$$9 \times 65 = .01$$

$$9 \times 65 = .01$$

$$20 \times 65 = .03$$

$$25 \times 100 = .06$$

$$30 \times 100 = .07$$

$$40 \times 65 = .06$$

$$9 \times 255 = .05$$

$$9 \times 350 = .07$$

1.57 wire

Computation Sheet


63-11073

RECORDED
MAY 25 1993


63-11073

8" HP

SUBMERSIBLE
WELL




SHRUB
AREA



GRASS
AREA

MAY 25 1993



April 17, 1992

WESTERN STATES EQUIPMENT CO.
P.O. BOX 38
BOISE ID 83707

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11073

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

Enclosure

MAILED
MAY 20 1992

RECEIVED
APR 10 1992OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 3-27-92
Receipt No. 0023635
Receipt by JHRECEIVED
MAR 27 1992Department of Water Resources
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11073 Telephone No. 208-888-2287
2. Name(s) of Permit Holder(s): Western States Equipment Company
3. Mailing Address: P.O. Box 38 Boise, Idaho 83707
4. Source of Water: Groundwater

If **GROUNDWATER**, Well Driller's Name: SCOTT DRILLING Co. Date Drilled: 4-11-88

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 1 acre (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .02 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes X No Installed? _____ Yes X No

OR

Flow Measurement Port: Required? _____ Yes X No Installed? _____ Yes X No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Jim King 888-2287
Name Telephone No.

P.O. Box 38 Boise, Idaho 83707
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

3-25-92
Date

Jim King VP & Treasurer
Signature (and title, if on behalf of a company or organization)

MAY 20 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 63-11073

Reviewed by Ulg

Date 3/27/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
no Proof timely received?
If not, complete calculation below.

irrigate - 1
yes Correct Uses?

SOURCE OF WATER

 Surface water source
✓ Ground water source

yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 63-88-W-057
10 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

no Required?
50 Amount Submitted
no Correct?

MEASURING DEVICE

NA Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received 4/10/92 100
Date proof due 4/1/92 - 91
No. of days late = 9
Priority Date 10/23/89 + 296
New Priority Date 11/1/89 305

DEFICIENCIES OR ACTION ITEMS

need well drilling & Return the \$50 fee
proof acceptable
- needs an order

DATA ENTRY

New Address

Proof Made 4/10/92
4/17/92 Key

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name STATES WESTERN EQUIPMENT CO.
Address 500 E OVERLAND RD
Owner's Permit No. MERIDIAN 63-88-W-057

7. WATER LEVEL

Static water level 20 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality Good
Describe artesian or temperature zones below.

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☒ Pump ☐ Bailer ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped

3. PROPOSED USE

- ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>.250</u> inches	<u>8</u> inches	<u>1</u> feet	<u>160</u> feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☒ Yes ☐ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To

Well screen installed? ☒ Yes ☐ No

Manufacturer's name COOK

Type Telescopic Model No. 304

Diameter 6 Slot size 25 Set from 161 feet to 171 feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 20 Material used in seal: ☐ Cement grout

☒ Bentonite ☒ Puddling clay ☐ _____

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing

☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld

☐ Cemented between strata


Describe access port _____

10.

Work started 4-7-88 finished 4-8-88

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County ADH

SW 1/4 SW 1/4 Sec. 18, T. 3 N. 1 R. 1 E.

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name SCOTT DRILLING CO. Firm No. 327

Address 5412 LAKE AVE. CALDWELL, ID 83605 Date 4-10-88
(208) 459-6686

Signed by (Firm Official) James A. Scott

and

(Operator) James A. Scott

Drilling Permit No. 63-88-W-057
Water Permit No. N/A-63-11073 (0.02 cfs)
Injection Permit No. N/A

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

RECEIVED

APR 13 1988

Department of Water Resources

1. Applicant Western Equipment Co.
2. Address 500 E. Overland Rd. Meridian, Id.
Telephone 888-2287

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location SW 1/4 SW 1/4; or Gov't lot No. _____,
Sec. 18, Twp. 3N, Rge. 1E, County Ada,
Lot, block and subdivision _____

4. Proposed use of well: (Check all that apply)

☒ Domestic () Stockwater () Monitoring
() Irrigation () Industrial () Municipal
() Injection () Other, Specify _____

5. Well construction information:

☒ New well () Deepen () Replace
Proposed surface diameter 8" Maximum depth 171'
Anticipated bottom hole temperature: _____

☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)

6. Anticipated construction start date Drilled 4/8/88 verbid. approval obtained

7. Well Driller (if known) Scott Drilling Co. # 327
Address 5412 Lake Ave. Caldwell, Id. 83605

8. Applicant's signature James A. Scott **MICROFILMED**
Title Driller

Date 4/11/88 MAY 20 1992 Log Rev 4/13/88

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

(X) Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

MICROFILMED
MAY 20 1992

Dated this 11 day of April, 19 88

Signed Stan Lester for Earl Balthus
Title Jr. Water Res. Agent Acting Reg. Mgr.

Received by SL Fee \$10 Date 4/11/88

Receipt No. W 000 6 Construction start extension to _____

For record approved by _____

Western States

The CAT logo consists of the letters "CAT" in a bold, sans-serif font, with a stylized triangle above the letter "A". The logo is white and is set against a black square background.A solid black circle is located to the left of the signature.

Sue Hall

500 E. Overland Road
Meridian, ID 83642
P.O. Box 38
Boise, ID 83707

May 20 1992

Office: 208-888-CATS

FAX: 208-888-3932

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 63-11073

Name(s) of Permit Holder(s): Western States Equipment Company

Post Office Address: P.O. Box 38 Boise, Idaho 83707

Tel. No. 888-2287

☒ I hereby certify that construction of diversion works for the above referenced permit began on 4-7-88 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason.

April 9, 1992
Date

[Signature]
Signature of Permit Holder

PLACE
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

REPROFILMED

MAY 20 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

April 6, 1992

WESTERN STATES EQUIPMENT CO.
P.O. BOX 38
BOISE ID 83707

LAPSE NOTICE

RE: PERMIT NO. 63-11073

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated January 31, 1992. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. Glen Saxton

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf

Enclosures

MAY 20 1992

*Karen - are we
okay? Yks!
Sue*

STATE OF IDAHO
 Office of State Auditor

AGENCY USE

0541	
Date	04/02/92
Code	193002

VENDOR: If you require additional information regarding this payment, please contact the State agency listed below.

AGENCY NAME: DEPT. OF WATER RESOURCES
 TAX EXEMPT # X-189030-E-920
 VALID THRU 1/94

Document No.	
Pre-Audit	Date
Warrant No.	

PAY

WESTERN STATES EQUIPMENT CO.
 PO BOX 38
 BOISE, ID 83707

TO

CHECK ONE:

(1) MISCELLANEOUS EXPENDITURE

() STATE CONTRACT

() PURCHASE ORDER

() MISCELLANEOUS
 ENCUMBRANCE REQUISITION

PAYMENT: () PARTIAL () FINAL

Encumbrance Reference No.

LINE No.	PROGRAM	FUND	ACCT.		DESCRIPTION	LINE AMOUNT	AGENCY USE
			Maj	Min			
1	05 20 122	1238	8831		REFUNDS PER KAREN GUSTAFSON WR #63-11073 RECEIPT #C023635 3/27/92 50.00	50.00	
						MICROFILMED MAY 20 1992	
TOTAL						50.00	

NOTE: Final payment must be accompanied by a receiving copy

TO STATE AUDITOR

Request is hereby made that a warrant be authorized and drawn in payment of the item or items described above. I hereby certify that the items described were ordered by proper authority; that they are necessary in the public service, that the items have been received and accounted for, and that the account as stated is correct and just.

AUDITOR'S CERTIFICATE

I hereby certify that the above account is in proper form; that totals carried hereon are correct; that receipts when required by law or regulation of the State Board of Examiners covering items for which reimbursement is asked are submitted herewith; and that there are funds in the state treasury and balances in appropriation accounts out of which the same may be lawfully paid.

Date

Head of Agency or Institution

State Auditor

April 6, 1992

WESTERN STATES EQUIPMENT CO.
P.O. BOX 38
BOISE ID 83707

LAPSE NOTICE

RE: PERMIT NO. 63-11073

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated January 31, 1992. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 4/6/92
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

Klg



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

March 27, 1992

Western States Equipment Company
P.O. Box 38
Boise, ID 83707

RE: Permit No. 63-11073

Dear Permit Holder:

Returned is your Proof of Beneficial Use Form. Before we can complete processing, additional information is required.

A drilling permit is required for all wells drilled, deepened or enlarged after July 1, 1987 (Section 42-235, Idaho Code). You have indicated neither the well driller or the date the well was drilled. Please complete the highlighted areas on the returned form. If your well was drilled after July 1, 1987, please submit a copy of the drilling permit. The well log should have been submitted by the driller within 30 days of the completion of the well. If you have a copy of the well log, please submit that as well.

Also, please note that when the total rate of diversion is 0.04 cfs or less and you utilize a groundwater source, there is no license exam fee required. I have enclosed an instruction sheet for your use. I have also begun the process to refund the \$50 license exam fee you submitted in connection with this permit. The refund process takes from two to four weeks and will arrive under separate cover.

Please return the completed document to me as soon as possible. In order to protect your priority date, it should be received no later than April 1, 1992. When the completed form is received, I will continue to process your proof of beneficial use. Please address all correspondence directly to me.

If you have any questions or if I can be of any further assistance, please feel free to contact this office.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager

RECEIVED

MAY 20 1992

C: Fiscal

Enclosure

January 31, 1992

WESTERN STATES EQUIPMENT CO.
P.O. BOX 38
BOISE ID 83707

PROOF DUE NOTICE

RE: PERMIT NO. 63-11073

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
March 19, 1990

WESTERN STATES EQUIPMENT CO.
P.O. BOX 38
BOISE, ID 83707

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P63-11073

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the

RECEIVED
MAR 23 1990

permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MINIATURE

MAR 23 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RW DATE: 11-27-89 APPLICATION: 63-11073

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume) Gov't. Lots:
☒ Period of use: N/A P/D
☒ Nature of proposed use: (Include description of use) N/A P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO


- ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion:
☒ Field check required: Field check by: _____
☒ Field report attached:
☒ Critical groundwater area:
☒ Groundwater management area:
☒ Send dam safety information:
☒ Send power requirement letter:
☒ Send fish farm requirement letter:
☒ Power residency affidavit:
☒ Power efficiency form:
☒ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

Names of Corp Officers

11-28-89

DATE REQUESTED: will mail per Pat Sheed

☒ Additional information on reverse side:



Department of Water Resources

PROCESSING

YES NO

☒ ☐

In form for advertising:

☐ ☒

Statewide advertising:

☒ ☐

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒

I.D. Health and Welfare

☐ ☒

I.D. Fish and Game

☐ ☒

I.D. Lands

☐ ☒

Adjudication Bureau

YES NO

☐ ☒

U.S. BLM

☐ ☒

U.S. Forest Svc.

☐ ☒

Water Dist. #

☐ ☒

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐

Affidavit of publication received:

☐ ☐

Application published correctly: If not, record action taken.

☒

Publication dates and paper recorded on application:

☒

Protests received. Final date for protest December 26, 1989

☒

Protest dates, resolution of protest recorded on application:

☒

Recommendations attached: Approve, DNR

☒

Measuring device required:

☒

Measuring port required:

☒

Water delivered by water master? District # 63-P05

☒

Special conditions of approval or cover letter:

26A, Allow 2 years

See below for additional information

Recommended Date or Priority 10/23/1989 ☒

Recommended by: DNR

Date 2/14/1990

STATE OFFICE REVIEW

P05, P23

P17

46 26

See below for additional information. By

Kew

Date 3/6/90

ADDITIONAL INFORMATION

Well drilled in Sept 1987, Should have obtained a drilling permit (100⁰⁰ fee)

63-88-W-057 - \$10. fee pd.
see below 0.02 cpi -

Drilling Permit No. 63-88-W-057
Water Permit No. N/A-63-11073 (0.02 cfs)
Injection Permit No. N/A

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

RECEIVED

APR 13 1988

Department of Water Resources

1. Applicant Western Equipment Co.
2. Address 500 E. Overland Rd. Meridian, Id.
Telephone 888-2287

☒ Well Owner ☐ Well Operator ☐ Other, specify _____

3. Proposed well location SW 1/4 SW 1/4, or Gov't lot No. _____,
Sec. 18, Twp. 3N, Rge. 1E, County Ada,
Lot, block and subdivision _____

4. Proposed use of well: (Check all that apply)

☒ Domestic ☐ Stockwater ☐ Monitoring
☐ Irrigation ☐ Industrial ☐ Municipal
☐ Injection ☐ Other, Specify _____

5. Well construction information:

☒ New well ☐ Deepen ☐ Replace
Proposed surface diameter 8" Maximum depth 171'
Anticipated bottom hole temperature: _____

☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)

6. Anticipated construction start date Drilled 4/8/88 verbal approval obtained

7. Well Driller (if known) Scott Drilling Co. # 327

Address 5412 Lake Ave. Caldwell, Id. 83605

8. Applicant's signature James A. Scott

Title Driller

Date 4/11/88

MAR 23 1990

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

☒ Approved☐ Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Dated this 11 day of April, 19 88.

Signed

Stan Lester for Eric Ballou
Title Jr. Water Res. Agent acting Ag. Mgr.Received by SL

Fee

\$10

Date

4/11/88Receipt No. W 000096Construction start extension to MAR 23 1990

Extension approved by _____

63-11073

WESTERN STATES EQUIPMENT CO.
P.O. BOX 38
BOISE, ID 83707

Source: GROUNDWATER

Diversion Pt: SWSW Sec 18 T 03N R 01E

Use: IRRIGATION (.020 CFS)
Total Diversion: (.020 CFS)

Date Filed: 10/23/1989

In: T03N R01E S18 SWSW

1.0 ACRES TOTAL

MICROFILM

MAY 1 1990