


MAP PREPARED FROM Application INFO
AND FIELD REPORT 63-07258 82-10/1-109

FEATHERVILLE QUADRANGLE
IDAHO-ELMORE CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY


638 639 640 641 642
ROCKY BAR 6.8 MI. 115° 15' 642000m E



MICROFILMED

JUN 15 1990

T3N
R10E
S. 10



JUN 05 1990

Maileene J. McCoy, Treasurer
(Applicant)


3 North, Range N^o 10 East of the Boise Mer.

T. R. S. Q/Q

SCALE

PHOTO ID.

RESURVEY



X-6

T03N, R10E

X66-1964

T03N, R10E

X67-1964

FEATHERVILL

IDAHO-E

7.5 MINUTE SER

ROCI

630 000

PERMIT 63-11070 INIT

T. R. S. Q/Q

P/D 3N 10E 10 SWNW-2


SCALE 1"=2000' NESE-1

PHOTO ID. X66 & X67

UNITED STATES

OF THE INTERIOR

CAL SURVEY



MAJOR
FEB 17 2000

We, Charles E. Baker and Alice M. Baker, hereby certify that we are the owners in fee simple of the acreage described in this plat survey.

ACKNOWLEDGEMENT

State of Idaho
County of Elmore

On this 27th day of _____, 1978, Charles E. and Alice M. Baker personally appeared before me, the undersigned, a Notary Public in and for the State of Idaho, and acknowledged to me that they executed the instrument in witness whereof, I have hereunto set my hand and affixed my official seal.

Notary Public

My Commission Expires _____

COUNTY RECORDER'S CERTIFICATE (N^o 1)

This is to certify that this plat was filed for record in the Office of the Recorder of the County of Elmore, Idaho, this _____ day of _____, 1978, at _____ m. at the request of _____ and duly recorded in the record of the Plats in Book _____ at page _____.

County Recorder

CERTIFICATE OF SURVEY

I do hereby certify that I am a professional engineer, licensed by the State of Idaho, and that this map has been prepared from a survey made on the ground under my supervision, and that this map is an accurate representation of said survey.

Certificate of County Surveyor


Approved by Board of
County Commissioners

Planning & Zoning Comm.


Approved by Central District
Health Department

Robert J. Fox 4/11/78

FEATHERVILLE SUMMER HOME SITES SUBDIVISION NO. 2 ELMORE COUNTY, IDAHO




ECB 17 2000



KEY LOCATION MAP

DESCRIPTION OF PROPERTY - That portion of Section 10, T.3N., R.10E., B.M., to wit:
Commencing at the NW 1/4 corner of Section 10, T.3N., R.10E., B.M.; Thence N. 88° 48' E. a distance of 2,192.00' to the true point of beginning. Thence S. 03° 18' E. a distance of 258.00' to a point. Thence N. 80° 27' E. a distance of 100.60' to a point. Thence S. 89° 50' E. a distance of 100.20' to a point. Thence N. 69° 35' E. a distance of 100.10' to a point. Thence N. 70° 34' E. a distance of 104.10' to a point. Thence N. 66° 56' E. a distance of 106.30' to a point. Thence N. 71° 05' E. a distance of 103.80' to a point. Thence N. 85° 01' E. a distance of 100.05' to a point. Thence N. 78° 32' E. a distance of 101.60' to a point. Thence S. 63° 44' E. a distance of 20.20' to a point. Thence N. 00° 04' E. a distance of 151.30' to a point. Thence S. 86° 44' W. a distance of 826.80' back to the true point of beginning.

UNPLATTED



- LEGEND-**
- ◆ - U.S. Gov't Brass Cap
 - ⊙ - 5/8" x 2'-6" Rebar
 - - 1/2" x 2'-0" Rebar
 - Water Line

STATE OF IDAHO }
COUNTY OF ELMORE }

O. L. Kume first duly sworn, deposes and says
that he is a professional engineer licensed to practice by the State
of Idaho, that he has compared this copy with the original plat
and that the same is a true and exact copy of said plat.

O. L. Kume
subscribed and sworn before me this 24th
day of July, 1966

are witnesses
My Commission Expires June 26, 1970
Notary Public for Idaho
Residing at Mountain Home Idaho.

FEB 17 2000


MICROFILMED

Superior Tank
Co. Inc.

63




Drawn by
O. L. Kume




SECTION 10, T.3 N. R.10 E. B.M.
KEY LOCATION MAP

Featherville
SUMMER HOME SITES



I certify that the subdivision of Featherville
Summer Home Sites shown here-on was made
by me during June 1966 and is correct
O. L. Kume



• or 4 13 iron peg
• Transit Station

FEATHERVILLE SUMMER HOME SITES
SUBDIVISION

U.S. Bureau of Land Management
Under Corner

63-11070



Well across road in SE NW,
Sec. 10

9-15-94 L.R.W.



Place of use from main road looking South toward River Drive
17 2000

63-11070



← Backup well, south of pump house.
Silted in. Not in use at time of
exam.

9-15-94 L.R.W.

Well no. 1. This well in use.
located north of pump house.



9-15-94 L.R.W.

FEB 17 2000

63-11070





9-15-94 LRW




3 80 gallon
holding tanks

9-15-94 LRW

MICROTECH
FEB 17 2000



X66-1984



MICROFILMED

FEB 17 2000

T3N, R10E
S.10, W1/2
X66-1964

FEATHERVILLE QUADRANGLE
IDAHO-ELMORE CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY


T3N, R10E
S.10, E1/2
X-67-1964 6311070

637 17'30" 638 639 640 641 642 643 644 12'30" R.10 E. R.11 E. 2971 II NW (GAYUSE POINT)

ROCKY BAR 6.8 MI.
630 000 FEET


115°15'

642000m E.




MICROFILMED
FEB 17 2000


61 lots



SECTION 10 T.3N., R.10E., B.M.
KEY LOCATION MAP



I certify that the subdivision of Featherville Summer Home Sites shown here-on was made by me during June 1966 and is correct



MICROFILMED
FEB 17 2000

Book Page 54
Instrument # 130903

FEATHERVILLE SUMMER HOME SITES

Bureau of Land Management Meander Corner

We, Charles E. Baker and Nita M. Baker, hereby certify that we are the owners in fee simple of the acreage described in this plat survey.

ACKNOWLEDGEMENT

State of Idaho
County of Elmore

On this _____ day of _____, 1978, Charles E. and Nita M. Baker personally appeared before me, the undersigned, a Notary Public in and for the State of Idaho, and acknowledged to me that they executed this instrument. In witness whereof, I have hereunto set my hand and affixed my official seal.

Notary Public

My Commission Expires _____

COUNTY RECORDER'S CERTIFICATE (N^o.)

This is to certify that this plat was filed for record in the Office of the Recorder of the County of Elmore, Idaho, this _____ day of _____, 1978, at _____ m. at the request of _____ and duly recorded in the record of the Plats in Book _____ at page _____. Fee _____

County Recorder

CERTIFICATE OF SURVEY

I do hereby certify that I am a professional engineer, licensed by the State of Idaho, and that this map has been prepared from a survey made on the ground under my supervision, and that this map is an accurate representation of said survey.


Certificate of County Surveyor _____

Approved by Board of
County Commissioners _____


Planning & Zoning Comm. _____

Approved by Central District
Health Department _____

FEATHERVILLE SUMMER HOME SITES SUBDIVISION NO. 2 ELMORE COUNTY, IDAHO




MICROFILMED
FEB 17 2000



KEY LOCATION MAP

DESCRIPTION OF PROPERTY— That portion of Section 10, T.3N., R.10E., B.M., to wit;
Commencing at the W¹/₄ corner of Section 10, T.3N., R.10E., B.M.; Thence N. 88° 48' E. a distance of 2,192.00' to the true point of beginning. Thence S. 03° 16' E. a distance of 255.00' to a point. Thence N. 80° 27' E. a distance of 100.60' to a point. Thence S. 89° 50' E. a distance of 100.20' to a point. Thence N. 89° 35' E. a distance of 100.10' to a point. Thence N. 70° 34' E. a distance of 104.10' to a point. Thence N. 66° 56' E. a distance of 106.30' to a point. Thence N. 71° 05' E. a distance of 103.80' to a point. Thence N. 85° 01' E. a distance of 100.05' to a point. Thence N. 76° 32' E. a distance of 101.60' to a point. Thence S. 63° 44' E. a distance of 20.20' to a point. Thence N. 00° 14' E. a distance of 151.30' to a point. Thence S. 86° 44' W. a distance of 826.80' back to the true point of beginning.

UNPLATTED



State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-11070

Priority: October 16, 1989

Maximum Diversion Rate:

0.13 CFS

Maximum Diversion Volume:

16.8 AF

This is to certify, that FEATHERVILLE SUMMER HOMESITES

C/O MARLENE MC COY TREAS

600 N 9TH E

MOUNTAIN HOME ID 83647

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 12, 1989; and has submitted Proof of Beneficial Use on April 5, 1994. An examination indicates that the works have a diversion capacity of 0.430 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.13 CFS	16.8 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNWNE , Sec. 10, Township 03N, Range 10E
Lot 3 (NESENW), Sec. 10, Township 03N, Range 10E
ELMORE County

PLACE OF USE: DOMESTIC

TWN RGE SEC


03N 10E 10	Lot 2 (SWNE)	Lot 1 (SENE)	Lot 3 (NESW)
	Lot 2 (NWSE)		

CONDITIONS OF APPROVAL AND REMARKS

1. Two points of diversion are located within SWNWNE, S10, T03N, R10E.
2. Rights 63-07258 & 63-11070 when combined shall not exceed a total diversion rate of 0.43 cfs.
3. Domestic use is for 28 homes and does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 3rd day of

FEBRUARY, 2000.


Acting for KARL J. DREHER Director

RECEIVED

FEB - 1 2000

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 63-11070

Date of Priority: October 16, 1989

Maximum Diversion Rate:

0.13 CFS

Maximum Diversion Volume:

16.8 AF

Comes now

FEATHERVILLE SUMMER HOMESITES

C/O MARLENE MC COY TREAS

600 N 9TH E

MOUNTAIN HOME ID 83647

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-11070, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.13 CFS	16.8 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNWNE, Sec. 10, Township 03N, Range 10E
Lot 3 (NESENW), Sec. 10, Township 03N, Range 10E
ELMORE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

03N 10E 10	Lot 2 (SWNE)	Lot 1 (SENE)	Lot 3 (NESW)
	Lot 2 (NWSE)		

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Featherville, Id., this 30 day of January, 2000.

MICROFILMED

(Signature)

FEB 17 2000

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-11070

FOR DEPARTMENT USE ONLY

Preliminary check by SWK Fee = 50⁰⁰ Receipted by JA # C642963 Date 02-01-2000

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 63-11070 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. Two points of diversion are located within SWNWNE, S10, T03N, R10E.
2. Rights 63-07258 & 63-11070 when combined shall not exceed a total diversion rate of 0.43 cfs.
3. Domestic use is for 28 homes and does not include lawn, garden, landscape, or other types of irrigation.

Witness my hand this 3RD day of FEBRUARY, 2000.

Acting for 
KARL J. DREHER, Director

MICROFILMED
FEB 17 2000

RECEIVED

STATE OF IDAHO

APR 05 1994

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11070 Telephone No. 653-2339
2. Name(s) of Permit Holder(s): FEATHERVILLE SUMMER HOMESITES
3. Post Office Address: C/O MARLENE McCoy, 600 N 9TH E, MTN HOME 83647
4. Source of Water: GROUNDWATER
 - a. If ground water, well driller's name: HIDDLESTON Date drilled: 1990
 - b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____
5. Extent of Use:

Domestic <u>34</u> (No. of households)	Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock)	Other _____
6. Total rate and/or volume for which proof is submitted .13 cfs _____ acre/feet
7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device:	Required? <u>Yes</u> ☒ <u>No</u>	Installed? <u>Yes</u> ☐ <u>No</u>
OR		
Flow Measurement Port:	Required? <u>Yes</u> ☒ <u>No</u>	Installed? <u>Yes</u> ☐ <u>No</u>
8. Fee Enclosed: \$ 50 (See License Examination Fee Schedule)
9. Person to contact to accompany the Department representative during the field examination:

<u>MARLENE McCoy</u>	<u>653-2339</u>
Name	Telephone No.
<u>ABOVE</u>	
Address	
10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

4-5-94
Date

Marlene J. McCoy
Signature (and title if on behalf of a company or organization)

APR 17 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of water right under the provisions of Section 42-204, Idaho Code.

Permit No. 63-11070

Name(s) of Permit Holder: Featherville Summer Homesites

Mailing Address: % Marlene McCoy, Treas. / 600 N. 9th East / Mountain Home, Id 83647

Date Proof is Due 6-1-92 Telephone No. 653-2339

Describe what work has been completed toward the development of this water right:

(This must be filled out! If no work has been completed, show "none".)

Additional well has been drilled and connected to water system now supplying water to 63 customers who own homes and/or lots in the subdivision.

Costing \$ 10,000.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

An additional 28 lot owners are in the process of connecting to the main line.

Permit holder(s) request an extension to June 1, 19 94.

FEE: \$15.00

Marlene J. McCoy / secretary treasurer
(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to June 1, 1994.

IT IS FURTHER ORDERED that the permit be REINSTATED and priority advanced to October 16, 1989, pursuant to Section 42-218a, Idaho Code.

Signed this 9th day June, 19 92

J. Glen Saylor
Chief, Water Allocation Bureau

JUN 12 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11070

Proposed Priority: October 12, 1989 Maximum Diversion Rate: 0.13 CFS

This is to certify, that **FEATHERVILLE SUMMER HOMESITES**

C/O MARLENE MC COY, TREAS.

600 N. 9TH E.

MOUNTAIN HOME, ID 83647

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.13 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 3(SENW), Sec. 10, Township 03N, Range 10E
ELMORE County

PLACE OF USE: IRRIGATION

TWN RGE SEC

03N 10E 10 LOT 2(SWNE) LOT 1(ENE)

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1992.
2. Subject to all prior water rights.
3. Use of water for domestic purposes under this permit shall be limited to in-house use and watering of household stock.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
6. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
7. Three points of diversion within Lot 3 (SENE), S10, T3N, R10E.
8. Domestic use is for 34 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

21st day of May, 1990

[Signature]
R. Keith Higginson, Director

MICROFILMED

JUN 05 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Featherville Summer Homesites Phone 587-8517
Water Users Association
Post office address % Marlene McCoy, Treas., 600 N. 9th E., Mountain Home, ID 83647
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of SE 1/4 of NW 1/4, Govt. Lot 3
Sec. 10 Township 3N Range 10E B.M. Elmore County; additional
points of diversion if any: 3 points
4. Water will be used for the following purposes:
Amount .13 ^{**} for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-foot per annum)
Amount .03 for Irrigation purposes from 4-15 to 10-15 (both dates inclusive) **
(cfs or acre-foot per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-foot per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-foot per annum)
5. Total quantity to be appropriated is (a) .13 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Existing wells (1 backup)
storage tank, pipelines (latest well is 1984 drilling *).

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 6 inches; proposed depth of well is 400 feet. *
d. Is ground water with a temperature of greater than 90°F being sought? No *
7. Time required for the completion of the works and application of the water to the proposed use:
2 years (minimum 1 year).

MICROFILMED

JUN 05 1990

* per response to 10/31/89 letter. Response received 11/14/89.
** Deleted per applicant's letter of 12/1/89. sk
Allow .13 cfs for Domestic 34 units.

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 34 (internal use per description of uses in item 4)
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

Govt Lots

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	10E	10			6.26.1														
					D	D													
					5	5													
					~~5.6~~	~~5.5~~													+

Total number of acres to be irrigated +

10. Describe any other water rights used for the same purposes as described above. _____

63-7258, A63-12154

11. a. Who owns the property at the point of diversion? Nita Baker
- b. Who owns the land to be irrigated or place of use? Lot owners
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. Recorded easement across Baker's

Land for wells and pipeline.

12. Remarks: Part of 34 units are additions to 63-7258;
other units are not yet developed or added.

Remarks clarified per 11/14/89 response to 10/31/89 letter: total 96
units, 56 covered by 63-07258 + 34 covered by new right.

82 11/20/89

* irrigation deleted per applicant's 12/1/89 letter.


JUN 05 1990


MAP PREPARED FROM Application INFO
AND FIELD REPORT 63-07258 82.10/1/69

FEATHERVILLE QUADRANGLE
IDAHO-ELMORE CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

638 639 640 641 642
ROCKY BAR 6.8 MI. 115°15' 642000m E





R 10 E

T
3
N

0.2 0.1
I I
.5 .5

10

Also see attached
topo

82 10/31/82

MICROFILMED

JUN 05 1990

Malene J. McCoy, Treasurer
(Applicant)

Received by 76. [Signature] Date 10/14/89 Time 2:10 PM Preliminary check by [Signature]
Fee \$ 30- Receipted by [Signature] # C012183 Date 10-12-89
Publication prepared by GG Date 11-29-89 Published in Mountain Home News
Publication approved [Signature] Date 4-19-90
12/6 & 12/13/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

JUN 05 1990

President: Geneva Glass
Route 1
Hiler, Id 83328

Vice President: Ellis Anderson
128 11th Ave S. est.
Nampa, Id 83651

Secretary: Fran Megahan
1909 Bendoy Drive
Boise, Id 83705

Treasurer: Maileene McCoy
600 N. 9th East
Miner, Id 83647

MICROFILMED

JUN 05 1990

Rec'd
11/14/89

Ken Helton
Paul Dodge
Don Hinton
Don Morris
Gary Skinn

Glenna
Ellis

Board

FEATHERFILLE WATER USERS ASSOCIATION

As of our meeting August _____

You are past due on _____ lots

in the amount of \$ _____ per lot

for a total of \$ _____

Please remit a check or money order to:

Featherville Water Users Association
c/o Marlene McCoy
600 North 9th E.
Mountain Home, Idaho 83647

MICROFILMED

JUN 05 1990

NOTICE OF APPLICATIONS FOR WATER RIGHT

The Following applications have been
filed to appropriate the public waters of
the State of Idaho:

02-07396

J.R. SIMPLOC CO.
P.O. BOX 27
BOISE, ID 83707
Source: SNAKE RIVER Tributary:
COLUMBIA RIVER
Diversion Pt: LOT 4 (SWSW) Sec 22 T
05S R 04E
Use: IRRIGATION (.580 CFS); IR-
RIGATION STORAGE (3.00 AF); IR-
RIGATION FROM STORAGE (3.00
AF); Total Diversion: (.580 CFS) (3.00 AF)
Date Filed: 5/05/1983
In: T05S R04E S16 NESE SESE, S21
SWNE SWSW
29.0 ACRES TOTAL

61-07604

STRICKLIN, JOHN H.
P.O. BOX 846
MOUNTAIN HOME, ID 83647
Source: GROUNDWATER
Diversion Pt: NWNW Sec 36 T 03S R
06E
Use: IRRIGATION (.060 CFS); Total
Diversion: (.060 CFS)
Date Filed: 10/30/1989
In: T03S R06E S36 NWNW
2.0 ACRES TOTAL

61-07605

WATSON, ANN M.
WATSON, LEROY R.
RT. 1 BOX 842
MOUNTAIN HOME, ID 83647
Source: GROUNDWATER
Diversion Pt: SESWNE Sec 7 T 04S R
07E
Use: IRRIGATION (.010 CFS); Total
Diversion: (.010 CFS)
Date Filed: 11/02/1989
In: T04S R07E S07 SWNE
0.3 ACRES TOTAL

61-07607

THOMAS, MEADABETH L.
THOMAS, DAVID C.
950 W. 42ND S.
MOUNTAIN HOME, ID 83647
Source: GROUNDWATER
Diversion Pt: SESWSE Sec 11 T 04S R
06E
Use: IRRIGATION (.030 CFS); Total
Diversion: (.030 CFS)
Date Filed: 11/02/1989
In: T04S R06E S11 SWSE
1.0 ACRES TOTAL

61-07615

BUTLER, CARLYLE
705 E. MAIN
JEROME, ID 83338
Source: BENNETT CREEK Tribu-
tary: SNAKE RIVER; COMMERFORD
SPRINGS Tributary: BENNETT
CREEK; SPRINGS Tributary: BEN-
NETT CREEK
Diversion Pt: SENESE Sec 9 T 05S R
08E SESE Sec 9 T 05S R 08E; SENWSW
Sec 10 T 05S R 08E; SWSW Sec 10 T 05S
R 08E

Use: STOCKWATER (.050 CFS);
WILDLIFE (.050 CFS); WILDLIFE
STORAGE (400.00 AF); DIVERSION
TO STORAGE (400 CFS); Total Diver-
sion: (.450 CFS) (400.00 AF)
Date Filed: 11/17/1989

63-11051

LONDON, EUGENIA C.
211 JEROME ST.
MOUNTAIN HOME, ID 83647
Source: SPRING Tributary: SINKS
Diversion Pt: LOT 4 (SWNE) Sec 5 T
02N R 10E; SENE Sec 5 T 02N R 10E
Use: DOMESTIC (.040 CFS); Total
Diversion: (.040 CFS)
Date Filed: 11/02/1989
In: T02N R10E S05 Lot 4 (SWNE)
63-11053

LONDON, EUGENIA C.
211 JEROME ST.
MOUNTAIN HOME, ID 83647
Source: SPRING Tributary: BOISE
RIVER SOUTH FORK
Diversion Pt: NWSENE Sec 5 T 02N
R 10E
Use: COMMERCIAL (.150 CFS); To-
tal Diversion: (.150 CFS)
Date Filed: 11/02/1989
In: T02N R10E S05 Lot 1 (NENE)
63-11065

FALL CREEK CO. INC.
BOX 552
MOUNTAIN HOME, ID 83647
Source: SPRINGS Tributary: AN-
DERSON RANCH RESERVOIR
Diversion Pt: SENESW Sec 16 T 01N
R 09E
Use: COMMERCIAL (.020 CFS); To-
tal Diversion: (.020 CFS)
Date Filed: 11/09/1989
In: T01N R09E S16 NESW
63-11066

FALL CREEK CO. INC.
BOX 552
MOUNTAIN HOME, ID 83647
Source: GROUNDWATER
Diversion Pt: SWNE Sec 16 T 01N R
09E; SENE Sec 16 T 01N R 09E
Use: COMMERCIAL (.040 CFS); To-
tal Diversion: (.040 CFS)
Date Filed: 11/09/1989
In: T01N R09E S16 SWNE SENE
63-11070

FEATHERVILLE SUMMER HO-
MESITES WTR. ASSN.
C O MARLENE MCCOY, TREAS.
600 N. 9TH E.
MOUNTAIN HOME, ID 83647
Source: GROUNDWATER
Diversion Pt: LOT 3 (SENEW) Sec 10 T
03N R 10E
Use: IRRIGATION (.030 CFS); DO-
MESTIC (.100 CFS); Total Diversion:
(.130 CFS)
Date Filed: 10/12/1989
In: T03N R10E S10 Lot 2 (SWNE) Lot
1 (SENE)
1.0 ACRES TOTAL

The permits will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
Western Region, 2735 Airport Way, Boise,
Idaho 83705 on or before DECEMBER 26,
1989.
R. KEITH HENDERSON, Director
Published by GAZETTE, 1989.

JUN 05 1990

Avit of Publication

Elmore } ss.
IDAHO }

W. Thornberry do
year that I am the foreman, or
the

MOUNTAIN HOME NEWS

newspaper of general circulation,
once a week at MOUNTAIN HOME,
the notice attached hereto and
part of the proof of publication
published in said newspaper for

consecutive weeks, the first publica-
tion made on the 16th... day
of September..., 1990, and
publication having been made on the
day of December....

...; every Wednesday issue of the paper
period and time of publication and
notice was published in the newspaper
not in a supplement thereof.

urther swear that the said MOUN-
NEWS has been continuously and
lly published in said Elmore County
period of 78 consecutive weeks prior
publication of the attached notice.

W. Thornberry
and sworn to me this 18th...
April..., 1990
Deerle Sue
Notary Public

RECEIVED
APR 19 1990

Department of Water Resources
Western Regional Office



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

February 3, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

FEATHERVILLE SUMMER HOMESITES
C/O MARLENE MC COY TREAS
600 N 9TH E
MOUNTAIN HOME ID 83647

RE: WATER RIGHT NO. 63-11070

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


MICROFILMED
FEB 17 2000

CERTIFICATE OF MAILING

I hereby certify that on the 3rd day of **February, 2000**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 63-11070

FEATHERVILLE SUMMER HOMESITES
C/O MARLENE MC COY TREAS
600 N 9TH E
MOUNTAIN HOME ID 83647


Kari Lynn Townsend
Secretary

RECORDED
FEB 17 2000

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MACRO: LMLL

FEB 17 2000

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

FEB 17 2000



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

January 25, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

FEATHERVILLE SUMMER HOMESITES
C/O MARLENE MC COY TREAS
600 N 9TH E
MOUNTAIN HOME ID 83647

RE: WATER RIGHT NO. 63-11070

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms that a water right has been established in compliance with the terms of the permit. The examiner who verified your water use reported that the point(s) of diversion and place(s) of use developed are in locations other than what was described on your permit. Therefore, before a license can be issued, your permit must be amended to depict your water right as it was actually developed.

The enclosed Application for Amendment form depicts the point(s) of diversion and place(s) of use and other information as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

Also, please note that some of the proposed conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7944.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

KW:klt

Enclosure

MC40 JAN 2

FEB 17 2000

WR0749NP
No. L63-11070

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 01/24/00
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	FEATHERVILLE SUMMER HOMESITES C/O MARLENE MC COY TREAS 600 N 9TH E MOUNTAIN HOME ID 83647 (208) 653-2339	10/16/1989	DOMESTIC	01/01 12/31	0.130 CFS	16.80 AFA
TOTAL DIVERSION:					0.130 CFS	16.80 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.430 CFS

Point(s) of Diversion: T03N R10E S10 SWNWNE Lot 03(NESENW) ELMORE County

Place of use Legal Description for: DOMESTIC

NE				NW				SW				SE											
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	:
03N	10E	10	:			02-D	01-D	:						03-D	:					02-D	:		

Pou County: ELMORE

Other Water Rights with Same Point(s) of Diversion with Stage (Includes All Sources):

~~63-04345~~ ~~63-07256~~ ~~63-07257~~ 63-07258 ~~63-07259~~ ~~63-11070~~

Other Water Rights Listing Overlapping Place(s) of use:

63-11070

Remarks: GEN Two points of diversion are located within SWNWNE, S10, T03N, R10E.
Rights 63-07258 & 63-11070 when combined shall not exceed a total diversion rate of 0.43 cfs.
Domestic use is for 28 homes and does not include lawn, garden, landscape, or other types of irrigation.

Dates: App. Received: 10/12/1989 Priority Date: 10/16/1989
Proof Due Date: 06/01/1994 Proof Made Date: 04/05/1994
Exam Made Date: 09/15/1994 Exam Sent to S.O.: 09/21/1999
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Comments: Date: 06/05/1992 User-ID: VAULT Subject: Lapse Notice Sent
Lapse Notice Sent

Date: 06/05/1992 User-ID: VAULT Subject: Extension of Time Received
Extension of Time Received

LICENSE REVIEW CHECKLIST

Permit No. 63-11070 Date: 12/29/99 Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK

Point of Diversion: add

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44) Feds (P43)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use add

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s): 43-07258, A63-19154

File reviewed yes Profile reports printed yes

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.13 cfs

Fee Limit 0.20 cfs

Measured 0.43 cfs

Theoretical 0.43 cfs

Recommended Total Diversion Rate 0.13

Water Uses OK

Change (P46)

Irrigation 0.13 cfs 16.8 af

Stockwater 0.13 cfs 16.8 af

Domestic 0.13 cfs 16.8 af

0.13 cfs 16.8 af

0.13 cfs 16.8 af

Total 0.13 cfs 16.8 af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/079)

overlap spec combined rts (W35)

>1 acre (VV31)

Domestic (W01/wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (081/R07)

Payette - (W22/047/27A)

Volume Determination

0.13 cfs x 1.9835 x 16.8 days = 4.1 af (vs) 16.8 acres x 0.13 (FHR) = 4.1 af

Remarks:

W32(2 in SWNWNE, S10) Wb5

Additional Conditions NO Watermaster Control

NO GW Measurement/Measuring Device

Other

Trust (052/R55 - remove 051)

Non-trust (048/049)

Government Lots? yes

Advance Priority? yes

no

If yes, explain why below.

SRBA Claim? yes

Adjust memo NO

Amend Letters P37

P87, S06

Second Amendment Notice

S06

AJ5809NP
No. A63-07258

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 01/24/00
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	FEATHERVILLE SUMMER HOMESITES C/O MARLENE J MC COY 600 N 9TH E MOUNTAIN HOME ID 83647 (208) 587-8517	08/13/1969	IRRIGATION DOMESTIC	04-15 11-15 01-01 12-31	0.160 CFS 0.330 CFS	
TOTAL DIVERSION:					0.330 CFS	
CONSUMPTIVE USE:						20.00 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion: T03N R10E S10 Lot03(SENW)

ELMORE County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE				
NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	
T	R	S	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: SUM
03N	10E	10	:	02-04	01-04	:	:	:	:	:	:	:	:	:	:	8.0
															TOTAL ACRES	8.0

Place of use Legal Description for: DOMESTIC

NE				NW				SW				SE				
NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	
T	R	S	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	:
03N	10E	10	:	02-D	01-D	:	:	:	:	:	:	:	:	:	:	:

POU County: ELMORE

Non-Irrigation Uses: DOMESTIC USE IN 56 HOMES

Other Rights: NONE

Remarks: GEN 3 P/D IN LOT 03, SENW, S10,T3N,R10E. A THIRD WELL WAS DRILLED
IN 1984 FOLLOWING THE LARGE IDAHO EARTHQUAKE TO COMPENSATE FOR
ONE OF THE FIRST TWO WELLS COLLAPSING. ONE WELL REMAINS AS A
BACKUP TO THE TWO WELLS NORMALLY USED.

Dates: Exam Made Date: Verified Date: 03/26/1985 Objection Filed Date:

Misc: Water District Number: Field Inspection Flag:
Presumption Flag:

AJ5809NP
No. A63-11070

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 01/24/00
PAGE: 2

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	FEATHERVILLE SUMMER HOMESITES C/O MARLENE MC COY TREAS 600 N 9TH E MOUNTAIN HOME ID 83647 (208) 587-8517	10/12/1989	DOMESTIC	01-01 12-31	0.130 CFS	
TOTAL DIVERSION:					0.130 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T03N R10E S10 Lot03(SENW)

ELMORE County

POU County:

Non-Irrigation Uses: DOMESTIC USE FOR 34 HOMES.

Other Rights: 63-7258, A63-19154.

Conditions of Approval:

- 021 - Use of water for domestic purposes under this right shall be
- limited to in-house use and watering of household stock.
- 046 - Right holder shall comply with the drilling permit
- requirements of Section 42-235, Idaho Code.
- 026 - Permit holder shall commence the excavation or construction of
- diverting works within one year of the date this permit is issued
- and shall proceed diligently until the project is complete.
- 004 - The issuance of this right does not grant any right-of-way
- or easement across the land of another.

Remarks: GEN Three points of diversion within Lot 3 (SENW), S10, T3N, R10E.
Water system held and operated by cooperation of individual
homeowners.

Dates: Exam Made Date: Verified Date: Objection Filed Date:

Misc: Water District Number: Field Inspection Flag:
Presumption Flag:

AJ5809NP
No. A63-19154

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 01/24/00
PAGE: 3

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	FEATHERVILLE SUMMER HOMESITES C/O MARLENE J MC COY 600 N 9TH E MOUNTAIN HOME ID 83647 (208) 587-8517	05/01/1980	IRRIGATION DOMESTIC	04-15 11-15 01-01 12-31	0.020 CFS 0.100 CFS	
TOTAL DIVERSION:					0.100 CFS	
CONSUMPTIVE USE:						2.50 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: BENEFICIAL USE

Point(s) of Diversion: T03N R10E S10 Lot03(SENW)

ELMORE County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE				
NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	SUM
T	R	S	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	:

03N	10E	10	:	02-.5	01-.5	:	:	:	:	:	:	:	:	:	:	1.0
															TOTAL ACRES	1.0

Place of use Legal Description for: DOMESTIC

NE				NW				SW				SE				
NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	
T	R	S	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	:

03N	10E	10	:	02-D	01-D	:	:	:	:	:	:	:	:	:	:	:

POU County: ELMORE

Non-Irrigation Uses: DOMESTIC USE IN AN ADDITIONAL 7 HOMES

Other Rights: 63-07258 USED FOR FIRST 56 HOMES.

Remarks: GEN 3 P/D IN LOT 03, SENW, S10,T3N,R10E. A THIRD WELL WAS DRILLED
IN 1984 FOLLOWING THE PREVIOUS LARGE EARTHQUAKE TO COMPENSATE FOR
ONE OF THE FIRST TWO WELLS COLLAPSING. ONE WELL REMAINS AS A
BACKUP TO THE TWO WELLS NORMALLY USED.

Dates: Exam Made Date: Verified Date: 03/26/1985 Objection Filed Date:

Misc: Water District Number: Field Inspection Flag:
Presumption Flag: E

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 21 1999
DEPARTMENT OF WATER RESOURCES

A. GENERAL INFORMATION

Permit No. 63-11070

1. Owner: Featherville Summer Homesites Phone No. 653-2339

Current Address: % Marlene McCoy, 600 N 9 East, Mtn Home
83647

2. Accompanied by: Marlene or John McCoy EXAM DATE: 9-15-94

Address: _____ Phone No. _____

Relationship to Permit Holder: Spouse

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-07258 (A63-19164)

2. Other water rights with the same point of diversion: 63-07258 (A63-19154)

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion: (2)

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
<u>1 well</u>	<u>3</u>	<u>NE</u>	<u>SE</u>	<u>NW</u>	<u>10</u>	<u>3N</u>	<u>10E</u>	<u>Elmore</u>	
<u>2 wells</u>		<u>SW</u>	<u>NW</u>	<u>NE</u>	<u>10</u>	<u>3N</u>	<u>10E</u>	<u>Elmore</u>	


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
<u>3N</u>	<u>10E</u>	<u>10</u>			<u>L3</u> <u>D</u>	<u>L1</u> <u>D</u>							<u>L3</u> <u>D</u>			<u>L3</u> <u>D</u>			

MICROFILMED

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. *See attached theoreticals*

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: *None performed - Combined theoreticals = 4.3 cfs.*

MICROFILMED

FEB 17 2000

E. NARRATIVE/REMARKS/COMMENTS

3 pressure tanks - capacity unknown $\approx$ 75 gal
 2 pressure gauges - 1 @ 0; the other @ ~~4.2~~ 40.2 PSI
 2nd well used as backup - had silted in & Middleton
 will be out to blow it out this fall.
 Besides, subd: trailer court - 20 trailers
 5 - extra houses

19		63-07258 = 56 units (36+20)
17	→	63-11070 = 28 "
5		Total 84 units
5		
6		
7		
59 sites + 25 = 84 units		

Well @ gravel & well @ trailers are used. 2nd well
 @ gravel is the backup well which

The irrigation component in the permit is wrong.
 The amended application requested .13 cfs for
 internal domestic use for 34 home sites.

Advance priority date to 10-16-89.

Use is in lots, not licensed in Leatherville Summer
 Home Sites Subdivision No. 2 & No. 1. 63-07258 covers
 36 home sites and 20 trailer sites. This right covers 28
 additional home sites.

This right when combined with 63-07258 is limited to

Have conditions of permit approval been met? ☒ yes ☐ no

• 48 cfs total. ← should
 say 0.43
 per combined
 theoreticals
 kw

MICROFILMED
 FEB 17 2000

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS**1. Volume Calculations for Irrigation:** $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____**2. Volume Calculations for Other Uses:***Domestic:**.13 cfs $\times 365 \times 1.9835 = 94.1 \text{ AF}$* *Internal domestic use only = 28 units $\times .6 \text{ AF} = 16.8 \text{ AF}$.**Use 16.8 AF.***H. RECOMMENDATIONS****1. Recommended Amounts**

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Domestic</i>	<i>1-1</i>	<i>12-31</i>	<i>.13 cfs</i>	<i>16.8 afa</i>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<i>.13 cfs</i>	<i>16.8 afa</i>

2. Recommended Amendments

_____ Change P.D. as reflected above

☒ Add P.D. as reflected above

_____ None

☒ Change P.U. as reflected above☒ Add P.U. as reflected above

_____ Other

I. AUTHENTICATIONField Examiner's Name Linda Werner Date 9-15-94

Reviewer _____ Date _____

SEAL

MICROFILMED

B 17 2000

(5-90)

Well no. 1
Permit No. 63-11070

IRRIGATION RIGHT FROM A GROUND WATER SOURCE

A theoretical calculation is necessary to determine if a measurement is required for irrigation from a groundwater source.

1. Using the found acres (or an estimate by the permit holder) calculate the acre-foot per annum limit. This is the volume that the system must be able to theoretically produce to exclude a rate of flow measurement.
2. Next, given the pump hp and the estimated dynamic water level, calculate the theoretical rate of flow that the system can produce.
3. Using the rate found in step 2 and the days in the permitted irrigation season, calculate the theoretical AFA that the system could produce. This volume is then compared to the first AFA calculation. If the theoretical volume (step 3) is greater than the irrigation requirement volume (step 1) then no measurement is necessary. If it is less, then you must make a diversion rate measurement during the field examination.

1.
$$\frac{\text{Found Acres} * \text{Irr. Req.}}{\text{AFA}}$$
2.
$$\frac{(3) \text{ HP} * 8.8 * (0.70) \text{ EFF}}{(23) \text{ Dyn Level} + (2.3 * (40) \text{ PSI})} = \frac{.16 \text{ CFS}}{\text{Theor. Div. Rate}} = \frac{18.48}{115.4}$$
3.
$$\frac{.16}{\text{Theoretical Div. Rate}} * \frac{365}{\text{Days in season}} * 1.9835 = \frac{115.8 \text{ AF}}{\text{AFA}}$$

Note: for electrical motors
EFF = 0.70
for diesel motors
EFF = 0.60

Data Requires Verification	☐
Measurement Required	-- ☐
Measurement Not Required	☐

Calculation data sources:

Found acres = N/A
HP = 3
Dyn Level = 23
PSI = 40

North of Pump house

Well no 1 in Sec, 10, SWNW NE

MICROFILMED
FEB 17 2000

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

→ 3 well logs in same 1/4 1/4 w/ similar info. 2 wells seen.
OTHER APPLICABLE NO: _____

1. DRILLING PERMIT NO: 63-90-2-167(?)

2. OWNER: Featherville Summer Homes Phone: _____
Address: _____

3. WELL LOCATION: Twp 3N, Rge. 10E, Sec. 10, SW1/4 _____
County Elmore (Provide sketch map and photo on reverse.)
Well is right of pump house (north)

4. DRILLER: Hiddleston - Mtn Home Lic. No. _____
When Drilled? 8-20-90

5. WELL CONSTRUCTION:
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☒ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing _____ ft. Method Drilled _____
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No on Holding Tanks Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal? ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☒ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
No cement platform around casing

6. HYDROLOGIC INFORMATION:
Depth to Static Water 18.6 ft. PWL = 18.2 Water Temperature 48.5 °F
Flowing Artesian ☐ Yes ☒ No Pressure: 60 (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:
☐ Domestic ☐ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☒ Other: Subdivision

17 2000

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

#1

[illegible]

MICROFILM
FEB 17 2000

IRRIGATION RIGHT FROM A GROUND WATER SOURCE

A theoretical calculation is necessary to determine if a measurement is required for irrigation from a groundwater source.

1. Using the found acres (or an estimate by the permit holder) calculate the acre-foot per annum limit. This is the volume that the system must be able to theoretically produce to exclude a rate of flow measurement.
2. Next, given the pump hp and the estimated dynamic water level, calculate the theoretical rate of flow that the system can produce.
3. Using the rate found in step 2 and the days in the permitted irrigation season, calculate the theoretical AFA that the system could produce. This volume is then compared to the first AFA calculation. If the theoretical volume (step 3) is greater than the irrigation requirement volume (step 1) then no measurement is necessary. If it is less, then you must make a diversion rate measurement during the field examination.

TO3N, R10E, S10, SWNWNE (South of pump house)

$$1. \frac{\text{Found Acres}}{\text{Found Acres}} * \frac{\text{Irr. Req.}}{\text{Irr. Req.}} = \frac{\text{AFA}}{\text{AFA}}$$

$$2. \frac{(3) \text{ HP} * 8.8 * (.70) \text{ EFF}}{(23) \text{ Dyn Levl} + (2.3 * (40) \text{ PSI})} = \frac{.16 \text{ CFS}}{\text{Theor. Div. Rate}} = \frac{18.48}{115.8}$$

$$3. \frac{.16}{\text{Theoretical Div. Rate}} * \frac{365}{\text{Days in season}} * 1.9835 = \frac{115.8 \text{ AF}}{\text{AFA}}$$

Note: for electrical motors
EFF = 0.70
for diesel motors
EFF = 0.60

Data Requires Verification
Measurement Required --
Measurement Not Required

Calculation data sources:

Found acres =
HP = 3
Dyn Levl = 18
PSI = 40-60

RECORDED
17 2000

Well #2

Form 238-I
09/90

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11070

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily. SWNWNE

1. Legal Description: TWP 3N, Rge 10E, Sec. 10, 1/4 1/4
or Lot ____ . Well is left of pump house. (south)
2. Owner: Featherville Summer Homesites, McCoy, John or Marlene
Address _____, City _____, St _____
3. Casing $\geq$ 12 inches above ground: Yes X No _____
4. Access Port: Yes _____ No X Static Water Level: _____
Pressure Gauge: Yes _____ No X Casing Diameter: 6"
Flowing: Yes _____ No X Temperature: _____
Properly Valved: Yes _____ No _____
5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No _____

No cement platform.
If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks:

No water level was obtained because the well has caved in. According to John McCoy depth = 45.'

MICROFILMED
FEB 17 2000

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Featherville Summer Home Sites
Address Featherville 90 HC87, Box 565
Featherville, ID
Owner's Permit No. 63-90-2-171

7. WATER LEVEL

Static water level 18 feet below land surface.Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

Describe artesian or temperature zones below.

2. NATURE OF WORK

- ☒
- New well
- ☐
- Deepened
- ☐
- Replacement
-
- ☐
- Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Bailor ☒ Air ☐ Other _____

Discharge G.P.M. Pumping Level Hours Pumped

401

3. PROPOSED USE

- ☒
- Domestic
- ☐
- Irrigation
- ☐
- Test
- ☐
- Municipal
-
- ☐
- Industrial
- ☐
- Stock
- ☐
- Waste Disposal or Injection
-
- ☐
- Other _____ (specify type)

4. METHOD DRILLED

- ☒
- Rotary
- ☒
- Air
- ☐
- Hydraulic
- ☐
- Reverse rotary
-
- ☐
- Cable
- ☐
- Dug
- ☐
- Other _____

5. WELL CONSTRUCTION

Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____Thickness 250 inches Diameter 6 1/2 inches From 2 feet To 39 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feetWas casing drive shoe used? ☒ Yes ☐ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number From To
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feetWell screen installed? ☐ Yes ☐ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 20 Material used in seal: ☐ Cement grout☒ Bentonite ☐ Puddling clay ☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☐ Welded ☐ Solvent

Weld

☐ Cemented between strata


Describe access port _____

10.

Work started 8-20-90 finished 8-20-90

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name Micro

Lot No. _____ Block No. _____

County Elmore

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name Hedderston Drilling Firm No. 35Address MT Home Date 8-22-90Signed by (Firm Official) Rog

and

(Operator) Kurt

IRRIGATION RIGHT FROM A GROUND WATER SOURCE

A theoretical calculation is necessary to determine if a measurement is required for irrigation from a groundwater source.

- 1. Using the found acres (or an estimate by the permit holder) calculate the acre-foot per annum limit. This is the volume that the system must be able to theoretically produce to exclude a rate of flow measurement.
- 2. Next, given the pump hp and the estimated dynamic water level, calculate the theoretical rate of flow that the system can produce.
- 3. Using the rate found in step 2 and the days in the permitted irrigation season, calculate the theoretical AFA that the system could produce. This volume is then compared to the first AFA calculation. If the theoretical volume (step 3) is greater than the irrigation requirement volume (step 1) then no measurement is necessary. If it is less, then you must make a diversion rate measurement during the field examination.

T03N, R10E, S10, NESENW - #3 on South side of Road

1.
$$\frac{\text{Found Acres} \times \text{Irr. Req.}}{\text{AFA}}$$

2.
$$\frac{(2) \text{ HP} \times 8.8 \times (.70) \text{ EFF}}{(20) \text{ Dyn Level} + (2.3 \times \{40\} \text{ PSI})} = .11 \text{ CFS} \quad \frac{12.33}{112.4} = \text{Theor. Div. Rate}$$

3.
$$\frac{.11}{\text{Theoretical Div. Rate}} \times \frac{365}{\text{Days in season}} \times 1.9835 = 79.6 \text{ AF}$$

Note: for electrical motors	Data Requires Verification	☐
EFF = 0.70	Measurement Required	-- ☐
for diesel motors	Measurement Not Required	☐
EFF = 0.60		

Calculation data sources:

Found acres = _____
HP = 2
Dyn Level = 15
PSI = 40-60

MICRO
FEB 17 2000

#3

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

Survey = 1906

3 North Range No 10 East of the Boise No

PERMIT 63-11070 INIT _____


T. R. S. Q/Q

P/D 3N 10E 10

SCALE _____


PHOTO ID. _____

RESURVEY



63-11070

NOT TO SCALE



KEY LOCATION MAP

FEB 17 2000

X-6

T03N, R10E

X66-1964


T03N, R10E

X67-1964

FEATHERVILL
IDAHO-E
7.5 MINUTE SER

PERMIT 63-11070 INIT
T. R. S. Q/Q
P/D 3N 10E 10 SWNWNE-2
SCALE 1"=2000' NESENW-1
PHOTO ID. X66 & X67

UNITED STATES
OF THE INTERIOR
CAL SURVEY



We, Charles E. Baker and Mrs. M. Baker, hereby certify that we are the owners in fee simple of the coveage described in this plat survey.

ACKNOWLEDGEMENT

State of Idaho
County of Elmore

On this 27th day of _____, 1978, Charles E. and Mrs. M. Baker personally appeared before me, the undersigned, a Notary Public in and for the State of Idaho, and acknowledged to me that they executed this instrument in witness whereof, I have hereunto set my hand and affixed my official seal.

Notary Public

My Commission Expires _____

COUNTY RECORDER'S CERTIFICATE (IN)

This is to certify that this plat was filed for record in the Office of the Recorder of the County of Elmore, Idaho, this _____ day of _____, 1978, at _____ M. at the request of _____ and duly recorded in the record of the Plat in Book _____ at page _____.

County Recorder

CERTIFICATE OF SURVEY

I do hereby certify that I am a professional engineer, licensed by the State of Idaho, and that this map has been prepared from a survey made on the ground under my supervision, and that this map is an accurate representation of said survey.

Certificate of County Surveyor


Approved by Board of
County Commissioners

Planning & Zoning Comm.

Approved by Control District
Health Department

Robert J. ... 11/1/78


FEATHERVILLE SUMMER HOME SITES SUBDIVISION NO. 2 ELMORE COUNTY, IDAHO



KEY LOCATION MAP

DESCRIPTION OF PROPERTY - That portion of Section 10, T.3N., R.10E., B.M., to wit:
Commencing at the NW corner of Section 10, T.3N., R.10E., B.M.; Thence N. 88° 48' E. a distance of 2,108.00' to the true point of beginning. Thence S. 03° 18' E. a distance of 258.00' to a point. Thence N. 80° 27' E. a distance of 100.00' to a point. Thence S. 69° 30' E. a distance of 100.20' to a point. Thence N. 89° 35' E. a distance of 100.10' to a point. Thence N. 70° 34' E. a distance of 104.10' to a point. Thence N. 88° 56' E. a distance of 106.30' to a point. Thence N. 71° 05' E. a distance of 103.80' to a point. Thence N. 85° 01' E. a distance of 100.05' to a point. Thence N. 78° 32' E. a distance of 101.00' to a point. Thence S. 63° 44' E. a distance of 20.20' to a point. Thence N. 00° 14' E. a distance of 151.30' to a point. Thence S. 88° 44' W. a distance of 826.80' back to the true point of beginning.

UNPLATTED



LEGEND

- ◆ - U.S. Gov't Brass Cap
- ⊙ - 5/8" x 2'-6" Rebar
- - 1/2" x 2'-0" Rebar
- Water Line

STATE OF IDAHO } ss
COUNTY OF ELMORE }

O. L. Kime, first duly sworn, deposes and says
that he is a professional engineer licensed to practice by the State
of Idaho, that he has compared this copy with the original plat
and that the same is a true and exact copy of said plat.


O. L. Kime

subscribed and sworn before me this 20th
day of July, 1966

Notary Public
My Commission Expires January 1, 1968
Notary Public for Idaho
Residing at Mountain Home Idaho.




*Drawn by
O. L. Kime*



SECTION 10, T.3N., R.10E., B.M.
KEY LOCATION MAP

Featherville
SUMMER HOME SITES



I certify that the subdivision of Featherville
Summer Home Sites shown hereon was made
by me during June 1966 and is correct
O. L. Kime

7 or 4 1/2 iron peg
• Transit Station

FEATHERVILLE SUMMER HOME SITES
SUBDIVISION

U.S. Bureau of Land Management
Order Corner

63-11070




Well across road in SE NW,
Sec. 10

9-15-94 L.R.W.



Place of use from main road looking South toward River Drive

63-11070



← Backup well, south of pump house.
Silted in. Not in use at time of
exam.

9-15-94 L RW

Well no. 1. This well in use,
located north of pump house.




9-15-94 L RW

FEB 17 2000

63-11070



9-15-94 LRW



3 80 gallon
holding tanks.

9-15-94 LRW

REC'D
SEP 17 2000

OPTION: GET ALL USES

WATER RIGHT NUMBER: 63-11070

PAGE: 1

A. ROOT WATER RIGHT NUMBERS: 63-11070

B. POU LISTING

TWP	RNG	SEC	1/4	1/4	LOT	NAME	WR #/USE/ACRES	AJ #/USE/ACRES	LANDSAT DATA
03N	10E	10	SW	NE	2	FEATHERVILLE SUMMER HOMESITES	63-11070 /01/	A63-11070 /01/	
			SW	NE	2	BAKER, CHARLES E.	63-07258 /43/	A63-07258 /43/	
			SW	NE	2	FEATHERVILLE SUMMER HOMESITES		A63-19154 /43/	
03N	10E	10	SE	NE	1	FEATHERVILLE SUMMER HOMESITES	63-11070 /01/	A63-11070 /01/	
			SE	NE	1	BAKER, CHARLES E.	63-07258 /43/	A63-07258 /43/	
			SE	NE	1	FEATHERVILLE SUMMER HOMESITES		A63-19154 /43/	
TOTAL ACRES							63-11070		

POU COUNTY: ELMORE

Permit for 34 homes
License for 56 homes
BU claim for Sub. #2 (7 lots)
covered by 63-11070
Violates mandatory permit
statute, cannot be
recommended as a valid
right.

NOTES: During exam Marlino told me P.O.C. served consists of
59 home sites 700 lots plus 20 trailers in trailer court &
5 extra houses.

WR RECORD CONDITIONS/REMARKS:

- 021 - Use of water for domestic purposes under this right shall be
 - limited to in-house use and watering of household stock.
- 046 - Right holder shall comply with the drilling permit
 - requirements of Section 42-235, Idaho Code.
- 026 - Permit holder shall commence the excavation or construction of
 - diverting works within one year of the date this permit is issued
 - and shall proceed diligently until the project is complete.
- 004 - The issuance of this right in no way grants any right-of-way
 - or easement across the land of another.

Three points of diversion within Lot 3 (SENW), S10, T3N, R10E.
Domestic use is for 34 homes.

WR0749NP
No. 63-07258

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 05/01/95
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CHARLES E. BAKER FEATHERVILLE MOUNTAIN HOME ID 83647	08/13/1969	DOMESTIC	01-01 12-31	0.330 CFS	67.20 AFA
TOTAL DIVERSION:					0.330 CFS	67.20 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion:

T03N R10E S10 Lot 03(SENW)

ELMORE County

Place of use Legal Description for: DOMESTIC

				NE				NW				SW				SE								
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
03N	10E	10	:			02-D	01-D	:																:

Pou County: ELMORE

Other Water Rights Listing Overlapping Place(s) of use:
63-11070

Remarks: 2 P/D IN LOT 03, SENW, S10,T3N,R10E.

Dates:	App. Received:	Priority Date:	08/13/1969
	Proof Due Date:	Proof Made Date:	
	Exam Made Date:	Exam Sent to S.O.:	
	Licensed Date:	04/26/1982	

Misc: Water District Number: Field Exam Fee:

Audit: 03/26/85 05/01/88 CONVERT

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	FEATHERVILLE SUMMER HOMESITES C/O MARLENE J. MC COY 600 N 9TH E MOUNTAIN HOME ID 83647 (208) 587-8517	05/01/1980	IRRIGATION DOMESTIC	04-15 11-15 01-01 12-31	0.02 CFS 0.10 CFS	
TOTAL DIVERSION:					0.10 CFS	
CONSUMPTIVE USE:						2.50 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: BENEFICIAL USE

Point(s) of Diversion:

T03N R10E S10 Lot03(SENW)

ELMORE County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE				
T	R	S	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: SUM
03N	10E	10	:			02-.5	01-.5	:								1.0
TOTAL ACRES																1.0

Place of use Legal Description for: DOMESTIC

NE				NW				SW				SE				
T	R	S	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	:
03N	10E	10	:			02-D	01-D	:								

POU County: ELMORE

Non-Irrigation Uses: DOMESTIC USE IN AN ADDITIONAL 7 HOMES

Other Rights: 63-07258 USED FOR FIRST 56 HOMES.

Remarks: 3 P/D IN LOT 03, SENW, S10,T3N,R10E. A THIRD WELL WAS DRILLED IN 1984 FOLLOWING THE PREVIOUS LARGE EARTHQUAKE TO COMPENSATE FOR ONE OF THE FIRST TWO WELLS COLLAPSING. ONE WELL REMAINS AS A BACKUP TO THE TWO WELLS NORMALLY USED.

Dates: Exam Made Date: Verified Date: 03/26/1985

Misc: Water District Number: Field Inspection Flag: Presumption Flag: E

Covered by 63-11070
Violates mandatory permit statute!



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

SEPTEMBER 8, 1994

FEATHERVILLE SUMMER HOMESITES
CO MARLENE MC COY TREAS
600 N 9TH E
MOUNTAIN HOME ID 83647

RE: PERMIT NO. 63-11070

Dear Permit Holder:

An agent from the Department must conduct an examination on the above-referenced permit before your water rights license can be granted. In order to conduct this exam as efficiently as possible, we ask that you contact the water rights examiner listed below before September 29, 1994, to schedule a day and time convenient for you.

Please be advised that you will need to operate your system under normal conditions during the examination.

If there is a problem with scheduling or conducting the examination at this time, please call and other arrangements can be made.

Sincerely,

A handwritten signature in cursive script that reads "Sandy Hemenway".

Sandy Hemenway
Water Rights Examiner

MICROFILMED
FEB 17 2000

63-11070

GENERAL INFO

RECEIVED
SEP 21 1999
Department of Water Resources

CONV DATE:

NAME: McCoy

PHONE #:

PERMIT #:

LOCATION OF WELL:

CASING SIZE: 6"

HP: 3hp

DYNAMIC: 18.2 a 38.1 ^{well by gravel} ^{well across road} ^{500 ft. hp unknown} ^{hp = 2}
STATIC: 45' ^{= depth of first well.} 180 hp pressure tank Depth =
DEPTH: ~~40~~ 45' 400 ~~(60 ft)~~ = 2nd well by trailers

PSI: 60

ACRES IRRIGATED:

SPRINKLER INFO:

TYPE:

SIZE:

LENGTH:

OPERATING:

STOCK:

DOMESTICS:



OTHER USES:

OTHER RTS USED:

DIRECTIONS:

EXAM DATE: 9-15-94

MICROFILMED
FEB 17 2000



MICROFILMED
FEB 17 2000

2971 II NW
(PAYUSE POINT) | 547



X66-1984

837

17' 30"

839

840

630 000 FEET 841 115° 15'

18420000 E

843

X-67 1964

12' 30"

R 10E R 11E


(F.S. NO. 18-21)
(GAYUSE POINT)

847

T3N, R10E
S.10, W1/2

63-11070 FEATHERVILLE QUADRANGLE
IDAHO
7.5-MINUTE SERIES (ORTHO) PHOTOQUAD MODIFIED FOR USDA FOREST SERVICE USE

T3N, R10E, S.10, E1/2



4926
A 3 17 2000



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

August 21, 1994

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

JOHN OR MARLENE MCCOY
600 N 9 E
MOUNTAIN HOME ID 83647

RE: Claim(s) filed in the Snake River Basin Adjudication.

Dear Mr. or Mrs. McCoy;

We will be conducting beneficial use water right claim exams in your area. An exam is needed to verify your water use in order to issue a water right license and/or decree.

Information on your claim which may need to be verified includes source of water, type of usage, amount of water used, number of acres irrigated, and legal descriptions of the point of diversion and/or place of use.

In order to expedite these field examinations, which need to be completed this season, we request that you contact our office at 334-2190 within one week to make an appointment at a time convenient for you. The amount of time required to conduct these exams depends on the number of water rights you have filed. An approximate time can be given when you call for an appointment.

Although it is not mandatory that you accompany the field examiner, it does insure that an accurate description of your system will be made. If either yourself, or someone familiar with the system, could accompany the examiner it would be beneficial.

To make an appointment, or if you have any questions or problems with scheduling the exam verification, please contact me as soon as possible.

Sincerely,

Linda A. Werner
Sr. Water Resource Agent
Adjudication Section

MAILED

FEB 17 1995

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 63-11070

Reviewed by [Signature]

Date 4-6-94

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

Dom.

Correct Uses? yes

SOURCE OF WATER

☐ Surface water source
☒ Ground water source

yes Drilling permit required?

yes Copy in the file? Drilling Permit No. 63-90C-0173-000

35.00 Amount paid for permit yes Correct?

yes Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50.00 Amount Submitted
yes Correct?

MEASURING DEVICE

☐ Required?
☐ Installed?
☐ Waiver requested?

PRIORITY CALCULATION

Date proof received			
Date proof due		-	
No. of days late		=	
Priority Date		+	
New Priority Date			

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address _____

Proof Made 4-5-94

April 7, 1994

FEATHERVILLE SUMMER HOMESITES
C/O MARLENE MC COY, TREAS.
600 N. 9TH E.
MOUNTAIN HOME ID 83647

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11070

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region





MICROFILMED
FEB 17 2000

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

E TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

#3

1. WELL OWNER Name <u>Featherville Summer Homes</u> Address <u>Featherville, 90 MC 87, Box 565</u> <u>Featherville, ID</u> Owner's Permit No. <u>63-90-2-173</u> <u>92647</u>	7. WATER LEVEL Static water level <u>15</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ of Quality _____ Describe artesian or temperature zones below																																
2. NATURE OF WORK ☐ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td><u>10</u></td> <td><u>**</u></td> <td><u>1</u></td> </tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>10</u>	<u>**</u>	<u>1</u>																										
Discharge G.P.M.	Pumping Level	Hours Pumped																															
<u>10</u>	<u>**</u>	<u>1</u>																															
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td><u>5</u></td> <td><u>0</u></td> <td><u>15</u></td> <td><u>Bottom - GRAVEL & Sand</u></td> <td></td> <td>☒</td> </tr> <tr> <td><u>6</u></td> <td><u>18</u></td> <td><u>38</u></td> <td><u>Gravel & Sand **</u></td> <td></td> <td>☒</td> </tr> </tbody> </table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	<u>5</u>	<u>0</u>	<u>15</u>	<u>Bottom - GRAVEL & Sand</u>		☒	<u>6</u>	<u>18</u>	<u>38</u>	<u>Gravel & Sand **</u>		☒										
Bore Diam.	Depth		Material	Water																													
	From	To		Yes	No																												
<u>5</u>	<u>0</u>	<u>15</u>	<u>Bottom - GRAVEL & Sand</u>		☒																												
<u>6</u>	<u>18</u>	<u>38</u>	<u>Gravel & Sand **</u>		☒																												
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	 DEPARTMENT OF WATER RESOURCES Thermal Experiment Station  DEPARTMENT OF WATER RESOURCES  DEPARTMENT OF WATER RESOURCES																																
5. WELL CONSTRUCTION Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>250</u> inches</td> <td><u>6</u> inches</td> <td><u>2</u> feet</td> <td><u>36</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Model No. _____ Type _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ feet to _____ feet Placed from _____ feet to _____ feet Surface seal depth <u>15</u> Material used in seal: ☐ Cement grout ☐ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	<u>250</u> inches	<u>6</u> inches	<u>2</u> feet	<u>36</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	10. Work started <u>8-21-90</u> finished <u>8-21-90</u>
Thickness	Diameter	From	To																														
<u>250</u> inches	<u>6</u> inches	<u>2</u> feet	<u>36</u> feet																														
_____ inches	_____ inches	_____ feet	_____ feet																														
_____ inches	_____ inches	_____ feet	_____ feet																														
_____ inches	_____ inches	_____ feet	_____ feet																														
Number	From	To																															
_____ perforations	_____ feet	_____ feet																															
_____ perforations	_____ feet	_____ feet																															
_____ perforations	_____ feet	_____ feet																															
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Elmore</u> <u>NW 1/4 NE 1/4 Sec. 10, T. 3, N. 10, R. 10, E. 10</u>	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Hiddleston Drilling</u> Firm No. <u>35</u> Address <u>117 Home</u> Date <u>8-22-90</u> Signed by (Firm Official) <u>Roz</u> and <u>Ken Kal</u> (Operator)																																

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

RECEIVED
AUG 23 1990

Department of Water Resources

1. Applicant (please print) Featherville Summer Homesites #3
2. Mailing Address c/o HC 87,565
Box
Featherville, ID 83647 Telephone _____
☒ Well Owner ☐ Well Operator ☐ Other, specify _____
3. Proposed well location W $\frac{1}{2}$ NW 1/4 NE 1/4, or Gov't Lot No. _____
Sec. 10, Twp. 3 N, Rge. 10 E, County Elmore
Street Address of Well Site _____
Lot, block and subdivision _____
4. Proposed use of well:
☒ Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
☐ Non-Domestic: Any beneficial use not included within the definition of domestic.
☐ Injection
☐ Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
5. Well construction information:
A. ☒ New well ☐ Deepen ☐ Replace - See Condition 9
B. Proposed Surface Diameter 6" Proposed Maximum Depth 80'
C. Anticipated bottom hole temperature:
☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212° or more (Geothermal well)
6. Construction Start Date 8/22/90
7. Anticipated Well Driller Hiddleston & Son, Inc #35
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature Connie Gueman Date 8/22/90
Title Office Manager, Hiddleston & Son, Inc.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is **APPROVED**

Date August 24, 1990

If approved, this permit authorizes the constuction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

MICROFILMED

FEB 17 1991

Stuik A. Reed

Signature of Authorized Department Representative

MANAGER
GROUNDWATER PROTECTION SECTION
Title

Receipt No. C018117 Received by MGH Fee 35⁰⁰ Date Aug. 23, 1990

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

March 31, 1994

FEATHERVILLE SUMMER HOMESITES
C/O MARLENE MC COY, TREAS.
600 N. 9TH E.
MOUNTAIN HOME ID 83647

PROOF DUE NOTICE

RE: PERMIT NO. 63-11070

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1994.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED

FEB 17 1995





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 9, 1992

Featherville Summer Homesites
c/o Marlene McCoy
600 North 9th East
Mountain Home, ID 83647

Re: Permit No. 63-11070

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to June 1, 1994. However, since the extension was received after the proof of beneficial use date, it was necessary for the department to reinstate your permit and advance your priority date to October 16, 1989.

Please note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Regional Office

RECORDED
JUN 12 1992

ANALYSIS SHEET
FOR
EXTENSION OF TIME

Permit No. 63-11070 Reviewed by Klg Date 6/5/92

BASIC INFORMATION

6/5/92 Date stamp received
no Extension received timely
yes Fee received and receipted
yes Name and signature same as permit
no Address Change

BASIS FOR EXTENSION REQUEST

yes Has adequate work been completed to demonstrate due diligence?
Has the permit been involved in litigation?
Is supporting documentation needed to complete the file? Requested?
Is delay by a government agency?
Is supporting documentation needed to complete the file? Requested?
Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN

approve Based on due diligence
extend to 6/1/94

PRIORITY CALCULATION

Date extension received	<u>6/5/92</u>	=	<u>156</u>
Proof due date	<u>6/1/92</u>	=	<u>152</u>
Number of days late		=	<u>4</u>
Priority date	<u>10/12/89</u>	=	<u>285</u>
New Priority Date	<u>10/16/89</u>	=	<u>289</u>

Reinstate

DATA ENTRY

New Address _____
Change Proof Due Date 6/9/92 Klg
Change Priority Date _____

June 5, 1992

FEATHERVILLE SUMMER HOMESITES
C/O MARLENE MC COY, TREAS.
600 N. 9TH E.
MOUNTAIN HOME ID 83647

LAPSE NOTICE

RE: PERMIT NO. 63-11070

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated March 31, 1992. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg


Enclosures

RECEIVED

JUN 12 1992

March 31, 1992

FEATHERVILLE SUMMER HOMESITES
C/O MARLENE MC COY, TREAS.
600 N. 9TH E.
MOUNTAIN HOME ID 83647



PROOF DUE NOTICE

RE: PERMIT NO. 63-11070

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1992.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECEIVED
JUN 12 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 63-11070
Name(s) of Permit Holder(s): Feather River Summer Horse Sites
Post Office Address: C/O Marlene McCoy Treas.
Mountain Home ID 83647 Tel. No. 587-8517

☒ I hereby certify that construction of diversion works for the above referenced permit began on August 1990. I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

9-16-91
Date

Marlene J. McCoy, Treas.
Signature of Permit Holder

PLACE
STAMP
HERE

RECEIVED

SEP 16 1991

Department of Water Resources

NOT FILMED

JUN 12 1992



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
May 22, 1990

FEATHERVILLE SUMMER HOMESITES
C/O MARLENE MC COY, TREAS.
600 N. 9TH E.
MOUNTAIN HOME, ID 83647

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-11070

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please be advised that water quality is subject to regulations of the Idaho Department of Health and Welfare. We suggest that you check with them before starting construction.

MICROFILMED

JUN 05 1990

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED

JUN 9 1980

P/D 3N 106 5.10 SENW - L. 3
P/L 11 SWNE - L. 2
SENE - L. 1

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SL DATE: 11/20/89 APPLICATION: 63-11070

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.) *see attachment to 10/31/89 letter*
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use: Gov't. Lots: 4 P/D
☒ Nature of proposed use: (Include description of use) 7 P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES	NO	
☒	☐	Overlapping place of use: (Describe source & relationship to present application on the back.)
☒	☐	Overlapping point of diversion:
☐	☐	Field check required: Field check by: _____
☐	☐	Field report attached:
☐	☒	Critical groundwater area:
☐	☒	Groundwater management area:
☐	☒	Diversion within interim protected river area
☐	☒	Send dam safety information:
☐	☒	Send power requirement letter:
☐	☒	Send fish farm requirement letter:
☐	☒	Power residency affidavit:
☐	☒	Power efficiency form:
☐	☒	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐	☒	Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☒	☐	*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT
☒	☐	<u>names/titles, age of new well, H2O temp, water, payment for</u> DATE REQUESTED: <u>letter of 11/20/89</u> <u>011990</u> <u>by</u>
☒	☐	Additional information on reverse side: <u>visit to S.O.</u>

Department of Water Resources

PROCESSING

APPLICATION NO. 63-11070

YES NO

☒ ☐
☒ ☒
☒ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☒ ☐
☐ ☐
☐ ☐
☐ ☐

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

affidavit rec'd 4-19-90.

Publication dates and paper recorded on application:

Protests received. Final date for protest December 26, 1988

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, DMR

Measuring device required:

Measuring port required:

Water delivered by water master? District # 63-P05

Special conditions of approval or cover letter:

26A (allow 2 years), 04, 21

See below for additional information

Recommended Date or Priority 10/12/1989Recommended by: DMRDate 4/25/1990

STATE OFFICE REVIEW

P05, P23, P10, P1721 46 36 04See below for additional information. By KWDate 5-16-90

ADDITIONAL INFORMATION

NOTE: Assumes irrigation use of this groundwater is conjunctive use
 to Boise R. system upstream of Lucky Peak. Note well locations
 near confluence of Feather & S. Fork Boise Rivers in porous tailings site.
 3 wells 188', 200' and 400'.

Applicant will contact watermaster about augmentation for G.O.B. irrigation

Overlap

P10 63-07258 - same wells.

63-04345 - different well.

P10 63-07258 - as in pld, for other units in subdivision.

Irrigation
 deleted 12/1/89
 per appl.
 for this



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

April 6, 1990

Mountain Home News
P.O. Box 0
Mountain Home, ID 83647-0380

RE: Water Right Affidavits

Dear News People:

We have not received the affidavits for the advertising of the following five water rights:

61-07605 Leroy &/or Ann Watson

61-07607 David C. &/or Meadabeth L. Thomas

63-11051 Eugenia C. Landon

63-11053 Eugenia C. Landon

63-11070 Featherville Summer Homesites Waterusers Assn.

These were advertised December 6 and 13, 1989, in the Mountain Home News. We would appreciate it if you would send us these affidavits so we can continue processing the applications.

Thank you.

Sincerely,

A handwritten signature in cursive script, appearing to read 'Sue'.

Sue Taylor
Secretary, Office Coordinator

RECEIVED

JUN 05 1990



STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE

DIVISION OF ENVIRONMENTAL QUALITY

BOISE FIELD OFFICE
801 Reserve Street
Boise, Idaho 83712
(208) 334-3823

January 11, 1990

Mr. David R. Tuthill
Western Region Supervisor
Department of Water Resources
2735 Airport Way
Boise, Idaho 83705
Statehouse Mail

RECEIVED

JAN 15 1990

Department of Water Resources
Western Regional Office

Re: 63-11070 and 63-11067

*Leatherville Summer Home site
Marlene McCoy*

Dear Mr. Tuthill:

This office has reviewed the above referenced applications
and has no objections to these appropriations.

Sincerely,

Jon Wroten

Jon Wroten
Water Quality Compliance Officer

JW:ae

cc: Craig Shepard, DEQ-BFO
Paul Jehn, DEQ-CO

RECORDED

JUN 15 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

December 12, 1989

Idaho Dept. of Health & Welfare
Division of Environment
Statehouse
Boise, ID 83720

Re: Application for Permit No. 63-11070 in the name of Featherville Summer
Homesites Waterusers Assn.

Dear Sir:

Enclosed is a copy(s) of the above-referenced application(s) for permit which may be of interest to your agency. Please review the application(s) and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application(s), your written protest must be received in this office by December 26, 1989.

If you have any questions regarding the application, please contact this office.

Sincerely,

Steve Lesth for

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:st

Enclosure(s):

RECEIVED

JUN 15 1990

600 N. 9th East
Mountain Home, Id 83647
November 29, 1989

RECEIVED
DEC 1 1989

Department of Water Resources
Western Regional Office

Steve Lester
Department of Water Resources
2735 Airport Way
Boise, Idaho 83705

Re: Application for Permit


Dear Steve:

Thank you for your letter dated October 31, 1989.

In response to Item No. 5 of your letter, the board members of our water users association have decided to cancel the irrigation portion of the new application and proceed with only the domestic use request.

If you need any additional information, please let me know.

Sincerely,



Marlene McCoy, Treasurer
Featherville Summer Homesites

MICROFILMED

JUN 05 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190


CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

October 31, 1989

Featherville Summer Homesites Waterusers Association
c/o Marlene McCoy, Treasurer
600 N. 9 th E.
Mtn. Home, ID. 83647



Re: Application for Permit

Dear Marlene:

Department of Water Resources

Your recent application for three wells for domestic and irrigation uses for the subdivision was partially reviewed, but additional processing will not occur until your response is received. The following items need attention.

1) Please provide the names, titles, and addresses for the officers or directors of the waterusers association.

2) What size and depth is the newest well? Our records indicate that the two older wells are 6" and 188' to 200'. The newest well appears to be a 1984 well. Is this correct? If not, please indicate the month and year of drilling for the newest well.

6" - 400' - May 1985

3) Is the water temperature warmer than 90 degrees Farenheit? *No*

4) The application states that domestic water for 34 units is involved and that part of the 34 units represents an addition to the 56 units licensed under water right 63-07258 (a 1969 right). Please be more specific and clarify the relationship of the 34 units and 56 units. What is the total number of units involved? Are any of the 34 sites the same units described in license 63-07258; if so, how many? *90 total (56 units under water right 63-07258 and 34 units separate under new application)*

*5) The wells are close to the confluence of the Feather River and the South Fork of the Boise River. Such ground water may be tributary to the Boise River system, which is a fully appropriated system. A new ground water right such as your application may use water that otherwise would be available for existing water right users associated with the river. Therefore, it may be necessary to augment the river supply as a condition of approval for your application. This office will inform you of any additional requirements in this regard.


Meanwhile, please respond to items 1-4 above within 30 days. Additional help is available at this office.

Sincerely,

Steve Lester
Steve Lester
Sr. Water Resource Agent

RECEIVED

JUN 05 1990



SL: sl

* Marlene visited S.O. & talked to Don Shaff. Don called me during her visit to discuss application. I indicated that augmentation refers to irrigation use only. She will contact Don & Watermaster about this.

Department of Water Resources
Western Regional Office

63-11070

FEATHERVILLE SUMMER HOMESITES WTR. ASSN.
C/O MARLENE MC COY, TREAS.
600 N. 9TH E.
MOUNTAIN HOME, ID 83647

Source: GROUNDWATER

Diversion Pt: LOT 3 (SENW) Sec 10 T 03N R 10E

Use: IRRIGATION (.030 CFS)
DOMESTIC (.100 CFS)
Total Diversion: (.130 CFS)

Date Filed: 10/12/1989

In: T03N R10E S10 Lot 2 (SWNE) Lot 1 (SENE)

1.0 ACRES TOTAL

RECORDED

JUN 05 1990