


5N 1E
SEC 34
NE SE NE



UNFILMED

APR 13 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 21 1992
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: M. Joanne & Morvin Lewis Permit No. 63-11063
Current Address: 4400 Brookside ; Boise, Idaho 83703 Phone No. 939-6334
2. Accompanied by: Conducted alone at owners request EXAM. DATE: 10-3-91
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-9918, A63-19649, A63-19650 ☒ Copies Attached
2. Other water rights with same point of diversion: 63-9918, A63-19649, A63-19650 ☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____


2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more)

MICROFILMED
JUL 28 1992

63-11063



#1
P/D



#2
View of well casing
inside well house.

MICROFILMED
JUL 29 1980

63-11063



#3.

Point of measurement



#4

P14 on West
side of home

MICROFILMED

JUL 29 1992

63-11063



#5

Domestic use
under. A63-19650



#6.

P/U on East
side of home

MICROFILMED
JUL 29 1992

PERMIT 63-11063 INIT _____
T. R. S. Q/Q
P/D 5N 1E 34 SENE
SCALE _____
PHOTO ID. _____



MICROFILMED
JUL 28 1962

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11063

Priority: November 16, 1989

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

4.5 AF

This is to certify, that M JOANNE LEWIS
MARVIN R LEWIS

4400 BROOKSIDE
BOISE ID 83703

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 16, 1989; and has submitted Proof of Beneficial Use on April 30, 1991. An examination indicates that the works have a diversion capacity of .030 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	4.5 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 34, Township 05N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	01E	34	SENE	1		1

Total number of acres irrigated:

1

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED
JUL 29 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11063

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 15th
day of July, 1992.


Acting for R. Keith Higginson, Director

JUL 29 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11063

Proposed Priority: November 16, 1989 Maximum Diversion Rate: 0.03 CFS
This is to certify, that M. JOANNE LEWIS

MARVIN R. LEWIS
4400 BROOKSIDE
BOISE, ID 83703

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.03 CFS

LOCATION OF POINT(S) OF DIVERSION: NESENE Sec. 34, Township 05N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N 01E 34	SENE 1			1
Total number of acres irrigated:				1

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

3rd day of April, 1990.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

APR 19 1990

Ident. No. 63-11063

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: MARVIN R. LEWIS 208-939-6334
Address: 4400 BROOKSIDE
BOISE, ID 83703
OR *JOAN LEWIS* *rdh*
Name: M. ~~JOAN~~ LEWIS 208-939-6334
Address: 4400 BROOKSIDE
BOISE, ID 83703

2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: NESENE Sec. 34, Township 05N, Range 01E
ADA County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.030		

5. Total quantity appropriated is:
0.030 CFS (and/or) AF

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc.
100' DEEP, SURFACE PUMP, PIPED TO 2 HOMES, 4 SPIGOTS, HOSES
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is inches; proposed depth of well is
feet.
d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses: *MICROFILMED*
SYSTEM EXISTS, IRRIGATION

9. Place of Use: IRRIGATION *APR 19 1990*

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
05N	01E	34	1			1
Total number of acres irrigated:						1

10. Describe any other water rights used for the same purposes.
A63-19649, A63-19650

11. a. Who owns the property at the point of diversion?
APPLICANT

b. Who owns the land to be irrigated or place of use?
APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

THIS APPLICATION IS FOR A ADDITIONAL 1 ACRE OF IRRIGATION.
ABOVE RIGHTS COVER 1/2 ACRE EACH, FOR A TOTAL OF 2 ACRES.

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

M. Joanne Lewis
Applicant


Received by Rdh Date 11/16/89 Time 9:46 Preliminary check by RW
Fee \$ 30.00 Receipted by Rdh # W006712 Date 11/16/89
Publication prepared by GG Date 12-27-89 Published in ID Statesman
1/4 & 1/11/90
Publication approved JS Date 2/13/90

MICROFILMED

APR 19 1990

UNITED STATES
THE INTERIOR
SURVEY

SW 1/4
SEC 34
R 15 E S 16 N



The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

JAN 10 1990

LEGAL ADVERTISING INVOICE

Water Resources
Western Regional Office

Amount Due

\$ 7.24

Account Name Idaho Department of Water Resources - Western			Account Number 47628		
Address 2735 Airport Way		City/State Boise, Idaho		Zip 83705	
Ordered By Gail Garrett	P.O. Number	Rate nt	Run Dates 1990 January 4, 11		
Identification Application for Water Rights			Estimated Inches		Real Inches
1 Number of Affidavits Requested					Legal Number 4488

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10908

THORNTON, LAVAR K.

Rt. 2

KUNA, ID 83634

Source: Groundwater

Diversion Pt:

SWNE Sec 6 T01N R01E

LOT 5 (SENE) Sec 1 T01N R01W

LOT 4 (NWNW) Sec 1 T01N R01W

Use:

Irrigation (4.000 CFS)

Diversion to Storage (2.820 CFS)

Stockwater Storage (5.60 AF)

Stockwater (.050 CFS)

Total Diversion: (5.000 CFS)

Date Filed: 8/22/1989

In:

T01N R01E S06 Lot 1 (NENE)

SENE

T01N R01E S07 Lot 1 NWNW

T01N R01W S01 Lot 4 (NWNW)

T02N R01W S36 Lot 4 SWSW SESW

SESE

200.0 Acres Total

63-11063

LEWIS, MARVIN R.

LEWIS, M. JOANNE

4400 BROOKSIDE

BOISE, ID 83703

Source: Groundwater

Diversion Pt: NESENE Sec 34 T05N

R01E

Use: Irrigation (.030 CFS)

Total Diversion: (.030 CFS)

Date Filed: 11/16/1989

In: T05N R01E S34 SENE

1.0 Acres Total

63-11086

CHURCH OF JESUS CHRIST

LATTER DAY SAINTS

10803 PARKER AVE.

BOISE, ID 83709

Source: Groundwater

Diversion Pt: NESENE Sec 35 T03N

R01E

Use: Irrigation (.090 CFS)

Total Diversion: (.090 CFS)

Date Filed: 12/11/1989

In: T03N R01E S35 SENE

3.0 Acres Total

63-11087

CHURCH OF JESUS CHRIST

LATTER DAY SAINTS

10803 PARKER AVE.

BOISE, ID 83709

Source: Groundwater

Diversion Pt: SWSW Sec 27 T03N

R01E

Use: Irrigation (.090 CFS)

Total Diversion (.090 CFS)

Date Filed: 12/11/1989

In: T03N R01E S27 SWSW

3.0 Acres Total

The permit(s) will be subject to

all prior water rights. Protests must

be filed with the Director, Dept. of

Water Resources, Western Region,

2735 Airport Way, Boise, Idaho

83705 on or before JANUARY 22,

1990.

R. KEITH HIGGINSON

Director

Pub. Jan. 4, 11, 1990

4488

Debbie Richards

, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for 2

☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of January 4, 19 90

and ending with the issue of January 11, 19 90

Debbie Richards

STATE OF IDAHO)

ss.

COUNTY OF ADA)

On this 11th day of January in the year of 1990, before me, a Notary Public, personally appeared Debbie Richards

, known or identified

to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Debbie Richards

Notary Public for Idaho

Residing at Boise, Idaho

My commission expires: 12/93

MICROFILMED

APR 19 1990

July 9, 1992

M JOANNE LEWIS
MARVIN R LEWIS
4400 BROOKSIDE
BOISE ID 83703

RE: WATER RIGHT NO. 63-11063

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED

JUL 29 1992

LICENSE REVIEW CHECKLIST

Permit # 63-11063

Date 6-8-92
CS

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☐	☒	Disagree with Actual Measurement?
	☐	☒	<u>.03cfs (IRR) 1x.03=.03</u>
	☒	☐	Disagree with Theoretical? <u>.75x8.6x.7=.032</u>
	☐	☒	Limited by Capacity? <u>.03cfs 50'4(2.31x40)</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	☐	☒	Disagree with Examiner's Calculations?
	☐	☒	<u>1x4.5=4.5 afa (IRR)</u>
	☐	☒	Limited by Flow?
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D	☐	☒	Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U	☐	☒	Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☐	☒	Non-Irr. Uses
	☐	☒	Special Overlap Condition
	☐	☒	Other
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>RSO</u>	☐	Overlap
	☐	☒	Water Quality
			DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made

COMMENTS/MEMOS NEEDED:

Used 40 psi estimate / low end Dom estimate

License ☒ 10-Day ☐ 15-Day ☐ Special Correspondence ☐

WR0749NP
No. L63-11063

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 06/08/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	M JOANNE LEWIS	11/16/1989	IRRIGATION	03-15 11-15	0.03 CFS	4.5 AFA
C	MARVIN R LEWIS					
	4400 BROOKSIDE					
	BOISE ID 83703					
	(208) 939-6334					
				TOTAL DIVERSION:	0.03 CFS	4.5 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.03 CFS

Point(s) of Diversion: T05N R01E S34 SE NE

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
05N	01E	34	:					01	:											:	1.0
																				TOTAL ACRES	1.0

Pou County: ADA

Other Water Rights with Same Point(s) of Diversion and Source:
63-09918

Other Water Rights Listing Overlapping Place(s) of use:
63-09918 63-11063

Conditions of Approval:

- R52 - This right when combined with all other rights shall provide no
- more than .03 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Dates:	App. Received:	11/16/1989	Priority Date:	11/16/1989
	Proof Due Date:	05/01/1991	Proof Made Date:	04/30/1991
	Exam Made Date:	10/03/1991	Exam Sent to S.O.:	02/20/1992
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 06/08/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 21 1992
Department of Water Resources

A. GENERAL INFORMATION

1. Owner: M. Joanne & Marvin Lewis Permit No. 63-11063
Current Address: 4400 Brookside ; Boise, Idaho 83703 Phone No. 939-6334
2. Accompanied by: Conducted alone at owners request EXAM. DATE: 10-3-91
Address: _____ Phone No. _____
Relationship to Permit Holder: _____


3. Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-9918, A63-19649, A63-19650 ☒ Copies Attached
2. Other water rights with same point of diversion: 63-9918, A63-19649, A63-19650 ☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 6" diameter well with a $\frac{3}{4}$ Hp submersible pump diverts water through a 1" buried pipe about 200' to a single family residence. About 30' from the home a pipe takes water about 40' to a hydrant where garden hoses are used to sprinkle irrigate. At the well a hydrant is also used to sprinkle irrigate by garden hose. 2 hydrants from the home are also used for the same purpose. This system also provides water for the domestic and stockwater use under A63-19650 and the domestic and stockwater under A63-19649. See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Jacobsen	$\frac{3}{4}$	2831074910	Unknown	1 $\frac{1}{4}$ Unknown

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	$\frac{1}{4}$	$\frac{1}{4}$	$\frac{1}{4}$	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NE	34	5N	1E	Ada	Ortho photo quad map

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
5N	1E	34				1													1

MICROFILMED

JUL 29 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5-gallon bucket						
stop watch						

2. Measurements:

Several 5-gallon bucket fills at a hydrant 200 feet from the well averaged 23 seconds.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

5 gallons in 23 seconds per Exhibit 10 = .03 gpm -

2. Alternate Method for Checking Purposes:

$\frac{.75 \times 8.8 \times .7}{50 + (2.3 \times 35)} = .04 \text{ gpm}$ -

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \times 4.5 = 4.5 \text{ ofa}$ -

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 246 \times 1.9835 = 14.6 \text{ ofa}$ -

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 4.5 \text{ ofa}$ -

2. Volume Calculations for Other Uses:

NA

MICROFILMED
JUL 29 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

The pressure gauge at the well was not serviceable. This permit when combined with A 63-19650 ^{and A 63-19649} cannot exceed the system capacity of .03 cfs.

6B-9918 is an irrigation right West of this permit and has no effect on this permit.

The pump in this system appears to be underpowered for all of the demand on the system.

A 63-19650 represents the domestic use of this permit holder on this property.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	.03 cfs	4.5 afa
Totals:			.03 cfs	4.5 afa

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other


J. AUTHENTICATION

Field Examiner's Name Melvin T. Schulte

Signature Melvin T. Schulte

Certification Date _____

Field Report Preparation Date 1-23-92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUL 29 1992

63-11063



#1
P/D



#2

View of well casing
inside well house.

11/10/67
11/10/67
11/10/67

63-11063



#3.

Point of measurement



#4

P14 on West
side of home

63-11063



#5

Domestic use
under. A63-19650



#6.

P14 on East
side of home

MICROFILMED
JUL 29 1992


PERMIT 63-1063 INIT

T. R. S. Q/Q

P/D 5N 1E 34 SENE

SCALE

PHOTO ID.



Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11063
Otherwise provide legal description and a sketch map and/or address
so that the well can be located easily.

1. Legal Description: TWP 5N, Rge 1E, Sec. 34, 1/4 1/4
or Lot .

2. Owner: Maura Lewis

Address 4400 Brookside Lane, City , St

3. Casing $\geq$ 12 inches above ground: Yes No ☒

4. Access Port: Yes ☒ No Static Water Level:
Pressure Gauge: Yes ☒ No ☒ Casing Diameter: 6"
Flowing: Yes No ☒ Temperature:

5. Are there any obvious construction problems that may be a
source for contamination or waste of water: Yes No ☒

If answer to Item 5 is Yes, describe in remarks and attach
photo.

Remarks:

RECEIVED

JUL 29 1992

AUG 14 1973

USE ADDITIONAL SHEETS IF NECESSARY. FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT.

EXPENDITURE VOUCHER

AUDITOR USE

STATE OF IDAHO
Office of State Auditor

AGENCY USE

5078	
Date	05/06/91
Code	193002

VENDOR: If you require additional information regarding this payment, please contact the State agency listed below.

AGENCY NAME: DEPT. OF WATER RESOURCES

Document No.	
Pre-Audit	Date
Warrant No.	

PAY
TO

MARVIN R. & M. JOANNE LEWIS
4400 BROOKSIDE LANE
BOISE, ID 83703

CHECK ONE:

(1) MISCELLANEOUS EXPENDITURE
() STATE CONTRACT

() PURCHASE ORDER

() MISCELLANEOUS
ENCUMBRANCE REQUISITION

PAYMENT: () PARTIAL () FINAL

Encumbrance Reference No.

LINE No.	PROGRAM	FUND	ACCT.		DESCRIPTION	LINE AMOUNT	AGENCY USE
			Maj	Min			
1	05 20 122	1238	8831		REFUNDS PER RITA FLECK WR #63-11063 RECEIPT #C020335 5/ 1/91 15.00	15.00	
TOTAL						15.00	

NOTE: Final payment must be accompanied by a receiving copy

TO STATE AUDITOR

Request is hereby made that a warrant be authorized and drawn in payment of the item or items described above. I hereby certify that the items described were ordered by proper authority; that they are necessary in the public service, that the items have been received and accounted for, and that the account as stated is correct and just.

AUDITOR'S CERTIFICATE

I hereby certify that the above account is in proper form; that totals carried hereon are correct; that receipts when required by law or regulation of the State Board of Examiners covering items for which reimbursement is asked are submitted herewith; and that there are funds in the state treasury and balances in appropriation accounts out of which the same may be lawfully paid.

Date

Head of Agency or Institution

State Auditor

MICROFILMED
JUL 29 1992

May 1, 1991

MARVIN R. & M. JOANNE LEWIS
4400 BROOKSIDE LANE
BOISE ID 83703

Dear Mr. and Mrs. Lewis:

Re: Permit No. 63-11063

PROOF ACKNOWLEDGEMENT LETTER

The department received the proof of beneficial use form and \$15 fee. No fee is required for the proof of beneficial use license examination since the diversion of water is less than 0.04 cfs. The \$15 fee will be refunded to you shortly.

The next step is for the department to conduct the field inspection to confirm and determine the extent of beneficial use. I cannot tell just when the representative from our Western Regional office will conduct the exam, but he will try to contact you or your representative prior to being in the area.

If you have questions, please contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

c: Fiscal
W. Region

MICROFILMED

MAY 08 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-11063

Date 5-1-91

GENERAL CONSIDERATIONS

- Y Name same as permit?
Y Address same as permit? If no, indicate below.
Y Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- Y Surface water source
Y Ground water source
No Drill permit req'd?
/ Copy in file? Drill permit no. _____
/ Amt paid for drilling permit? _____ Correct?
_____ Well log in file?

LICENSE EXAMINATION FEE

- No Required?
Y Amount submitted?
required Correct amount?

MEASURING DEVICE

- No Measuring device or access port required?
/ Installed?
/ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

- required \$15.00
Proof acceptable

PRIORITY CALCULATION

Date proof received _____
Date proof due _____ - _____
No. of days late _____ = _____
Priority date _____ + _____
NEW PRIORITY DATE _____ = _____

LB

RECEIVED

APR 30 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only

Amt. of Fee \$ 15.00Date 4/30/91Receipt No. 6520335Received by J. Carson

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. P63-11063 Telephone No. 939-63342. Name(s) of Permit Holder(s): Marvin R + M. Jeanne Lewis3. Post Office Address: 4400 Brookside Ln, Boise, Idaho 837034. Source of Water: Ground Watera. If ground water, well driller's name: Bruce Connolly Date drilled: 1981b. Pump horsepower: 3/4 Pressure (psi): 60 lbs. Dynamic pumping level (ft.): 40

5. Extent of Use:

Domestic 2 (No. of households) Irrigation 1 (No. of acres)Stockwater 3 (No. and type of stock) steer Other _____6. Total rate and/or volume for which proof is submitted .03 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes XNo Installed? Yes No

OR

Flow Measurement Port: Required? Yes XNo Installed? Yes No8. Fee Enclosed: \$ 15.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Marvin Lewis
Name939-6334
Telephone No.4400 Brookside Ln, Boise, Idaho 83703
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

27 April 1991
DateM. Jeanne Lewis
Signature (and title if on behalf of a company or organization)

MAY 08 1991

138153
February 28, 1991

M. JOANNE LEWIS
MARVIN R. LEWIS
4400 BROOKSIDE
BOISE, ID 83703

PROOF DUE NOTICE

RE: PERMIT NO. 63-11063

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

MAY 08 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
April 3, 1990

M. JOANNE LEWIS
MARVIN R. LEWIS
4400 BROOKSIDE
BOISE, ID 83703

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-11063

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

NOT FILMED

APR 13 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECORDED

APR 19 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RW DATE: 12-6-89 APPLICATION: 63-11063

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use: Gov't. Lots: N P/D
☒ Nature of proposed use: (Include description of use) N P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion:
☒ Field check required: Field check by: _____
☒ Field report attached:
☒ Critical groundwater area:
☒ Groundwater management area:
☒ Send dam safety information:
☒ Send power requirement letter:
☒ Send fish farm requirement letter:
☒ Power residency affidavit:
☒ Power efficiency form:
☒ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side: _____

RECEIVED
MAR 1 1990
Department of Water Resources

PROCESSING

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☐
☒ ☐

Publication dates and paper recorded on application:

Protests received. Final date for protest

Protest dates, resolution of protest recorded on application:

Recommendations attached:

Measuring device required:

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter:

See below for additional information

Recommended Date or Priority

11/16/1989

Recommended by:

DW

Date

2/28/90

STATE OFFICE REVIEW

P05, P23

P16

46

See below for additional information. By

KW

Date

3/27/90

ADDITIONAL INFORMATION

63-11063

LEWIS, MARVIN R.
LEWIS, M. JOANNE
4400 BROOKSIDE
BOISE, ID 83703

Source: GROUNDWATER

Diversion Pt: NESENE Sec 34 T 05N R 01E

Use: IRRIGATION (.030 CFS)
 Total Diversion: (.030 CFS)

Date Filed: 11/16/1989

In: T05N R01E S34 SENE

1.0 ACRES TOTAL

RECORDED

NOV 17 1989