




14

35

15

16

17

32' 30"

P.D. & P.U.

SCALE 1:24 000

1 MILE

1000 0 1000 2000 3000 4000 5000 6000 7000 FEET

1 KILOMETRE

MICROFILMED


JUN 05 1990

NORTH

T2N
R7E

63-11061

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	1	Subm. 2801084910	Subm.	1K

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical - pressure gage on tank reads 58 psi (prob 40-60 psi switch). No well log avail. From area logs, SL 32-50'. Assume P.L. 10'

JAN 24 1996




2N 7E Sec 23

Produced by the Geological Survey
in cooperation with the U.S. Forest Service

Orthophotograph prepared from 1
aerial photographs taken Sept.

Projection and 10,000-foot grid
system, west zone (transverse M
1000-metre Universal Transverse
zone 11. 1927 North American datum)

Photoimagery transformed by scale
which may produce double or mis-
use the mean of image positions



63-11061



P/O



Chlorination
System &
Storage tank

1/20/96

JAN 24 1996

63-11061




63-11061

P/u
STORE



P/u
2 homes



P/u
RV Spaces

JAN 2 4 1994

63-11061

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11061

Priority: December 5, 1989

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

2.5 AF

This is to certify, that FLOYD J VENABLE
PATRICIA M VENABLE

PRAIRIE ID 83647 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 27, 1989; and has submitted Proof of Beneficial Use on June 9, 1992. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS	0.7 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.8 AF
	Totals	0.04 CFS	2.5 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 23, Township 02N, Range 07E
ELMORE County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

02N 07E 23

NENE

PLACE OF USE:

DOMESTIC, same as COMMERCIAL use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Commercial use is for a store, bar and RV park.
6. Domestic use is for 2 homes.

10/24/93


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11061

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 21ST
day of DECEMBER, 1975.


KARL J. DREHER, Director



JAN 26 1976

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-11061)
IN THE NAME OF FLOYD AND PATRICIA VENABLE) ORDER OF
REINSTATEMENT)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before June 1, 1992; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit had lapsed for failure to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on June 9, 1992;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 61-11061 be REINSTATED with an advance in priority to December 5, 1989.

Dated this 15th day of June, 1992.


L. GLEN SAXTON
Chief, Water Allocation Bureau

RECORDED

JUN 25 1992

RECEIVED
JUN 9 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

OFFICE USE ONLY

Amt. of Fee \$ _____

Date _____

Receipt No. _____

Receipt by _____

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11061 Telephone No. 868-3235
2. Name(s) of Permit Holder(s): Lloyd & Patricia Venable
3. Mailing Address: Prairie, ID 83647
4. Source of Water: Groundwater
- If **GROUNDWATER**, Well Driller's Name: NA Date Drilled: 1979

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 2 (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (No. of acres) Other Store, Bar, RV park

6. Total rate and/or volume for which proof is submitted 0.04 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No _____ Installed? _____ Yes _____ No

OR
Flow Measurement Port: Required? _____ Yes ☒ No _____ Installed? _____ Yes _____ No

8. Fee Enclosed: \$ NA (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

permit holder
Name _____ Telephone No. _____

Address _____

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date

6/9/92

Lloyd Venable
Signature (and title, if on behalf of a company or organization)

JUN 25 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11061

Proposed Priority: November 27, 1989 Maximum Diversion Rate: 0.04 CFS
This is to certify, that **FLOYD J. VENABLE**

PATRICIA M. VENABLE
PRAIRIE, ID 83647

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: NWNENE Sec. 23, Township 02N, Range 07E
ELMORE County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

02N 07E 23 NENE

PLACE OF USE: DOMESTIC, same as COMMERCIAL use


CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1992.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
5. Commercial use is for a store, bar and RV park; domestic use is for two homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

24th day of

may, 1990

for 
R. Keith Higginson, Director

MICROFILMED

JUN 05 1990

RECEIVED
DEC 29 1989

RECEIVED
NOV 27 1989

Department of Water Resources
Western Regional Office

Department of Water Resources
Ident. No. 63-11061

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: FLOYD J. VENABLE 208-868-3235
PRAIRIE, ID 83647
OR
Name: PATRICIA M. VENABLE 208-868-3235
PRAIRIE, ID 83647
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: NWNENE Sec. 23, Township 02N, Range 07E
ELMORE County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
COMMERCIAL	01/01	12/31	0.040		
DOMESTIC	01/01	12/31	0.040		
5. Total quantity to be appropriated is:
0.040 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
EXISTING WELL DRILLED IN 1979, 8" CASING, 170' DEEP, SUB. PUMP
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is 8 inches; proposed depth of well is 170
feet.
 - d. Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 2 years.
8. Description of proposed uses:
COMMERCIAL USE IN STORE, BAR, RV PARK; DOMESTIC USE IN 2 MOBILE HOMES.
9. Place of Use: COMMERCIAL

TWN RGE SEC
02N 07E 23

NENE

MICROFILMED

JUN 05 1990

Ident. No. 63-11061
Page 2

Place of Use: ~~DOMESTIC~~

TWN RGE SEC
~~02N 07E 23~~

~~NONE~~ same as Commercial

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? [X]


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Thy J. Wink
Applicant

Received by D.K. Date 11-27-89 Time 1:58pm Preliminary check by RW
Fee \$ 30.00 Receipted by D.K. # CO13058 Date 11-27-89
Publication prepared by GG Date 1/31/90 Published in Mountain Home News
Publication approved st Date 2/7 & 2/14/90
3-13-90

MICROFILMED


JUN 05 1990



614 35' 615 616 617 32' 30"

P.D. & P.U.

SCALE 1:24 000



T2N
R7E

JUN 05 1990

63-11061



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

December 21, 1995

FLOYD J VENABLE
PATRICIA M VENABLE
PRAIRIE ID 83647

RE: WATER RIGHT NO. 63-11061

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

JAN 24 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-11061 DATE 12-19-95



NAME Change OK ☒ Or Address Change? ☐

PRIORITY DATE ☒ Advance? YES Advanced to: 12-5-89
 Order to reinstate needed? Done
 Incorrect fee for rate recommended? N/A

SOURCE ☒ Changes or just clarification of originally intended source? ☐
 Notice of Intent to Void necessary? ☐

POINT OF DIV ☒ Amendment needed? ☐
☒ Overlaps? ☐

PLACE OF USE ☒ Amendment needed? ☐
☒ Overlaps? ☐

DIV RATE ☒ Permit/fee limits: .04 cfs / com @ .04
Dom @ .04
 Meas Q = Theo Q = .04 Recommend: .04
 Combined rates exceed capacity ☐

ANNUAL VOLUME ☒ Volume Limit: Season: 1-1 to 12-31
 Calculations: TOTAL COM VOL = .76
2 DOM + 1 lawn = 3 x .6 = 1.8
 Flow limit: cfs x x 1.9835 =
 Combined volumes exceed capacity/allowable ☐

USES ☒ Change in Nature of Use or additional uses? ☐
 Amendment necessary? ☐

ADDITIONAL INFO Supplemental Groundwater ☐ PPU Scenario ☐
 Irr/Dom Combination ☐ Shared G/W System ☐

NEW REMARKS ☒ Multiple p/d(s) in 1/4 1/4?
YES Other EDIT - Split condition #5 on permit.


NEW CONDITIONS ☒ Watermaster control - District ☐
☒ Measuring/Locking Devices ☐
☒ Irrigation Overlap ☐
☒ Other ☐
☒ Water Quality ☐ Heat/Cool/Fish verified ☐

COMMENTS:

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	
<u>Commercial</u>	<u>.04</u>	<u>.7</u>	Adjustment Memo Needed	<u>NO</u>
<u>Domestic</u>	<u>.04</u>	<u>1.8</u>	LICENSE	☒
<u>TOTAL</u>	<u>.04</u>	<u>2.5</u>	1ST AMEND LETTER	<u> </u>
			2ND AMEND LETTER	<u> </u>

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	1	~~Subm~~ 2801084910	Subm.	1K

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical - pressure gage on tank reads 58 psi
(prob 40-60 psi switch). No well log avail. From area logs,
SL 32-50'. Assume P.L. 10'

JAN 24 1996

E. NARRATIVE/REMARKS/COMMENTS

6" well, unknown depth, to pressure/chlorination system,
one bypass to outside faucet
Well is used for Store/~~cafe~~^{snack counter}/bar, RV Park (14 hookups)
one home & one trailer. Use began ~1972 - permit
filed in 1989)

Commercial Volume:

RV Park: Used mostly by logging camps, 3 mos,
approx 8 spaces. Trailer hookups, Showers,
restrooms, laundry mats.

STORE/~~cafe~~^{snack counter}/Bar (w/public restroom) 365 days,
1 FT, 1 PT employee, all fast-food, disposable
Cups etc. Minor washing of utensils, etc.
20 customers/day avg in restrooms.

Domestic - 2 homes, 1/2 ac irrigation (total)

VOL:

$$RV \text{ park: } 8 \text{ units} \times 1.5 \text{ persons/unit} \times 90 \text{ days/season} \times 50 \text{ gal/person/day} =$$

$$54,000 \text{ gal/Season(yr)}$$

$$w/laundry: 12 \text{ campers} \times 1 \text{ visit/wk} \times 12 \text{ wks/season} \times 50 \text{ gal/visit} =$$

$$7200 \text{ gal/Season(yr)}$$

$$STORE: 1.5 \text{ employee} \times 365 \text{ shifts/yr} \times 15 \text{ gal/shift} = 8213 \text{ gal/yr}$$

$$\text{allow } 400 \text{ gal/day for toilets \& misc uses } 400 \times 365 \text{ days} =$$

$$146,000 \text{ gal/yr}$$

$$\text{Total COMM VOL} = 215,413 = .66 = .7 \text{ AFA.}$$

Have conditions of permit approval been met? ☐ yes ☐ no

JAN 24 1996

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$\frac{1 \times 8.8 \times .7}{60 + (50 \times 2.31)} = .035 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

$$D/2 \text{ homes internal } \times .6 = 1.2$$

$$w/ 1/2 \text{ ac Irrig total } 1 \times .6 = \underline{.6}$$
$$1.8$$

COMMERCIAL, See comment section

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
COMMERCIAL	1/1	12/31	.04	0.7
DOMESTIC	1/1	12/31	.04	1.8
Totals:			.04	

2. Recommended Amendments

☐ Change P.D. as reflected above☐ Add P.D. as reflected above☒ None☐ Change P.U. as reflected above☐ Add P.U. as reflected above☐ Other**I. AUTHENTICATION**

Field Examiner's Name

Cindy Hodges


Date

9.15.95

Reviewer

Date

SEAL




3° 30' 115° 37' 30" **2N 7E Sec 23**

Produced by the Geological Survey in cooperation with the U.S. Forest Service

Orthophotograph prepared from 1 aerial photographs taken Sept.

Projection and 10,000-foot grid system, west zone (transverse M 1000-metre Universal Transverse zone 11. 1927 North American datum)

Photoimagery transformed by scale which may produce double or miss use the mean of image positions



IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: 63-11061
2. OWNER: Venable Phone: _____
Address: _____
3. WELL LOCATION: Twp 2N, Rge. 7E, Sec. 23, NE 1/4 NE 1/4
County Elmore (Provide sketch map and photo on reverse.)
4. DRILLER: W/K Lic. No. _____
When Drilled? 1972
5. WELL CONSTRUCTION: TD = W/K Bolted cover
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☒ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing W/K ft. Method Drilled _____
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☐ No
Condition of Piping and Valving _____
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water W/K ft. Water Temperature _____ °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☒ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☒ Other: Commercial

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☒ Yes ☐ No

If yes, what Type? Chlorinator

How far away from the well is this source? 6'

9.

REMARKS: Chlorinator contained in control house w/ pressure tank, concrete kinder block building, well head outside

C. Hodges
Signature of Dept. Representative & Title

Inspection Date


PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

123-123-123
JAN 24 1995

63-11061



P/O



Chlorination
System &
Storage tank

JAN 24 1996

63-11061


63-11061



P/u
STORE



P/u
2 homes



P/u
RV Spaces

63-11061

June 18, 1992

FLOYD J. VENABLE
PATRICIA M. VENABLE
PRAIRIE ID 83647

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11061

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

Enclosure

RECEIVED
JUN 25 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 63-11061

Reviewed by Klg

Date 6/12/92

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
no Proof timely received?
If not, complete calculation below.

TYPES OF USE

Commercial
domestic 2
Correct Uses? yes

SOURCE OF WATER

 Surface water source
 ✓ Ground water source

NA Drilling permit required?

 / Copy in the file? Drilling Permit No.

 / Amount paid for permit Correct?

 / Well log in the file?

LICENSE EXAMINATION FEE

NA Required?
 / Amount Submitted
 / Correct?

MEASURING DEVICE

NA Required?
 / Installed?
 / Waiver requested?

PRIORITY CALCULATION

Date proof received 6/9/92 160
Date proof due 6/1/92 - 152
No. of days late = 8
Priority Date 11/27/89 + 331
New Priority Date 12/5/89 339

DEFICIENCIES OR ACTION ITEMS

proof acceptable

needs an order

DATA ENTRY

New Address

Proof Made 6/9/92
6/18/92 Klg

June 5, 1992

FLOYD J. VENABLE
PATRICIA M. VENABLE
PRAIRIE ID 83647

LAPSE NOTICE

RE: PERMIT NO. 63-11061

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated March 31, 1992. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg


Enclosures

RECEIVED

JUN 25 1992

March 31, 1992

FLOYD J. VENABLE
PATRICIA M. VENABLE
PRAIRIE ID 83647



PROOF DUE NOTICE

RE: PERMIT NO. 63-11061

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

INDEXED
JUN 25 1992

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
May 24, 1990

FLOYD J. VENABLE
PATRICIA M. VENABLE
PRAIRIE, ID 83647

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P63-11061

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please be advised that water quality is subject to regulations of the Idaho Department of Health and Welfare. We suggest that you check with them before starting construction.

MICROFILMED

JUN 05 1990

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 25 1980

Affidavit of Publication

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have
been filed to appropriate the public wa-
ters of the State of Idaho:

63-11061

VENABLE, FLOYD J.
VANABLE, PATRICIA M.
PRAIRIE, ID 83647
Source: GROUNDWATER
Diversion Pt: NWNENE Sec 23 T 02N

R 07E

Use: COMMERCIAL (.040 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 11/27/1989
In: T02N R07E S23 NENE
63-11104

ALPINE MEADOWS HOMEOWN-
ERS ASSN. INC.

P.O. BOX 624
MOUNTAIN HOME, ID 83647
Source: GROUNDWATER
Diversion Pt: SENW Sec 19 T 02N R

10E

Use: IRRIGATION (.200 CFS)
DOMESTIC (.400 CFS)
Total Diversion: (.400 CFS)

Date Filed: 12/11/ 1989
In: T02N R10E S18 Lot 11 (SESW)
S19 Lot 3 (NENW) SENW
10.0 ACRES TOTAL

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Water
Resources, Western Region, 2735 Air-
port Way, Boise, Idaho 83705 on or be-
fore FEBRUARY 26, 1990.

R. KEITH HIGGINSON, Director
First Publication February 7, 1990
Last Publication February 14, 1990

County of Elmore)
STATE OF IDAHO) ss.

I, Mike Thornberry do
solemnly swear that I am the foreman, or publisher of the
MOUNTAIN HOME NEWS

a weekly newspaper of general circulation published
once a week at MOUNTAIN HOME, IDAHO, that the
notice attached hereto and which is a part of the proof of
publication thereof, was published in said newspaper for

2 consecutive weeks, the first publication having
been made on the 7 day of February

19 90 and the last publication having been made on
the 14 day of February 19 90
every Wednesday issue of the paper during the period
and time of publication and that the notice was published
in the newspaper proper and not in a supplement thereof.

And I further swear that the said MOUNTAIN
HOME NEWS has been continuously and uninterrupt-
edly published in said Elmore County during a period of
78 consecutive weeks prior to the first publication of the
attached notice.

Mike Thornberry
STATE OF IDAHO)
COUNTY OF ELMORE)

On this 25 day of Feb in the year of 1990
before me, a Notary Public, personally appeared

Mike Thornberry, known or identified
to me to be the person whose name subscribed to the
within instrument, and being by me first duly sworn,
declared that the statements therein are true, and ac-
knowledgeed to me that he executed the same.

Clara O. Sw
Notary Public for Idaho

Residing at Mtn Home, ID

My commission expires: 2-5-91

RECORDED
JUN 05 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

JANUARY 31, 1990

Mountain Home News
Drawer O
Mountain Home, ID 83647

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 26, 1990.

Yours truly,

GAIL GARRETT
Secretary

Encl.

RECEIVED

JUN 05 1990

63-11061

VENABLE, FLOYD J.
VENABLE, PATRICIA M.
PRAIRIE, ID 83647

Source: GROUNDWATER

Diversion Pt: NWNENE Sec 23 T 02N R 07E

Use: COMMERCIAL (.040 CFS)
 DOMESTIC (.040 CFS)
 Total Diversion: (.040 CFS)

Date Filed: 11/27/1989

In: T02N R07E S23 NENE

MICROFILMED

JUN 05 1990