



Map of Project: show clearly the point (version, place of use, section number, township, and range number.

Scale: 2 inches equals 1 mile



MICROFILMED

MAR 23 1990

NE 1/4 of the SW 1/4 + NW 1/4 of SE 1/4 +
Lot 3, SEC. 7, Twp 1 So. 1 W.

Last Name TRUCK

Ident No.

HOME DAIRY

Copies: White-State, Yellow-Claimant

25 200 GAL STOCKWATER TANKS

WALTERS BUTTE QUADRANGLE
IDAHO
7.5 MINUTE SERIES (ORTHOPHOTOQUAD)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

538 Nampa 15 MI.

539

R 2 W R 1 W

300 000 FEET 116°

541 000 E

542



620 000
FEET

4801

4800

T1S, R1W, Sec. 7

4799

4798

20'


AUG 22 1941

16 MI





Well #1



Well #2



Well #3

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11054

Priority: November 2, 1989

Maximum Diversion Rate:

0.45 CFS

Maximum Diversion Volume:¹

92.4 AF

This is to certify, that MARY LOU TLUCEK
JERRY L. TLUCEK

RT. 1

MELBA, ID 83641

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 2, 1989; and has submitted Proof of Beneficial Use on April 29, 1991. An examination indicates that the works have a diversion capacity of .450 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.45 CFS	78.2 AF
COMMERCIAL	01/01 to 12/31	0.04 CFS	11.8 AF
DOMESTIC	01/01 to 12/31	0.08 CFS	2.4 AF
	Totals	0.45 CFS	92.4 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 7, Township 01S, Range 01W
ADA County

PLACE OF USE: STOCKWATER

TWN RGE SEC

01S 01W 7

NWSW

PLACE OF USE: COMMERCIAL, same as STOCKWATER use

PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

NOV 22 1991

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 63-11054

CONDITIONS/REMARKS:

5. Three points of diversion located in NESW, S7, T1S, R1W.
6. Stockwater use is for 2000 cattle; domestic use is for 2 homes. Commercial use is for a milking barn/milk storage facility and an office.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 16TH day of August, 1991.

Acting for  R. Keith Higginson, Director

AUG 16 1991

RECEIVED

JUL 25 1991

State of Idaho
Department of Water Resources

APPROVED

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-11054

Date of Priority: November 2, 1989

Maximum Diversion Rate: 0.45 CFS
Maximum Diversion Volume:¹ 92.4 AF

Comes now

MARY LOU TLUCEK
JERRY L. TLUCEK

RT. 1

MELBA, ID 83641

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-11054, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.45 CFS	78.2 AF
COMMERCIAL	01/01 to 12/31	0.04 CFS	11.8 AF
DOMESTIC	01/01 to 12/31	0.08 CFS	2.4 AF
	Totals	0.45 CFS	92.4 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW, Sec. 7, Township 01S, Range 01W
ADA County

PLACE OF USE: STOCKWATER
TWN RGE SEC


01S 01W 7 NWSW

PLACE OF USE: COMMERCIAL, same as STOCKWATER use

PLACE OF USE: DOMESTIC, same as STOCKWATER use

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at MELBA, IDAHO, this 20 day of July, 1991.


(Signature)

AUG 22 1991

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-11054

FOR DEPARTMENT USE ONLY

C021298

Preliminary check by SL Fee \$20.00

Received by JY Date 7-25-91

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-11054 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Three points of diversion located in NESW, S7, T1S, R1W.
5. Stockwater use is for 2000 cattle; domestic use is for 2 homes. Commercial use is for a milking barn/milk storage facility and an office.

Witness my hand this 16TH day of August, 1991.

Acting for

R. Keith Higginson
R. Keith Higginson, Director

AUG 22 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

AMENDED

NO. 63-11054

AMENDED

Proposed Priority: November 2, 1989 Maximum Diversion Rate: 1.32 CFS

This is to certify, that **MARY LOU TLUCEK**
JERRY L. TLUCEK
RT. 1
MELBA, ID 83641

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	1.20 CFS
COMMERCIAL	01/01 to 12/31	0.04 CFS
DOMESTIC	01/01 to 12/31	0.08 CFS
	Totals	1.32 CFS

LOCATION OF POINT(S) OF DIVERSION: NESW Sec. 7, Township 01S, Range 01W
ADA County

PLACE OF USE: STOCKWATER

TWN RGE SEC

01S 01W 7 NESW

PLACE OF USE: COMMERCIAL, same as STOCKWATER use

PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **April 1, 1991**.
2. Subject to all prior water rights.
3. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. The maximum rate of diversion for domestic purposes under this permit shall not exceed 0.08 cfs.
6. Three points of diversion located in NESW, S7, T1S, R1W.
7. Stockwater use is for 2000 cattle; domestic use is for 3 homes. Commercial use is for a milking barn and milk storage facility.

MICROFILMED

AUG 28 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11054

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

21st day of August, 1990.

J. Keith Higginson

R. Keith Higginson, Director

for

MICROFILMED

AUG 28 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11054

Proposed Priority: November 2, 1989 Maximum Diversion Rate: 1.32 CFS
This is to certify, that **MARY LOU TLUCEK**

JERRY L. TLUCEK
RT. 1

MELBA, ID 83641

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	1.20 CFS
COMMERCIAL	01/01 to 12/31	0.04 CFS
DOMESTIC	01/01 to 12/31	0.08 CFS
	Totals	1.32 CFS

LOCATION OF POINT(S) OF DIVERSION: NESW Sec. 7, Township 01S, Range 01W
ADA County

PLACE OF USE: STOCKWATER

TWN RGE SEC

01S 01W 7 NESW

PLACE OF USE: COMMERCIAL, same as STOCKWATER use

PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **April 1, 1991**.
2. Subject to all prior water rights.
3. 3 points of diversion located in NESW, S7, T1S, R1W.
4. Domestic use is for 3 homes.
5. Commercial use is for a milking barn and milk storage facility.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

19th day of March, 1990.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

MAR 23 1990

Form 202
RECEIVED
NOV 02 1989

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 63-11054

To appropriate the public waters of the State of Idaho

1. Name of applicant Jerry L. and/or Mary Lou Tlucek Phone (208) 495-2550

Post office address Route 1, Melba, Idaho 83641

2. Source of water supply groundwater which is a tributary of N/A

3. Location of point of diversion is _____ 1/4 of NE 1/4 of SW 1/4, Govt. Lot _____

Sec. 7 Township 1 S. Range 1 W. B.M. Ada County; additional

points of diversion if any: Two additional diversion points in NE 1/4, SW 1/4, Section 7, Twp. 1 S., Rge. 1 W.

4. Water will be used for the following purposes:

Amount 0.08 ^{**} for domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.04 for commercial purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 1.20 for stockwater purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 1.36 ^{**} and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. See Exhibit A

(wells, pumps, pipelines; wells drilled 1960's)

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:

_____ to _____ inclusive.

c. Proposed well diameter is 6 inches; proposed depth of well is 230 feet. ^{*}

d. Is ground water with a temperature of greater than 90°F being sought? NO ^{**}

7. Time required for the completion of the work to be done for the proposed beneficial use is

Allow 1 yr. - kw
completed years (minimum 1 year).

MICROFILMED

MAR 23 1990

* from Exhibit A, attached.

FL 11/3/89

** Per letter (by attorney) of
11/15/89. Maximum allowable
domestic for 3 homes is 0.08 cfs.
FL 11/20/89

8. Description of proposed use if irrigation only, go to item 9:

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. Up to 2,000 head of dairy cattle
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 3 households (interracial use only or not to exceed 1/2 acre) *
- e. Other; describe fully. commercial use in milking barn and milk storage facility.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1 S.	1 W.	7									D, S, C								

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? applicant

b. Who owns the land to be irrigated or place of use? applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____


MICROFILMED

MAR 23 1990

* per Attorney's letter of 11/15/89

82 11/20/89

See Exhibit B



MICROFILMED
MAR 23 1960

DECLASSIFIED

~~MAR 23 1960~~

X Jung L. Snuck
(Applicant)

(Applicant)

Exhibit A

Well A is approximately 210 feet deep, 6 inch casing, 3 h.p. submersible pump; Well B is approximately 202 feet deep, 2-1/2 h.p. submersible pump; Well C is approximately 230 feet deep, 6 inch casing, 5 h.p. submersible pump. The three wells are part of an interconnected system which supplies the water needs for a dairy farm with up to 2,000 head of dairy cattle, ranging from calves to mature milking stock. The system provides water to three residences for domestic use, to a large milking barn and milk storage facility for commercial use, and to 25 two hundred gallon stockwater tanks for stockwater use.



MICROFILMED

MAR 23 1990

EXHIBIT A

Map of Project: show clearly the point (version, place of use, section number, township, and range number.

Scale: 2 Inches equals 1 mile



MAR 23 1990

NE 1/4 of the SW 1/4 + NW 1/4 of SE 1/4 +
Lot 3, SEC. 17, Twp 150. 1w.

Last Name TRUCK

Ident No.

HOMIE DAIRY

Copies: White-State, Yellow-Claimant

25 200 GAL STOCKWATER TANKS

EXHIBIT B

WALTERS BUTTE QUADRANGLE
IDAHO
7.5 MINUTE SERIES (ORTHO PHOTOQUAD)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

5381 NADPA 15 MI

539


R 2 W

R 1 W

300 000 FEET 116°

541000 E

542



Received by set Date 11-2-89 Time 2:00 pm Preliminary check by SL
Fee \$ 65⁰⁰ Received by VH # W006610 Date 11-2-89
Publication prepared by GG Date 11-29-89 Published in ID Statesman
Publication approved Dm Date 2/14/90 12/11 & 12/14/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

MAR 23 1990

DEC 21 1989

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

Department of Water Resources
Western Regional Office

LEGAL ADVERTISING INVOICE

Amount Due

169.32

Account Name Idaho Department of Water Resources - Western		Account Number 47628	
Address 2735 Airport Way		City/State Boise, Idaho	Zip 83705
Ordered By Gail Garrett	P.O. Number	Rate nt	Run Dates 1989 December 7, 14
Identification Notice of Application for Water Right		Estimated Inches	Real Inches
Number of Affidavits Requested 1			Legal Number 4280

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10953
CLOVERDALE MEMORIAL PARK INC.
1200 N. CLOVERDALE RD.
BOISE, ID 83704
Source: GROUNDWATER
Diversification Pt:
NENE Sec 9 T 03N R 01E
NWNE Sec 9 T 03N R 01E
Use: IRRIGATION (1.500 CFS)
WILDLIFE (.120 CFS)
Total Diversion: (1.500 CFS)
Date Filed: 8/25/1989
In: T03N R01E S09 NENE NWNE
S10 SWNW
75.0 ACRES TOTAL

63-11040
ALBERTSON'S INC.
P.O. BOX 20
250 PARKCENTER BLVD.
BOISE, ID 83726
Source: GROUNDWATER
Diversification Pt:
SENESEW Sec 9 T 03N R 01E
Use:
FIRE PROTECTION (1.450 CFS)
Total Diversion: (1.450 CFS)
Date Filed: 8/25/1989
In: T03N R01E S09 NESW SESW

63-11054
TLUCEK, JERRY L.
TLUCEK, MARY LOU
RT. 1
MELBA, ID 83641
Source: GROUNDWATER
Diversification Pt:
NESW Sec 7 T 01S R 01W
Use: STOCKWATER (1.200 CFS)
COMMERCIAL (.040 CFS)
DOMESTIC (.080 CFS)
Total Diversion: (1.320 CFS)
Date Filed: 11/02/1989
In: T01S R01W S07 NESW

63-11064
CHEVRON PIPE LINE CO.
201 N. PHILLIPPI ST.
BOISE, ID 83706
Source: GROUNDWATER
Diversification Pt:
NWSWSW Sec 8 T 03N R 02E
Use: IRRIGATION (.010 CFS)
Total Diversion: (.010 CFS)
Date Filed: 9/11/1989
In: T03N R02E S08 SWSW
0.2 ACRES TOTAL

63-11067
HAMPTON HOMES
HOMEOWNERS ASSN.
925 N. DOVE LN.
BOISE, ID 83703
Source: GROUNDWATER
Diversification Pt:
SENEW Sec 11 T 03N R 01E
Use:
IRRIGATION (.090 CFS)
DOMESTIC (.300 CFS)
FIRE PROTECTION (.300 CFS)
Total Diversion: (.600 CFS)
Date Filed: 9/01/1989
In: T03N R01E S11 SENW
3.0 ACRES TOTAL

63-11068
BOISE WATER CORP.
P.O. BOX 7488
BOISE, ID 83707
Source: GROUNDWATER
Diversification Pt:
NESW Sec 8 T 03N R 02E
Use: MUNICIPAL (2.790 CFS)
Total Diversion: (2.790 CFS)
Date Filed: 11/17/1989
In: Service area of Boise Water Corp.

63-11069
BOISE PROJECT BOARD
OF CONTROL
214 BROADWAY
BOISE, ID 83702
Source: BOISE RIVER
Tributary: SNAKE RIVER
Diversification Pt:
LOT 7 (SENE) Sec 11 T 02N R 03E
Use:
POWER (2500.000 CFS)
Total Diversion: (2500.000 CFS)
Date Filed: 11/15/1989
In: T02N R03E S11
Lot 4 (NENE)
Lot 6 (NWNE)
Lot 6 (SWNE)
Lot 7 (SENE)

63-11073
WESTERN STATES
EQUIPMENT CO.
P.O. BOX 38
BOISE, ID 83707
Source: GROUNDWATER
Diversification Pt:
SWSW Sec 18 T 03N R 01E
Use: IRRIGATION (.020 CFS)
Total Diversion: (.020 CFS)
Date Filed: 10/23/1989
In: T03N R01E S18 SWSW
1.0 ACRES TOTAL

63-11075
BOISE PARK SYSTEM
1104 ROYAL BLVD.
BOISE, ID 83706
Source: GROUNDWATER
Diversification Pt:
NWSE Sec 19 T 04N R 02E
Use: IRRIGATION (.200 CFS)
Total Diversion: (.200 CFS)
Date Filed: 11/28/1989
In: T04N R02E S19 SWNE NWSE
13.0 ACRES TOTAL

67-07803
ONWEILER, BILL
P.O. BOX AU
MCALL, ID 83638
Source: WEISER RIVER
EAST FORK
Tributary: WEISER RIVER
Diversification Pt:
NWSE Sec 15 T 17N R 01E
Use: POWER (50.000 CFS)
Total Diversion: (50.000 CFS)
Date Filed: 8/03/1989
In: T17N R01E S31 Lot 4 (SWSW)

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho, 83705 on or before DECEMBER 26, 1989.

R. KEITH HIGGINSON
Director
Pub. Dec. 7, 14, 1989

_____, being duly she is the Principal Clerk of The per printed and published at Boise, having a general circulation therein een continuously and uninterruptedly a period of twelve consecutive ion of the notice, a copy of which is was published in The Idaho ction 60-108, Idaho Code as

ative daily ☐ single ☐ odd skip
issue of December 7, 19 89
December 14, 19 89

Richards
December _____ in the year of a Notary Public, personally appeared _____, known or identified name subscribed to the within in- first duly sworn, declared that the nd acknowledged to me that she

Rich
r Idaho se, Idaho expires: 12/93

MICROFILMED

MAR 23 1990

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Jerry Snak
Address RT 1 Melba 83641
Owner's Permit No. 63-83-C-0034-000

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

- ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other Dairy (specify type)

4. METHOD DRILLED

- ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other
Thickness 350 inches Diameter 6 inches From 1 1/2 feet To 178 1/2 feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 20 Material used in seal: ☐ Cement grout
☒ Bentonite ☒ Pudding clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld
☐ Cemented between strata

Describe access port well seal

7. WATER LEVEL

Static water level 135 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other

Discharge G.P.M.	Pumping Level	Hours Pumped

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
6	0	1	Top Soil		X
	1	45	Loam		X
	45	120	Cinders & clay		X
	120	324	Cinders & some lava	X	
	324	330	Blue clay		X
	330	356	Brown clay & cinders		X
	356	280	Blue shale & gravel + cinders	X	

RECEIVED
MAY 14 1984

Department of Water Resources
Western Regional Office

MAINTAINED

6. LOCATION OF WELL

Sketch map location must agree with written location.

N
W E
S
Subdivision Name _____
Lot No. _____ Block No. _____

County Ada

NW 1/4 SW 1/4 Sec. 7, T. 1 S, R. 1 W.

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

Firm Name Davis Well & Pump Co. Firm No. 101
Address 415 No. Pitt Lane Date 11-28-83
ampa, Idaho 83651
Signed by (Firm Official) _____
and
(Operator) Charles Davis

August 20, 1991

MARY LOU TLUCEK
JERRY L. TLUCEK
RT. 1
MELBA, ID 83641

RE: WATER RIGHT NO. 63-11054

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED
AUG 22 1991

**JERRY
TLUCEK**


Route 1, Box 34
Melba, Idaho 83641

JUL 22 1991



*address
change*

*Department of Water Resources
1301 North Orchard Street
Boise, ID 83706-2237*



July 8, 1991

MARY LOU TLUCEK
JERRY L. TLUCEK
RT. 1
MELBA, ID 83641

RE: WATER RIGHT NO. 63-11054

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

AUG 22 1991

MEMORANUM

TO: File 63-11054
FROM: Sharla
DATE: July 1, 1991
RE: Volume Calculations

The certified esminer has amde no attemmpt to ccalculate the annaul volume under this right. Theref9re, the volume calculations to be licensed under this right are as follows:

Domestic - 2 homes @ 1.2 AF ea = 2.4 AF

Stockwater - 2,000 dairy cattle X .0391 = 78.2 AF

Commercial - assume 10,000 gpd X 365 days/325850 = 11.2 AF

(The examiner also indicates that an office is tied to the commercial use. Therefore, an acre foot volume of 0.6 is probably the equivalent of the office use, so the total of the commercial volume is 11.8 AF.)

TOTAL = 92.4 AF

LICENSE REVIEW CHECKLIST

Permit No. 63-11054

Name/Address change? ok ☒

Priority date Advance? yes ☒ no ☐

Memo to advance ☒
Order to reinstate needed? yes ☐ no ☐

Total cfs Limited by fee N/A

Limited by capacity ☒

Total volume Limited by flow ☐

Chart checked for AF rate/ac N/A

Capacity Actual measurement checked ☐

Theoretical checked ☒

If greater than permit, check for other rts ☐

Source Changed? yes ☐ no ☒
If so, is memo needed to clarify? ☐

P/D Verify with map ☒ permit ☒ amendment needed
More than one per 1/4? Remember remark ☐
Check p/d overlap N/A

Uses Check irrigation period of use w/ chart N/A

P/U Verify with map ☒ permit ☒
> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4 ☐
Description of non-irrig uses ☒
Special overlap condition ☐

Conditions -
Measuring device ☐
W.Master control ☐
Overlap ☐
Water quality ☐
Other ☐

Dates/Misc. -
Water Dist ☐
App Rec'd ☒
Proof Rec'd ☒

CHECK FOR ADJ. CLAIM Needed according to proof filed ☐
Filed - needs amended ☐
Add'l fee required ☐
Not filed - ☐
Not needed ☒

Comments/Changes to Examiner's Recommendations:

Volume - Domestic 2 homes @ 1.2 ea = 2.4 + office = 3.0

Commercial - assume 10,000 gpd $1365/325,850 = 11.2$ (+ office)

Stock - 2,000 dairy = 78.20

License 10-day ☐ 30-day ☒

Back of field report signed? ☐

Reviewer S. Curtis Date 6/17/91 Review time 10 min.

Should questions arise during the processing of this application please contact:

Form 6/89
SHERL L. CHAPMAN
410 S. Orchard, Suite 144
Boise, ID 83705
344-6690

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 63-11054

1. Owner: Jerry L. and/or Mary Lou Tlucek

Phone No. 495-2550

Current Address: Route 1, Melba, ID 83641

2. Accompanied by: Mary Lou Tlucek

EXAM. DATE: 4/24/91

Address: Route 1, Melba, ID 83641

Phone No. 495-2550

Relationship to Permit Holder: co-owner

3. Source: Groundwater tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



AUG 22 1991

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well #1 is equipped with a submersible turbine pump and two "National" galvanized pressure tanks. Well #2 is equipped with a submersible turbine pump and pressure tank. Well #3 is equipped with a 5 HP submersible pump and 3 Conaire 220E pressure tanks. All wells are 6" in diameter and are tied into a common system serving two homes, an office and the dairy barn facilities, including compressors, wash down and cleaning equipment. Stock water is needed for 2,000 head of dairy cattle.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
1	Franklin	5	--	Red Jacket	2"
2	Franklin	3	--	Red Jacket	1½"
3	Franklin	5	--	Red Jacket	1½"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
1		NW	NW	SW	7	1S	1W	Canyon	Field/aerial photo
2		SW	NW	SW	7	1S	1W	Canyon	Field/aerial photo
3		SW	NW	SW	7	1S	1W	Canyon	Field/aerial photo

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
1S	1W	7										d/s							--

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurements:

Calculated based on pump HP/lift

#1 - 5 HP Q = 78 gpm

#2 - 3 HP Q = 47 gpm Total flow = 203 gpm = .45 cfs

#3 - 5 HP Q = 78 gpm

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = \frac{(HP)(3960)(E)}{TDH}$$

Pumping level approximately 112'
Discharge pressure average 39 psi

TDH = 202 E = 80%

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

Diversion rate x 365 x 1.9835 = 326

AUG 22 1991

[illegible]

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.08	
Stockwater	1/1	12/31	.45	
Commercial	1/1	12/31	.04	
		Totals:	.45	365

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above

☒ Change P.U. as reflected above ☐ Add P.U. as reflected above

☐ None☐ ~~Other~~

Field Examiner's Name Sherl L. Chapman
Signature *Sherl L. Chapman*
Certification Date 4/4/91
Field Report Preparation Date 4/24/91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

620 000
FEET

4801

4800

T1S, R1W, Sec. 7

4799

4798

20'
400 200 100

6 MI




PERMIT #63-11054



Well #1



Well #2



Well #3

08/89

Should questions arise during
the processing of this applica-
tion please contact:

SHERL L. CHAPMAN
410 S. Orchard, Suite 144
Boise, ID 83705
344-6690

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Amt. of Fee \$

Date

Receipt No.

Received by

APR 29 1991

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-11054Telephone No. 495-2550Name(s) of Permit Holder(s): Jerry L. and/or Mary Lou TlucekPost Office Address: Route 1, Melba, ID 83641Source of Water: GroundwaterIf ground water, well driller's name: Davis Well Drilling - Nampa Date drilled: #1 - 1978#2 - 1963#3 - 1975

Extent of Use:

Domestic .08 (No. of households)Irrigation -0- (No. of acres)Stockwater .45 (No. and type of stock)Other Commercial - .042,000 head of dairy cowsTotal rate and/or volume for which proof is submitted .45 cfs 365 acre/feetShow date water was first diverted and beneficially used under this permit: 1989

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes X No Installed? Yes X No

OR

Flow Measurement Port: Required? Yes X No Installed? Yes X No

Fee Enclosed: \$ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

N/A

Name

Telephone No.

Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I
relinquish any undeveloped portion of the permit to the state of Idaho.

AUG 22 1991

Date

4/26/91

Signature (and title if on behalf of a company or organization)

Jerry L. Tlucek

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

April 8, 1991

MARY LOU TLUCEK
JERRY L. TLUCEK
RT. 1
MELBA, ID 83641

LAPSE NOTICE

RE: PERMIT NO. 63-11054

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated January 31, 1991. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf

Enclosures

AUG 22 1991

CERTIFICATION OF MAILING
I hereby certify that on 4-9-91
a copy of an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

[Signature]

138031
January 31, 1991

MARY LOU TLUCEK
JERRY L. TLUCEK
RT. 1
MELBA, ID 83641

PROOF DUE NOTICE

RE: PERMIT NO. 63-11054

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

AUG 22 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

August 22, 1990

RE: Permit No. 63-11054

Jerry L. &/or Mary Lou Tlucek
Rt. 1
Melba, ID 83641

Dear Mr. and Mrs. Tlucek:

Enclosed is an "amended" copy of the above referenced permit, that was issued by this office on March 19, 1990. Please be advised that we have amended this permit because the conditions of approval that were recommended, prior to approval, were not included on the permit.

We have corrected our error by amending the permit and adding the conditions. Please note the addition of "conditions/remarks" numbers 3, 4, 5, and the first portion of 7. We are sorry if this error has caused you any inconvenience.

If you have any questions regarding this matter, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads 'Kay Walker'.

KAY WALKER
Technical Records Specialist

KW:k
Enclosure

MICROFILMED

AUG 28 1990

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
March 19, 1990

MARY LOU TLUCEK
JERRY L. TLUCEK
RT. 1
MELBA, ID 83641

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P63-11054

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.


Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

MAR 23 1990



Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

MAR 23 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SL DATE: 11/20/89 APPLICATION: 63-11054

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use: Gov't. Lots: N P/D
☒ Nature of proposed use: (Include description of use) N P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES	NO	
☐	☒	Overlapping place of use: (Describe source & relationship to present application on the back.)
☐	☒	Overlapping point of diversion:
☐	☐	Field check required: Field check by: _____
☐	☐	Field report attached:
☐	☐	Critical groundwater area:
☐	☐	Groundwater management area:
☐	☐	Diversion within interim protected river area
☐	☐	Send dam safety information:
☐	☐	Send power requirement letter:
☐	☐	Send fish farm requirement letter: _____
☐	☐	Power residency affidavit:
☐	☐	Power efficiency form:
☐	☐	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐	☐	Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☒	☐	*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT
☐	☐	<u>nature of use, well details</u>
☐	☐	DATE REQUESTED: <u>11/3/89</u>
☒	☐	Additional information on reverse side:

RECEIVED
FEB 26 1990
Department of Water Resources

PROCESSING

APPLICATION NO. 63.11054

YES NO

☒ ☐
☒ ☐
☒ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☐
☒ ☐

Publication dates and paper recorded on application:

Protests received. Final date for protest December 26, 1989

Protest dates, resolution of protest recorded on application:

Recommendations attached:

Measuring device required:

Measuring port required:

Water delivered by water master? District # _____

Special conditions of approval or cover letter: _____

OIG

See below for additional information.

Recommended Date or Priority 11/02/1989 ☒

Recommended by: DW Date 2/14/1990

STATE OFFICE REVIEW

P23, P03, P16 OIG 46 28 (domestic, 0.08 cfs)

See below for additional information. By KW Date 3/5/90

ADDITIONAL INFORMATION

ELAM, BURKE AND BOYD
ATTORNEYS AND COUNSELORS AT LAW

700 IDAHO TOWER, TENTH FLOOR
POST OFFICE BOX 1559
BOISE, IDAHO 83701
TELEPHONE 208-343-5454
TELECOPIER 208-384-5844

SCOTT L. CAMPBELL

CANYON COUNTY OFFICE
1120 SIXTH STREET SOUTH
POST OFFICE DRAWER E
NAMPA, IDAHO 83653
TELEPHONE 208-466-9222

November 15, 1989

RECEIVED
NOV 16 1989

Steve Lester, Sr. Water Resource Agent
State of Idaho, Dept. of Water Resources
Western Region
2735 Airport Way
Boise, Idaho 83705

Department of Water Resources
Western Regional Office

Re: Application for Permit No. 63-11054

Dear Steve:

Pursuant to our telephone conversation of November 14, 1989, I contacted my clients to obtain the necessary information to respond to your correspondence of November 3, 1989. I provide the following information in response to questions 1 through 4 contained in your correspondence.

1. As I indicated during our telephone conference, all three of the wells were drilled during the mid-1960s. The Tluceks do not have accurate information with regard to the month and year the wells were drilled, but in each case the well was drilled prior to November of 1987. Additionally, the Application does not involve groundwater which is warmer than 90 degrees Fahrenheit.

2. Domestic use for the three homes does not include an irrigation component. Accordingly, the maximum allowable rate of .08 cfs is acceptable. Additionally, since questions 3 and 4 deal with the possible irrigation use of the domestic water component in the Application, it is not necessary to respond to these questions in any additional detail.

Please contact me if you have any questions. If I do not receive a response, I will assume that you will continue with the processing of this Application for Permit.

MICROFILMED

MAR 23 1990

Very truly yours,

ELAM, BURKE & BOYD


Scott L. Campbell

SLC:jc
cc Jerry and Mary Lou Tlucek



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

November 3, 1989

Mr. Scott L. Campbell
Elam, Burke & Boyd
P.O. # 1559
Boise ID. 83701

now per 1539 11/14/89

Re: Application for Permit 63-11054

Dear Sir:

The application for your clients, Jerry and Mary Lou Tlucek, was recently received and reviewed. Additional processing will not occur until your response is received. A copy is provided for your convenience, and the following items need attention.

- 1) If possible, please provide the month and year that each well was drilled. No well logs were found at this office. Also, does the application involve groundwater warmer than 90 degrees Fahrenheit?
- 2) Domestic use for three homes should be redescrribed. In this case, domestic refers to internal use, and the maximum allowable rate is 0.08 cfs. Yard and garden use, if any, is considered irrigation if more than one-half acre (total area irrigated for all the homes) is involved. Describe the total irrigation area related to the homes. One acre equals 43,560 square feet. The maximum irrigation rate is 0.03 cfs per acre for up to five acres and 0.02 cfs per acre for more than five acres.
- 3) If irrigation is added, the number of acres and quarter-quarters involved must be specified.
- 4) If irrigation becomes an additional use, should the irrigation flow rate be added to the total rate (currently 1.36 cfs) or included in the total? The application fee remains the same for up to 2.00 cfs. Increasing the amount of water an application advances the priority to the date of change. The preliminary priority date is 11/2/89.

Please respond within 30 days. Additional help is available at your request.

Sincerely,

Steve Oster
Sr. Water Resource Agent

SL: s
Enclosure

MICROFILMED

MAR 23 1990

63-11054

TLUCEK, JERRY L.
TLUCEK, MARY LOU
RT. 1
MELBA, ID 83641

Source: GROUNDWATER

Diversion Pt: NESW Sec 7 T 01S R 01W

Use: STOCKWATER	(1.200 CFS)
COMMERCIAL	(.040 CFS)
DOMESTIC	(.080 CFS)
Total Diversion: (1.320 CFS)	

Date Filed: 11/02/1989

In: T01S R01W S07 NESW

MICROFILMED

MAR 23 1990

ELAM, BURKE AND BOYD

ATTORNEYS AND COUNSELORS AT LAW

700 IDAHO TOWER, TENTH FLOOR
POST OFFICE BOX 1559
BOISE, IDAHO 83701
TELEPHONE 208-343-5454
TELECOPIER 208-384-5844

SCOTT L. CAMPBELL

CANYON COUNTY OFFICE
1120 SIXTH STREET SOUTH
POST OFFICE DRAWER E
Nampa, IDAHO 83653
TELEPHONE 208-468-9222

RECEIVED
NOV 02 1989

November 1, 1989

Department of Water Resources
Western Regional Office

Mr. David Tuthill, Jr., P.E.
Regional Supervisor
Western Region Office
Department of Water Resources
State of Idaho
2735 Airport Way
Boise, ID 83705

Re: Application for Water Permit by Jerry Tlucek

Dear David:

I have enclosed an application for water permit together with a check in the amount of \$65.00 for the filing fee, on behalf of Mr. and Mrs. Jerry L. Tlucek. Please review the documents and accept them for processing if they are complete.

Please notify me of the publication date and the determination of the department with regard to any protests against the application. Additionally, please direct all correspondence and inquiries with regard to this matter to my attention.

Thank you for your cooperation in this matter. If you have any questions, please do not hesitate to contact me.

Very truly yours,

ELAM, BURKE AND BOYD,


Scott L. Campbell

Encls.
cc: Jerry Tlucek

MICROFILMED

MAR 23 1990