


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. S.W. 1/4 SECTION 9, T. 3N, R. 1E *CS



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Albertson's, Inc.


By: Thomas R. Aldrin

(Applicant)

SENIOR VICE-PRESIDENT

No govt lots
5.9

2771 III NE
(EAGLE)



MICROFILMED

FEB 27 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11041

Proposed Priority: August 25, 1989

Maximum Diversion Rate:

0.13 CFS

This is to certify, that **ALBERTSONS INC.**
250 PARKCENTER BLVD.
P.O. BOX 20
BOISE, ID 83726

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/15 to 10/15	0.02 CFS
INDUSTRIAL	01/01 to 12/31	0.07 CFS
DOMESTIC	01/01 to 12/31	0.07 CFS
Totals		0.13 CFS

LOCATION OF POINT(S) OF DIVERSION: SENESW Sec. 9, Township 03N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	01E	9	NESW	1		1

PLACE OF USE: INDUSTRIAL

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>
03N	01E	9	NESW	SESW

PLACE OF USE: DOMESTIC

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>
03N	01E	9	NESW	SESW

MICROFILMED

FEB 27 1990

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Water used under this permit if discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Permit To Appropriate Water

NO. 63-11041

CONDITIONS/REMARKS:

6. Industrial use is for a warehouse building.
7. Domestic use is for drinking water & restrooms.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

22nd day of December, 1989.

for

R. Keith Higginson, Director

MICROFILMED

FEB 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Albertson's, Inc. Phone 208/385-6200
Post office address P. O. Box 20, 250 Parkcenter Blvd., Boise, Idaho 83726
2. Source of water supply ground water which is a tributary of N/A
3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 9 Township 3N Range 1E B.M. Ada County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Allow 0.07*
Amount 0.065 for domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum) *

Allow 0.07*
Amount 0.065 for industrial purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum) *

Amount 0.02 for irrigation purposes from Apr. 15 to Oct. 15 (both dates inclusive) *

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 1.13 cfs and/or (b) N/A
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. The diverting works consist of a well and pump system. The pump/motor assembly is a 3 H.P. submersible type rated for 60 GPM. Well construction includes a 6" steel casing to a depth of approximately 100 feet.

b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.

c. Proposed well diameter is N/A 6 inches; proposed depth of well is 100 feet. from item 6a

d. Is ground water with a temperature of greater than 90°F being sought? No from item 6a

7. Time required for the completion of the works and application of the water to the proposed beneficial use is N/A 1 years (minimum 1 year). (Existing)

* added per information in item 8e (see continuation page supplied by applicant).

* kw 12/18/89

gc 10/24/89

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. The water diversion system consists of a well and pump system originally constructed and placed into service in the fall of 1968. The original uses supplied included domestic fixture plumbing, drinking water, and maintenance housekeeping for the warehouse building. These uses are on-going and valid today. In mid-summer (see attachment)

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	1E	9									D			D					
											I			I					
											1								1

Total number of acres to be irrigated N/A 1

10. Describe any other water rights used for the same purposes as described above. N/A 63-11042 is different well for same irrigation and probably some domestic.

- Who owns the property at the point of diversion? Albertson's, Inc.
- Who owns the land to be irrigated or place of use? Albertson's, Inc.
- If the property is owned by a person other than the applicant, describe the arrangement between the applicant to make this filing. N/A


MICROFILMED

FEB 27 1990

12. Remarks: The well was originally constructed in the summer of 1968. Albertson's, Inc. was not the property owner at the time of drilling. The identity of the driller cannot be verified by written records.

* per information in files 63-11041 & 63-11042 appears that same irrigation and domestic use is described.
Also see 10/24 note on 8/29/89 corr memo PL 10/24/89

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. S.W. 1/4 SECTION 9, T. 3N, R. 1E *CS



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Albertson's, Inc.

By: Thomas R. Aldrin

(Applicant)
SENIOR VICE-PRESIDENT

Received by MG Date 8/25/89 Time 11:00 am Preliminary check by PL
Fee \$ 30.00 Receipted by GH # W005013 Date 8-20-89
Publication prepared by GG Date 10-25-89 Published in ID Statesman
Publication approved st Date 11-20-89
11/2 & 11/9/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

FILED
FEB 27 1990

551000m.£

52

EAGLE 48 MI.

U.S. 20 & 26


53

20

55

55

2771 III NE
(EAGLE)



- 8.3. (cont'd.) 1979, the system was modified to its current status. A use change occurred to supply Albertson's Printing & Supply with water for domestic and light industrial purposes. The industrial use is in preparation of solutions for the printing process. The Print Shop is a separate building served by the diverting works of the original property development. Some very minor landscape irrigation is supplied from the domestic part of the system.

This is the same irrigation covered by 63-11042 (a different well). Add irrigation to this right since associated with this well.

RL 10/24/89

MICROFILMED

FEB 27 1990

OFFICERS OF ALBERTSON'S, INC.

P. O. Box 20
250 Parkcenter Blvd.
Boise, Idaho 83726

J. A. Albertson	Chairman of the Exec. Committee
Warren E. McCain	Chairman of the Board and Chief Exec. Officer
Gary G. Michael	Vice Chairman and Chief Financial and Corporate Development Officer
John B. Carley	President
W. L. Jordan	Exec. Vice President, Retail Operations
Robert G. Miller	Exec. Vice President, Retail Operations
Michael F. Reuling	Exec. Vice President, Store Development
Thomas E. Brother	Group Vice President, Distribution
Alec R. Gloth	Sr. Vice President, Store Planning
Wendell E. Hornecker	Sr. Vice President, Design & Construction
C. Clinton Joyce	Sr. Vice President, Management Information Systems
A. Craig Olson	Group Vice President, Finance
Carl W. Pennington	Sr. Vice President & Regional Manager
Marvin W. Robertson	Sr. Vice President, Corporate Merchandising
Gerald R. Rudd	Sr. Vice President, Human Resources
Thomas R. Saldin	Sr. Vice President and General Counsel
Ronald D. Walk	Sr. Vice President & Regional Manager

MICROFILMED

FEB 27 1990

NOV 17 1989
Department of Water Resources
Western Regional Office

The Idaho Statesman
P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

14880

Account Name
Idaho
Water Resources - Western Region

Account Number
47628

Address
2735 Airport Way

City/State
Boise, Idaho

Zip
83705

Ordered By
Keith Higginson

P.O. Number

Rate
tt

Run Dates 1989
November 2, 9

Identification

Notice for Application for Water Right

Number of Affidavits
Requested

1

Real Inches

Legal Number

4005

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

63-10979
Davis, Jerry
Davis, Linda M.
6001 Robinson Rd.
Kuna, ID 83634
Source: Groundwater
Diversions Pt: SWNE Sec 7 T 01N R
01W
Diversions Pt: Lot 3 (NWSW) Sec 7
T 01N R 01W
Diversions Pt: NWSE Sec 7 T 01N R
01W
Use: Irrigation (2,000 CFS)
Date Filed: 9/14/1989
In: T01N R01W S06 NESE NWSE
SWSE SESE
In: T01N R01W S07 NENE NWNE
SWNE SENE
In: T01N R01W S07 NESW Lot 3
(NWSW) Lot 4 (SWSW) SESW
In: T01N R01W S07 NESE NWSE
SWSE SESE
In: T01N R01W S18 NENE NWNE
SWNE
630.0 Acres Total

63-11018

Edwards, Stephen
4461 E. Victory
Meridian, ID 83642
Source: Unnamed Stream
Tributary: Ninemile Creek
Diversions Pt: NWNENE Sec 28 T
03N R 01E
Use: Irrigation (.080 CFS)
Date Filed: 8/24/1989
In: T03N R01E S28 NENE
4.0 Acres Total
Carlson, Gerard J.
4503 Riva Ridge Dr.
Boise, ID 83709
Source: Groundwater
Diversions Pt: SESESW Sec 27 T
03N R 01E
Use: Irrigation (.040 CFS)
Date Filed: 9/05/1989
In: T03N R01E S27 SESW
1.0 Acres Total

63-11034

Boise Water Corp.
P.O. Box 7488
Boise, ID 83707
Source: Groundwater
Diversions Pt: NWNW Sec 32 T
R 02E
Use: Municipal (2,790 CFS)
Date Filed: 10/12/1989

Debb

sworn, deposes a
Idaho Statesman
Ada County, Sta
and which said n
published in said
months prior to
attached hereto;
Statesman in cor
amended, for
consecutive w
insertion(s) begi
and ending with

STATE OF IDAHO

COUNTY OF AD

On this 9th
1989

Debbie R

to me to be th
strument, and
statements ther
executed the sa

MICROFILMED

FEB 27 1990

63-11035
Buffi, Glenn A.
7633 Hidden Valley Dr.
Boise, ID 83709
Source: Groundwater
Diversions Pt: SWSESW Sec 3 T
02N R 01E
Use: Irrigation (.042 CFS)
Date Filed: 9/20/1989
In: T02N R01E S03 SESW
1.4 Acres Total

63-11041

Albertson Inc.
P.O. Box 20
250 ParkCenter Blvd.
Boise, ID 83726
Source: Groundwater
Diversions Pt: SENESW Sec 9 T
03N R 01E
Use: Irrigation (.020 CFS)
Use: Industrial (.065 CFS)
Use: Domestic (.065 CFS)
Date Filed: 8/25/1989
In: T03N R01E S09 NESW SESW
1.0 Acres Total

63-11042

Albertsons Inc.
P.O. Box 20
250 ParkCenter Blvd.
Boise, ID 83726
Source: Groundwater
Diversions Pt: SWNESW Sec 9 T
03N R 01E
Use: Irrigation (.020 CFS)
Use: Domestic (.120 CFS)
Date Filed: 8/25/1989
In: T03N R01E S09 NESW SESW
1.0 Acres Total

63-11048

ParkCenter Pointe Owners Assn.
P.O. Box 1486
Boise, ID 83701
Source: Groundwater
Diversions Pt: NESE Sec 14 T 03N
R 02E
Diversions Pt: Lot 10 (NWSE) Sec
14 T 03N R 02E
Use: Irrigation (.120 CFS)
Date Filed: 10/10/1989
In: T03N R02E S14 Lot 10 (NESE)
Lot 10 (NWSE)
6.0 Acres Total

63-11050

Chapman, Sheri L.
2889 Cobbleway
Meridian, ID 83642
Source: Groundwater
Diversions Pt: SWSW Sec 24 T 03N
R 01W
Use: Irrigation (.030 CFS)
Use: Domestic (.040 CFS)
Date Filed: 10/10/1989
In: T03N R01W S24 SWSW
1.0 Acres Total

The permit(s) will be subject to
all prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Western Region,
2735 Airport Way, Boise, Idaho
83705 on or before NOVEMBER 20,
1989.

R. KEITH HIGGINSON
Director

Pub. Nov. 2, 9, 1989

4005

being duly
il Clerk of The
ublished at Boise,
circulation therein
and uninterruptedly
e consecutive
a copy of which is
The Idaho
ho Code as

gle ☐ odd skip
ember 2, 1989
ember 9, 1989

in the year of
personally appeared
known or identified
ad to the within in-
declared that the
ad to me that she

May 2, 1990

ALBERTSONS INC.
250 PARKCENTER BLVD.
P.O. BOX 20
BOISE, ID 83726

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11041

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JUN 05 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-11041

Date: 4-20-90

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
Y Has one been installed?
Y Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Y Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	-
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

FEB 23 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
 Amt. of Fee \$ 50.00
 Date 2/23/90
 Receipt No. 0014905
 Received by C. Wong

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-11041Telephone No. (208) 385-6200Name(s) of Permit Holder(s): Albertson's, Inc.Post Office Address: P. O. Box 20, Boise, ID 83726Source of Water: groundwaterIf ground water, well driller's name: unknownDate drilled: summer, 1968

Extent of Use:

Domestic see other (No. of households)Irrigation negligible (No. of acres)Stockwater N/A (No. and type of stock)Other domestic use for drinking,

restroom facilities and maintenance for print shop employing 35 people.
Industrial use is for preparation of solutions for the printing process.

Total rate and/or volume for which proof is submitted .13 cfs _____ acre/feetShow date water was first diverted and beneficially used under this permit: fall, 1968

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes NoFee Enclosed: \$50.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Dale Nixon, Warehouse Operations Manager208-888-3011

Name

Telephone No.

N. Eagle Road, P. O. Box 7924, Boise, ID 83707

Address

The above information is my true statement of the extent to which the above numbered permit has been used and I hereby
 relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

JUN 05 1990

February 20, 1990
Date

By: Thomas L. Seldin Sr. Vice President
 Signature (and title if on behalf of a company or organization)



February 22, 1990

Department of Water Resources
Statehouse
Boise, ID 83720

Re: Albertson's #8710 Sundries Center
Permit Nos. P63-11041 and P63-11042

Ladies and Gentlemen:

Enclosed are Proof of Beneficial Use forms which have been completed by Albertson's, Inc. with regard to the above referenced Permit numbers. Also enclosed is Albertson's check #585101 in the amount of \$100 representing the \$50 fee due for each Permit. We would appreciate your scheduling the field examination with Dale Nixon as soon as possible. Thank you for your assistance.

Very truly yours,

ALBERTSON'S, INC.

Wanda Tschirgi
Legal Assistant

Enc.

MICROFILMED

JUN 05 1990

RECEIVED

FEB 23 1990

Department of Water Resources

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
December 26, 1989

ALBERTSONS INC.
250 PARKCENTER BLVD.
P.O. BOX 20
BOISE, ID 83726

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-11041

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

RECEIVED

FEB 27 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

FEB 27 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SL DATE: 10/24/89 APPLICATION: 63-11041

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.) *attached to appl.*
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use: Gov't. Lots: N P/D
☒ Nature of proposed use: (Include description of use) N P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

☒ ☐ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ ☐ Overlapping point of diversion:
☐ ☐ Field check required: Field check by: _____
☐ ☐ Field report attached:
☐ ☐ Critical groundwater area:
☐ ☐ Groundwater management area:
☐ ☐ Diversion within interim protected river area
☐ ☐ Send dam safety information:
☐ ☐ Send power requirement letter:
☐ ☐ Send fish farm requirement letter:
☐ ☐ Power residency affidavit:
☐ ☐ Power efficiency form:
☐ ☐ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐ ☐ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ ☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

☒ ☐ Additional information on reverse side:

NOV 21 1989
Department of Water Resources

PROCESSING

APPLICATION NO. 63-11041

YES NO

☒ ☒
☒ ☒
☒ ☒

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☒
☒ ☒

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest November 20, 1989

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, One

Measuring device required:

Measuring port required:

Water delivered by water master? District # 63-P05

Special conditions of approval or cover letter:

See below for additional information

Recommended Date or Priority 8/25/1989Recommended by: OneDate 11/20/89

STATE OFFICE REVIEW

P05, P23P1646 09E

See below for additional information. By

KWDate 12-18-89

ADDITIONAL INFORMATION

OverlapP162 other existing wells for Albertsons: 63-11040 & 11042. Applications submitted with this one.P1463-11040 & 11042 as above. Same Albertsons complex.63-11040 other uses.63-11042 same domestic & irrigation (but different well).Note: Applicant wants to keep these as separate rights.

CONVERSATION MEMORANDUM

DATE 8/29/89FILE 63- 11040NAME OF PARTY Warren Toehigi 385-621463- 11041EMPLOYEE Stan Lott63- 11042RE: Dibertson's wells & applications.

- 1) Called Warren to discuss possibilities of combining these 3 appls. into 1 appl. to save time & money etc. He indicated that the company wants to keep them as 3 rights.
- 2) All 3 wells in place prior to 7/87 so no drilling permits required.
- 3) Development time = 1 yr. in each appl. since existing systems.
- 4) OK to use topo map & appl. map interpretation to determine pld, pln locations.

10/24/89

Irrig. 1 acre, assume is NESW although total P/L is E $\frac{1}{2}$ SW $\frac{1}{4}$. Allow field exam to determine extent & location of minor irrigation.

RECEIVED

FEB 27 1990



August 23, 1989

RECEIVED
AUG 25 1989

Idaho Department of Water Resources
Western Region
2735 Airport Way
Boise, ID 83705

Department of Water Resources
Western Regional Office

Re: Albertson's #8710
Sundries Center
Boise, Idaho

Ladies and Gentlemen:

Enclosed are three Application for Permit forms which have been completed and signed by Albertson's, Inc. with regard to ground water diversion at our above referenced location. Also enclosed are Albertson's checks #580731 for \$30, #580730 for \$65, and #580732 for \$30 for the respective fees. We would appreciate your processing the applications. Thank you for your assistance. If I can answer any questions, or if you need additional information, please call me directly at 208-385-6214.

Very truly yours,

ALBERTSON'S, INC.,

Wanda Tschirgi

Wanda Tschirgi
Legal Assistant

Enc.

cc: Tom Saldin
Paul Rowan
Chris Carley
Scott Edens

INDEXED

FEB 27 1990

Re: 63-11040
63-11041
63-11042



63-11041

ALBERTSON INC.
P.O. BOX 20
250 PARKCENTER BLVD.
BOISE, ID 83726

Source: GROUNDWATER

Diversion Pt:

SENESEW Sec 9 T 03N R 01E

Use: IRRIGATION
INDUSTRIAL
DOMESTIC

(.020 CFS)
(.065 CFS)
(.065 CFS)

Date Filed: 8/25/1989

In: T03N R01E S09

NESW

SESW

1.0 ACRES TOTAL

MICROFILMED

FEB 27 1990

RECEIVED

NOV 14 1970