

WELL DRILLER'S REPORT

Department of Water Administration

Clement's Ready Mix

requires that this report be filed with the state Department of Water Administration within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name Clement's Ready Mix
Address 507 E. 41st Hardin City
DA 849-6963
Owner's Permit No. _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning) _____

3. PROPOSED USE

☐ Domestic ☐ Irrigation ☐ Test
☐ Municipal ☒ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 8 inches Total depth 51 feet
Casing schedule: ☐ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>250</u> inches	<u>8</u> inches	<u>#1</u> foot	<u>30</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet


Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
perforations _____ feet _____ feet
perforations _____ feet _____ feet
perforations _____ feet _____ feet

Well screen installed? ☒ Yes ☐ No
Manufacturer's name _____ Model No. _____
Type Schroeder
Diameter 8 Slot size #2 Set from 31 feet to 41 feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____ feet to _____ feet
Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No To what depth 18 feet
Material used in seal ☐ Cement grout ☒ Reducing clay

6. LOCATION OF WELL

Sketch map location must agree with written location.
63


7. WATER LEVEL

Static water level 10' feet below land surface
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☐ Bailor ☒ Other compression

Discharge G.P.M.	Draw Down	Rising Pumped
<u>120</u>		<u>3 1/2</u>

9. LITHOLOGIC LOG

Hole Diam.	Depth	Material	Water Yrs. (ft)
	From	To	
<u>8</u>	<u>0</u>	<u>42</u>	<u>shale</u>
<u>8</u>	<u>42</u>	<u>51</u>	<u>blue shale</u>

MICROFILMED FEB 21

Work started 11-2-70

10. BULLER'S CERTIFICATION

This well was drilled under my supervision and to the best of my knowledge it complies with all applicable laws and regulations.

[Signature]
Buller

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name **Clements Concrete Co.**

Address **507 East 41st. Boise**

Owner's Permit No.

7. WATER LEVEL

Static water level **10** feet below land surface
Flowing? ☒ No ☐ Yes G.P.M. flow
Temperature _____ Quality _____
Artesian closed to pressure ☐ Yes ☐ No
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandonment)

8. WELL TEST DATA

☐ Pump ☐ Bailor ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped

3. PROPOSED USE

☐ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type)

☐ Municipal ☒ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

9. LITHOLOGIC LOG

Mole Diam.	Depth		Material	Water Val. No.
	From	To		
10	0	20	Gravel	X
	20	48	Sand & Gravel	X
	48	50	Yellow clay	
	50	75	Blue Clay	X

5. WELL CONSTRUCTION

Diameter of hole **10** inches Total depth **75** feet

Casing schedule ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
.375 inches	10 inches	1 feet	40 feet
.250 inches	8 inches	32 feet	42 feet
.250 inches	8 inches	49 feet	75 feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☒ Yes ☐ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
perforations	feet	feet
perforations	feet	feet
perforations	feet	feet

Well screen installed? ☒ Yes ☐ No

Manufacturer's name **Johnson**

Type **Stainless steel** Model No. _____

Diameter **8** Slot size **30** Set from **42** feet to **49** feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____ feet

Packed from _____ feet to _____ feet

Surface seal depth **20** Material used in seal ☐ Cement grout


☒ Putting clay ☐ Well cuttings

Sealing procedure used ☐ Slurry pit ☒ Temporary surface casing

☐ Overbore to seal depth

LOCATION OF WELL

map location must agree with written location



Section Name _____

Lot No. _____ Block No. _____

County **Ada**

NE 1/4 Sec 32 T. 4 N. R. 2 E.

Work started **AUG. 5, 1976** ended **Sept. 3, 1976**

1. DRILLER'S CERTIFICATION

I, **Raymond E. Engleman** Well Drilling Co. **47**

Address **1309 Reed Boise** on **8/12/76**

Signed by **(Raymond E. Engleman)**

and **(Raymond E. Engleman)**

FEB 26 1990

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE COPY TO THE DEPARTMENT

WELL DRILLER'S REPORT

Y. WELL OWNER (U)
Name Clemente, Rudy
Address 507 E 41st St
Brooklyn, NY 11218
Owner's Permit No. 505-596

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

☐ Domestic ☐ Irrigation ☐ Test
☐ Municipal ☒ Industrial ☐ Stock

☒ Cable ☐ Rotory ☐ Dug ☐ Other

WELL CONSTRUCTION

Diameter of hole 8 inches Total depth 51 feet

Casing schedule: ☐ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>26.0</u> inches	<u>8</u> inches	<u>0</u> feet	<u>32</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was a pecker or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

	Number	From	To
_____ perforations	_____	_____ feet	_____
_____ perforations	_____	_____ feet	_____
_____ perforations	_____	_____ feet	_____

Well screen installed? ☒ Yes ☐ No

Manufacturer's name _____

Type driller code Model No. _____


Diameter 8 Slot size 4/8 Set from _____ feet to 41 feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel pecked? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No To what depth 8 1.5m
Material used in seal ☐ Cement grout ☒ Filling clay

Sketch map location must agree with written location.



MAR 06 1992

Static water level 14 feet below land surface
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

☐ Pump	☐ Bailer	☒ Other <i>Compactor</i>
Discharge G.P.M.	Draw Down	Hours Pumped
<i>120</i>		<i>3 1/2</i>

B. LITHOLOGIC LOG				Water	
Hole Diam.	Depth		Material	Yes	No
	From	To			
7	0	42	Gravel		
7	12	31	ls. blue shale		

Department of Water Resources

FEB 12 1992

Work started 11-2-70 11-15-70

This unit was drilled under the command of a sergeant who is the last of his breed.

27 July 1968

County of Humboldt

Attest: I, the undersigned,

Notary Public

63-11003



10 HP
SUBMERSIBLE
(BACK-UP WELL)
~30 GPM



5HP
SUBMERSIBLE
~60 GPM



MICROFILMED

JUL 23 1993

80
AN INCH
TION 16° 45' E.



MADE FROM THE OFFICIAL RECORDS OF T.



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-11003

Priority: August 28, 1989

Maximum Diversion Rate: 0.20 CFS
Maximum Diversion Volume: 10.1 AF

This is to certify, that CLEMENTS CONCRETE CO
PO BOX 8124
507 E 41ST ST
BOISE ID 83707

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated August 17, 1989; and
has submitted Proof of Beneficial Use on February 12, 1992. An examination indicates
that the works have a diversion capacity of .720 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.20 CFS	10.1 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 8(SWSWSE), Sec. 32, Township 04N, Range 02E
ADA County

PLACE OF USE: COMMERCIAL
TWN RGE SEC

04N 02E 32 Lot 8(SWSE)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Water used under this right if discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.
6. Two points of diversion are located within SWSWSE, S32, T04N, R02E.
7. Commercial use is for ready-mix concrete production.

MICROFILMED

JUL 23 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-11003

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 13TH
day of JULY, 1993.

Acting for *R. Keith Higginson*, Director

MICROFILMED

JUL 23 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-11003)
IN THE NAME OF CLEMENTS CONCRETE COMPANY) ORDER OF
REINSTATEMENT)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before February 1, 1992; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on February 12, 1992;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-11003 be REINSTATED with an advance in priority to August 28, 1989.

Dated this 13th day of February, 1992.


B. GLEN SAXTON
Chief, Water Allocation Bureau

MICROFILMED

MAR 06 1992

OFFICE USE ONLY
Amt. of Fee \$ 5.00
Date 2-11-92
Receipt No. 003394
Receipt by WEB

RECEIVED
FEB 12 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11003 Telephone No. (208) 343-6965
2. Name(s) of Permit Holder(s): Clements Concrete Co.
3. Mailing Address: 507 East 41st St. Boise, Idaho 83714
4. Source of Water: Ground water

If **GROUNDWATER**, Well Driller's Name: See Well Logs Date Drilled: 1976-1970
2 wells

OPTIONAL:

Pump horsepower: 5-~~10~~ Pressure (psi): 60 Dynamic pumping level (ft.): 40 ft.

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (No. of acres) Other Commercial - Ready Mix Concrete app.

6. Total rate and/or volume for which proof is submitted 0.20 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes X No Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? _____ Yes X No Installed? _____ Yes _____ No

8. Fee Enclosed: \$ _____ (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Ralph E Clements 343-6965
Name Telephone No.
507 East 41st St. Boise, Idaho 83714
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

2/11/92 Ralph E Clements pres.
Date Signature (and title, if on behalf of a company or organization)

MAR 06 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11003

Proposed Priority: August 17, 1989 Maximum Diversion Rate: 0.20 CFS

This is to certify, that CLEMENTS CONCRETE CO.
P.O. BOX 8124
BOISE, ID 83707

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
COMMERCIAL	01/01 to 12/31	0.20 CFS

LOCATION OF POINT(S) OF DIVERSION: SWSWSE Sec. 32, Township 04N, Range 02E
ADA County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

04N 02E 32 SWSE


PLACE OF USE: MUNICIPAL, same as COMMERCIAL use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 1992.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
5. Water used under this permit if discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.
6. 3 points of diversion located in SWSWSE, S32, T4N, R2E.
7. Commercial use is for ready-mix concrete production.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

23rd day of January, 1990

for 
R. Keith Higginson, Director

MICROFILMED

FEB 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant CLEMENTS CONCRETE CO. Phone 208-343-6965
Post office address Box 8124, Boise, ID 83707

2. Source of water supply GROUNDWATER which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 32 Township 04N Range 02E B.M. ROA County; additional
points of diversion if any: 3 PTS. DIVERSION IN ABOVE LOCATION

4. Water will be used for the following purposes:

Amount 0.20 for COMMERCIAL purposes from 01-01 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.20 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 2 EXISTING WELLS, ONE 75'
DEPTH, ONE 51' DEPTH, WITH 5 H.P. PUMPS, & PIPELINES TO ONE PRESSURE
TANK, THEN TO HYDRANTS & METERING & DISTRIBUTION SYSTEM.
PROPOSED 3rd WELL IN SAME LOCATION

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 8 inches; proposed depth of well is 550-600 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

MICROFILMED

FEB 26 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. COMMERCIAL USE FOR READY-MIX CONCRETE PRODUCTION, WASHING EQUIPMENT, & OTHER NEEDS ASSOCIATED WITH CONCRETE PLANT.

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
04N	02E	32																Com.	

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

GARDEN CITY WATER FOR DOMESTIC USES

11. a. Who owns the property at the point of diversion? APPLICANT

b. Who owns the land to be irrigated or place of use? APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: 2 EXISTING WELLS, ONE 51' DEPTH, DRILLED 11/11/1970, ONE 75' DEPTH DRILLED 9/3/1976. WELL LOG COPIES ATTACHED. PROPOSED WELL WILL PROBABLY HAVE A 10 H.P. PUMP INSTALLED

MICROFILMED

FEB 26 1990

MICROFILMED
FEB 26 1990

~~FEB 26 1990~~

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Application for permit to appropriate the public waters of

Rodolfo Clemente
(Applicant) Pres.

Received by Yes. 8/21/89 Date 8/17/1989 Time 2:15 pm Preliminary check by RW
Fee \$ 30.00 Receipted by [Signature] # C009745 Date 8/17/1989
Publication prepared by GG Date 10-11-89 Published in ID Statesman
Publication approved st Date 11-7-89
10/19 & 10/26/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.


e. Other:

INDEXED

FEB 26 1990

T4N
 R2E
 Sec 32
 T3N

P.D.
 &
 P.V.
 Com.



43° 37' 30"
 117° 15'

Produced by the Geological Survey
 in cooperation with the U.S. Forest Service

Orthophotograph prepared from 1:80,000-scale
 aerial photographs taken Sept. 4, 1975

Projection and 10,000-foot grid ticks: Idaho coordinate
 system, west zone (transverse Mercator)
 1000-metre Universal Transverse Mercator grid,

FEB 25 1976

1 1 1
 1000
 1 1 1
 1



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

RECEIVED

JAN 8 1990

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

December 12, 1989

Department of Water Resources

RE: Application for Permit No. 63-11003

Clements Concrete Co.
P.O. Box 8124
Boise, ID 83707

Dear Mr. Clements:

We have received your application for permit, for commercial purposes, from our Western Regional Office for final review. However, prior to final action being taken on the application we need to have a list of the names, titles and addresses of all persons within your company who are entitled to take action on this water right. This is a requirement of the Department's Water Appropriation Rules and Regulations.

Please submit this information within the next thirty (30) days so we can continue processing your application.

Sincerely,

Kay Walker

KAY WALKER
Technical Records Specialist

KW:at

cc: Western Region

Ralph E Clements 3020 Redway Rd
Boise Idaho
83704
Pres.

Wagner E Clements 1224 Sunrise Rim
Boise, Idaho
Sec.

MICROFILMED 3705

*Call if this Did Not
get Returned to Proper
Dept. Phone 343-6965*

FEB 26 1990

Thom H. Hays



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 14, 1993

CLEMENTS CONCRETE CO
PO BOX 8124
507 E 41ST ST
BOISE ID 83707

RE: WATER RIGHT NO. 63-11003

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the typed name and title.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

MICROFILMED

JUL 23 1993

WR0749NP
No. L63-11003

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 07/12/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CLEMENTS CONCRETE CO PO BOX 8124 507 E 41ST ST BOISE ID 83707 (208) 343-6965	08/28/1989	COMMERCIAL	01-01 12-31	0.20 CFS	10.1 AFA
TOTAL DIVERSION:					0.20 CFS	10.1 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.72 CFS

Point(s) of Diversion: T04N R02E S32 Lot 08(SW SW SE)

Place of use Legal Description for: COMMERCIAL

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
---	---	---	:	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	:
04N	02E	32	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:

Pou County: ADA

Other Rights: GARDEN CITY WATER

Conditions of Approval:

- 09E - Water used under this right if discharged into a natural
- channel or subsurface system shall meet Idaho Water Quality
- Standards.

Remarks: Two points of diversion are located within SWSWSE, S32, T04N,
R02E.
Commercial use is for ready-mix concrete production.

Dates:	App. Received:	08/17/1989	Priority Date:	08/28/1989	(Priority Date Advanced.)
	Proof Due Date:	02/01/1992	Proof Made Date:	02/12/1992	(Proof Received Late.)
	Exam Made Date:	10/30/1992	Exam Sent to S.O.:	04/28/1993	
	Licensed Date:				

Misc: Water District Number: Field Exam Fee: R (Received)

Comments: Date: 02/05/1992 User-ID: VAULT Subject: Lapse Notice Sent
Lapse notice sent.

Date: 02/12/1992 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use received.

Audit: 07/12/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 63-11003 Date 7-12-93 Brenda Chapman

NAME	Yes	No	Or Address Change?
PRIORITY DATE		☒	Advance? <u>Done</u> Memo to Advance <u>Done</u>
		☒	Order to Reinstate Needed? <u>Done</u>
SOURCE		☒	Changes? Clarification of Originally Intended source
		☒	Notice of Intent to Void - Source change.
P/D RANGE		☒	Amendment Needed?
SHOULD BE 2E		☒	Is Overlap Analysis a Consideration?
NOT IE			
P/U		☒	Amendment Needed?
SAME AS ABOVE		☒	Is Overlap Analysis a Consideration?
TOTAL CFS		☒	Incorrect Fee for rate recommended?
	<u>-NA-</u>		Disagree/Measurement <u>none done - theoretical only</u>
		☒	Pumping Theoretical $(8.8) \times (.70) \times ()$
			$.24 + .48 = .72$ ($ + [2.31 \times]$)
		☒	System Capacity <u>.72</u>
			Allowable Amount: <u>per limit @ .20 CFS</u>
TOTAL VOLUME			Rate/ac _____ AFA Irr. Season _____
			Standard Irr. Season _____
			Season Recommended _____
		☒	Disagree with Examiner's Calculations?
			<u>Truck WASHING @ 2.9 + Concrete MIXING @ 7.2 = 10.1</u>
		☒	Flow limit: <u>.20</u> x 260 x 1.9835 = <u>103.1 > 10.1</u>
USES		☒	Change(s) in Nature of Use? _____
		☒	Amendment Needed? _____
REMARKS		☒	Multiple P/Ds in 1/4 1/4? _____
	☒		Non-Irr. Uses <u>COMMERCIAL</u>
		☒	Special Overlap Condition _____
		☒	Other _____
CONDITIONS		☒	Measuring Devices
		☒	W/Master Control
		☒	Irrigation Overlap
	☒		Water Quality
			Dates/Misc
			☒ Water Dist
			<u>8-17-89</u> App Rec'd
			<u>10-30-92</u> Exam Made
COMMENTS:	<u>Only 2 points of diversion - change condition</u>		
	<u># 6</u>		

RECOMMENDED	CFS	VOL
Irrigation	_____	_____
Domestic	_____	_____
Stockwater	_____	_____
<u>COMMERCIAL</u>	<u>.20</u>	<u>10.1</u>

LICENSE ☒

AMEND _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 11 1993
Department of Water Resources

A GENERAL INFORMATION

Permit No. 63-11003

1. Owner: CLEMENTS CONCRETE CO Phone No. 343-6965

Current Address: PO BOX 8124 BOISE ID 83707

2. Accompanied by: RALPH CLEMENTS EXAM DATE: 10/30/92

Address: 507 E 41st ST BOISE 83714 Phone No. SAME

Relationship to Permit Holder: OWNER

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	8	SW	SW	SE	32	4N	1E	ADA	QUAD MAP
							(2E)	BC	

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	1E	32															48		
	(2E)	BC															C.		

RECEIVED

JUL 23 1993

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = NOT TO SCALE

CHINDEN

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1		5	SUBMERSIBLE		8"
#2		10	"		8"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: NONE

RECORDED

JUL 23 1993

E. NARRATIVE/REMARKS/COMMENTS

A 5 HP. submersible well and a 10 HP. submersible backup well supply water to Clements Concrete Co. for truck washing and batching concrete. The Co. washes twelve trucks per day and batches 300 yards of concrete per day @ 30 gal per yard. The office uses Garden City water for domestic purposes. No other use used

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

JUL 28 1993

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: THEORETICAL

$$\frac{5 \times 8.8 \times .7}{35 + (40 \times 2.31)} = \frac{30.8}{127.4} = .24$$

$$\frac{10 \times 8.8 \times .7}{35 + (40 \times 2.31)} = \frac{61.6}{127.4} = .48$$

(DYN LIT +
PSI PER
OWNER'S
RECORDS)

$$.24 + .48 = .72 \text{ cfs} \quad \text{ALLOW .20 cfs PER PERMIT + PROOF}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

TRUCK WASHING

$$12 \text{ TRUCKS} \times 300 \text{ Gal/truck/day} = 3600 \text{ GPD}$$

$$3600 \text{ GPD} \times 260 \text{ D/yr} / 325850 = 2.9 \text{ AFA}$$

CONCRETE MIXING

$$9000 \text{ GPD} \times 260 \text{ D/yr} / 325850 = 7.2 \text{ AFA}$$

(300 yds of concrete @ 30 gal/yd)

$$.20 \text{ cfs} \times 260 \times 1.9835 = 103.1 \text{ AFA}$$

$$2.9 + 7.2 = \underline{\underline{10.1 \text{ AFA}}}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>COMMERCIAL</u>	<u>1/1</u>	<u>12/31</u>	<u>.20 cfs</u>	<u>10.1 AFA</u>
Totals:			<u>.20 cfs</u>	<u>10.1 AFA</u>


2. Recommended Amendments


☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Lois Grawner Date 11/23/92
JFW 2/1/93

Reviewer _____ Date _____





PERMIT 63-11003 INIT MWS
T. R. S. Q/Q
P/D 11-15-30 5/1/30
SCALE _____
PHOTO ID. X-8

LEWIS BOIS

#1

10 HP

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

Drilling Permit No.: _____

Water Right No.: 63-11003Owner: CLEMENTS CONCRETE Phone No.: _____Address: 507 E 41st St Boise ID 837141. Well Location: SW ¼, SW ¼, SE ¼, Lot , Twp 4N, Rge 1E,
Sec. 32, ADA County (provide sketch map on reverse)2. Driller: ENGLEMANIs driller licensed? yes no License No.: _____Date of Completion: 19763. Casing size: 8" Water tight cap? ☒ yes noCasing ≥ 12 inches above ground? yes no4. Evidence of well seal? ☒ yes no☒ visual Auger to a depth of _____5. Access Port: ☒ yes no Static Water Level: _____Pressure Gauge: yes ☒ no Temperature: _____

Pressure: _____

6. Flowing Artesian? yes ☒ noFlowing: around annulus through casing7. Are there obvious construction problems that may be a source
for contamination or waste of water? yes ☒ no

Remarks: _____

Lori Gannon 11/4/92
(Agent) (Inspection Date)

Form 238-I
04/92

MICROFILMED

JUL 23 1993

#2

5HP

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

Drilling Permit No.: _____

Water Right No.: 63-11003

Owner: CLEMENTS CONCRETE Phone No.: 343-6965

Address: 507 E 41st St Boise 83714

1. Well Location: SW 1/4, SW 1/4, SE 1/4, Lot , Twp 4N, Rge 1E,
Sec. 32, ADA County (provide sketch map on reverse)

2. Driller: KEN WITT

Is driller licensed? yes no License No.: _____

Date of Completion: 1970

3. Casing size: 8" Water tight cap? yes no

Casing ≥ 12 inches above ground? yes no

4. Evidence of well seal? yes no

 visual Auger to a depth of _____

5. Access Port: yes no Static Water Level: _____

Pressure Gauge: yes no Temperature: _____

Pressure: _____

6. Flowing Artesian? yes no

Flowing: around annulus through casing


7. Are there obvious construction problems that may be a source
for contamination or waste of water? yes no

Remarks: _____

Ken Weaver 1/4/92
(Agent) (Inspection Date)



JUL 23 1993



**IDAHO BEARING
& Supply Co.**

835 West Cedar
Pocatello, Idaho 83206
(208) 233-3894

7451 Lemhi S.
Boise, Idaho 83709-2888
(208) 377-4334

123 Simplot Blvd.
Caldwell, Idaho 83605
(208) 459-6378

519 West Main
Burley, Idaho 83318
(208) 678-0486

Well Log on 8" well

Drilled Nov. 11th 1970

Ken Witt

5HP

51 ft Deep

Screen 8" telescopic 80 slot
Set at 31 ft + 41 ft.

Steel
Rusted out

8" well - New Screen

Rex Engelman Nampa

1977? 10HP
after 9/12/76

6" Straight #20 Slot

Neoprene
Seal

Set 32 ft to 47 ft.

Stainless Screen

Well Cleaned

May 10, 1990

Jerry Coonse


RECORDED

JUL 23 1993

63-11003



10 HP
SUBMERSIBLE
(BACK-UP WELL)
~ 30 GPM



5HP
SUBMERSIBLE
~ 60 GPM

RECEIVED

JUL 23 1993

February 14, 1992

CLEMENTS CONCRETE CO.
507 EAST 41ST STREET
BOISE ID 83714

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11003

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

Enclosure

MICROFILMED
MAR 06 1992

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 63-11003 Reviewed by Klg Date 2/12/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
no Address same as permit? commercial
no Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
NA Drilling permit required?
1470+ Copy in the file? Drilling Permit No.
1976 Amount paid for permit Correct?
 Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50 Amount Submitted
yes Correct?
NA Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received 2/12/92 43
Date proof due 2/1/92 - 32
No. of days late = 11
Priority Date 8/17/89 + 229
New Priority Date 8/28/89 240 KLG

DEFICIENCIES OR ACTION ITEMS

*proof acceptable
needs an order*

DATA ENTRY

New Address 507 East 41st Street 2/12/92 Proof Made 2/12/92
83714 Klg 2/14/92 KLG

State of Idaho
Department of Reclamation

WELL DRILLER'S REPORT

Requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

1. WELL OWNER Name <u>Clemente Realty Corp</u> Address <u>507 E 41st St</u> Owner's Farm No. <u>446</u>		7. WATER LEVEL Static water level <u>11'</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature _____ ° F. Quality _____ Arterial closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																					
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA ☐ Pump ☐ Boiler ☒ Other <u>compressor</u> <table border="1"> <tr> <th>Discharge G.P.M.</th> <th>Draw Down</th> <th>Head Pumped</th> </tr> <tr> <td><u>120</u></td> <td></td> <td><u>35</u></td> </tr> </table>		Discharge G.P.M.	Draw Down	Head Pumped	<u>120</u>		<u>35</u>														
Discharge G.P.M.	Draw Down	Head Pumped																					
<u>120</u>		<u>35</u>																					
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☒ Industrial ☐ Stock		9. LITHOLOGIC LOG <table border="1"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yield</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>8"</u></td> <td><u>0</u></td> <td><u>43</u></td> <td><u>Gravel</u></td> <td><u>✓</u></td> </tr> <tr> <td><u>8"</u></td> <td><u>43</u></td> <td><u>51</u></td> <td><u>13 lbs. of sand</u></td> <td><u>✓</u></td> </tr> </tbody> </table>		Hole Diam.	Depth		Material	Water Yield	From	To	<u>8"</u>	<u>0</u>	<u>43</u>	<u>Gravel</u>	<u>✓</u>	<u>8"</u>	<u>43</u>	<u>51</u>	<u>13 lbs. of sand</u>	<u>✓</u>			
Hole Diam.	Depth		Material		Water Yield																		
	From	To																					
<u>8"</u>	<u>0</u>	<u>43</u>	<u>Gravel</u>	<u>✓</u>																			
<u>8"</u>	<u>43</u>	<u>51</u>	<u>13 lbs. of sand</u>	<u>✓</u>																			
4. METHOD DRILLED ☒ Cable ☐ Rotary ☐ Dug ☐ Other		DEPARTMENT OF WATER RESOURCES FEB 12 1992 RECEIVED																					
5. WELL CONSTRUCTION Diameter of hole <u>8</u> inches Total depth <u>51</u> feet Casing schedule: ☐ Steel ☐ Concrete <table border="1"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>260</u> inches</td> <td><u>8</u> inches</td> <td><u>1</u> feet</td> <td><u>32</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table>				Thickness	Diameter	From	To	<u>260</u> inches	<u>8</u> inches	<u>1</u> feet	<u>32</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet
Thickness	Diameter			From	To																		
<u>260</u> inches	<u>8</u> inches			<u>1</u> feet	<u>32</u> feet																		
_____ inches	_____ inches	_____ feet	_____ feet																				
_____ inches	_____ inches	_____ feet	_____ feet																				
_____ inches	_____ inches	_____ feet	_____ feet																				
Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> <th>feet</th> <th>feet</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table>		Number	From	To	feet	feet	_____ perforations	_____ feet	_____ feet	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ feet	_____ feet		
Number	From	To	feet	feet																			
_____ perforations	_____ feet	_____ feet	_____ feet	_____ feet																			
_____ perforations	_____ feet	_____ feet	_____ feet	_____ feet																			
_____ perforations	_____ feet	_____ feet	_____ feet	_____ feet																			
Well screen installed? ☒ Yes ☐ No Manufacturer's name _____ Model No. _____ Type <u>diaphragm</u> Diameter <u>8</u> inches Slot size <u>1/8</u> inch Set from <u>31</u> feet to <u>41</u> feet Diameter <u>8</u> inches Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ feet Placed from _____ feet to _____ feet Surface seal? ☒ Yes ☐ No To what depth <u>18</u> feet Material used in seal ☐ Cement grout ☐ Filling clay																							
6. LOCATION OF WELL Sketch map location must agree with original location MAR 06 1992		11. DRILLER'S CERTIFICATION This well was drilled under my supervision and I certify that it complies with the requirements of the State of Idaho. Signature _____ Date _____																					

POOR QUALITY

USE PENCIL OR LIGHT
INK FOR ALL INFORMATION

WELL DRILLER'S REPORT

State law requires that this report be filed with the Department of Water Resources within 30 days after completion of the well.

1. WELL OWNER

Name: Clements Concrete Co.

Address: 507 East 41st, Boise

City: Boise

2. NATURE OF WORK

☒ New well ☐ Deepen ☐ Repair

Describe the nature of the work:

3. PROPOSED USE

☐ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☒ Industrial ☐ Stock ☐ Where proposed or location

4. TYPE OF DRILL

☒ Cable ☐ Rotary ☐ Dig ☐ Other

5. WELL CONSTRUCTION

Outside diameter: 10 inches Total depth: 75 feet

Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
375 inches	10 inches	11 feet	40 feet
258 inches	8 inches	32 feet	42 feet
250 inches	8 inches	19 feet	75 feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☒ Yes ☐ No

Perforated? ☒ Yes ☐ No

How perforated? ☐ Factory ☐ Knife

Location of perforation: inches by

Number	From	To
perforations	feet	feet
perforations	feet	feet
perforations	feet	feet

Well screen installed? ☒ Yes ☐ No

Manufacturer's name: Johnson

Type: Stainless steel

Slot size: 30 Set from: 42 feet to 49 feet

Screen diameter: Slot size: Set from:

Was the well sealed? ☒ Yes ☐ No Size of grain

Grain size: feet to

Surface seal depth: 20 Material used in seal: ☐ Cement grout

☒ Pushing clay ☐ Wet concrete

Sealing procedure used: ☐ Slurry pit ☒ Temporary surface sealing

☐ Overbore to seal depth

LOCATION OF WELL

Map location must agree with written location



Subsection Name:

Lot No. Block No.

Ada

NE 3/4 Sec 32, T 4 N, R 2 E

Work started: Aug. 5, 1991 and ended: Sep. 9, 1991

DRILLER'S CERTIFICATION

I, Eugene Well Drilling Co., Inc.

Address: 1203 East Boise

Signed by: [Signature]

and [Signature]

Department of Water Resources

FEB 12 1992

RECEIVED

RECEIVED

MAR 06 1992

February 5, 1992

CLEMENTS CONCRETE CO.
P.O. BOX 8124
BOISE ID 83707

LAPSE NOTICE

RE: PERMIT NO. 63-11003

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated November 30, 1991. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf

Enclosures

MICROFILMED

MAR 06 1992

CERTIFICATION OF MAILING

I hereby certify that on 2/5/92
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

KRG

138284
November 30, 1991

CLEMENTS CONCRETE CO.
P.O. BOX 8124
BOISE ID 83707

PROOF DUE NOTICE

RE: PERMIT NO. 63-11003

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECEIVED

MAR 06 1992

MEMORANDUM

TO: FILES 63-10862/11003 & 11034

FROM: PAM SKAGGS

RE: MISFILED LETTERS

DATE: 26-NOV-1991

=====

When these files were called up for proof due notices, it was found that the permit approval letters within the files were incorrectly filed and microfilmed. The permits were processed at the same period of time and the letters were placed in the wrong files. We assume a correct permit approval letter was sent with a copy of the approved permit to the applicant since there is no evidence that they were returned in error. Staff, however, should be aware of the error.

MICROFILMED

MAR 06 1992

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
January 24, 1990

BOISE WATER CORP.
P.O. BOX 7488
BOISE, ID 83707

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-11034

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

MICROFILMED

FEB 26 1990

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

FEB 28 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

December 12, 1989

RE: Application for Permit No. 63-11003

Clements Concrete Co.
P.O. Box 8124
Boise, ID 83707

Dear Mr. Clements:

We have received your application for permit, for commercial purposes, from our Western Regional Office for final review. However, prior to final action being taken on the application we need to have a list of the names, titles and addresses of all persons within your company who are entitled to take action on this water right. This is a requirement of the Department's Water Appropriation Rules and Regulations.

Please submit this information within the next thirty (30) days so we can continue processing your application.

Sincerely,

KAY WALKER
Technical Records Specialist

KW:at

cc: Western Region

Rec'd 1/8/90 - below
MICROFILMED
kw
FEB 26 1990

State of New York
Department of Social Services

State law requires that this request be filed with the Director, Department of Water Resources within 30 days after the date of publication of the proposed rule.

2. NATURE OF WORK: FIELD TEST DATA

☐ New well
 ☐ Deepened
 ☐ Repaired

Drilling	Casing	Other
Drilling (S.P.M.)	Drum (GPM)	Motor (H.P.)

Standard describe method of abandonment

4. METHOD COLLECTED		0	20	Gravel	
		20	48	Sand & Gravel	
		48	50	Yellow clay	
		50	75	Blue Clay	

We'll screen material? ☒ Yes ☐ No
 Manufacturer's name Johansen
 Type Stainless steel Model No. _____
 Quantity 2 Shot size _____ Shot count _____
 Diameter _____ Shot size _____ Shot count _____

10. Interview conducted? ☐ Yes ☒ No Say of parent _____
 11. Parent's name _____
 12. _____
 13. _____
 14. _____
 15. _____
 16. _____
 17. _____
 18. _____
 19. _____
 20. _____
 21. _____
 22. _____
 23. _____
 24. _____
 25. _____
 26. _____
 27. _____
 28. _____
 29. _____
 30. _____
 31. _____
 32. _____
 33. _____
 34. _____
 35. _____
 36. _____
 37. _____
 38. _____
 39. _____
 40. _____
 41. _____
 42. _____
 43. _____
 44. _____
 45. _____
 46. _____
 47. _____
 48. _____
 49. _____
 50. _____
 51. _____
 52. _____
 53. _____
 54. _____
 55. _____
 56. _____
 57. _____
 58. _____
 59. _____
 60. _____
 61. _____
 62. _____
 63. _____
 64. _____
 65. _____
 66. _____
 67. _____
 68. _____
 69. _____
 70. _____
 71. _____
 72. _____
 73. _____
 74. _____
 75. _____
 76. _____
 77. _____
 78. _____
 79. _____
 80. _____
 81. _____
 82. _____
 83. _____
 84. _____
 85. _____
 86. _____
 87. _____
 88. _____
 89. _____
 90. _____
 91. _____
 92. _____
 93. _____
 94. _____
 95. _____
 96. _____
 97. _____
 98. _____
 99. _____
 100. _____

Surface soil depth 22 inches deep in soil ☐ Center zone
☒ Fertilizing clay ☐ Soil surface
 Sealing procedure used ☐ Shale pit ☒ Temporary surface sealing
☐ Surface to soil seal


TYPE OF MAIL Map Machine Mail (after each machine location)		DATE Sent March 2, 1978 Received March 2, 1978	
	Machine No. _____	1. MACHINE OPERATOR Joe Ray, Engineer, Bell Building, Room 21	
	Lat. No. _____ Long. No. _____	Address 1222 State Avenue, San Diego, CA 92101	
Name <u>John</u>		Signed by John Ray, <u>Engineer</u> or Operator <u>John Ray, Engineer</u>	
N.E. 1/4 Sec. 33, T. 4N, R. 3E		EF	

RECEIVED
FEB 26 1990

Hydro
State of Idaho
Department of Reclamation
WELL DRILLER'S REPORT

State of Idaho
 Department of Reclamation
WELL DRILLER'S REPORT

requires that this report be filed with the State Reclamation Engineer
 within 30 days after completion or abandonment of the well.

1. WELL OWNER Name <u>Clemente Realty, Inc.</u> Address <u>507 E. 41st S. Garden City</u> Owner's permit No. <u>12-505 696</u>		7. WATER LEVEL Static water level <u>10'</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature _____ ° F. Quality _____ Artesian closed in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																					
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Other <u>compressor</u> <table border="1"> <tr> <th>Discharge G.P.M.</th> <th>Draw Down</th> <th>Hours Pumped</th> </tr> <tr> <td><u>120</u></td> <td><u>35</u></td> <td><u>3 1/2</u></td> </tr> </table>		Discharge G.P.M.	Draw Down	Hours Pumped	<u>120</u>	<u>35</u>	<u>3 1/2</u>																														
Discharge G.P.M.	Draw Down	Hours Pumped																																					
<u>120</u>	<u>35</u>	<u>3 1/2</u>																																					
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☒ Industrial ☐ Stock		9. LITHOLOGIC LOG <table border="1"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Notes</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>4</u></td> <td><u>0</u></td> <td><u>4 1/2</u></td> <td><u>Shale</u></td> <td><u>L</u></td> </tr> <tr> <td><u>7</u></td> <td><u>13</u></td> <td><u>17</u></td> <td><u>13-17 ft. S. shale</u></td> <td></td> </tr> </tbody> </table>		Hole Diam.	Depth		Material	Notes	From	To	<u>4</u>	<u>0</u>	<u>4 1/2</u>	<u>Shale</u>	<u>L</u>	<u>7</u>	<u>13</u>	<u>17</u>	<u>13-17 ft. S. shale</u>																				
Hole Diam.	Depth		Material		Notes																																		
	From	To																																					
<u>4</u>	<u>0</u>	<u>4 1/2</u>	<u>Shale</u>	<u>L</u>																																			
<u>7</u>	<u>13</u>	<u>17</u>	<u>13-17 ft. S. shale</u>																																				
4. METHOD DRILLED ☒ Cable ☐ Rotary ☐ Dug ☐ Other		10. WELL CONSTRUCTION Diameter of hole <u>8</u> inches Total depth <u>51</u> feet Casing schedule: ☐ Steel ☐ Concrete <table border="1"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>250</u> inches</td> <td><u>8</u> inches</td> <td><u>1</u> feet</td> <td><u>3 1/2</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was a pecker or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☒ Yes ☐ No Manufacturer's name _____ Type <u>slotted</u> Model No. _____ Diameter <u>8</u> Slot size <u>1/2</u> Set from <u>31</u> feet to <u>41</u> feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal? ☐ Yes ☒ No To what depth <u>18</u> feet Material used in seal ☐ Cement grout ☒ Mud, ring clay		Thickness	Diameter	From	To	<u>250</u> inches	<u>8</u> inches	<u>1</u> feet	<u>3 1/2</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet
Thickness	Diameter	From	To																																				
<u>250</u> inches	<u>8</u> inches	<u>1</u> feet	<u>3 1/2</u> feet																																				
_____ inches	_____ inches	_____ feet	_____ feet																																				
_____ inches	_____ inches	_____ feet	_____ feet																																				
_____ inches	_____ inches	_____ feet	_____ feet																																				
_____ inches	_____ inches	_____ feet	_____ feet																																				
Number	From	To																																					
_____ perforations	_____ feet	_____ feet																																					
_____ perforations	_____ feet	_____ feet																																					
_____ perforations	_____ feet	_____ feet																																					
6. LOCATION OF WELL Sketch map location (must agree with section location). 		11. DRILLER'S CERTIFICATION This well was drilled under the supervision of _____ and to the best of my knowledge and belief it complies with the requirements of the State of Idaho. <u>Dr. J. L. ...</u> <u>Dr. J. L. ...</u> <u>Dr. J. L. ...</u>																																					

DEPARTMENT OF WATER RESOURCES
 FEB 12 1992
 RECEIVED

RECEIVED
NOV 01 1989

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Department of Water Resources
Western Regional Office

Amount Due

91560

Account Name Idaho Department of Water Resources - Western		Account Number 47628	
Address 2735 Airport Way		City/State Boise, Idaho	Zip 83705
Ordered By Gail Garrett	P.O. Number nt	Run Dates 1989 October 19, 26	
Identification Notice of Application for Water Right		Estimated Inches	Real Inches

NOTICE OF APPLICATION FOR WATER RIGHT

The following applications have been filed to appropriate the public waters of the State of Idaho:

63-10822
Kilgret Ltd. Partnership
DBA Rustic Acres
Mobile Home Park
501 Greenleaf
Boise, ID 83704
Source: Groundwater
Diversion Pt: SWNE Sec 10 T 03N R 01E
Use: Irrigation (.130 CFS)
Date Filed: 8/16/1989
In: T03N R01E S10 SWNE
6.5 Acres Total
63-10868
Church of Jesus Christ
Latter Day Saints
Real Estate Division
12th Floor
50 E. N. Temple St.
Salt Lake City, UT 84150
Source: Groundwater
Diversion Pt: NESE Sec 3 T 03N R 01E
Use: Irrigation (.030 CFS)
Date Filed: 8/28/1989
In: T03N R01E S03 NESE
1.0 Acres Total
63-10869
Church of Jesus Christ
Latter Day Saints
Real Estate Division
12th Floor
50 E. N. Temple St.
Salt Lake City, UT 84150
Source: Groundwater
Diversion Pt: SWSWNW Sec 25 T 03N R 01E
Use: Irrigation (.140 CFS)
Date Filed: 8/28/1989
In: T03N R01E S25 SWNW
7.0 Acres Total
63-10882
Weeks, Edward R.
Weeks, Anna E.
430 Clearvue Dr.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: SENW Sec 19 T 04N R 01E
Use: Irrigation (.040 CFS)
Date Filed: 8/09/1989
In: T04N R01E S19 SENW
2.0 Acres Total
63-10890
Brian Water Corp.
c/o Tony Bowar, Pres.
P.O. Box 7345
Boise, ID 83707
Source: Groundwater
Diversion Pt: Lot 1 (SESE) Sec 33 T 03N R 03E
Use: Domestic (.110 CFS)
Use: Irrigation (.060 CFS)
Date Filed: 8/17/1989
In: T03N R03E S33 Lot (SESE)
2.0 Acres Total
63-10894
Merrell, Louis R.
Merrell, Dorothy G.
1423 Hereford Dr.
Eagle, ID 83616
Source: Groundwater
Diversion Pt: SWNW Sec 8 T 04N R 01E
Use: Irrigation (.100 CFS)
Use: Stockwater (.020 CFS)
Use: Domestic (.020 CFS)
Date Filed: 8/15/1989
In: T04N R01E S08 SWNW
5.0 Acres Total
63-10898
Rackham, Lawrence H.
Rackham, J'Deanne
1260 S. Eagle Rd.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: NESE Sec 13 T 03N R 01W
Use: Commercial (.100 CFS)
Use: Irrigation (.020 CFS)
Date Filed: 8/16/1989
In: T03N R01W S13 NESE
0.5 Acres
63-10902
Tipton, William R.
Tipton, Sharon D.
10082 Prairie Rd.
Boise, ID 83703
Source: Groundwater
Diversion Pt: NWNENW Sec 11 T 04N R 01E
Use: Irrigation (.020 CFS)
Date Filed: 8/18/1989
In: T04N R01E S11 NENW
0.5 Acres Total
63-10907
Quigley, Glenn R.
Quigley, Nancy A.
9635 Maiala
Boise, ID 83709
Source: Groundwater
Diversion Pt: NWSE Sec 23 T 03N R 01E
Use: Irrigation (.030 CFS)
Use: Domestic (.020 CFS)
Date Filed: 8/21/1989
In: T03N R01E S23 NWSE
1.0 Acres Total
63-10909
Wall, Joan B.
6179 Lallio Dr.
Boise, ID 83709
Source: Groundwater
Diversion Pt: SESE Sec 36 T 03N R 01E
Use: Irrigation (.060 CFS)
Date Filed: 8/22/1989
In: T03N R01E S36 SESE
2.0 Acres Total
63-10910
Jordan, Richard L.
Jordan, Kathleen A.
3904 Mt. View Cir.
Boise, ID 83704
Source: Groundwater
Diversion Pt: SWNW Sec 4 T 03N R 02E
Use: Domestic (.100 CFS)
Date Filed: 8/23/1989
In: T03N R02E S04 SWNW
0.5 Acres Total
63-10912
Forrey Heights Water Users Assn. Inc.
c/o Edwin E. Harris
Rt. 1
Kuna, ID 83634
Source: Groundwater
Diversion Pt: SESE Sec 34 T 02N R 01W
Use: Domestic (.200 CFS)
Use: Irrigation (.200 CFS)
Date Filed: 8/24/1989
In: T02N R01W S34 SESE
In: T02N R02W S34 SWSW
10.0 Acres Total
63-10913
Guldry, Mary J.
Lanning, Gertrude B.
10903 Columbia Rd.
Boise, ID 83709
Source: Groundwater
Diversion Pt: NENE Sec 10 T 02N R 01E
Use: Irrigation (.150 CFS)
Date Filed: 8/24/1989
In: T02N R01E S10 NENE
5.0 Acres Total
63-10919
All Gods Children Inc.
c/o Harless McMikie
11371 W. Amity
Boise, ID 83709
Source: Groundwater
Diversion Pt: NWNW Sec 34 T 03N R 01E
Use: Commercial (.040 CFS)
Date Filed: 8/28/1989
In: T03N R01E S34 NWNE
63-10932
Stern, Patricia M.
Stern, Sr., Thomas E.
10701 Highlander
Boise, ID 83709
Source: Groundwater
Diversion Pt: SESE Sec 34 T 03N R 01E
Use: Irrigation (.030 CFS)
Date Filed: 8/28/1989
In: T03N R01E S34 SESE

63-10937
Blake, Kenneth D.
Blake, Mary D.
P.O. Box 312
Eagle, ID 83616
Source: Groundwater
Diversion Pt: SWSW Sec 9 T 04N R 01E
Use: Irrigation (.040 CFS)
Date Filed: 8/30/1989
In: T04N R01E S09 SWSW
2.5 Acres Total
63-10943
Ada County Highway Dept.
318 E. 37th St.
Boise, ID 83704
Source: Groundwater
Diversion Pt: SWNE Sec 5 T 03N R 02E
Use: Industrial (.100 CFS)
Date Filed: 8/30/1989
In: T03N R02E S05 SWNE
63-10947
Five Mile Nazarene
c/o Pastor Jonathan Privett
2701 S. Five Mile Rd.
Boise, ID 83709
Source: Groundwater
Diversion Pt: SESE Sec 22 T 03N R 01E
Use: Irrigation (.150 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/31/1989
In: T03N R01E S22 SESE
5.0 Acres Total
63-10948
Davis, Sally
Davis III, Claude M.
4900 Meander Place
Eagle, ID 83616
Source: Groundwater
Diversion Pt: NWSW Sec 29 T 05N R 01E
Use: Irrigation (.150 CFS)
Use: Domestic (.020 CFS)
Date Filed: 9/01/1989
In: T05N R01E S29 NWSW
5.0 Acres Total
63-10949
Eagle Church of the Nazarene
P.O. Box 14
Eagle, ID 83616
Source: Groundwater
Diversion Pt: SESE Sec 8 T 04N R 01E
Use: Irrigation (.030 CFS)
Use: Domestic (.040 CFS)
Date Filed: 9/01/1989
In: T04N R01E S08 SESE
0.5 Acres Total
63-10951
Ward, William C.
Ward, Connie E.
5115 S. Locust Grove Rd.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: SESE Sec 31 T 03N R 01E
Use: Irrigation (.030 CFS)
Date Filed: 9/05/1989
In: T03N R01E S31 NENE
1.0 Acres Total
63-10952
Hupp, Walter W.
Hupp, Rose Marie
8830 Stewart Rd.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: NWSE Sec 9 T 02N R 01E
Use: Irrigation (.150 CFS)
Date Filed: 9/07/1989
In: T02N R01E S09 NWSE
5.0 Acres Total
63-10956
Brunelli, Larry
Brunelli, Virginia
624 Los Luceros Cir.
Eagle, ID 83616
Source: Groundwater
Diversion Pt: SENW Sec 4 T 04N R 01E
Use: Irrigation (.040 CFS)
Date Filed: 9/06/1989
In: T04N R01E S04 SENW
1.5 Acres Total
63-10963
Dawson, Wayne
Dawson, Elma
Rt. 3 Deer Flat Rd.
Kuna, ID 83634
Source: Groundwater
Diversion Pt: NWNW Sec 22 T 02N R 01W
Use: Irrigation (.030 CFS)
Date Filed: 9/08/1989
In: T02N R01W S22 NWNW
1.0 Acres Total
63-10964
Prochaska, James M.
Prochaska, Patricia O.
2304 Ribler Dr.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: SWSWNE Sec 23 T 04N R 01W
Use: Irrigation (.150 CFS)
Date Filed: 9/08/1989
In: T04N R01W S23 SWNE SENW
5.0 Acres Total
63-10970
Quinn Robbins Co. Inc.
703 Americana Blvd.
Boise, ID 83702
Source: Groundwater
Diversion Pt: SWNE Sec 30 T 03N R 02E
Use: Commercial (.040 CFS)
Date Filed: 9/11/1989
In: T03N R02E S30 NENE
63-10980
Tisdale, Alan E.
Tisdale, Mary M.
P.O. Box 624
Eagle, ID 83616
Source: Groundwater
Diversion Pt: NWNENE Sec 5 T 04N R 01E
Use: Irrigation (.040 CFS)
Date Filed: 9/15/1989
In: T04N R01E S05 NESE
1.5 Acres Total
63-10981
Boyle, W. Dean
Roundy, Spreng
Roundy, Joyce B.
3232 Catalina Ln.
Boise, ID 83705
Source: Groundwater
Diversion Pt: SWSWNW Sec 29 T 04N R 01E
Use: Irrigation (.150 CFS)
Use: Domestic (.040 CFS)
Date Filed: 9/18/1989
In: T04N R01E S29 SWNW
5.0 Acres Total
63-10982
School District #2
911 Meridian St.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: NESE Sec 8 T 03N R 01E
Use: Commercial (.200 CFS)
Date Filed: 10/04/1989
In: T03N R01E S08 SESE
63-10983
School District #2
911 Meridian St.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: SESE Sec 8 T 04N R 01E
Use: Irrigation (.360 CFS)
Date Filed: 10/04/1989
In: T04N R01E S08 SESE NESE
18.0 Acres Total
63-10984
School District #2
911 Meridian St.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: SESE Sec 28 T 04N R 01E
Use: Irrigation (.600 CFS)
Date Filed: 10/04/1989
In: T04N R01E S28 NESE SESE
30.0 Acres Total
63-10998
Bush, Robert J.
1735 E. Mary Ln.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: SWNW Sec 32 T 03N R 01E
Use: Irrigation (.080 CFS)

Date Filed: 9/08/1989
In: T03N R01E S32 SWNW
4.0 Acres Total
63-10999
Bunderson, Mary K.
Bunderson, Harold R.
582 River Heights Dr.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: Lot 7 (SWNE) Sec 24 T 04N R 01W
Use: Irrigation (.040 CFS)
Use: Domestic (.030 CFS)
Date Filed: 9/06/1989
In: T04N R01W S24 Lot 7 (SWNE)
2.0 Acres Total
63-11000
Bunderson, Harold R.
Bunderson, Mary K.
582 River Heights Dr.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: Lot 7 (SWNE) Sec 24 T 04N R 01W
Use: Irrigation (.080 CFS)
Use: Stockwater (.010 CFS)
Date Filed: 9/06/1989
In: T04N R01W S24 NWNE Lot 7 (SWNE)
4.0 Acres Total
63-11001
Pressman, Scott
Pressman, Beverly
2865 San Ramon
Meridian, ID 83642
Source: Groundwater
Diversion Pt: NWSW Sec 21 T 03N R 01E
Use: Irrigation (.090 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/31/1989
In: T03N R01E S21 SWSE
3.0 Acres Total
63-11003
Clements Concrete Co.
P.O. Box 8124
Boise, ID 83707
Source: Groundwater
Diversion Pt: SWSW Sec 32 T 04N R 02E
Use: Commercial (.200 CFS)
Date Filed: 8/17/1989
In: T04N R02E S32 SWSE
63-11004
Girdner, Paul K.
3895 Girdner Ln.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: NESW Sec 21 T 03N R 01E
Use: Irrigation (.060 CFS)
Use: Stockwater (.030 CFS)
Use: Domestic (.080 CFS)
Date Filed: 9/06/1989
In: T03N R01E S21 NESW
2.0 Acres Total
63-11005
Meridian Friends Church
1021 W. Pine St.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: NESW Sec 12 T 03N R 01W
Use: Irrigation (.030 CFS)
Date Filed: 9/07/1989
In: T03N R01W S12 NESW
1.0 Acres Total
63-11006
Sterling, Wallace B.
913 E. Jefferson St.
Boise, ID 83712
Source: Groundwater
Diversion Pt: NWSW Sec 20 T 04N R 02E
Use: Domestic (.040 CFS)
Date Filed: 8/09/1989
63-11007
Nelson, Juanita
Nelson, Richard
8202 S. Cloverdale Rd.
Boise, ID 83709
Source: Groundwater
Diversion Pt: SWNW Sec 10 T 02N R 01E
Use: Irrigation (.080 CFS)
Use: Stockwater (.020 CFS)
Use: Domestic (.060 CFS)
Date Filed: 8/08/1989
In: T02N R01E S10 SWNW
4.0 Acres Total
63-11008
Meler, George A.
Meler, Sharon
695 Parkinson
Eagle, ID 83616
Source: Groundwater
Diversion Pt: SENENW Sec 15 T 04N R 01E
Use: Irrigation (.060 CFS)
Use: Commercial (.200 CFS)
Date Filed: 8/11/1989
In: T04N R01E S15 NENW
2.0 Acres Total
63-11009
Coffman, Kenneth L.
9775 Fairview Rd.
Boise, ID 83704
Source: Groundwater
Diversion Pt: NWNWNE Sec 11 T 03N R 01E
Use: Domestic (.020 CFS)
Date Filed: 8/09/1989
In: T03N R01E S11 NWNE
63-11010
Ashley, Don
Ashley, Katie
Rt. 1
Star, ID 83669
Source: Groundwater
Diversion Pt: NENWSW Sec 31 T 05N R 01W
Use: Irrigation (.140 CFS)
Date Filed: 8/09/1989
In: T05N R01W S31 Lot 3 (NWSW)
4.5 Acres Total
63-11011
R.T. Nahas Co. of Idaho
102 S. 17th #300
Boise, ID 83702
Source: Groundwater
Diversion Pt: SWNW Sec 18 T 03N R 01E
Use: Irrigation (.200 CFS)
Date Filed: 8/11/1989
In: T03N R01E S18 SWNW NWSW
10.0 Acres Total
63-11012
Henderson, Benson L.
Henderson, Darlene
2248 Dunyon
Eagle, ID 83616
Source: Groundwater
Diversion Pt: NESE Sec 15 T 04N R 01E
Use: Irrigation (.040 CFS)
Date Filed: 8/17/1989
In: T04N R01E S15 NESE
1.5 Acres Total
63-11014
Madison, William C.
1101 W. Wright
Boise, ID 83705
Source: Groundwater
Diversion Pt: NESE Sec 27 T 03N R 02E
Use: Commercial (.040 CFS)
Date Filed: 8/18/1989
In: T03N R02E S27 SENE
63-11015
Hasson, Brent
Hasson, Lori
10235 Cayuse Ln.
Boise, ID 83703
Source: Groundwater
Diversion Pt: SENWNW Sec 11 T 04N R 01E
Use: Irrigation (.030 CFS)
Date Filed: 8/14/1989
In: T04N R01E S11 NWNW
1.0 Acres Total
63-11016
Balderson, Sherry M.
10430 La Montan Dr.
Boise, ID 83709
Source: Groundwater
Diversion Pt: SENWSW Sec 14 T 03N R 01E
Use: Irrigation (.030 CFS)
Date Filed: 8/23/1989
In: T03N R01E S14 NWSW
1.0 Acres Total
63-11017
Bolen, Gilbert J.
Bolen, Marlene J.
9190 Aquarius
Boise, ID 83709

Diversion Pt: NESE Sec 26 T 03N R 01E
Use: Irrigation (.020 CFS)
Use: Domestic (.020 CFS)
Date Filed: 8/25/1989
In: T03N R01E S26 NESE
1.0 Acres Total
63-11019
Esposito, John A.
Esposito, Lexi R.
388 Knob Hill Ct.
Eagle, ID 83616
Source: Groundwater
Diversion Pt: NWSE Sec 29 T 05N R 01E
Use: Irrigation (.150 CFS)
Use: Stockwater (.020 CFS)
Use: Domestic (.040 CFS)
Date Filed: 9/01/1989
In: T05N R01E S29 NWSE
5.0 Acres Total
63-11021
Herr, Rodney H.
Herr, Marcia H.
400 Coston
Boise, ID 83712
Source: Groundwater
Diversion Pt: SESE Sec 11 T 03N R 02E
Use: Irrigation (.090 CFS)
Use: Domestic (.040 CFS)
Date Filed: 9/08/1989
In: T03N R02E S11 SESE
3.0 Acres Total
63-11022
Roman Catholic Diocese of Boise
P.O. Box 769
Boise, ID 83701
Source: Groundwater
Diversion Pt: SESE Sec 1 T 03N R 01W
Use: Irrigation (.030 CFS)
Date Filed: 9/06/1989
In: T03N R01W S01 SESE
1.5 Acres Total
63-11023
Mountain View Equipment Inc.
P.O. Box 703
Meridian, ID 83642
Source: Groundwater
Diversion Pt: SWSW Sec 13 T 03N R 01W
Use: Irrigation (.020 CFS)
Use: Industrial (.100 CFS)
Use: Commercial (.040 CFS)
Use: Domestic (.040 CFS)
Date Filed: 9/07/1989
In: T03N R01W S13 SWSE
0.2 Acres Total
63-11025
Stegemann, Duane
6644 Glacier Dr.
Boise, ID 83712
Source: Groundwater
Diversion Pt: NESENE Sec 27 T 03N R 02E
Use: Domestic (.040 CFS)
Date Filed: 9/18/1989
In: T03N R02E S27 SENE
63-11026
Church of Jesus Christ
Latter Day Saints
Real Estate Division
Twelfth Floor
50 E. N. Temple St.
Salt Lake City, UT 84150
Source: Groundwater
Diversion Pt: NWNWNW Sec 32 T 03N R 01E
Use: Irrigation (.090 CFS)
Date Filed: 8/28/1989
In: T03N R01E S32 NWNW
3.0 Acres Total
63-11028
Beukelman, Jerry
Beukelman, Shirley
3398 N. Can Ada Rd.
Nampa, ID 83687
Source: Groundwater
Diversion Pt: Lot 4 (SWSW) Sec 31 T 04N R 01W
Use: Irrigation (.150 CFS)
Date Filed: 9/28/1989
In: T04N R01W S31 Lot 4 (SWSW)
5.0 Acres Total
63-11029
Markle, Joan I.
3575 Brookside Ln.
Boise, ID 83703
Source: Groundwater
Diversion Pt: NESW Sec 34 T 05N R 01E
Use: Irrigation (.120 CFS)
Date Filed: 8/15/1989
In: T05N R01E S34 SWSE
4.0 Acres Total
63-11030
Wisdom, Greg W.
3390 N. Whistler Ln. #103
Boise, ID 83703
Source: Groundwater
Diversion Pt: Lot 4 (SWSW) Sec 31 T 05N R 01W
Use: Domestic (.020 CFS)
Date Filed: 8/16/1989
In: T05N R01W S31 NESW Lot 3 (NWSW) Lot 4 (SWSW) SESE
63-11031
Terrace Water Corp.
c/o Joe Plaza
1889 Country Terrace Way
Meridian, ID 83642
Source: Groundwater
Diversion Pt: Lot 1 (NWNW) Sec 19 T 03N R 01E
Use: Irrigation (.140 CFS)
Use: Domestic (.240 CFS)
Date Filed: 9/28/1989
In: T03N R01E S19 Lot 1 (NWNW)
7.0 Acres Total
63-11032
Blue Cross of Idaho Health Service Inc.
P.O. Box 7408
Boise, ID 83707
Source: Groundwater
Diversion Pt: SESE Sec 15 T 03N R 02E
Use: Irrigation (.060 CFS)
Date Filed: 8/08/1989
In: T03N R02E S15 SESE
3.0 Acres Total
63-11033
Hon, Roland L.
Hon, Beverly B.
7677 Mossycup Dr.
Boise, ID 83709
Source: Groundwater
Diversion Pt: NENW Sec 7 T 04N R 01E
Use: Irrigation (.060 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/21/1989
In: T04N R01E S07 NENW
2.0 Acres Total

The permits will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before NOVEMBER 4, 1989.

R. KEITH HIGGINSON
Director
Pub. Oct. 19, 26, 1989

63-11003

CLEMENTS CONCRETE CO.
P.O. BOX 8124
BOISE, ID 83707

Source: GROUNDWATER

Diversion Pt: SWSWSE Sec 32 T 04N R 02E

Use: COMMERCIAL (.200 CFS)

Date Filed: 8/17/1989

In: T04N R02E S32 SWSE

RECORDED

FEB 26 1990