


RIE R2

CL

7.5-MI

598 1360 008 HEST R. 2 E.



MICROFILMED

FEB 26 1990

JRCS

593 206 20 & 26 594

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 29 1993

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 63-11078
1. Owner: Ballantyne Camp Sub. No. 4 Phone No. 653-2227
Current Address: 40 Bob Wood HC 87 Box 375 PINE ID 83647
2. Accompanied by: Bob & Eileen Wood EXAM. DATE: 4/27/93
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____


2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

BALLANTYNE CAMP SUBDIVISION NO. 4

A PART OF THE NE 4 SECTION 5, T.2N, R.10E, B.M. ELMORE COUNTY, IDAHO.


TOOTHMAN & ASSOCIATES CONSULTING ENGINEERS

Building and occupancy shall conform to the Standards established by the Restrictive Covenants as Filed in Book _____ of Miscellaneous Records at Page _____, Elmore County, Idaho.



vacant lots
not stubbed
in, nor is
lot 3 block 2
This tract
has separate
covenants





State of Idaho
Department of Water Resources

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

USE ADDITIONAL SHEETS IF NECESSARY


FORWARD THE WHITE COPY TO THE DEPARTMENT

63-11078

4/27/93



P/b in
RED Shed.



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 19 1991

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10978

Phone No. 322-6587

1. Owner: GLEN R. OR VIOLET WILMOT

Current Address: 1816 HAMPTON RD., BOISE, ID 83704

2. Accompanied by: GLEN WILMOT

Address: SAME

EXAM. DATE: JUNE 21, 1990

Phone No. 375-1828

Relationship to Permit Holder: SELF

3. Source: GROUNDWATER tributary to _____


B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE NAMPA-MERIDIAN IRR. DIST

2. Other water rights with same point of diversion: _____ ☐ Copies Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

MAR 05 1991

Scale: 1" = 100'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).


- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

- ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RIE

S. 2 GOVT LOTS
in N¹/₂N¹/₂ only
SL 1/30/91

PERMIT 63-10978 INIT CWJ
T. R. S. Q/Q
P/D 3H 1E 2 SESW
SCALE
PHOTO ID. X-58



MIT

2400

00901 M

GLEN ELLYN SUB.

REBA SUB.

DUANE SUB.

HOMETOWN SU

STLER'S EADOW

B.

ONAL

T

20

600

W. FAIRVIEW AVE.

KEPNER PLACE

KEPNER PLACE SECO

C17

۱۱۱۱

20

—

HOMETOWN
SUB. NO. 2

CITY 1761 ●
OF
BOISE

PERMIT
63-10978

RECEIVED
MAR 11 5 1991

PERMIT 63-10978

PHOTO #1

6-INCH WELL INSIDE THE ICE BUILDING
COVERED WITH METAL PROTECTOR.



PHOTO #2

WELL PIT (UNDER COVER IN PHOTO #1) SHOWING
6-INCH WELL EQUIP WITH 1HP SUBMERSIBLE PUMP.



MAR 05 1991

IMPORTED

PERMIT 63-10978

PHOTO #3

PRESSURE TANK SYSTEM BEFORE WATER IS
DISTRIBUTED TO 12 ICE MAKING MACHINES.



CLAIMS A63-17878 AND A63-17895 PHOTO #4

A 4-INCH WELL SUPPLY WATER TO GLEN WILMOT (UPPER)
AND JACK TAYLOR (LOWER). WELL ABOUT 100 FT WEST
OF A63-10978 (SAME OWNER)



4-INCH WELL
UPPER TO
CLAIM A63-17895
LOWER PIPE TO
CLAIM A63-17878

MAR 05 1991

RECEIVED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10978

Priority: August 23, 1989

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume:¹ 0.8 AF

This is to certify, that VIOLET WILMOT
GLEN R. WILMOT

1816 HAMPTON RD.
BOISE, ID 83704

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 23, 1989; and has submitted Proof of Beneficial Use on November 28, 1989. An examination indicates that the works have a diversion capacity of .060 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS	0.8 AF

LOCATION OF POINT(S) OF DIVERSION: SESW , Sec. 2, Township 03N, Range 01E
ADA County

PLACE OF USE: COMMERCIAL
TWN RGE SEC

03N 01E 2 SESW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Commercial use is for an ice plant.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 22TH day of FEBRUARY, 1991.

Acting for


R. Keith Higginson, Director

MICROFILMED

MAR 05 1991

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-10978

Proposed Priority: August 23, 1989

Maximum Diversion Rate:

0.04 CFS

This is to certify, that **VIOLET WILMOT**
GLEN R. WILMOT
1816 HAMPTON RD.
BOISE, ID 83704

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

COMMERCIAL

01/01 to 12/31

0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWSESW

Sec. 2, Township 03N, Range 01E
ADA County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

03N 01E 2

SESW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1990**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Commercial use is for an ice plant.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

21 day of November, 1989.

J. Keith Higginson
for R. Keith Higginson, Director

RECORDED

FEB 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant GLEN R. +/OR VIOLET WILMOT Phone 322-6507
Post office address 1816 HAMPTON RD., BOISE, ID 83704
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 2 Township 3N Range 1E B.M. ADA County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .04 for COMMERCIAL purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. WELL + PUMP

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 6 inches; proposed depth of well is 138 feet.
d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

FEB 26 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. COMMERCIAL / ICE PLANT

APPROX 36000 lbs ICE PER YEAR

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	1E	2												C					

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? APPLICANT
- b. Who owns the land to be irrigated or place of use? APPLICANT
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

RECORDED
FEB 26 1990

R1E R2

CL


7.5-MI

FEB 26 1990

MICROFILMED

SOURCES

E 48 M
TO U.S. 20 & 26 593



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

MICROFILMED

FEB 28 1990

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ellen R Wilmot
(Applicant)

Received by JS. Date 8/23/89 Time 2:05pm Preliminary check by GG
Fee \$ 30 Receipted by qf # 6010170 Date 8/23/89
Publication prepared by GG Date 9-13-89 Published in ID Statesman
Publication approved st Date 10-5-89 9/21 & 9/28/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

FEB 26 1990

OCT 03 1989

The Idaho
Statesman

P.O. BOX 40, BOISE, IDAHO 83707

Department of Water Resources
Western Regional Office

LEGAL ADVERTISING INVOICE

Amount Due

323.64

Account Name		Account Number	
Idaho Department of Water Resources- Western Reg			
Address		City/State	Zip
2735 Airport Way		63-10933	83705
Ordered By	P.O. Num		
Gail Garrett			
Identification			
Notice of Application fo			
Number of Affidavits Requested			
1			
NOTICE OF APPLICATION FOR WATER RIGHT The following application(s) have been filed to appropriate the public waters of the State of Idaho:			
63-10821 Desert View Est. Water Corp. ATTN: Tom Atwood, Pres. P.O. Box 165 Kuna, ID 83634 Source: Groundwater Diversión Pt: NENE Sec 27 T 02N R 01E Diversión Pt: SWNE Sec 27 T 02N R 01E Diversión Pt: NENW Sec 27 T 02N R 01E Use: Domestic (.100 CFS) Use: Irrigation (.1,600 CFS) Date Filed: 6/20/1989 In: T02N R01E S22 SESE In: T02N R01E S27 NENE SWNE SENE NENW NWNW SWNW SENW 173.0 Acres Total			
63-10895 Ivory, Don B. 315 Clearcreek Dr. Meridian, ID 83642 Source: Groundwater Diversión Pt: Lot 4 (NWNW) Sec 19 T 04N R 01E Use: Wildlife (.040 CFS) Date Filed: 8/15/1989 In: T04N R01E S19 Lot 4 (NWNW)			
63-10897 Cade, Thomas J. 6484 Hollilynn Dr. Boise, ID 83709 Source: Groundwater Diversión Pt: NESW Sec 7 T 02N R 02E Use: Irrigation (.020 CFS) Date Filed: 8/21/1989 In: T02N R02E S07 NESW 0.5 Acres Total			
63-10899 Dry Creek Cemetery District 9600 Hill Rd. Boise, ID 83703 Source: Groundwater Diversión Pt: SESW Sec 11 T 04N R 01E Diversión Pt: SWSE Sec 11 T 04N R 01E Use: Irrigation (.440 CFS) Date Filed: 8/17/1989 In: T04N R01E S11 SESW SWSE In: T04N R01E S14 NWNW NENW 22.0 Acres Total			
63-10911 Johnson, Samuel A. Johnson, Marsha R. 603 Los Luceros Eagle, ID 83616 Source: Groundwater Diversión Pt: SENW Sec 4 T 04N R 01E Use: Irrigation (.020 CFS) Date Filed: 8/24/1989 In: T04N R01E S04 SENW 0.5 Acres Total			
63-10920 Hallett, Norman N. Hallett, Marcia 7500 Hidden Valley Rd. Boise, ID 83709 Source: Groundwater Diversión Pt: NESWSW Sec 3 T 02N R 01E Use: Irrigation (.060 CFS) Use: Domestic (.020 CFS) Date Filed: 8/28/1989 In: T02N R01E S03 SWSW 2.0 Acres Total			
63-10928 Peregrine Fund Inc. 5666 W. Flying Hawk Ln. Boise, ID 83709 Source: Groundwater Diversión Pt: NENE Sec 18 T 02N R 02E Use: Irrigation (.060 CFS) Use: Wildlife (.520 CFS) Use: Wildlife Storage (5.00 AF) Use: Domestic (.200 CFS) Use: Diversion to Storage (.520 CFS) Date Filed: 8/31/1989 In: T02N R02E S07 SESE In: T02N R02E S08 SWSW In: T02N R02E S17 NWNW In: T02N R02E S18 NENE 2.0 Acres Total			
63-10933 Morden, Thomas R. 9350 Coveyridge Ln. Boise, ID 83709 Source: Groundwater Diversión Pt: SESESW Sec 12 T 02N R 01E Use: Domestic (.040 CFS) Use: Irrigation (.080 CFS) Date Filed: 8/28/1989 In: T02N R01E S12 SESW 2.5 Acres Total			
63-10944 Vasil, Lois L. Vasil, Jr., George G. 5325 N. Eagle Meridian, ID 83642 Source: Groundwater Diversión Pt: NESE Sec 29 T 04N R 01E Use: Irrigation (.180 CFS) Date Filed: 8/31/1989 In: T04N R01E S29 NESE 9.0 Acres Total			
63-10950 Williams, Roberta J. Williams, Walter C. 3104 E. Leslie Dr. Meridian, ID 83642 Source: Groundwater Diversión Pt: SENE Sec 5 T 03N R 01E Use: Irrigation (.020 CFS) Date Filed: 9/01/1989 In: T03N R01E S05 SENE 0.5 Acres Total			
63-10954 Stokes, Tom Stokes, Karren S. 5600 W. Amity Nampa, ID 83656 Source: Groundwater Diversión Pt: SWSE Sec 28 T 03N R 01W Use: Irrigation (.150 CFS) Use: Domestic (.040 CFS) Use: Stockwater (.020 CFS) Date Filed: 9/05/1989 In: T03N R01W S28 SWSE 5.0 Acres Total			
63-10955 Norton, Gregory Scott Norton, Sara Ann 2305 W. Ribler Dr. Meridian, ID 83642 Source: Groundwater Diversión Pt: SWSWNE Sec 23 T 04N R 01W Use: Irrigation (.090 CFS) Use: Domestic (.040 CFS) Date Filed: 9/06/1989 In: T04N R01W S23 SWNE NWSE 3.0 Acres Total			
63-10961 West, Gary West, Carol P.O. Box 335 Eagle, ID 83616 Source: Groundwater Diversión Pt: SENWSW Sec 10 T 04N R 01E Use: Irrigation (.030 CFS) Use: Domestic (.040 CFS) Date Filed: 9/07/1989 In: T04N R01E S10 NWSW 1.1 Acres Total			
63-10966 Riley, Monte Riley, Suzanne 10357 Prairie Rd. Boise, ID 83703 Source: Groundwater Diversión Pt: NENWNW Sec 11 T 04N R 01E Use: Irrigation (.030 CFS) Date Filed: 8/17/1989 In: T04N R01E S11 NWNW 1.0 Acres Total			
63-10967 Vincen, David F. 5160 Dry Creek Boise, ID 83703 Source: Groundwater Diversión Pt: SWSWNW Sec 32 T 05N R 02E Use: Irrigation (.200 CFS) Date Filed: 8/17/1989 In: T05N R02E S32 SWNW 10.0 Acres Total			
63-10968 Lloyd, Stan Lloyd, Anne 4255 N. Ballantyne Ln. Eagle, ID 83616 Source: Groundwater Diversión Pt: NWNW Sec 31 T 05N R 01E Use: Irrigation (.040 CFS) Use: Stockwater (.020 CFS) Use: Domestic (.040 CFS) Date Filed: 8/18/1989 In: T05N R01E S31 NWNW 2.0 Acres Total			
63-10969 Binder, Larry O. Binder, Diane D. 5311 Navaho Way Boise, ID 83703 Source: Unnamed Slough Tributary: Boise River Diversión Pt: Lot 3 (NESW) Sec 24 T 04N R 01E Use: Aesthetic (.100 CFS) Use: Aesthetic Storage (2.00 AF) Date Filed: 8/11/1989 In: T04N R01E S24 Lot (NESW)			
63-10972 Esco Inc. 2417 Bogus Basin Rd. Boise, ID 83702 Source: Groundwater Diversión Pt: SESW Sec 9 T 04N R 01E Use: Irrigation (.300 CFS) Use: Commercial (.600 CFS) Use: Domestic (.600 CFS) Date Filed: 8/29/1989 In: T04N R01E S09 SESW 15.0 Acres Total			
63-10973 Petersen, Kathleen R. Petersen, Peter F. 3160 Victory View Cir. Boise, ID 83709 Source: Groundwater Diversión Pt: NENWNW Sec 25 T 03N R 01E Use: Irrigation (.060 CFS) Date Filed: 8/30/1989 In: T03N R01E S25 NWNW 2.5 Acres Total			
63-10974 Taylor, Laura E. Taylor, Sylvan 1770 S. Linder Rd. Meridian, ID 83642 Source: Groundwater Diversión Pt: NWNWNW Sec 24 T 03N R 01W Use: Irrigation (.120 CFS) Date Filed: 8/28/1989 In: T03N R01W S24 NWNW 4.0 Acres Total			
63-10975 Suen, Sidney c/o Robert J. Ennis P.O. Box 9442 Boise, ID 83707 Source: Pond Tributary: Sinks Diversión Pt: Lot 10 (NESE) Sec 14 T 03N R 02E Diversión Pt: Lot 12 (SESE) Sec 14 T 03N R 02E Use: Recreation Storage (113.00 AF) Use: Aesthetic Storage (113.00 AF) Date Filed: 9/08/1989 In: T03N R02E S14 Lot 10 (NESE) Lot 12 (SESE)			
63-10975 Graves, Fred C. Graves, Connie Kay 7725 Stack Rock Dr. Boise, ID 83703 Source: Groundwater Diversión Pt: SWNE Sec 25 T 05N R 01E Use: Irrigation (.060 CFS) Use: Stockwater (.020 CFS) Use: Domestic (.050 CFS) Use: Fire Protection (.060 CFS) Date Filed: 8/18/1989 In: T04N R01E S25 NENE 2.5 Acres Total			
63-10976 Willett, Jule Louisa Eberle 7100 Rhine Ave. Meridian, ID 83642 Source: Groundwater Diversión Pt: NESE Sec 23 T 04N R 01W Use: Irrigation (.150 CFS) Use: Stockwater (.020 CFS) Use: Domestic (.040 CFS) Date Filed: 8/30/1989 In: T04N R01W S23 NESE 5.0 Acres Total			
63-10978 Wilmot, Violet Wilmot, Glen R. 1816 Hampton Rd. Boise, ID 83704 Source: Groundwater Diversión Pt: NWSW 2 T 03N R 01E Use: Commercial (.040 CFS) Date Filed: 8/23/1989 In: T03N R01E S02 SESW The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before OCTOBER 10, 1989.			
R. KEITH HIGGINSON Director Pub. Sept. 21, 28, 1989 3673			

FEB 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 29 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11078

1. Owner: Ballantyne Camp Sub. No. 4

Phone No. 653-2227

Current Address: 40 Bob Wood HC 87 Box 375 PINE ID 83647

2. Accompanied by: Bob & Eileen Wood

EXAM. DATE: 4/27/93

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____

☐ Copies Attached


2. Other water rights with same point of diversion: _____

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

An 8" x 53' low-temp geothermal well provides water to 9 homes in Ballantyne. Camp Sub # 4. The well is also used for approx 2 ac. irrigation. Of the 9 homes, only 2 house full-time residents. One ~~house~~ home located in lot 3 Block 2 has a private well & is not connected to the system. Vacant lots are not stubbed in. Multiple lots w/ one house have only one supply line. Total uses = 9. Private wells in lot 1 Bk 1 & lot 5 Bk 3 are used for hot tubs & minor irrigation only. Domestic use comes from ☐ See Remarks on page 4 for continuation Community System.

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	1.0		Summerside	

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	4	NESW	NE	5	ZN	10E	Elmore		Map. Site Visit

6. **Place(s) of Use:**

Indicate Method of Determination AS above, plot map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
ZN	10E	5			2														2
					24														

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

None. Theoretical HP equation
per well log, Static = 20'
pressure tanks switch 25-45 psi
well log states 15 gpm discharge

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: HP equation

$$\frac{1 \times 8.8 \times .7}{25 + (2.31 \times 35)} = .06 \text{ cfs system capacity}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

allow .06 cfs for irrigation
" .06 cfs for domestic

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2 \times 3.5 = 7.0$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .06 \times 184 \times 1.9835 = 21.9$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 7.0$$

2. Volume Calculations for Other Uses:

$$\text{Internal Domestic } 9 \times .6 = 5.4$$

System is capable of supplying total volume.

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Domestic use is for 9 homes within Lots 1-8, 10 & 11, Block 1;
Lot 1 Block 2; & Lot 2-5 Block 3, Ballantyne Camp Sub # 4.

Overlapping rights to not affect this permit.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRR	4/15	10/15	.06	7.0
DOM	4/1	12/31	.06	5.4
Totals:			.06	12.4

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name LINDY HODGES
Signature Cy Hodges
Certification Date _____
Field Report Preparation Date 4/30/93

CONSULTANT SEAL


- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

BALLANTYNE CAMP SUBDIVISION NO. 4

A PART OF THE NE $\frac{1}{4}$ SECTION 5, T.2N., R.10E., B.M.
ELMORE COUNTY, IDAHO.

TOOTHMAN & ASSOCIATES ————— CONSULTING ENGINEERS

Building and occupancy shall conform to the Standards established by the Restrictive Covenants as filed in Book _____ of Miscellaneous Records at Page _____, Elmore County, Idaho.



vacant lots
not stubbed
in, Nor is
lot 3 block 2

This tract
has separate
covenants

Davis C. Toothman, being duly sworn says that he is a Registered Professional Engineer, that the final map of the foregoing plat was prepared under his supervision, and that this tracing is an exact copy of said final map.

[Signature]

STATE OF IDAHO } 35
COUNTY OF ADA }

Subscribed and sworn to before me,
this 19th day of Feb., 1966.

[Signature]
Notary Public
Residing in Boise, Idaho.



4/27/93

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: N/A OTHER APPLICABLE NO: 63-11078

2. OWNER: Ballantyne Camp Sub #4 Phone: 653 2227
Address: 46 Bob Wood HL 87 Bx 375 Pine 83647

3. WELL LOCATION: Twp 2N, Rge. 10E, Sec. 5, NE SW 1/4 NE 1/4
County _____ (Provide sketch map and photo on reverse.)

4. DRILLER: Hiddleston Lic. No. 035
When Drilled? 1976

5. WELL CONSTRUCTION TD = 53'
Casing Diameter 8 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☒ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe well in 2' pit, approx 3' of casing
Depth of Casing 51 ft. Method Drilled Rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☐ No Pressure Gauge: ☐ Yes ☐ No
Condition of Piping and Valving GOOD
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION
Depth to Static Water 20 ft. Water Temperature 110 °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:
☒ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

9.

REMARKS:

C. Hodges

SRWR Agent

Signature of Dept. Representative & Title

4/27/93

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS: *See file*


YOUR ADDITIONAL PHOTOS IS NECESSARY, SEND FORWARD THE WHITE COPY TO THE DEPARTMENT

63-11078

4/27/93



P/O in
RED Shed.



RECEIVED

MAR 05 1991

February 28, 1991

VIOLET WILMOT
GLEN R. WILMOT
1816 HAMPTON RD.
BOISE, ID 83704

RE: WATER RIGHT NO. 63-10978

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

RECEIVED
MAR 05 1991

Permit No. 63-10978

change? ok ✓

Advance? yes no ☒

Order to reinstate needed? yes no ☒

Limited by fee N/A

Limited by capacity —

Limited by flow _____
Chart checked for AF rate/ac _____

Actual measurement checked

Theoretical checked ☒
If greater than permit, check for other rts

Changed? yes no ☒

If so, is memo needed to clarify?

Verify with map ☒ permit ☒

More than one per $\frac{1}{2}$ p. Remember remark

Check p/d overlap NA

Check irrigation period of use w/ chart N/A

Verify with map ✓ permit ✓
> 5 acres irrigated, run overlap N/A

More than one p/d in 1/4

Description of non-irrig uses ✓

Special overlap condition

Dates/Misc. -

Water Dist

App Rec'd

Proof Rec'd 7

Needed according to proof filed

Filed - needs amended

Add'l fee required

Not filed -

Not needed ✓ Pres made 1999

Comments/Changes to Examiner's Recommendations:

License ✓ 10-day ✓

10-day

30-day

Back of field report signed?

Reviewer S. Curtis Date 2/24/91 Review time 6 min

Date 2/24/91

Review time 6 min

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

63-10978
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with conditions of approval
YES ☒ Well Inspection Form Needed
☒ Copy of U.S.G.S. Quad
☒ Check for Government Lots. If so, make a copy of Government Plat NOT READABLE
Check of P/D index CWJ 6/20/90 (Initial and date)
Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____
Check of P/U index CWJ 6/20/90 (Initial and date)
Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____
Aerial Photo
Required? ☐ yes ☒ no If yes: ☐ copy attached?
Scheduling Letter sent? N/A (Initial and date)
☒ Appointment made and telephone conversation memo attached

Lots in S. 2
N 1/2 N 1/2 only
SL 1/30/91

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☒ Photographs of Point of Diversion and Place of Use

C. Review and Processing:

Exam Completed JUNE 21, 1990 [Signature] (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent SL 1/30/91 (Initial and date)
Exam Reviewed by Manager of Regional Office DW 2/14/91 (Initial and date)
Exam Date Entered in Computer ✓ (Initial and date)
Exam sent to State Office 2-15-91 SL (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 19 1991

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: GLEN R. OR VIOLET WILMOT Permit No. 63-10978
Current Address: 1816 HAMPTON RD., BOISE, ID 83704 Phone No. 322-6507
2. Accompanied by: GLEN WILMOT EXAM. DATE: JUNE 21, 1990
Address: SAME Phone No. 375-1828
Relationship to Permit Holder: SELF
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE NAMPA-MERIDIAN IRR. DIST
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

Scale: 1" = 100'

MAR 05 1991

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 6-INCH WELL EQUIPPED WITH A 1 HP SUBMERSIBLE PUMP SUPPLIES WATER THROUGH A 1 1/4-INCH SUPPLY LINE AND PRESSURE TANK SYSTEM TO A COMMERCIAL ICE MAKING BUSINESS. THERE ARE 12 ICE MAKING MACHINES IN THE BUILDING. AT PEAK USE 9 MACHINES WORK DURING THE DAY AND 4 MACHINES AT NIGHT. MACHINES USE ABOUT 2 GALLONS PER HOUR EACH PLUS ABOUT 400 GALLONS PER DAY FOR FLUSHING ALL MACHINES.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
WELL	JACUZZI	1	UNKNOWN	JACUZZI	DISCHARGE 1 1/4 INCH

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion: PHOTOS #1, #1

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
WELL		NW	SE	SW	2	3N	1E	ADA	ORTHO PHOTO MAP
									10 ac. tract per orthophoto & per permit format.

6. Place(s) of Use: PHOTO #3

Indicate Method of Determination SAME AS ITEM 5

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	1E	2												X					

MICROFILMED

Do not use this space

MAR 05 1991

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements:

NONE

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

NONE

2. Alternate Method for Checking Purposes:

HORSEPOWER EQUATION $\frac{1 \times 8.8 \times .7}{15 + (2.31 \times 40)} = 0.06 \text{ cfs}$ WATER LEVEL 15 FT (BY OWNER) PERMIT 0.04 cfs

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses: COMMERCIAL (ICE MAKING)

9 MACHINES x 26 GAL/HR x 12 HR = 216 GAL 4 MACHINES x 26 GAL/HR x 12 HR = 96 GAL

DAILY USE = 216 GAL + 96 + 400 = 712 GAL YEARLY = 712 x 365 ÷ 325,850 = 0.8 AFA

ALTERNATE: .04 cfs x 365 x 1.9835 = 28.9 AFA

USE 0.8 AFA ✓

MICROFILMED

MAR 5 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

LAWN AND GARDEN IRRIGATION IS BY WATER FROM THE NAMPA-MERIDIAN IRR. DIST. NO WATER UNDER PERMIT 63-10978 IS USED FOR DOMESTIC USE IN HOMES OR FOR IRRIGATION.

ANOTHER 4-INCH WELL ON THE PROPERTY (ABOUT 100 FT WEST) SUPPLIES WATER FOR DOMESTIC USE UNDER A63-17878 AND A63-17895. ANOTHER 4-INCH WELL ON ADJOINING PROPERTY BY SAME OWNER SERVES DOMESTIC USE FOR 1 HOUSEHOLD AT 1824 HAMPTON RD.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
COMMERCIAL	1/1	12/31	.04	0.8
Totals:			.04	0.8

2. Recommended Amendments NONE

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other


J. AUTHENTICATION

Field Examiner's Name CLIFTON W. JOHNSON

Signature Clifton W. Johnson

Certification Date _____

Field Report Preparation Date JUNE 21, 1990



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


RECEIVED

MAR 05 1991

S. 2 GOVT LOTS
in N¹/₂N¹/₂ only
FL 1/30/91

PERMIT 63-10978 INIT CWD
T. R. S. 0/0
P/D 3N 1E 2 SE SW
SCALE
PHOTO ID. X-58

RIE



63-10978

MIT

GLEN ELLYN SUB.

REBA SUB.

DUANE SUB.

HOMETOWN SUB.

400

TLER'S
EADOW













B.

ONAL

7
2.1

70

W 10600
RD.
FIVE MILE
RD.
N.
600



PERMIT
63-10978

CITY
OF
BOISE

NOT REFILED
MAR 11 5 1991

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10978

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP____, Rge____, Sec.____, ____1/4____1/4
or Lot_____.
2. Owner: GLEN WILMOT
Address_____, City_____, St_____
3. Casing $\geq$ 12 inches above ground: Yes____ No X PIT 2 FT DEEP
4. Access Port: Yes____ No X Static Water Level: 14 FT APPROX.
Pressure Gauge: Yes____ No X Casing Diameter: 1/2 INCH
Flowing: Yes____ No X Temperature: 55°F
5. Are there any obvious construction problems that may be a
source for contamination or waste of water: Yes____ No X

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: INSIDE BUILDING

MICROFILMED

MAR 05 1991

PERMIT 63-10978

PHOTO #1

6-INCH WELL INSIDE THE ICE BUILDING
COVERED WITH METAL PROTECTOR.




PHOTO #2

WELL PIT (UNDER COVER IN PHOTO #1) SHOWING
6-INCH WELL EQUIPPED WITH 1HP SUBMERSIBLE PUMP.




MAR 05 1951

PERMIT 63-10978


PHOTO #3

PRESSURE TANK SYSTEM BEFORE WATER IS
DISTRIBUTED TO 12 ICE MAKING MACHINES.



CLAIMS A63-17878 AND A63-17895 PHOTO #4

A 4-INCH WELL SUPPLY WATER TO GLEN WILMOT (UPPER)
AND JACK TAYLOR (LOWER). WELL ABOUT 100 FT WEST
OF A63-10978 (SAME OWNER)



4-INCH WELL
UPPER TO
CLAIM A63-17895
LOWER PIPE TO
CLAIM A63-17878

MAR 05 1991

RECEIVED

February 12, 1990

VIOLET WILMOT
GLEN R. WILMOT
1816 HAMPTON RD.
BOISE, ID 83704

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10978

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED

FEB 26 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10978

Date: 2-9-90

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely
_____ Reinstated

Source of Water:

Y Surface water
Y Groundwater
_____ 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A Priority Calculation:
Date proof received _____

Date proof due _____ - _____

No. of days late _____ = _____

Priority date _____ + _____

NEW PRIORITY DATE _____ = _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
*no
well* PROOF OF BENEFICIAL USE

RECEIVED
NOV 28 1989

The Idaho Department of Water Resources will consider this form as a statement that the ~~Department of Water Resources~~ completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10978 Telephone No.

Name(s) of Permit Holder(s): Glen R. &/or Violet Wilmon

Post Office Address: 1816 Hampton Rd.

Source of Water: Groundwater

If ground water, well driller's name: Date drilled: 2/1972

Extent of Use:

Domestic (No. of households)

Irrigation (No. of acres)

Stockwater (No. and type of stock)

Other Commercial - ice plant

Total rate and/or volume for which proof is submitted .04 cfs acre/feet

Show date water was first diverted and beneficially used under this permit: 1972

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No ☐

OR

Flow Measurement Port: Required? Yes ☐ No ☒ Installed? Yes ☐ No ☐

Fee Enclosed: \$ N/A (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Same as above
Name

375-1828
Telephone No.

Address

The above information is my true statement of the extent to which the above numbered permit has been ~~used~~ and I relinquish any undeveloped portion of the permit to the state of Idaho.

INDEXED

FEB 26 1990

Nov 28 89
Date

Glen R Wilmon
Signature (and title if on behalf of a company or organization)

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
November 22, 1989

VIOLET WILMOT
GLEN R. WILMOT
1816 HAMPTON RD.
BOISE, ID 83704

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-10978

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.


You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

FEB 26 1990



Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED

FEB 26 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: LP DATE: 9-12-89 APPLICATION: 63-10978

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:
- Gov't. Lots:
N/A P/D
N/A P/U

ADDITIONAL INFORMATION

- | YES | NO | |
|-------------------------------------|--------------------------|--|
| ☒ | ☐ | Overlapping place of use: (Describe source & relationship to present application on the back.) |
| ☒ | ☐ | Overlapping point of diversion: |
| ☒ | ☐ | Field check required: Field check by: _____ |
| ☒ | ☐ | Field report attached: |
| ☒ | ☐ | Critical groundwater area: |
| ☒ | ☐ | Groundwater management area: |
| ☒ | ☐ | Diversion within interim protected river area |
| ☒ | ☐ | Send dam safety information: |
| ☒ | ☐ | Send power requirement letter: |
| ☒ | ☐ | Send fish farm requirement letter: |
| ☒ | ☐ | Power residency affidavit: |
| ☒ | ☐ | Power efficiency form: |
| ☒ | ☐ | Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.) |
| ☒ | ☐ | Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.) |
| ☒ | ☐ | *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT |

DATE REQUESTED: _____

Additional information on reverse side: _____

00712 1989
Department of Water Resources

PROCESSING

APPLICATION NO. 63-10978

YES NO

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest *N. P. Baker 10. 1989*

Protest dates, resolution of protest recorded on application:

Recommendations attached:

Measuring device required:

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter:

See below for additional information

Recommended Date or Priority

Recommended by:

Date 10/10/89

STATE OFFICE REVIEW

P05, P23

P/6

46

See below for additional information. By

Date 11/14/89

ADDITIONAL INFORMATION

well was drilled in 1972 per applicant

Wilmot, Violet
WILMOT, GLEN R.
1816 HAMPTON RD.
BOISE, ID 83704

63-10978

Source: GROUNDWATER

Diversion Pt:

Use: COMMERCIAL

Date Filed: 8/23/1989

In: T03N R01E S02

NWSESW Sec 2 T 03N R 01E
(.040 CFS)

SESW

MICROFILMED

FEB 26 1990