



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 23 1993

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: New Heights Baptist Church Permit No. 63-10959
Current Address: P.O. Box 70, Eagle, ID 83616 Phone No. 939-8919
2. Accompanied by: Bill Hereford, Pastor EXAM. DATE: 7/23/93
Address: _____ Phone No. same
Relationship to Permit Holder: Church Pastor
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: many - See overlap sheet

☐ Copies Attached
2. Other water rights with same point of diversion: many - See overlap sheet

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

PHOTOFILMED
DEC 02 1993

04N01E
63-10959

5N
4N

PERMIT 63-10959 INIT RC
T. R. S. Q/Q
P/D 4N 1E 9 NWSW
SCALE _____
PHOTO ID. X-8 EAGLE

plot
p/u

RECEIVED
DEC 02 1993



PHOTO ONE-

Well enclosed in brick enclosure which is topped by a built-in planter box.



PHOTO TWO-

View easterly of one of two homes served by well. Well enclosure is shown in front of home. RECEIVED DEC 2 1993



PHOTO THREE- View north of chapel.



PHOTO FOUR- View southwest of second home. Church services are presently conducted in this home.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10959

Priority: September 7, 1989

Maximum Diversion Rate:

0.10 CFS

Maximum Diversion Volume:

3.0 AF

This is to certify, that NEW HEIGHTS BAPTIST CHURCH

PO BOX 70

EAGLE ID 83616

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 7, 1989; and has submitted Proof of Beneficial Use on March 19, 1990. An examination indicates that the works have a diversion capacity of .100 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.10 CFS	3.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 9, Township 04N, Range 01E
ADA County

PLACE OF USE: DOMESTIC

TWN RGE SEC

04N 01E 9

NWSW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 2 homes and lawn irrigation for a church building.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 15 day of November, 1993.

Acting for R. Keith Higginson, Director

RECORDED

DEC 02 1993



State of Idaho DEPARTMENT OF WATER RESOURCES

1301 N. Orchard St., Statehouse Mall, Boise ID 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

RECEIVED

OCT 27 1993

ASSIGNMENT OF PERMIT

Department of Water Resources

I, St. Matthew's Catholic Church, hereby assign to New Heights Baptist Church
of, P.O. Box 70 Eagle Idaho 83616
(Full Address)

All my right, title, and interest in and to Permit No. 63-10959
to appropriate the public waters of the State of Idaho.

OR (for partial assignments)


The following described portion of my right, title, and interest in and to
Permit No. _____ to appropriate the public waters of the State of Idaho.

Describe portion of the permit assigned listing the number of acres in each 40 acre
subdivision, point of diversion location, and the amount of water in cubic feet per
second.

Made this 22nd day of October, 19 93

State of Idaho)
County of Ada) ss

X



On this 22nd day of October, 1993, personally appeared before me
the signer of the above instrument, duly acknowledged to me that he/she/they executed the same.

SEAL

Lodice M. Grant
Notary Public

Residing: Nampa

Lodice M. Grant

Signature

My commission expires: 1-29-94

MICROFILMED

DEC 02 1993

6/93

RECEIVED

MAR 19 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
Amt. of Fee \$ 50
Date 3-16-90
Receipt No. 41011313
Received by [Signature]

Department of Water Resources **PROOF OF BENEFICIAL USE**

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. P63-10959 Telephone No. 939-6801
Name(s) of Permit Holder(s): ST. MATTHEW'S CATHOLIC Church
Post Office Address: PO Box 296 Rev. Dennis Lee OR Lynne Sedlack
Source of Water: GROUNDWATER 939-621
If ground water, well driller's name: N/A Date drilled: N/A
Extent of Use:
Domestic 2 (No. of households) Irrigation 1/2 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted .10 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 9-7-89 (WELL HAS BEEN IN SINCE APPROX. 1972)

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes XNo Installed? Yes XNo

OR

Flow Measurement Port: Required? Yes XNo Installed? Yes XNo

Fee Enclosed: \$ 50 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

LYNNE SEDLACK 939-0132 (WORK)
Name Telephone No.
1025 RUSH RD, EAGLE, ID 83616
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

3/16/90 Lynne Sedlack, Building Committee
Date Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-10959

Proposed Priority: September 7, 1989 Maximum Diversion Rate: 0.10 CFS

This is to certify, that ST. MATTHEWS CATHOLIC CHURCH
P.O. BOX 296
EAGLE, ID 83616

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.10 CFS
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		NWSW Sec. 9, Township 04N, Range 01E ADA County

PLACE OF USE: DOMESTIC

TWN RGE SEC


04N 01E 9 NWSW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Domestic use is for 2 homes & lawn irrigation for church.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

14th day of December, 1989.

for 
R. Keith Higginson, Director

MICROFILMED

DEC 18 1989

Ident. No. 63-10959

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: ST. MATTHEWS CATHOLIC CHURCH 208-939-6801
Address: P.O. BOX 296
EAGLE, ID 83616
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: NWSW Sec. 9, Township 04N, Range 01E
ADA County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.100		
5. Total quantity to be appropriated is:
0.100 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
WELL WITH PUMP AND PIPELINE TO PLACES OF USE.
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - * c. Proposed well diameter is inches; proposed depth of well is
feet.
 - d. Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.
8. Description of proposed uses:
DOMESTIC USE FOR 2 HOMES AND LAWN IRRIGATION FOR CHURCH.
9. Place of Use: DOMESTIC

63-10959-1001
DEC 19

TWN RGE SEC
04N 01E 9 NWSW
10. Describe any other water rights used for the same purposes.
NONE.

* See Remark on Analysis Sheet

11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

* 12. Remarks:

~~WELL HAS BEEN IN USE SINCE 1972.~~

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

St. Matthew's Church by Lyndal Sedlacek
Applicant Rel. Committee Member

Received by [Signature] Date 9/7/89 Time 4:30 Preliminary check by [Signature]

Fee \$ 30 Receipted by [Signature] # W005676 Date 9/7/89


Publication prepared by GG Date 9-27-89 Published in ID Statesman
10/5 & 10/12/89

Publication approved [Signature] Date 10-23-89

* Deleted in data base 9-27-89 SS

MICROFILMED

DEC 13 1989





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 2, 1993

NEW HEIGHTS BAPTIST CHURCH
PO BOX 70
EAGLE ID 83616

RE: WATER RIGHT NO. 63-10959

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

UNRECORDED

DEC 6 2 1993

WR0749NP
No. L63-10959

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 10/27/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	NEW HEIGHTS BAPTIST CHURCH PO BOX 70 EAGLE ID 83616 (208) 939-8919	09/07/1989	DOMESTIC	01-01 12-31	0.10 CFS	3.0 AFA
TOTAL DIVERSION:					0.10 CFS	3.0 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.10 CFS

Point(s) of Diversion: T04N R01E S09 NW SW

Place of use Legal Description for: DOMESTIC

				NE				NW				SW				SE							
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:
				Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac	
04N	01E	9	:					:					:					:					:

Pou County: ADA

Other Water Rights Listing Overlapping Place(s) of use:

63-002588 63-002608 63-02406 63-07398 63-07405 63-07992

Remarks: Domestic use is for 2 homes and lawn irrigation for a church building.

Dates: App. Received: 09/07/1989 Priority Date: 09/07/1989
Proof Due Date: 01/01/1991 Proof Made Date: 03/19/1990
Exam Made Date: 07/23/1993 Exam Sent to S.O.: 09/22/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 10/27/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 63-10959

Date 9-28-93

Brenda Chapman

<u>NAME</u>	Yes ☒ No ☐	Or <u>Address</u> Change? <u>NO ASSIGNMENT</u>
PRIORITY DATE	☐ ☒ ☐ ☒ ☐ ☒	Advance? <u> </u> Memo to Advance <u> </u> Order to Reinstate Needed? Incorrect Fee for rate recommended?
SOURCE	☐ ☒ ☐ ☒ ☐ ☒	Changes? Clarification of Originally Intended source Notice of Intent to Void - Source change.
P/D	☐ ☒ ☐ ☒	Amendment Needed? <u> </u> Overlap(s) <u> </u>
P/U	☐ ☒ ☐ ☒	Amendment Needed? <u> </u> Overlap(s) <u> </u>
TOTAL CFS	<u>-NA-</u> ☐ ☒ ☐ ☒ ☐ ☒	Disagree/Measurement <u>None Done</u> <u>Estimated - examiner recommends .10</u> <u>no permitted.</u> Theoretical $(8.8 \times .70 \times .75) + (15 + 2.31 \times 20) = .08$ ESTIMATE ONLY Capacity <u>.10</u> Allowable Amount: <u>Permit Limit</u>
TOTAL VOLUME	☐ ☒ ☐ ☒ ☐ ☒	Disagree with Examiner's Calculations? <u>$2 \times 1.2 = 2.4$</u> <u>$1 \times .6 = .6$</u> } 3 AF Flow limit: <u>.10</u> x 365 x 1.9835 = <u>72.3</u> Season <u> </u>
USES	☐ ☒ ☐ ☒	Change(s) in Nature of Use? <u> </u> Amendment Needed? <u> </u>
REMARKS	☐ ☒ ☐ ☒ ☐ ☒	Multiple P/Ds in 1/4 1/4? <u> </u> Special Overlap <u> </u> Other <u> </u>
CONDITIONS	☐ ☒ ☐ ☒ ☐ ☒	Measuring/Locking Devices <u> </u> Misc/Dates <u> </u> W/Master Control <u> </u> Water Dist <u> </u> Irrigation Overlap <u>9-7-89</u> App Rec'd <u> </u> Water Quality <u>7-23-93</u> Exam Made <u> </u>
COMMENTS:	<u>Wait On Assignment to process.</u>	

RECOMMENDED

CFS

DIV VOL

Domestic

.10

3.0

LICENSE ☒

AMEND

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 23 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: New Heights Baptist Church Permit No. 63-10959
Current Address: P.O. Box 70, Eagle, ID 83616 Phone No. 939-8919
2. Accompanied by: Bill Hereford, Pastor EXAM. DATE: 7/23/93
Address: _____ Phone No. SAME
Relationship to Permit Holder: Church Pastor
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: many - See OVERLAP Sheet ☐ Copies Attached
2. Other water rights with same point of diversion: many - See overlap sheet ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

RECEIVED
DEC 02 1993

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well, enclosed in brick structure, has a 6" casing. Water is pumped by 3/4 hp. pump to two homes and chapel. Each home has domestic use, both internal and external. ALL lawn and landscaped areas are irrigated by an underground sprinkling system (pop ups). Approximately 1.4 acres is irrigated. No water service to inside of chapel.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Model Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	FRANKLIN	3/4	CB C4007X5F	JACUZZI	NO TAG

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SW	9	4N	1E	Ada	Aerial Map

6. Place(s) of Use:

Indicate Method of Determination SAME AS P/D

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	1E	9									D								

Do not use this space

MICROFILMED

DEC 02 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

NONE - Pressurized System

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: NONE

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

(Estimate from well logs in area)
NOT ACCURATE

Discharge Pressure: 20 psi x 2.31 = 46.2 ft (1); Dynamic pumping level: 15 ft (2)
Total Head: (1) + (2) = 61.2 (3) $Q = \frac{(8.33 \times 0.7 \times 0.75)}{61.2} = 0.08$ CFS : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: N/A

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

Domestic - $V_{\text{internal}} = 2 \times 0.6 = 1.2$

$V_{\text{external}} = 3 \times 0.6 = 1.8$
3.0 AFA

RECEIVED
DEC 02 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

OVERLAPS - P/U - Same QD, different areas of use.

P/D - Same QD, different P/D.

No well log exists, therefore the theoretical determination of flow is not accurate. Cannot be a limiting factor. Therefore, since B/U entails (2) homes, internal and external use, and external use only for lawn around chapel, recommend Licensing for 0.10 cfs as requested on permit.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	0.10	3.0
Totals:			0.10	3.0

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Rick Collingwood

Signature

Rick Collingwood

Certification Date

Field Report Preparation Date

8/10/93

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

DEC 02 1993


04N01E

163-10959

3N

4N

PERMIT 163-10959 INIT PC
T. R. S. Q/Q
P/D 4N IE 9 NWSW
SCALE
PHOTO ID. X-P EAGL



4842

4841

T. 4840

42' 30"

4839

4838

4837

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10959

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 4N, Rge 1E, Sec. 9, NW1/4 SW1/4 or Lot .
2. Owner: New Heights Baptist Church
Address P.O. Box 70, City Eagle, St ID
3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐
4. Access Port: Yes ☐ No ☒ Static Water Level:
Pressure Gauge: Yes ☐ No ☒ Casing Diameter: 6"
Flowing: Yes ☒ No ☐ Temperature: N/A
Properly Valved: Yes ☒ No ☐
5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks:

MICROFILMED
DEC 02 1993



PHOTO ONE-

Well enclosed in brick enclosure which is topped by a built-in planter box.



PHOTO TWO-

View easterly of one of two homes ^{DE} situated by well. Well enclosure is shown in front of home. 1992



PHOTO THREE- View north of chapel.



PHOTO FOUR- View southwest of second home. Church ^{DEC} services are presently conducted in this home. 1993

July 17, 1990

ST. MATTHEWS CATHOLIC CHURCH
P.O. BOX 296
EAGLE, ID 83616

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10959

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JUL 24 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10959

Date: 7-16-90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change NO If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

- ☐ Surface water
☒ Groundwater
 1. well log in file 1972
 2. drilling permit NA
 NA A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- NO Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received	<u>NA</u>	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

JP
SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
December 15, 1989

ST. MATTHEWS CATHOLIC CHURCH
P.O. BOX 296
EAGLE, ID 83616

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-10959

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

INDEXED

DEC 15 1989

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

Microfilm

DEC 19 1989

RECEIVED

OCT 16 1989

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

Department of Water Resources
Western Regional Office

LEGAL ADVERTISING INVOICE

Amount Due
265.44

Account Name Department of Water Resources - Western			Account Number 47628	
Address 2735 Airport Way		City/State Boise, Idaho		Zip 83705
Ordered By Gail Garrett	P.O. Number	Rate 63-10965	Run Dates October 5, 12 1989	
Identification Notice of Application		Estimated Inches		Real Inches
				Legal Number 3800

☐ Number of Affidavits Requested
1

NOTICE OF APPLICATION FOR WATER RIGHT

The following applications have been filed to appropriate the public waters of the State of Idaho:

63-10891
Serra, John R.
Serra, Nola R.
3905 Sandbar Ln.
Eagle, ID 83616
Source: Groundwater
Diversion Pt: SENE Sec 32 T 05N R 01E
Use: Irrigation (.150 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/07/1989
In: T05N R01E S32 SENE
5.0 ACRES TOTAL

63-10905
Junnila, William E.
Junnila, Renae M.
4615 1/2 N. Eagle Rd.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: NENE Sec 32 T 04N R 01E
Use: Irrigation (.030 CFS)
Use: Stockwater (.020 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/18/1989
In: T04N R01E S32 NENE
1.0 ACRES TOTAL

63-10934
Kaplan, Dean W.
Kaplan, Cynthia A.
10220 Stardust
Boise, ID 83709
Source: Groundwater
Diversion Pt: NWNW Sec 14 T 03N R 01E
Use: Irrigation (.020 CFS)
Date Filed: 8/29/1989
In: T03N R01E S14 NWNW
0.5 ACRES TOTAL

63-10957
Sedlacek, Randy A.
Sedlacek, Joyce D.
4290 Perkins St.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: SESW Sec 22 T 03N R 01W
Use: Irrigation (.030 CFS)
Date Filed: 9/06/1989
In: T03N R01W S22 SESW
1.0 ACRES TOTAL

63-10959
St. Matthews Catholic Church
P.O. Box 296
Eagle, ID 83616
Source: Groundwater
Diversion Pt: NWSW Sec 9 T 04N R 01E
Use: Domestic (.100 CFS)
Date Filed: 9/07/1989
In: T04N R01E S09 NWSW

63-10960
Wiscombe, Phillip W.
Wiscombe, LaVonne
4400 Hubbard Rd.
Kuna, ID 83634
Source: Groundwater
Diversion Pt: NESW Sec 10 T 02N R 01W
Use: Irrigation (.800 CFS)
Use: Stockwater (.050 CFS)
Date Filed: 9/07/1989
In: T02N R01W S10 NESW
40.0 ACRES TOTAL

63-10965
Sasso, Ray V.
Sasso, Lynne
900 W. Meander Ct.
Eagle, ID 83616
Source: Groundwater
Diversion Pt: NESW Sec 32 T 05N R 01E
Use: Domestic (.020 CFS)
Use: Stockwater (.020 CFS)
Use: Irrigation (.150 CFS)
Date Filed: 9/08/1989
In: T05N R01E S32 NESW
5.0 ACRES TOTAL

63-10985
Morris, William E.
Morris, Camille J.
4525 Ginger Creek Dr.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: NWNW Sec 33 T 04N R 01E
Use: Irrigation (.015 CFS)
Date Filed: 9/05/1989
In: T04N R01E S33 NESE
0.5 ACRES TOTAL

63-10986
Ellis, Ted
Ellis, Valerie
2820 E. Ustick Rd.
Meridian, ID 83642
Source: Groundwater

LEGAL NOTICES

Diversion Pt: SWSE Sec 32 T 04N R 01E
Use: Irrigation (.030 CFS)
Date Filed: 9/01/1989
In: T04N R01E S32 SESE
1.0 ACRES TOTAL

63-10987
Schmillen, Kenneth
Schmillen, Diane
427 Linder Ave.
Kuna, ID 83634
Source: Groundwater
Diversion Pt: NENE Sec 34 T 03N R 01W
Use: Irrigation (.100 CFS)
Use: Stockwater (.020 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/31/1989
In: T03N R01W S34 NENE
5.0 ACRES TOTAL

63-10988
Watson, Wayne H.
Watson, Barbara A.
5730 N. Five Mile Rd.
Boise, ID 83704
Source: Groundwater
Diversion Pt: SWNW Sec 26 T 04N R 01E
Use: Irrigation (.030 CFS)
Date Filed: 8/29/1989
In: T04N R01E S26 SWNW
1.0 ACRES TOTAL

63-10990
George, Judy J.
George, Robert C.
3192 Heritage Ave.
Boise, ID 83709
Source: Groundwater
Diversion Pt: NWNW Sec 27 T 03N R 01E
Use: Irrigation (.020 CFS)
Use: Stockwater (.020 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/28/1989
In: T03N R01E S27 NWNW
1.0 ACRES TOTAL

63-10991
Miller, Anthony
10597 W. Kuna Mora Rd.
Kuna, ID 83634
Source: Groundwater
Diversion Pt: Lot 1 (NENE) Sec T 01N R 01E
Diversion Pt: Lot 1 NESE Sec 3 T 01N R 01E
Diversion Pt: Lot 1 NWSE Sec 3 T 01N R 01E
Use: Irrigation (.990 CFS)
Date Filed: 8/28/1989
In: T01N R01E S03 NESW NWSW SWSE SESE
73.0 ACRES TOTAL

63-10992
Camie, Daniel
5669 Fieldcrest Dr.
Boise, ID 83704
Source: Groundwater
Diversion Pt: SWNW Sec 26 T 04N R 01E
Use: Irrigation (.030 CFS)
Date Filed: 8/29/1989
In: T04N R01E S26 SWNW
1.0 ACRES TOTAL

63-10993
McKeon, Deborah C.
McKeon, Michael G.
2106 Almaden Dr.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: SENWSE Sec 23 T 04 N R 01W
Use: Irrigation (.060 CFS)
Use: Domestic (.040 CFS)
Date Filed: 9/06/1989
In: T04N R01W S23 NWSE
2.0 ACRES TOTAL

63-10995
St. Mark's Roman Catholic Church
7503 Northview
Boise, ID 83704
Source: Groundwater
Diversion Pt: NESE Sec 1 T 03N R 01E
Use: Irrigation (.120 CFS)
Date Filed: 9/13/1989
In: T03N R01E S01 NESE
4.0 ACRES TOTAL

63-10996
Alleman, Fred L.
Alleman, Ruby J.
8465 Golse Dr.
Boise, ID 83704
Source: Groundwater
Diversion Pt: NWSWNE Sec 15 T 03N R 02E
Use: Irrigation (.030 CFS)
Date Filed: 9/14/1989
In: T03N R02E S15 SWNE
1.0 ACRES TOTAL

63-10997
Pope, Lyle H.
Pope, Judy
901 W. Meander Ct.
Eagle, ID 83616
Source: Groundwater
Diversion Pt: SENESW Sec 32 T 05N R 01E
Use: Irrigation (.140 CFS)
Date Filed: 9/08/1989
In: T05N R01E S32 NESW
4.5 ACRES TOTAL

The permits will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before OCTOBER 23, 1989.

R. KEITH HIGGINSON
Director
Pub. Oct. 5, 12, 1989 3800

MICROFILMED
DEC 19 1989

63-10959

ST. MATTHEWS CATHOLIC CHURCH
P.O. BOX 296
EAGLE, ID 83616

Source: GROUNDWATER

Diversion Pt: NWSW Sec 9 T 04N R 01E

Use: DOMESTIC (.100 CFS)

Date Filed: 9/07/1989

In: T04N R01E S09 NWSW

NOTIFIED

DEC 1 5 1989