


ALMADEN ACRES SUBDIVISION

E 1/2 Section 23, T.4 N., R.1 W., B.M.
ADJ. COUNTY, IDAHO

SCALE

200 400




LEGEND

- East 1/4 Corner
- Center, Section 23, T.4 N., R.1 W., B.M.
- Block Number
- Subdivision, Boundary 36° Abbr.
- Lot PINS 1/2, 1/4, 1/8
- Future Road Easements
- 10 Utility Easements for Public Utilities, Irrigation and drainage, unless other Easement width is shown.
- From Utilities, Irrigation and Drain Ditch, Abbr. shown, Easements—See Certificate of Owners.

TABLE OF CURVE DATA

Curve Station	Curve Data	Tangent Length	Chord	Curve Length
1	100.00	200.00	200.00	100.00
2	100.00	200.00	200.00	100.00
3	100.00	200.00	200.00	100.00
4	100.00	200.00	200.00	100.00
5	100.00	200.00	200.00	100.00
6	100.00	200.00	200.00	100.00
7	100.00	200.00	200.00	100.00
8	100.00	200.00	200.00	100.00
9	100.00	200.00	200.00	100.00
10	100.00	200.00	200.00	100.00
11	100.00	200.00	200.00	100.00
12	100.00	200.00	200.00	100.00
13	100.00	200.00	200.00	100.00
14	100.00	200.00	200.00	100.00
15	100.00	200.00	200.00	100.00
16	100.00	200.00	200.00	100.00
17	100.00	200.00	200.00	100.00
18	100.00	200.00	200.00	100.00
19	100.00	200.00	200.00	100.00
20	100.00	200.00	200.00	100.00
21	100.00	200.00	200.00	100.00
22	100.00	200.00	200.00	100.00
23	100.00	200.00	200.00	100.00
24	100.00	200.00	200.00	100.00



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 11 1993
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Gregory Scott & Sara Ann Norton Permit No. 63-10955
Current Address: 2305 W. Ribier Dr., Meridian, ID 83642 Phone No. 887-0811
2. Accompanied by: Same EXAM. DATE: 7-23-92
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 100'

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more).

MICROFILMED
JUL 01 1993

NAPP 16001-424

803

Not To Scale



7 HEL
14.5
6
12.5
HEL

T613

1 W
35.4
T612

HEL
5.4
10.4
HEL

HEL
9.1
HEL

HEL
3.3
HEL

HEL
10
30.5

HEL
2.5
HEL

HEL
14
29.0

HEL
13
5.8

HEL
12
20.7

P10

HEL
15
25.2

HEL
16
29.7

HEL
17
33.3

HEL
18
22.8

T614

#63-10955

HEL
3
34.3

HEL
2
21.4

HEL
1
13.5

C6

JUL 01 1993

RED






PHOTO ONE-

The 6" well.



PHOTO TWO-

The lawn & house.
Facing south-west From
the north-east corner.

JUL 01 1993



PHOTO THREE-

*The west side lawn,
Facing south.*



PHOTO FOUR-

*The back lawn and
pasture, Facing south-east.*

JUL 01 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10955

Priority: September 6, 1989

Maximum Diversion Rate:

0.06 CFS

Maximum Diversion Volume:

14.1 AF

This is to certify, that GREGORY SCOTT NORTON
SARA ANN NORTON

2305 W RIBIER DR
MERIDIAN ID 83642

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 6, 1989; and has submitted Proof of Beneficial Use on November 7, 1991. An examination indicates that the works have a diversion capacity of .060 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.06 CFS	13.5 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.06 CFS	14.1 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSWNE , Sec. 23, Township 04N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	01W	23	SWNE 1	NWSE 2		3

Total number of acres irrigated: 3

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

RECORDED

JUL 01 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10955

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.
7. Place of use is located within Lot 13, Almaden Acres Subdivision.
8. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 10TH day of JUNE, 1993.

Acting for


R. Keith Higginson, Director

JUL 01 1993

RECEIVED

NOV 07 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Amt. of Fee \$ 50.00Date 11-7-91Receipt No. 0022253Received by [Signature]

Department of Water Resources

PROOF OF BENEFICIAL USE

DEC 18 1991

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-10955 Telephone No. (208) 887-08112. Name(s) of Permit Holder(s): Gregory S. Norton and Sara Ann Norton3. Post Office Address: 2305 Ribier Dr. Meridian ID 836424. Source of Water: Groundwatera. If ground water, well driller's name: Coonse Well Drilling Date drilled: Apr 1989

b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic 1 (No. of households)Irrigation 2.0 (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

6. Total rate and/or volume for which proof is submitted 0.13 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes XNo Installed? Yes No

OR

Flow Measurement Port: Required? Yes XNo Installed? Yes No8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Gregory Norton (208) 887-0811 (h) or (208) 323-3530 (w)

Name

Telephone No.

2305 Ribier Dr. Meridian ID 83642

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

1 Nov 91
Date

[Signature]
Signature (and title if on behalf of a company or organization)

DEC 26 1991

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-10955

Proposed Priority: September 6, 1989 Maximum Diversion Rate: 0.13 CFS

This is to certify, that **GREGORY SCOTT NORTON**
SARA ANN NORTON
2305 W. RIBIER DR.
MERIDIAN, ID 83642

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.09 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.13 CFS

LOCATION OF POINT(S) OF DIVERSION: SWSWNE Sec. 23, Township 04N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	01W	23	SWNE 1	NWSE 2		3
Total number of acres irrigated:						3

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1991**.
2. Subject to all prior water rights.
3. Place of use also known as Lot 13, Almaden Acres Subd.
4. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

27th day of November, 1989.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

DEC 19 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: GREGORY SCOTT NORTON 208-887-0811
Address: 2305 W. RIBIER DR.
MERIDIAN, ID 83642
AND/OR
Name: SARA ANN NORTON 208-887-0811
Address: 2305 RIBIER DR.
MERIDIAN, ID 83642

2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: SWSWNE Sec. 23, Township 04N, Range 01W
ADA County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.090		
DOMESTIC	01/01	12/31	0.040		

5. Total quantity to be appropriated is:
0.130 CFS (and/or) AF

6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc.
90' WELL, PUMP & PIPELINE TO PLACE OF USE.
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is 6 inches; proposed depth of well is 90
feet.
d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 5 years.

8. Description of proposed uses:
DOMESTIC USE IS FOR ONE HOME.

MICROFILMED

DEC 19 1989

Ident. No. 63-10955
Page 2

9. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
04N	01W	23	SWNE 1	NWSE 2		3

Place of Use: DOMESTIC

TWN	RGE	SEC	
04N	01W	23	SWNE

Total number of acres irrigated: 3

10. Describe any other water rights used for the same purposes.
SETTLER'S IRRIGATION DISTRICT WATER.

11. a. Who owns the property at the point of diversion?

APPLICANTS

b. Who owns the land to be irrigated or place of use?

APPLICANTS


c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

PLACE OF USE ALSO KNOWN AS LOT 13, ALMADEN ACRES SUBDIVISION.

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.


Applicant

Received by YB kw Date 9/8/89 Time 8:50am Preliminary check by SL

Fee \$ 30.00 Receipted by kw # C010907 Date 9/6/89

Publication prepared by GG Date 9-13-89 Published in ID Statesman

Publication approved st **MICROFILMED** Date 9/21 & 9/28/89
10-4-89

DEC 15 1989

ALMADEN ACRES SUBDIVISION

E 1/2 SECTION 23, T.4N., R.1W., B.M.
ADA COUNTY, IDAHO

SCALE

200 100 0 200 400



LEGEND


- East 1/4 Corner
- Center Section 23, T.4N., R.1W., B.M.
- Block Number
- Subdivision Boundary 5/8" Rebar
- Lot Pins 1/2" Rebar
- Future Road Easements
- 10' Utility Easements for Public
- Utilities, Irrigation and drainage, unless other Easement width is shown.
- Public Utilities, Irrigation and Drain Ditch, North Slough, Easements - See Certificate of Owners.

TABLE OF CURVE DATA

Curve	Radius	Delta	Tangent	Long	Chord	Chord Brg.
1	30	30'00"00	22.00	31.42	22.28	117°45'45"E
2	30	30'00"00	22.00	31.42	22.28	117°45'45"E
3	30	30'00"00	22.00	31.42	22.28	117°45'45"E
4	30	30'00"00	22.00	31.42	22.28	117°45'45"E
5	30	30'00"00	22.00	31.42	22.28	117°45'45"E
6	30	30'00"00	22.00	31.42	22.28	117°45'45"E
7	30	30'00"00	22.00	31.42	22.28	117°45'45"E
8	30	30'00"00	22.00	31.42	22.28	117°45'45"E
9	30	30'00"00	22.00	31.42	22.28	117°45'45"E
10	30	30'00"00	22.00	31.42	22.28	117°45'45"E
11	30	30'00"00	22.00	31.42	22.28	117°45'45"E
12	30	30'00"00	22.00	31.42	22.28	117°45'45"E
13	30	30'00"00	22.00	31.42	22.28	117°45'45"E
14	30	30'00"00	22.00	31.42	22.28	117°45'45"E
15	30	30'00"00	22.00	31.42	22.28	117°45'45"E
16	30	30'00"00	22.00	31.42	22.28	117°45'45"E
17	30	30'00"00	22.00	31.42	22.28	117°45'45"E
18	30	30'00"00	22.00	31.42	22.28	117°45'45"E
19	30	30'00"00	22.00	31.42	22.28	117°45'45"E
20	30	30'00"00	22.00	31.42	22.28	117°45'45"E
21	30	30'00"00	22.00	31.42	22.28	117°45'45"E
22	30	30'00"00	22.00	31.42	22.28	117°45'45"E
23	30	30'00"00	22.00	31.42	22.28	117°45'45"E
24	30	30'00"00	22.00	31.42	22.28	117°45'45"E
25	30	30'00"00	22.00	31.42	22.28	117°45'45"E
26	30	30'00"00	22.00	31.42	22.28	117°45'45"E
27	30	30'00"00	22.00	31.42	22.28	117°45'45"E
28	30	30'00"00	22.00	31.42	22.28	117°45'45"E
29	30	30'00"00	22.00	31.42	22.28	117°45'45"E
30	30	30'00"00	22.00	31.42	22.28	117°45'45"E



ALMADEN ACRES SUBDIVISION
D.W. NO. 140749





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 11, 1993

GREGORY SCOTT NORTON
SARA ANN NORTON
2305 W RIBIER DR
MERIDIAN ID 83642

RE: WATER RIGHT NO. 63-10955

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the printed name.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

JUL 01 1993

WR0749NP
No. L63-10955

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 06/09/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	GREGORY SCOTT NORTON	09/06/1989	IRRIGATION	03-15 11-15	0.06 CFS	13.5 AFA
C	SARA ANN NORTON		DOMESTIC	01-01 12-31	0.04 CFS	0.6 AFA
	2305 W RIBIER DR					
	MERIDIAN ID 83642					
	(208) 887-0811			TOTAL DIVERSION:	0.06 CFS	14.1 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.06 CFS

Point(s) of Diversion: T04N R01W S23 SW SW NE

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE																		
				NENE	NWNE	SWNE	SENE					NENW	NWNW	SWNW	SENW					NESW	NWSW	SWSW	SESW					NESE	NWSE	SWSE	SESE			
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM		
04N	01W	23	:					01																										
																																02		3.0
																																TOTAL ACRES		3.0

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: ADA

Other Rights: SETTLER'S IRRIGATION DISTRICT WATER.

Other Water Rights with Same Point(s) of Diversion and Source:
63-10955

Other Water Rights Listing Overlapping Place(s) of use:
63-10955 63-10993 63-11564

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: The right holder shall fully use all surface water rights
appurtenant to the lands identified above prior to using water
under this right.
Place of use is located within Lot 13, Almaden Acres
Subdivision.
Domestic use is for 1 home.

Dates:	App. Received:	09/06/1989	Priority Date:	09/06/1989
	Proof Due Date:	12/01/1991	Proof Made Date:	11/07/1991
	Exam Made Date:	07/23/1992	Exam Sent to S.O.:	04/28/1993
	Licensed Date:			

Misc: Water District Number: Field Exam Fee:

WR0749NP
No. L63-10955

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 06/09/93
PAGE: 2

=====

Comments: Date: 11/14/1991 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Date: 12/18/1991 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 06/09/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 63-10955 Date 6-3-93 Brenda Chapman

NAME	<u>Yes</u>	<u>No</u>	Address Change?
PRIORITY DATE	<u>Yes</u>	<u>No</u>	Advance?
	<u>Yes</u>	<u>No</u>	Memo to Advance
	<u>Yes</u>	<u>No</u>	Order to Reinstate Needed?
TOTAL CFS	<u>Yes</u>	<u>No</u>	Incorrect Fee for rate recommended?
	<u>NA</u>	<u>NA</u>	Measurement Done <u>NONE</u>
			Pumping Theoretical $(8.8) \times (1.5) \times (.7)$
			$(65 + [2.31 \times 40]) = .06$
			System Capacity <u>.06</u>
			Allowable Amount: <u>3 acres @ 2.31 x 40 / dom = .04</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Standard</u> Season Recommended
			Disagree with Examiner's Calculations?
			<u>3 acres x 4.5 = 13.5 / domestic = .6</u> <u>14.1</u>
			Flow limit: <u>.06</u> x <u>246</u> x <u>1.9835</u> = <u>29.3</u>
SOURCE			Changes? Clarification of <u>Originally</u>
			<u>Intended</u> source
			Notice of Intent to Void.
P/D	<u>Yes</u>	<u>No</u>	Amendment Needed?
	<u>Yes</u>	<u>No</u>	Overlap Analysis a Consideration?
P/U	<u>Yes</u>	<u>No</u>	Amendment Needed?
	<u>Yes</u>	<u>No</u>	Overlap Analysis for 5+ Acres Needed?
USES	<u>Yes</u>	<u>No</u>	Change(s) in Nature of Use?
	<u>Yes</u>	<u>No</u>	Amendment Needed?
REMARKS	<u>Yes</u>	<u>No</u>	Multiple P/Ds in 1/4 1/4?
	<u>Yes</u>	<u>No</u>	Non-Irr. Uses <u>Domestic</u>
	<u>Yes</u>	<u>No</u>	Special Overlap Condition
	<u>Yes</u>	<u>No</u>	Other
CONDITIONS	<u>Yes</u>	<u>No</u>	Measuring Devices
	<u>Yes</u>	<u>No</u>	W/Master Control
	<u>R32</u>	<u>NA</u>	Standard/Irr/Overlap
	<u>Yes</u>	<u>NA</u>	Water Quality
		<u>9-6-89</u>	Dates/Misc
		<u>7-23-92</u>	Water Dist
			App Rec'd
			Exam Made

COMMENTS: Used 40 psi for well pressure, not the examiner's
pressure tank pressure of 50 psi.

LICENSE ✓ AMEND SPECIAL PARAGRAPH

(L)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAY 11 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10955
1. Owner: Gregory Scott & Sara Ann Norton Phone No. 887-0811
Current Address: 2305 W. Ribier Dr., Meridian, ID 83642
2. Accompanied by: Same EXAM. DATE: 7-23-92
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: None

☐ Copies Attached
2. Other water rights with same point of diversion: None

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 100'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

MICROFILMED

JUL 01 1993

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 6" x 92' well with a 1 1/2 h.p. pump supplies water to a home, lawn and gardens, and a pasture via a pressure tank and underground sprinklers. The division of acreages is between SWNE & NWSE is an approx. based on pacing the total acreage and using a USGS Photo Quad.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1.5			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NE	23	4N	1W	Ada	USGS Photo Quad

6. Place(s) of Use:

Indicate Method of Determination USGS Photo Quad

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	1W	23			3														3 Ac.
					0														

RECEIVED

JUL 01 1993

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

1.5 h.p. 65' dynamic, 50 psi on pump tank

Area = $\int (500' \times 280') - (80' \times 50') - (50' \times 50') - (60' \times 15') \} \times \frac{1}{43560} = 3.0 \text{ acres}$
(permit) = 3.0 ac.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$3.0 \text{ acres} \times \frac{0.3 \text{ cfs}}{\text{acre}} = .09 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$\frac{1.5 \text{ h.p.} \times 70\% \times 8.8}{(2.31 \times 50) + 65} = .05 \text{ cfs}$$

Internal domestic = .02 cfs

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{i.r.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{3.0}{(\text{AC})} \times 4.5 = 13.5 \text{ af}$$

$$V_{d.r.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .05 \text{ cfs} \times 245 \times 1.9835 = 24.3 \text{ af}$$

$$V = \text{Smaller of } V_{i.r.} \text{ and } V_{d.r.} = 13.5 \text{ af}$$

2. Volume Calculations for Other Uses:

Internal Domestic only = .6 af

RECORDED
JUL 01 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

The total diversion rate shall be limited to the system capacity
of .05 cfs.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.02 cfs	.6 afa
Irrigation	3/15	11/15	.05 cfs	13.5 afa
Totals:			.05 cfs	14.1 afa

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name


JFW 1/26/93

Signature

Certification Date

Field Report Preparation Date

Mark Series
Mark Series
7-24-92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUL 01 1993

001 0 1 1993

15

NEEDY

2498
CANAL

EAGLE

PP 150

SOOKEC

PERMIT 43-10-55 INIT 11/25
T. R. S. Q/Q
P/D 4/11 10 23 SW/SW 1/5
SCALE _____
PHOTO ID. _____

airview School
(Aban'd)

8

40

40

33

26

5

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10955

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 4N, Rge 1W, Sec. 23, 1/4 1/4 or Lot .

2. Owner: Gregory Scott and Sara Ann Norton

Address 2305 W. Ribic Drive, City Meridian, St ID

3. Casing $\geq$ 12 inches above ground: Yes ✓ No

4. Access Port: Yes No ✓ Static Water Level: 55'
Pressure Gauge: Yes No ✓ Casing Diameter: 6"
Flowing: Yes ✓ No Temperature:

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes No ✓

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks:

MAINTAINED
JUL 01 1993

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]



PHOTO ONE-

The 6' well.



PHOTO TWO-

JUL 01 1993

*The lawn & house.
Facing south-west From
the north-east corner.*



PHOTO THREE-

*The west side lawn,
Facing south.*



PHOTO FOUR-

*The back lawn and
pasture, Facing south-east.*

JUL 01 1993

December 20, 1991

GREGORY SCOTT NORTON
SARA ANN NORTON
2305 W. RIBIER DR.
MERIDIAN ID 83642

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10955

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
DEC 20 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-10955

Date 11/27/91

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit? If no, indicate below.
yes Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

Surface water source
✓ Ground water source
yes Drill permit req'd?
yes Copy in file? Drill permit no. 63-89-W-113
no Amt paid for drilling permit? no Correct?
yes Well log in file?

LICENSE EXAMINATION FEE

yes Required?
50 Amount submitted?
yes Correct amount?

MEASURING DEVICE

NA Measuring device or access port required?
✓ Installed?
✓ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

driller 409
need an additional \$90 fee for drill permit - OK
proof due - 12/1/91 -

proof acceptable

PRIORITY CALCULATION

Date proof received	_____	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

DATA ENTRY

ADDRESS CHANGE _____

PROOF MADE 11/7/91

12/20/91 KRG

Sally Norton
2305 W. Ribier Drive
Meridian, Idaho 83642

12/16/91

Dear Ms. Gustafson,

Enclosed is the additional \$90.00
for the drilling fee, I hope there
are no more errors made as this
is getting to be quite expensive.

Please proceed promptly on the
licensing.

Thank you.

Mrs. Sally Norton

DEC 28 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 27, 1991

Gregory and Sara Norton
2305 Riblier Drive
Meridian, ID 83642

Re: Permit No. 63-10955

Dear Permit Holder:

Returned is a copy of the Proof of Beneficial Use and Drilling Report you submitted to this office on November 7, 1991. During my examination of your proof, an error has been detected that needs to be corrected before the final processing of the proof.

You indicate the total rate of diversion to be .13 cfs. If that is indeed the case, the drilling permit fee that should have been paid was \$100. The permit indicates you paid \$10 which leaves a balance due of \$90.

We apologize for the error made at that time. I will hold your proof due notice for 30 days without action. Please submit the additional \$90 before that time. As soon as I receive the additional fee, I will complete my examination and begin the licensing process.

If you have any questions or if I can be of further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary, Records Manager

Enclosures

RECEIVED

DEC 26 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER <u>Steve Norion</u> <u>MARY LEBONIAN, Boise</u> <u>55 37 0 113</u>	7. WATER LEVEL Static water level <u>55</u> feet below land surface. Flowing? ☒ Yes ☐ No G.P.M. flow _____ Artificially raised in pressure _____ p.s.i. Controlled by _____ Valve ☐ Cap ☐ Plug Temperature <u>55</u> °F Quality <u>GOOD</u>																																																				
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replenished ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☒ Pump ☐ Bailor ☐ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td><u>25</u></td> <td><u>6.5</u></td> <td><u>2</u></td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>25</u>	<u>6.5</u>	<u>2</u>																																														
Discharge G.P.M.	Pumping Level	Hours Pumped																																																			
<u>25</u>	<u>6.5</u>	<u>2</u>																																																			
2. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td>8</td> <td>0</td> <td>2</td> <td>TOP SOIL</td> <td></td> <td>☒</td> </tr> <tr> <td>6</td> <td>2</td> <td>20</td> <td>GRAVEL</td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td>20</td> <td>42</td> <td>GRAVEL</td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td>42</td> <td>56</td> <td>BROWN CLAY</td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td>56</td> <td>61</td> <td>FINE SAND</td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td>61</td> <td>74</td> <td>BROWN CLAY</td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td>74</td> <td>75</td> <td>COARSE SAND</td> <td></td> <td>☒</td> </tr> </tbody> </table> RECEIVED JUL 29 1989 Idaho Department of Water Resources Water Resources Office	Hole Diam.	Depth		Material	Water		From	To	Yes	No	8	0	2	TOP SOIL		☒	6	2	20	GRAVEL		☒		20	42	GRAVEL		☒		42	56	BROWN CLAY		☒		56	61	FINE SAND		☒		61	74	BROWN CLAY		☒		74	75	COARSE SAND		☒
Hole Diam.	Depth		Material	Water																																																	
	From	To		Yes	No																																																
8	0	2	TOP SOIL		☒																																																
6	2	20	GRAVEL		☒																																																
	20	42	GRAVEL		☒																																																
	42	56	BROWN CLAY		☒																																																
	56	61	FINE SAND		☒																																																
	61	74	BROWN CLAY		☒																																																
	74	75	COARSE SAND		☒																																																
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Aug ☐ Other _____	5. WELL CONSTRUCTION Casing schedule ☒ Steel ☐ Concrete ☐ Other _____ Thickness _____ inches Diameter _____ inches From _____ feet To _____ feet inches inches feet feet inches inches feet feet inches inches feet feet Was casing drive shoe used? ☒ Yes ☐ No Was a pecker or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ feet To _____ feet perforations feet feet perforations feet feet perforations feet feet Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>COOK</u> Type <u>STAINLESS</u> Model No. <u>304</u> Diameter _____ Slot size _____ Set from <u>87</u> feet to <u>92</u> feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ feet Placed from _____ feet to _____ feet Surface seal depth <u>2.0</u> Material used in seal: ☐ Cement grout <u>25 CENTAINTS</u> ☐ Puddling clay ☐ Well-cementing Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☒ Threaded ☐ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____																																																				
6. LOCATION OF WELL Sketch map location must agree with written location. N <table border="1" style="width: 100px; height: 100px; border-collapse: collapse;"> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> </table> W E Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Ada</u> <u>SW 1/4 NE 1/4 Sec. 23, T. 4 N. R. 1 E</u>										10. Work started <u>5-17-89</u> finished <u>5-23-89</u> 11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>COOLIDGE WELL DRILLING</u> No. <u>409</u> Address <u>ENGLE, IDAHO</u> Date <u>5-28-89</u> Signed by (Firm Official) <u>Harry E. Coon</u> <u>DEC 26 1989</u> (Operator)																																											

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

State of Idaho
Department of Water Resources
D R I L L I N G P E R M I T

(Authorizing Construction of a Well)*

RECEIVED
JUN 30 1989

Department of Water Resources

1. Applicant GREG NORTON
2. Address 4241 MARYLEBONE WAY
BOISE IDAHO
- (☒) Well Owner (☐) Well Operator (☐) Other, specify _____
3. Water right permit no. _____; Injection well permit no. _____
4. Proposed well location SW 1/4 SW 1/4 NE 1/4, or Gov't lot No. _____,
Sec. 23, Twp. 4N, Rge. 1W, County ADP,
Lot, block and subdivision _____
5. Proposed use of well: (Check all that apply)
(☒) Domestic (☐) Stockwater (☐) Monitoring
(☐) Irrigation (☐) Industrial (☐) Municipal
(☐) Injection (☐) Other, Specify _____
6. Well construction information:
(☒) New well (☐) Deepen (☐) Replace
Proposed surface diameter 6 Proposed depth 100'
Anticipated bottom hole temperature:
(☒) 85°F or less (Cold water well)
(☐) 85°F to 212°F (Low temp. geothermal well)
(☐) 212°F or more (Geothermal well)
7. Anticipated construction start date 5-1-89
8. Well Driller (if known) COONSE WEL DRILLING #409
Address 500 FLOATING FEATHER
EAGLE IDAHO 83616
Date 4-30-89 Applicant's signature Harry E. Coonse
Title OWNER COONSE Well Drilling

* After other pre-requisite approvals have been obtained.

ACTION OF IDWR

☒ Approved ☐ Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

Dated this 29th day of June, 1989.

Signed

David R. Tuttle

Title

Mgr, Western Reg Off

Received by JW Fee 10.00 Date 29 June 1989

Receipt No. W003420 Construction start date DEC 26

Construction start extension to _____

Extension approved by _____

138079
September 30, 1991

GREGORY SCOTT NORTON
SARA ANN NORTON
2305 W. RIBIER DR.
MERIDIAN ID 83642

PROOF DUE NOTICE

RE: PERMIT NO. 63-10955

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

Nina Shields
Secretary/Records Manager

Enclosures

DEC 26 1991

Norton)
2305 Ribier Dr
Meridian 83642



DEC 19 1989

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

JEC 6 1989

Permit No. 63-10955

Name(s) of Permit Holder(s): Gregory S. Norton Department of Water Resources
SARA Ann Norton

Post Office Address: 2305 W. Ribble Dr.

Meridian, IDAHO 83642 T. 4-0811

☒ I hereby certify that construction of diversion works for the above referenced permit began on May, 1989 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.

12-4-89
Date

Gregory S. Norton
Signature of Permit Holder

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
November 27, 1989

GREGORY SCOTT NORTON
SARA ANN NORTON
2305 W. RIBIER DR.
MERIDIAN, ID 83642

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-10955

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

MICROFILMED

DEC 19 1989

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED

DEC 18 1967

1st 4N 1W S. 23- SWSWNE
1st " " SUNE
NWSE

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SL DATE: 9/11/89 APPLICATION: 63-10955

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use: Gov't. Lots: N P/D
☒ Nature of proposed use: (Include description of use) N P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES	NO	
☒	☐	Overlapping place of use: (Describe source & relationship to present application on the back.)
☐	☒	Overlapping point of diversion:
☐	☐	Field check required: Field check by: _____
☐	☐	Field report attached:
☐	☐	Critical groundwater area:
☐	☐	Groundwater management area:
☐	☐	Diversion within interim protected river area
☐	☐	Send dam safety information:
☐	☐	Send power requirement letter:
☐	☐	Send fish farm requirement letter:
☐	☐	Power residency affidavit:
☐	☐	Power efficiency form:
☐	☐	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐	☐	Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☐	☐	*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

☒ Additional information on reverse side:

REC

OCT 24 1989

Department of Water Resources

PROCESSING

APPLICATION NO. 63-10955

YES NO

☒ ☒
☒ ☒

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☒
☒ ☒

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☒
☒ ☒

Publication dates and paper recorded on application:

Protests received. Final date for protest October 10, 1989

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, Ovr

Measuring device required:

Measuring port required:

Water delivered by water master? District # 63-P05

Special conditions of approval or cover letter:

26A. Recommend that 2 years be allowed for completion of this project.

See below for additional information

Recommended Date or Priority 9/6/1989

Recommended by: DW

Date 10/24/89

STATE OFFICE REVIEW

P05, P23

P17

46 57 26

See below for additional information. By KW

Date 11/20/89

ADDITIONAL INFORMATION

Overlap

plu 63-03060 other well, Settler's Lng. Dist for rev. of same land.

OCT 03 1989

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

Department of Water Resources
Western Regional Office

LEGAL ADVERTISING INVOICE

Amount Due

323.64

Account Name		Account Number	
Idaho Department of Water Resources- Western Reg			
Address		City/State	Zip
2735 Airport Way		63-10933	83705
Ordered By	P.O. Num		
Gail Garrett			
Identification			
Notice of Application for			
Number of Affidavits Requested			
1			
NOTICE OF APPLICATION FOR WATER RIGHT The following application(s) have been filed to appropriate the public waters of the State of Idaho:			
63-10821 Desert View Est. Water Corp. ATTN: Tom Alwood, Pres. P.O. Box 165 Kuna, ID 83634 Source: Groundwater Diversion Pt: NENE Sec 27 T 02N R 01E Diversion Pt: SWNE Sec 27 T 02N R 01E Diversion Pt: NENW Sec 27 T 02N R 01E Use: Domestic (.100 CFS) Use: Irrigation (1.600 CFS) Date Filed: 6/20/1989 In: T02N R01E S22 SESE In: T02N R01E S27 NENE NWNE SWNE SENE NENW NWNW SWNW SENW 173.0 Acres Total			
63-10895 Ivory, Don B. 315 Clearcreek Dr. Meridian, ID 83642 Source: Groundwater Diversion Pt: Lot 4 (NWNW) Sec 19 T 04N R 01E Use: Wildlife (.040 CFS) Date Filed: 8/15/1989 In: T04N R01E S19 Lot 4 (NWNW)			
63-10897 Cade, Thomas J. 6484 Hollilynn Dr. Boise, ID 83709 Source: Groundwater Diversion Pt: NESW Sec 7 T 02N R 02E Use: Irrigation (.020 CFS) Date Filed: 8/21/1989 In: T02N R02E S07 NESW 0.5 Acres Total			
63-10899 Dry Creek Cemetery District 9600 Hill Rd. Boise, ID 83703 Source: Groundwater Diversion Pt: SESE Sec 11 T 04N R 01E Diversion Pt: SWSE Sec 11 T 04N R 01E Use: Irrigation (.440 CFS) Date Filed: 8/17/1989 In: T04N R01E S11 SESE In: T04N R01E S14 NENE 22.0 Acres Total			
63-10911 Johnson, Samuel A. Johnson, Marsha R. 603 Los Luceros Eagle, ID 83616 Source: Groundwater Diversion Pt: SENW Sec 4 T 04N R 01E Use: Irrigation (.020 CFS) Date Filed: 8/24/1989 In: T04N R01E S04 SENW 0.5 Acres Total			
63-10920 Hallett, Norman N. Hallett, Marcia 7500 Hidden Valley Rd. Boise, ID 83709 Source: Groundwater Diversion Pt: NESWSW Sec 3 T 02N R 01E Use: Irrigation (.060 CFS) Use: Domestic (.020 CFS) Date Filed: 8/28/1989 In: T02N R01E S03 SWSW 2.0 Acres Total			
63-10928 Peregrine Fund Inc. 5666 W. Flying Hawk Ln. Boise, ID 83709 Source: Groundwater Diversion Pt: NENE Sec 18 T 02N R 02E Use: Irrigation (.060 CFS) Use: Wildlife (.520 CFS) Use: Wildlife Storage (5.00 AF) Use: Domestic (.200 CFS) Use: Diversion to Storage (.520 CFS) Date Filed: 8/31/1989 In: T02N R02E S07 SESE In: T02N R02E S08 SWSW In: T02N R02E S17 NWNW In: T02N R02E S18 NENE 2.0 Acres Total			
63-10933 Morden, Thomas R. 9350 Coveyridge Ln. Boise, ID 83709 Source: Groundwater Diversion Pt: SESESW Sec 12 T 02N R 01E Use: Domestic (.040 CFS) Use: Irrigation (.080 CFS) Date Filed: 8/28/1989 In: T02N R01E S12 SESE 2.5 Acres Total			
63-10944 Vasil, Lois L. Vasil, Jr., George G. 5325 N. Eagle Meridian, ID 83642 Source: Groundwater Diversion Pt: NESE Sec 29 T 04N R 01E Use: Irrigation (.180 CFS) Date Filed: 9/01/1989 In: T04N R01E S29 NESE 9.0 Acres Total			
63-10950 Williams, Roberta J. Williams, Walter C. 3104 E. Leslie Dr. Meridian, ID 83642 Source: Groundwater Diversion Pt: SENE Sec 5 T 03N R 01E Use: Irrigation (.020 CFS) Date Filed: 9/01/1989 In: T03N R01E S05 SENE 0.5 Acres Total			
63-10954 Stokes, Tom Stokes, Karen S. 5600 W. Amity Nampa, ID 83656 Source: Groundwater Diversion Pt: SWSE Sec 28 T 03N R 01W Use: Irrigation (.150 CFS) Use: Domestic (.040 CFS) Use: Stockwater (.020 CFS) Date Filed: 9/05/1989 In: T03N R01W S28 SWSE 5.0 Acres Total			
63-10955 Norton, Gregory Scott Norton, Sara Ann 2305 W. Ribler Dr. Meridian, ID 83642 Source: Groundwater Diversion Pt: SWSWNE Sec 23 T 04N R 01W Use: Irrigation (.090 CFS) Use: Domestic (.040 CFS) Date Filed: 9/06/1989 In: T04N R01W S23 SWNE 3.0 Acres Total			
63-10961 West, Gary West, Carol P.O. Box 335 Eagle, ID 83616 Source: Groundwater Diversion Pt: SENWSW Sec 10 T 04N R 01E Use: Irrigation (.030 CFS) Use: Domestic (.040 CFS) Date Filed: 9/07/1989 In: T04N R01E S10 NWSW 1.1 Acres Total			
63-10966 Riley, Monte Riley, Suzanne 10357 Prairie Rd. Boise, ID 83703 Source: Groundwater Diversion Pt: NENWNW Sec 11 T 04N R 01E Use: Irrigation (.030 CFS) Date Filed: 8/17/1989 In: T04N R01E S11 NWNW 1.0 Acres Total			
63-10967 Vincen, David F. 5160 Dry Creek Boise, ID 83703 Source: Groundwater Diversion Pt: SWSWNW Sec 32 T 05N R 02E Use: Irrigation (.200 CFS) Date Filed: 8/17/1989 In: T05N R02E S32 SWNW 10.0 Acres Total			
63-10968 Lloyd, Stan Lloyd, Anne 4255 N. Ballantyne Ln. Eagle, ID 83616 Source: Groundwater Diversion Pt: NWNE Sec 31 T 05N R 01E Use: Irrigation (.040 CFS) Use: Stockwater (.200 CFS) Use: Domestic (.020 CFS) Date Filed: 8/18/1989 In: T05N R01E S31 NWNE 2.0 Acres Total			
63-10969 Binder, Larry O. Binder, Diane D. 5311 Navaho Way Boise, ID 83703 Source: Unnamed Slough Tributary: Boise River Diversion Pt: Lot 3 (NESW) Sec 24 T 04N R 01E Use: Aesthetic (.100 CFS) Use: Aesthetic Storage (2.00 AF) Date Filed: 8/11/1989 In: T04N R01E S24 Lot (NESW)			
63-10971 Esco Inc. 2417 Bogus Basin Rd. Boise, ID 83702 Source: Groundwater Diversion Pt: SESE Sec 9 T 04N R 01E Use: Irrigation (.300 CFS) Use: Commercial (.600 CFS) Use: Domestic (.600 CFS) Date Filed: 8/29/1989 In: T04N R01E S09 SESE 15.0 Acres Total			
63-10972 Petersen, Kathleen R. Petersen, Peter F. 3160 Victory View Cir. Boise, ID 83709 Source: Groundwater Diversion Pt: NENWNW Sec 25 T 03N R 01E Use: Irrigation (.060 CFS) Date Filed: 8/30/1989 In: T03N R01E S25 NWNW 2.5 Acres Total			
63-10973 Taylor, Laura E. Taylor, Sylvan 1770 S. Linder Rd. Meridian, ID 83642 Source: Groundwater Diversion Pt: NWNWNW Sec 24 T 03N R 01W Use: Irrigation (.120 CFS) Date Filed: 8/28/1989 In: T03N R01W S24 NWNW 4.0 Acres Total			
63-10974 Suen, Sidney c/o Robert J. Ennis P.O. Box 9442 Boise, ID 83707 Source: Pond Tributary: Sinks Diversion Pt: Lot 10 (NESE) Sec 14 T 03N R 02E Diversion Pt: Lot 12 (SESE) Sec 14 T 03N R 02E Use: Recreation Storage (113.00 AF) Use: Aesthetic Storage (113.00 AF) Date Filed: 9/08/1989 In: T03N R02E S14 Lot 10 (NESE) Lot 12 (SESE)			
63-10975 Graves, Fred C. Graves, Connie Kay 7725 Stack Rock Dr. Boise, ID 83703 Source: Groundwater Diversion Pt: SWNENE Sec 25 T 05N R 01E Use: Irrigation (.060 CFS) Use: Stockwater (.020 CFS) Use: Domestic (.050 CFS) Use: Fire Protection (.060 CFS) Date Filed: 8/18/1989 In: T04N R01E S25 NENE 2.5 Acres Total			
63-10976 Willett, Jule Louisa Eberle 7100 Rhine Ave. Meridian, ID 83642 Source: Groundwater Diversion Pt: NESE Sec 23 T 04N R 01W Use: Irrigation (.150 CFS) Use: Stockwater (.020 CFS) Use: Domestic (.040 CFS) Date Filed: 8/30/1989 In: T04N R01W S23 NESE 5.0 Acres Total			
63-10978 Wilmot, Violet Wilmot, Glen R. 1816 Hampton Rd. Boise, ID 83704 Source: Groundwater Diversion Pt: NWSESW 2 T 03N R 01E Use: Commercial (.040 CFS) Date Filed: 8/23/1989 In: T03N R01E S02 SESE The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before OCTOBER 10, 1989.			
R. KEITH HIGGINSON Director Pub. Sept. 21, 28, 1989 3673			

63-10955

NORTON, GREGORY SCOTT
NORTON, SARA ANN
2305 W. RIBIER DR.
MERIDIAN, ID 83642

Source: GROUNDWATER

Diversion Pt: SWSWNE Sec 23 T 04N R 01W

Use: IRRIGATION (.090 CFS)
DOMESTIC (.040 CFS)

Date Filed: 9/06/1989

In: T04N R01W S23 SWNE NWSE

3.0 ACRES TOTAL

RECORDED
DEC 14 1989