

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10949

Priority: October 16, 1989

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

3.7 AF

This is to certify, that EAGLE CHURCH OF THE NAZARENE

PO BOX 14

EAGLE ID 83616

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 1, 1989; and has submitted Proof of Beneficial Use on February 15, 1991. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	2.3 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.4 AF
	Totals	0.04 CFS	3.7 AF

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 8, Township 04N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	01E	8	SESW	0.5		0.5

Total number of acres irrigated: 0.5

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.

MICROFILMED

JUN 12 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10949

CONDITIONS/REMARKS:

6. Domestic use is for a church.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 28TH
day of MAY, 1992.

Acting for R. Keith Higginson, Director

JUN 12 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-10949 IN THE)
NAME OF EAGLE CHURCH OF THE NAZARENE) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before January 1, 1991; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on February 15, 1991;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-10949 be REINSTATED and the priority advanced to October 16, 1989.

Dated this 25th day of February, 1991.


L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED

MAR 18 1991

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-10949

Proposed Priority: September 1, 1989 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **EAGLE CHURCH OF THE NAZARENE**
P.O. BOX 14
EAGLE, ID 83616

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.03 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: SESW Sec. 8, Township 04N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N 01E 8	SESW 0.5			0.5
	Total number of acres irrigated:			0.5

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Domestic use is for a church.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

14th day of December, 1989

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

DEC 15 1989

Ident. No. 63-10949

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: EAGLE CHURCH OF THE NAZARENE 208-939-0661
Address: P.O. BOX 14
EAGLE, ID 83616

2. Source: GROUNDWATER Trib. to:

3. Location of Point of Diversion: SESW Sec. 8, Township 04N, Range 01E
ADA County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.030		
DOMESTIC	01/01	12/31	0.040		

5. Total quantity to be appropriated is:
0.040 CFS (and/or) AF

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
WELL, PUMP
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is 6 inches; proposed depth of well is 73
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:
CHURCH USES.

9. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
04N	01E	8	SESW 0.5			0.5
Total number of acres irrigated:						0.5

Place of Use: DOMESTIC, same as IRRIGATION use

MICROFILMED


DEC 19 1989

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x William M. Russell, President
Applicant

Received by DW Date 9/1/89 Time 2:40 Preliminary check by RW
Fee \$ 30⁰⁰ { 25.00 W005411
5.00 Received by DRT # W005412 Date 9/1/89
Publication prepared by GG Date 10-11-89 Published in ID Statesman
10/19 & 10/26/89
Publication approved st Date 11-2-89



RECEIVED
NOV 1 1989

The Idaho
Statesman
P.O. BOX 40, BOISE, IDAHO 83707

Department of Water Resources
Water Right Division

LEGAL ADVERTISING INVOICE

Amount Due

91560

Account Name Idaho Department of Water Resources - Western		Account Number 47628	
Address 2735 Airport Way		City/State Boise, Idaho	Zip 83705
Ordered By Gail Garrett	P.O. Number nt	Rate October 19, 26	Run Dates 1989
Identification Notice of Application for Water Right		Estimated Inches	Real Inches

NOTICE OF APPLICATION
FOR WATER RIGHT

The following applications have been filed to appropriate the public waters of the State of Idaho:

63-10822
Kilgore Ltd. Partnership
DBA Rustic Acres
Mobile Home Park
501 Greenleaf
Boise, ID 83704
Source: Groundwater
Diversion Pt: SWNE Sec 10 T 03N R 01E
Use: Irrigation (.130 CFS)
Date Filed: 8/16/1989
In: T03N R01E S10 SWNE
6.5 Acres Total
63-10868
Church of Jesus Christ
Latter Day Saints
Real Estate Division
12th Floor
50 E. N. Temple St.
Salt Lake City, UT 84150
Source: Groundwater
Diversion Pt: NESE Sec 3 T 03N R 01E
Use: Irrigation (.030 CFS)
Date Filed: 8/28/1989
In: T03N R01E S03 NESE
1.0 Acres Total
63-10869
Church of Jesus Christ
Latter Day Saints
Real Estate Division
12th Floor
50 E. N. Temple St.
Salt Lake City, UT 84150
Source: Groundwater
Diversion Pt: SWSWNW Sec 25 T 03N R 01E
Use: Irrigation (.140 CFS)
Date Filed: 8/28/1989
In: T03N R01E S25 SWNW
7.0 Acres Total
63-10882
Weeks, Edward R.
Weeks, Anna E.
430 Clearvue Dr.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: SENW Sec 19 T 04N R 01E
Use: Irrigation (.040 CFS)
Date Filed: 8/09/1989
In: T04N R01E S19 SENW
2.0 Acres Total
63-10890
Brian Water Corp.
c/o Tony Bowar, Pres.
P.O. Box 7345
Boise, ID 83707
Source: Groundwater
Diversion Pt: Lot 1 (SESE) Sec 33 T 03N R 03E
Use: Domestic (.110 CFS)
Use: Irrigation (.060 CFS)
Date Filed: 8/17/1989
In: T03N R03E S33 Lot (SESE)
2.0 Acres Total
63-10894
Merrell, Louis R.
Merrell, Dorothy G.
1423 Hereford Dr.
Eagle, ID 83616
Source: Groundwater
Diversion Pt: SWNW Sec 8 T 04N R 01E
Use: Irrigation (.100 CFS)
Use: Stockwater (.020 CFS)
Use: Domestic (.020 CFS)
Date Filed: 8/15/1989
In: T04N R01E S08 SWNW
5.0 Acres Total
63-10898
Reckham, Lawrence H.
Reckham, J'Deanne
1260 S. Eagle Rd.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: NESE Sec 13 T 03N R 01W
Use: Commercial (.100 CFS)
Use: Irrigation (.020 CFS)
Date Filed: 8/16/1989
In: T03N R01W S13 NESE
0.5 Acres
63-10902
Tipton, William R.
Tipton, Sharon D.
10082 Prairie Rd.
Boise, ID 83703
Source: Groundwater
Diversion Pt: NWNENW Sec 11 T 04N R 01E
Use: Irrigation (.020 CFS)
Date Filed: 8/18/1989
In: T04N R01E S11 NENW
0.5 Acres Total
63-10907
Quigley, Glenn R.
Quigley, Nancy A.
9635 Malad
Boise, ID 83709
Source: Groundwater
Diversion Pt: NWSE Sec 23 T 03N R 01E
Use: Irrigation (.030 CFS)
Use: Domestic (.020 CFS)
Date Filed: 8/21/1989
In: T03N R01E S23 NWSE
1.0 Acres Total
63-10909
Wall, Joan B.
6179 Laigo Dr.
Boise, ID 83709
Source: Groundwater
Diversion Pt: SESE Sec 36 T 03N R 01E
Use: Irrigation (.060 CFS)
Date Filed: 8/22/1989
In: T03N R01E S36 SESE
2.0 Acres Total
63-10910
Jordan, Richard L.
Jordan, Kathleen A.
3904 Mt. View Cir.
Boise, ID 83704
Source: Groundwater
Diversion Pt: SWNW Sec 4 T 03N R 02E
Use: Domestic (.100 CFS)
Date Filed: 8/23/1989
In: T03N R02E S04 SWNW
0.5 Acres Total
63-10912
Forrey Heights Water Users Assn. Inc.
c/o Edwin E. Harris
Rt. 1
Kuna, ID 83634
Source: Groundwater
Diversion Pt: SESW Sec 34 T 02N R 01W
Use: Domestic (.200 CFS)
Use: Irrigation (.200 CFS)
Date Filed: 8/24/1989
In: T02N R01W S34 SESW
In: T02N R02W S34 SWSW
10.0 Acres Total
63-10913
Guldry, Mary J.
Lanning, Gertrude B.
10903 Columbia Rd.
Boise, ID 83709
Source: Groundwater
Diversion Pt: NENE Sec 10 T 02N R 01E
Use: Irrigation (.150 CFS)
Date Filed: 8/24/1989
In: T02N R01E S10 NENE
5.0 Acres Total
63-10919
All Gods Children Inc.
c/o Harless McMikie
11371 W. Armit
Boise, ID 83709
Source: Groundwater
Diversion Pt: NWNE Sec 34 T 03N R 01E
Use: Commercial (.040 CFS)
Date Filed: 8/28/1989
In: T03N R01E S34 NWNE
63-10932
Stern, Patricia M.
Stern, Sr., Thomas E.
10701 Highlander
Boise, ID 83709
Source: Groundwater
Diversion Pt: SENE Sec 34 T 03N R 01E
Use: Irrigation (.030 CFS)
Date Filed: 8/28/1989
In: T03N R01E S34 SENE

63-10937
Blake, Kenneth D.
Blake, Mary D.
P.O. Box 312
Eagle, ID 83616
Source: Groundwater
Diversion Pt: SWSW Sec 9 T 04N R 01E
Use: Irrigation (.040 CFS)
Date Filed: 8/30/1989
In: T04N R01E S09 SWSW
2.5 Acres Total
63-10943
Ada County Highway Dept.
318 E. 37th St.
Boise, ID 83704
Source: Groundwater
Diversion Pt: SWNE Sec 5 T 03N R 02E
Use: Industrial (.1000 CFS)
Date Filed: 8/30/1989
In: T03N R02E S05 SWNE
63-10947
Five Mile Nazarene
c/o Pastor Jonathan Privett
2701 S. Five Mile Rd.
Boise, ID 83709
Source: Groundwater
Diversion Pt: SESE Sec 22 T 03N R 01E
Use: Irrigation (.150 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/31/1989
In: T03N R01E S22 SESE
5.0 Acres Total
63-10948
Davis, Sally
Davis III, Claude M.
4900 Meander Place
Eagle, ID 83616
Source: Groundwater
Diversion Pt: NWSW Sec 29 T 05N R 01E
Use: Irrigation (.150 CFS)
Use: Domestic (.020 CFS)
Date Filed: 9/01/1989
In: T05N R01E S29 NWSW
5.0 Acres Total
63-10949
Eagle Church of The Nazarene
P.O. Box 14
Eagle, ID 83616
Source: Groundwater
Diversion Pt: SESW Sec 8 T 04N R 01E
Use: Irrigation (.030 CFS)
Use: Domestic (.040 CFS)
Date Filed: 9/01/1989
In: T04N R01E S08 SESW
0.5 Acres Total
63-10951
Ward, William C.
Ward, Connie E.
5115 S. Locust Grove Rd.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: SENENE Sec 31 T 03N R 01E
Use: Irrigation (.030 CFS)
Date Filed: 9/05/1989
In: T03N R01E S31 NENE
1.0 Acres Total
63-10952
Hupp, Walter W.
Hupp, Rose Marie
8830 Stewart Rd.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: NWSE Sec 9 T 02N R 01E
Use: Irrigation (.150 CFS)
Date Filed: 9/07/1989
In: T02N R01E S09 NWSE
5.0 Acres Total
63-10958
Brunetti, Larry
Brunetti, Virginia
624 Los Luceros Cir.
Eagle, ID 83616
Source: Groundwater
Diversion Pt: SENW Sec 4 T 04N R 01E
Use: Irrigation (.040 CFS)
Date Filed: 9/06/1989
In: T04N R01E S04 SENW
1.5 Acres Total
63-10963
Dawson, Wayne
Dawson, Elna
Rt. 3 Deer Flat Rd.
Kuna, ID 83634
Source: Groundwater
Diversion Pt: NWNE Sec 22 T 02N R 01W
Use: Irrigation (.030 CFS)
Date Filed: 9/08/1989
In: T02N R01W S22 NWNE
1.0 Acres Total
63-10964
Prochaska, James M.
Prochaska, Patricia O.
2304 Ribler Dr.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: SWSWNE Sec 23 T 04N R 01W
Use: Irrigation (.150 CFS)
Date Filed: 9/08/1989
In: T04N R01W S04 SENW
5.0 Acres Total
63-10970
Quinn Robbins Co. Inc.
703 Americana Blvd.
Boise, ID 83702
Source: Groundwater
Diversion Pt: SWNE Sec 30 T 03N R 02E
Use: Commercial (.040 CFS)
Date Filed: 9/11/1989
In: T03N R02E S30 NENE
63-10980
Tisdale, Alan E.
Tisdale, Mary M.
P.O. Box 624
Eagle, ID 83616
Source: Groundwater
Diversion Pt: NWNE Sec 5 T 04N R 01E
Use: Irrigation (.040 CFS)
Date Filed: 9/15/1989
In: T04N R01E S05 NESE
1.5 Acres Total
63-10981
Boyle, W. Dean
Roundy, Spreng
Roundy, Joyce B.
3232 Catalina Ln.
Boise, ID 83705
Source: Groundwater
Diversion Pt: SWSWNW Sec 29 T 04N R 01E
Use: Irrigation (.150 CFS)
Use: Domestic (.040 CFS)
Date Filed: 9/18/1989
In: T04N R01E S29 SWNW
5.0 Acres Total
63-10982
School District #2
911 Meridian St.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: NESE Sec 8 T 03N R 01E
Use: Commercial (.200 CFS)
Date Filed: 10/04/1989
In: T03N R01E S08 SESW
63-10983
School District #2
911 Meridian St.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: SESE Sec 8 T 04N R 01E
Use: Irrigation (.360 CFS)
Date Filed: 10/04/1989
In: T04N R01E S08 SENE NESE
18.0 Acres Total
63-10984
School District #2
911 Meridian St.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: SESE Sec 28 T 04N R 01E
Use: Irrigation (.600 CFS)
Date Filed: 10/04/1989
In: T04N R01E S28 NESE SESE
30.0 Acres Total
63-10998
Bush, Robert J.
1735 E. Mary Ln.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: SWNW Sec 32 T 03N R 01E
Use: Irrigation (.080 CFS)

Date Filed: 9/08/1989
In: T03N R01E S32 SWNW
4.0 Acres Total
63-10999
Bunderson, Mary K.
Bunderson, Harold R.
582 River Heights Dr.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: Lot 7 (SWNE) Sec 24 T 04N R 01W
Use: Irrigation (.040 CFS)
Use: Domestic (.030 CFS)
Date Filed: 9/06/1989
In: T04N R01W S24 Lot 7 (SWNE)
2.0 Acres Total
63-11000
Bunderson, Harold R.
Bunderson, Mary K.
582 River Heights Dr.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: Lot 7 (SWNE) Sec 24 T 04N R 01W
Use: Irrigation (.080 CFS)
Use: Stockwater (.010 CFS)
Date Filed: 9/06/1989
In: T04N R01W S24 NWNE Lot 7 (SWNE)
4.0 Acres Total
63-11001
Pressman, Scott
Pressman, Beverly
2865 San Ramon
Meridian, ID 83642
Source: Groundwater
Diversion Pt: NWSW Sec 21 T 03N R 01E
Use: Irrigation (.090 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/31/1989
In: T03N R01E S21 SWSE
3.0 Acres Total
63-11003
Clements Concrete Co.
P.O. Box 8124
Boise, ID 83707
Source: Groundwater
Diversion Pt: SWSW Sec 32 T 04N R 02E
Use: Commercial (.200 CFS)
Date Filed: 8/17/1989
In: T04N R02E S32 SWSE
63-11004
Girdner, Paul K.
3895 Girdner Ln.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: NESW Sec 21 T 03N R 01E
Use: Irrigation (.060 CFS)
Use: Stockwater (.030 CFS)
Use: Domestic (.080 CFS)
Date Filed: 9/06/1989
In: T03N R01E S21 NESW
2.0 Acres Total
63-11005
Meridian Friends Church
1021 W. Pine St.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: NESW Sec 12 T 03N R 01W
Use: Irrigation (.030 CFS)
Date Filed: 9/07/1989
In: T03N R01W S12 NESW
1.0 Acres Total
63-11006
Sterling, Wallace B.
913 E. Jefferson St.
Boise, ID 83712
Source: Groundwater
Diversion Pt: NWSW Sec 20 T 04N R 02E
Use: Domestic (.040 CFS)
Date Filed: 8/09/1989
63-11007
Nelson, Juanita
Nelson, Richard
8202 S. Cloverdale Rd.
Boise, ID 83709
Source: Groundwater
Diversion Pt: SWNW Sec 10 T 02N R 01E
Use: Irrigation (.080 CFS)
Use: Stockwater (.020 CFS)
Use: Domestic (.060 CFS)
Date Filed: 8/08/1989
In: T02N R01E S10 SWNW
4.0 Acres Total
63-11008
Meier, George A.
Meier, Sharon
695 Parkinson
Eagle, ID 83616
Source: Groundwater
Diversion Pt: SENENW Sec 15 T 04N R 01E
Use: Irrigation (.060 CFS)
Use: Commercial (.200 CFS)
Date Filed: 8/11/1989
In: T04N R01E S15 NENW
2.0 Acres Total
63-11009
Coffman, Kenneth L.
9775 Fairview Rd.
Boise, ID 83704
Source: Groundwater
Diversion Pt: NWNWNE Sec 11 T 03N R 01E
Use: Domestic (.020 CFS)
Date Filed: 8/09/1989
In: T03N R01E S11 NWNE
63-11010
Ashley, Don
Ashley, Katie
Rt. 1
Star, ID 83669
Source: Groundwater
Diversion Pt: NENWSW Sec 31 T 05N R 01W
Use: Irrigation (.140 CFS)
Date Filed: 8/09/1989
In: T05N R01W S31 Lot 3 (NWSW)
4.5 Acres Total
63-11011
R.T. Nahas Co. of Idaho
102 S. 17th #300
Boise, ID 83702
Source: Groundwater
Diversion Pt: SWNW Sec 18 T 03N R 01E
Use: Irrigation (.200 CFS)
Date Filed: 8/11/1989
In: T03N R01E S18 SWNW NWSW
10.0 Acres Total
63-11012
Henderson, Benfson L.
Henderson, Darlene
2248 Dunyon
Eagle, ID 83616
Source: Groundwater
Diversion Pt: NESE Sec 15 T 04N R 01E
Use: Irrigation (.040 CFS)
Date Filed: 8/17/1989
In: T04N R01E S15 NESE
1.5 Acres Total
63-11014
Madison, William C.
1101 W. Wright
Boise, ID 83705
Source: Groundwater
Diversion Pt: NESE Sec 27 T 03N R 02E
Use: Commercial (.040 CFS)
Date Filed: 8/18/1989
In: T03N R02E S27 SENE
63-11015
Hasson, Brent
Hasson, Lori
10235 Cayuse Ln.
Boise, ID 83703
Source: Groundwater
Diversion Pt: SENWNW Sec 11 T 04N R 01E
Use: Irrigation (.030 CFS)
Date Filed: 8/14/1989
In: T04N R01E S11 NWNW
1.0 Acres Total
63-11016
Balderson, Sherry M.
10430 La Honan Dr.
Boise, ID 83709
Source: Groundwater
Diversion Pt: SENWSW Sec 14 T 03N R 01E
Use: Irrigation (.030 CFS)
Date Filed: 8/23/1989
In: T03N R01E S14 NWSW
1.0 Acres Total
63-11017
Bolen, Gilbert J.
Bolen, Marlene J.
9190 Aquarius
Boise, ID 83709

Diversion Pt: NESE Sec 26 T 03N R 01E
Use: Irrigation (.020 CFS)
Use: Domestic (.020 CFS)
Date Filed: 8/25/1989
In: T03N R01E S26 NESE
1.0 Acres Total
63-11019
Esposito, John A.
Esposito, Lexi R.
388 Knob Hill Ct.
Eagle, ID 83616
Source: Groundwater
Diversion Pt: NWSE Sec 29 T 05N R 01E
Use: Irrigation (.150 CFS)
Use: Stockwater (.020 CFS)
Use: Domestic (.040 CFS)
Date Filed: 9/01/1989
In: T05N R01E S29 NWSE
5.0 Acres Total
63-11021
Herr, Rodney H.
Herr, Marcia H.
400 Coston
Boise, ID 83712
Source: Groundwater
Diversion Pt: SESE Sec 11 T 03N R 02E
Use: Irrigation (.090 CFS)
Use: Domestic (.040 CFS)
Date Filed: 9/08/1989
In: T03N R02E S11 SESE
3.0 Acres Total
63-11022
Roman Catholic Diocese of Boise
P.O. Box 769
Boise, ID 83701
Source: Groundwater
Diversion Pt: SESW Sec 1 T 03N R 01W
Use: Irrigation (.030 CFS)
Date Filed: 9/06/1989
In: T03N R01W S01 SESW
1.5 Acres Total
63-11023
Mountain View Equipment Inc.
P.O. Box 703
Meridian, ID 83642
Source: Groundwater
Diversion Pt: SWSW Sec 13 T 03N R 01W
Use: Irrigation (.020 CFS)
Use: Industrial (.100 CFS)
Use: Commercial (.040 CFS)
Date Filed: 9/07/1989
In: T03N R01W S13 SWSE
0.2 Acres Total
63-11025
Stegemann, Duane
6644 Glacier Dr.
Boise, ID 83712
Source: Groundwater
Diversion Pt: NESENE Sec 27 T 03N R 02E
Use: Domestic (.040 CFS)
Date Filed: 9/18/1989
In: T03N R02E S27 SENE
63-11026
Church of Jesus Christ
Latter Day Saints
Real Estate Division
Twelfth Floor
50 E. N. Temple St.
Salt Lake City, UT 84150
Source: Groundwater
Diversion Pt: NWNWNW Sec 32 T 03N R 01E
Use: Irrigation (.090 CFS)
Date Filed: 8/28/1989
In: T03N R01E S32 NWNW
3.0 Acres Total
63-11028
Beukelman, Jerry
Beukelman, Shirley
3398 N. Can Ada Rd.
Nampa, ID 83687
Source: Groundwater
Diversion Pt: Lot 4 (SWSWSW) Sec 31 T 04N R 01W
Use: Irrigation (.150 CFS)
Date Filed: 9/28/1989
In: T04N R01W S31 Lot 4 (SWSW)
5.0 Acres Total
63-11029
Markle, Joan I.
3575 Brookside Ln.
Boise, ID 83703
Source: Groundwater
Diversion Pt: NESW Sec 34 T 05N R 01E
Use: Irrigation (.120 CFS)
Date Filed: 8/15/1989
In: T05N R01E S34 SWSE
4.0 Acres Total
63-11030
Wisdom, Greg W.
3390 N. Whistler Ln. #103
Boise, ID 83703
Source: Groundwater
Diversion Pt: Lot 4 (SWSW) Sec 31 T 05N R 01W
Use: Domestic (.020 CFS)
Date Filed: 8/16/1989
In: T05N R01W S31 NESW Lot 3 (NWSW) Lot 4 (SWSW) SESW
63-11031
Terrace Water Corp.
c/o Joe Plaza
1889 Country Terrace Way
Meridian, ID 83642
Source: Groundwater
Diversion Pt: Lot 1 (NWNW) Sec 19 T 03N R 01E
Use: Irrigation (.140 CFS)
Use: Domestic (.240 CFS)
Date Filed: 9/28/1989
In: T03N R01E S19 Lot 1 (NWNW)
7.0 Acres Total
63-11032
Blue Cross of Idaho Health Service Inc.
P.O. Box 7408
Boise, ID 83707
Source: Groundwater
Diversion Pt: SESW Sec 15 T 03N R 02E
Use: Irrigation (.060 CFS)
Date Filed: 8/08/1989
In: T03N R02E S15 SESW
3.0 Acres Total
63-11033
Hon, Roland L.
Hon, Beverly B.
7677 Mossycup Dr.
Boise, ID 83709
Source: Groundwater
Diversion Pt: NENW Sec 7 T 04N R 01E
Use: Irrigation (.060 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/21/1989
In: T04N R01E S07 NENW
2.0 Acres Total

The permits will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before NOVEMBER 6, 1989.

R. KEITH HIGGINSON
Director
Pub. Oct. 19, 26, 1989 3886

May 28, 1992

EAGLE CHURCH OF THE NAZARENE
PO BOX 14
EAGLE ID 83616

RE: WATER RIGHT NO. 63-10949

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED

JUN 12 1992

LICENSE REVIEW CHECKLIST

Permit # 63-10949

Date 05-08-92
28

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☒	☐	Disagree with Actual Measurement?
			(DOM).04cfs .5 Acre / Allow .03cfs (IRR)
	☒	☒	Disagree with Theoretical? $1 \times 3.8 \times 7 = .04$
	☒	☐	Limited by Capacity? .04cfs $15 + 2.31 \times 60$
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	☐	☒	Disagree with Examiner's Calculations?
			$.5 \times 4.5 = 2.25 \approx 2.3$ AFA (IRR) 1.4 AFA (DOM)
	☐	☒	Limited by Flow? $.04 \times 116.8 \times 1.9835 = 13.3 > 1.4$
			$.03 \times 245 \times 1.9835 = 14.6 > 2.3$
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☒	☐	Non-Irr. Uses <u>DOM/Church</u>
	☐	☒	Special Overlap Condition
	☐	☒	Other
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>R27</u>	☐	Overlap
	☐	☒	Water Quality
		☒	DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made
COMMENTS/MEMOS NEEDED:			

License ☒ 10-Day ☐ 15-Day ☐ Special Correspondence ☐

OK

WR0749NP
No. L63-10949

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 05/11/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD		DIVERSION RATE	DIVERSION VOLUME
				FROM	TO		
C	EAGLE CHURCH OF THE NAZARENE PO BOX 14 EAGLE ID 83616 (208) 939-6532	10/16/1989	IRRIGATION DOMESTIC	03-15	11-15	0.03 CFS	2.3 AFA
				01-01	12-31	0.04 CFS	1.4 AFA
				TOTAL DIVERSION:		0.04 CFS	3.7 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.04 CFS

Point(s) of Diversion: T04N R01E S08 SE SW

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE				SUM
T	R	S	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	
04N	01E	8	:				:				:					0.5
TOTAL ACRES																0.5

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: ADA

Other Water Rights with Same Point(s) of Diversion and Source:
63-10949

Other Water Rights Listing Overlapping Place(s) of use:
63-02406 63-10949

Conditions of Approval:

- R27 - This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.

Remarks: Domestic use is for a church.

Dates: App. Received: 09/01/1989 Priority Date: 10/16/1989 (Priority Date Advanced.)
Proof Due Date: 01/01/1991 Proof Made Date: 02/15/1991 (Proof Received Late.)
Exam Made Date: 06/19/1991 Exam Sent to S.O.: 02/17/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 05/11/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

FEB 20 1992

A. GENERAL INFORMATION

Permit No. 63-10949

1. Owner: Eagle Church of the Nazarene Phone No. 939-6532
Current Address: P.O. Box 14, Eagle, Id. 83616

2. Accompanied by: Rev. William Russell EXAM. DATE: 6/19/91

Address: same Phone No. _____

Relationship to Permit Holder: Priest

3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-02406

☐ Copies Attached

2. Other water rights with same point of diversion: none


☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

5



Scale: 1" = N/A

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RECEIVED
JUN 12 1992

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

System consists of a well with pump set at 40'. The yard is hand-watered with one hose & sprinkler. The shrubs are in concrete islands and are watered via buried sprinkler heads.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	1		Jacuzzi	154H-52

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SW	8	4N	1E	Ada	7.5' U.S.G.S. topo

6. **Place(s) of Use:**

Indicate Method of Determination

Same as P/D

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	1E	8												D					
														.5					.5 ac

MILWAUKEE

JUN 12 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

N/A

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

See attached Exhibit A

2. Alternate Method for Checking Purposes: HP eq. supports .04 cfs requested.

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{.5}{.2} \times 4.5 = 2.3 \text{ afa}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{.04}{.03} \times 246 \times 1.9835 = 14.6 \text{ afa}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 2.3 \text{ afa}$

2. Volume Calculations for Other Uses:

Church:

$(10)(168)(280)/325850 = 1.4 \text{ afa} = V_{reg.}$
(gal) (days of use) → (# people)
VS.

$(.04)(168)(1-2835) = 13.3 \text{ afa} = V_{div.}$

RECEIVED
JUN 12 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Overlap is a drainage district and
does not affect v system.
this

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume 2.3 V (afa)
	From	To		
Irrigation	3/15	11/15	.03 cfs	.9 AFA
Domestic	1/1	12/31	.04 cfs	1.4 AFA
				3.7 AFA
				~~2.2~~
Totals:			.04 cfs	~~2.3~~ 2fa

2. Recommended Amendments


- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name SARA West
 JFW 2/6/92 Signature S.Y. West
 Certification Date _____
 Field Report Preparation Date 6/19/91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

AUG 2 1992

Exhibit A

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 63-10949
DATE: 27-JUN-91
COMPLETE BY: SARA

HORSEPOWER = 1


PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 8 FEET

SYSTEM PRESSURE = 60 PSI

QUANTITY = 0.04 CFS

63-10949
4N-1E-8



RECORDED
JUN 12 1992

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10949

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP _____, Rge _____, Sec. _____, _____ 1/4 _____ 1/4 or Lot _____.
2. Owner: _____
Address _____, City _____, St _____
3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____
4. Access Port: Yes ☒ No _____ Static Water Level: _____
Pressure Gauge: Yes _____ No ☒ Casing Diameter: 6"
Flowing: Yes _____ No ☒ Temperature: cold
Properly Valved: Yes _____ No _____
5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.


Remarks:

RECEIVED
JUN 12 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN


State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Chuck M. of Nazarene</u> Address <u>Cagle Idaho</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>5' 2"</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____																																																				
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☒ Bailor ☐ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td><u>25</u></td> <td><u>Total</u></td> <td><u>2</u></td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>25</u>	<u>Total</u>	<u>2</u>																																														
Discharge G.P.M.	Pumping Level	Hours Pumped																																																			
<u>25</u>	<u>Total</u>	<u>2</u>																																																			
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td>8</td> <td>0</td> <td>6</td> <td>Topsoil</td> <td></td> <td>☒</td> </tr> <tr> <td>8</td> <td>3</td> <td>19</td> <td>Sandy brown clay</td> <td></td> <td>☒</td> </tr> <tr> <td>1</td> <td>19</td> <td>44</td> <td>SEPTA Rain 1/2"</td> <td></td> <td>☒</td> </tr> <tr> <td>44</td> <td>44</td> <td>62</td> <td>Gravel</td> <td></td> <td>☒</td> </tr> <tr> <td>60</td> <td>62</td> <td>72</td> <td>4" sand</td> <td></td> <td>☒</td> </tr> <tr> <td>66</td> <td>72</td> <td>74</td> <td>1" clay</td> <td></td> <td>☒</td> </tr> <tr> <td>72</td> <td>74</td> <td> </td> <td>water</td> <td></td> <td>☒</td> </tr> </tbody> </table> <u>PVC Liner</u> <u>SET 4' 24'</u>	Hole Diam.	Depth		Material	Water		From	To	Yes	No	8	0	6	Topsoil		☒	8	3	19	Sandy brown clay		☒	1	19	44	SEPTA Rain 1/2"		☒	44	44	62	Gravel		☒	60	62	72	4" sand		☒	66	72	74	1" clay		☒	72	74		water		☒
Hole Diam.	Depth		Material	Water																																																	
	From	To		Yes	No																																																
8	0	6	Topsoil		☒																																																
8	3	19	Sandy brown clay		☒																																																
1	19	44	SEPTA Rain 1/2"		☒																																																
44	44	62	Gravel		☒																																																
60	62	72	4" sand		☒																																																
66	72	74	1" clay		☒																																																
72	74		water		☒																																																
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____	RECEIVED JUN 25 1981 Department of Water Resources																																																				
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>250</u> inches</td> <td><u>6</u> inches</td> <td><u>5</u> feet</td> <td><u>20</u> feet</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>19</u> Material used in seal: ☐ Cement grout ☒ Pudding clay ☐ Well cuttings Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threads ☒ Welded ☐ Solvent Weld ☐ Cemented between struts Describe access port <u>Top of well</u>	Thickness	Diameter	From	To	<u>250</u> inches	<u>6</u> inches	<u>5</u> feet	<u>20</u> feet													Number	From	To										10. Work started <u>7/1/80</u> finished <u>7/18/80</u>																				
Thickness	Diameter	From	To																																																		
<u>250</u> inches	<u>6</u> inches	<u>5</u> feet	<u>20</u> feet																																																		
Number	From	To																																																			
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Ada</u> <u>SE</u> x <u>SW</u> x Sec. <u>8</u> T. <u>4</u> N. S. R. 1 E. W.	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Chase Drilling Firm</u> Firm No. <u>280</u> Address <u>Blaine, Idaho</u> Date _____ Signed by (Firm Official) <u>John H. O'Leary</u> and _____ (Operator) <u> </u>																																																				

Permit 63-10949

Photos taken 6/19/91

Pg 1 of 2



→ P/d
≈ 20' to
church



→ P/u
(there is some
yard right around
the corner to the
left.)

PHOTO TWO-

REPROFILMED
JUN 12 1992



→ this is not
irrigated lawn
with this permit.

PHOTO THREE-



} P/U's
* irrigated
areas are
← these concrete
shrubby islands

PHOTO FOUR-

MICROFILMED
JUN 12 1992

February 26, 1991

EAGLE CHURCH OF THE NAZARENE
P.O. BOX 14
EAGLE, ID 83616

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10949

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

Enclosure

MICROFILMED

MAR 18 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-10949

Date 2-19-91

GENERAL CONSIDERATIONS

☒ Name same as permit?
☒ Address same as permit? If no, prepare data entry form.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

☒ Surface water source
☒ Ground water source
☒ Drill permit req'd?
1980 ☒ Copy in file? Drill permit no. _____
☒ Well log in file?
☒ Amt paid for drilling permit? _____ Correct?

LICENSE EXAMINATION FEE

☒ Required?
☒ Amount submitted?
☒ Correct amount?

MEASURING DEVICE

☒ Measuring device or access port required?
☒ Installed?
☒ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable when reinstated

PRIORITY CALCULATION

Date proof received	<u>Feb 15, 1991</u>	<u>46</u>
Date proof due	<u>Jan 1, 1991</u>	<u>- 1</u>
No. of days late		<u>= 45</u>
Priority date	<u>Sept 1, 1989</u>	<u>+ 244</u>
NEW PRIORITY DATE	<u>Oct 16, 1989</u>	<u>= 289</u>

LB

RECEIVED
FEB 15 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. P63-10949 Telephone No. 939-0661

Name(s) of Permit Holder(s): Eagle Church of the Nazarene

Post Office Address: P.O. Box 14, Eagle, ID 83616

Source of Water: Well

If ground water, well driller's name: _____ Date drilled: 7/80

Extent of Use:
Domestic _____ (No. of households) Irrigation .5 (No. of acres)
Stockwater _____ (No. and type of stock) Other Church use (domestic)

Total rate and/or volume for which proof is submitted _____ cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: _____

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Fee Enclosed: \$ 0.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Rev. William Russell
Name

939-6532
Tele

192 Taylor Street Eagle, ID 83616
Address

MICROFILMED

MAR 1 1991

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.


1/14/91
Date

William M. Russell
Signature (and title if on behalf of a company or organization)

Unable to find well drill's name.
Hopefully you have in your file.
If you need additional info,
please call me at 323-2017.

Thanks,
Mary Ann
Taylor

P.O. Box 14
Eagle, Id. 83616



MAR 18 1991

RECEIVED

State of Idaho
Dept. of Water Resources
1301 N. Orchard St.
Boise, Id. 83706-2237

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

January 7, 1991

EAGLE CHURCH OF THE NAZARENE
P.O. BOX 14
EAGLE, ID 83616

LAPSE NOTICE

RE: PERMIT NO. 63-10949

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated October 31, 1990. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

RECEIVED

JAN 10 1991

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 1-10-91
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.



October 31, 1990

EAGLE CHURCH OF THE NAZARENE
P.O. BOX 14
EAGLE, ID 83616

PROOF DUE NOTICE

RE: PERMIT NO. 63-10949

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

MAR 18 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
December 15, 1989

EAGLE CHURCH OF THE NAZARENE
P.O. BOX 14
EAGLE, ID 83616

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-10949

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

DEC 19 1989

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

PA
1/10/89

DEC 10 1989

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RW DATE: 10/31/89 APPLICATION: 63-10949

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use: Gov't. Lots: N P/D
☒ Nature of proposed use: (Include description of use) N P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

- | | | |
|--------------------------|--------------------------|--|
| ☐ | ☐ | Overlapping place of use: (Describe source & relationship to present application on the back.) |
| ☐ | ☐ | Overlapping point of diversion: |
| ☐ | ☐ | Field check required: Field check by: _____ |
| ☐ | ☐ | Field report attached: |
| ☐ | ☐ | Critical groundwater area: |
| ☐ | ☐ | Groundwater management area: |
| ☐ | ☐ | Diversion within interim protected river area |
| ☐ | ☐ | Send dam safety information: |
| ☐ | ☐ | Send power requirement letter: |
| ☐ | ☐ | Send fish farm requirement letter: |
| ☐ | ☐ | Power residency affidavit: |
| ☐ | ☐ | Power efficiency form: |
| ☐ | ☐ | Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.) |
| ☐ | ☐ | Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.) |
| ☐ | ☐ | *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT |

DATE REQUESTED: _____

Additional information on reverse side: _____

RECEIVED
NOV 12 1989
Department of Water Resources

PROCESSING

APPLICATION NO. 63-10949

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☐
☒ ☐

Publication dates and paper recorded on application:

Protests received. Final date for protest November 6, 1989

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approved, DM

Measuring device required:

Measuring port required:

Water delivered by water master? District # 63-P05

Special conditions of approval or cover letter: _____

See below for additional information

Recommended Date or Priority 9/1/89

Recommended by: DM

Date 11/8/89

STATE OFFICE REVIEW

P05, P23

P116

46

See below for additional information. By KW

Date 12/5/89

ADDITIONAL INFORMATION

Use is 0.06 cfs/ac. for irrig.

63-10949

EAGLE CHURCH OF THE NAZARENE
P.O. BOX 14
EAGLE, ID 83616

Source: GROUNDWATER

Diversion Pt: SESW Sec 8 T 04N R 01E

Use: IRRIGATION (.030 CFS)
 DOMESTIC (.040 CFS)

Date Filed: 9/01/1989

In: T04N R01E S08 SESW

0.5 ACRES TOTAL

MICROFILMED

DEC 19 1989