


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

WHITNEY FIRE DIST.
03N 03E SEC 32
NW $\frac{1}{4}$ NW $\frac{1}{4}$

P.O.U.
P.O.D

MICROFILMED

NOV 21 1989

SN 3E SEC 32 NW $\frac{1}{4}$ NW $\frac{1}{4}$

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)
(WHITNEY DIST. CHIEF)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 2 1992

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10935


1. Owner: Whitney Fire District Phone No. 343-0661
Current Address: 9500 Overland Rd. Boise, ID 83709
2. Accompanied by: Randy Christensen EXAM. DATE: 7-18-91
Address: Whitney Station #2 4221 E. Amity, Boise Phone No. _____
Relationship to Permit Holder: Fireman
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = None

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

MICROFILMED
JUL 28 1992



63-10935



#1.
Well and hydrant.



#2.
Whitney Fire Station
no. 2, facing South.

MICROFILMED
JUL 28 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10935

Priority: August 16, 1989

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that WHITNEY FIRE DISTRICT
9500 OVERLAND RD
BOISE ID 83709

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 16, 1989; and has submitted Proof of Beneficial Use on November 14, 1990. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
FIRE PROTECTION	01/01 to 12/31	0.04 CFS	
	Totals	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 32, Township 03N, Range 03E
ADA County

PLACE OF USE: DOMESTIC
TWN RGE SEC

03N 03E 32 NWNW

PLACE OF USE: FIRE PROTECTION, same as DOMESTIC use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for a fire station.

MICROFILMED


JUL 28 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10935

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 14th
day of JULY, 1992.


Acting for R. Keith Higginson, Director

FILED
28 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-10935

Proposed Priority: August 16, 1989

Maximum Diversion Rate:

0.20 CFS

This is to certify, that **WHITNEY FIRE DISTRICT**
9500 OVERLAND RD.
BOISE, ID 83709

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS
FIRE PROTECTION	01/01 to 12/31	0.16 CFS
	Totals	0.20 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWNW Sec. 32, Township 03N, Range 03E
ADA County

PLACE OF USE: DOMESTIC

TWN RGE SEC

03N 03E 32 NWNW

PLACE OF USE: FIRE PROTECTION, same as DOMESTIC use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1990.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Domestic use is for a fire station.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

6th day of November, 1989

for J. Glen Saylor
R. Keith Higginson, Director

MICROFILMED

NOV 21 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Whitney Fire District Phone 375-6407
Post office address 9500 Overland Rd. Boise Idaho 83709
2. Source of water supply groundwater which is a tributary of N/A
3. Location of point of diversion is ~~1/4~~ 1/4 of NW 1/4 of NW 1/4, Govt. Lot _____
Sec. 32 Township 3N Range 3E B.M. Ada County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .20 cfs for Domestic Use purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 1.16 for Fill Fire Equip. * purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .20 cfs and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 1 - 280' well (12" x 8" well casing)
located at 4221 E. Amity Rd Pump w/ Pressure Pipeline

b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 12" x 8" inches; proposed depth of well is 280' feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to beneficial use is

indefinite years (minimum 1 year).

MICROFILMED

NOV 21 1989

* use is Fire Protection sz 8/26/89.

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. NA
- b. Stockwatering; list number and kind of livestock. NA
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. (1) Fire station
- e. Other; describe fully. fill some fire equipment when water supply allows
(seldom)

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	3E	32					DF												

Total number of acres to be irrigated 1

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Whitney Fire Dist

b. Who owns the land to be irrigated or place of use? _____

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Water rights for one fire station w/ domestic and very limited fire equipment refill use.

NOV 21 1989

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

SN 3E SEC 32 NW $\frac{1}{4}$ NW $\frac{1}{4}$

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)
(WHITNEY DIST. CHIEF)

4826

35'

WHITNEY FIRE DIST.
03N 03E SEC 32
NW $\frac{1}{4}$ NW $\frac{1}{4}$

4825

4824

4823

4822

MICROFILMED

NOV 21 1989

Received by JW Date Aug 16, 1989 Time 10:00 AM Preliminary check by SL
Fee \$ 30.00 Receipted by JW # # W004494 Date Aug 16, 1989
Publication prepared by GG Date 8-30-89 Published in ID Statesman
Publication approved st Date 9-26-89 9/7 & 9/14/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

NOV 21 1989

Account Name Idaho Department of Water Resources (Western)			Account Number #47628	
Address 2735 Airport Way		City/State Boise, ID		Zip 83705
Ordered By Gail Garrett	P.O. Number	Rate NT	Run Dates 1989 September 7, 14	
Identification Applications for Water Rights			Estimated Inches 63-10929	

1 Number of Affidavits Requested

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10818
Lakewood Homeowners Assn. #4
3100 Lakewood Way
Boise, ID 83706
Source: Groundwater
Diversion Pt: NWNE Sec 26 T
03N R 02E
Diversion Pt: NENW Sec 26 T
03N R 02E
Use: Irrigation (.620 CFS)
Date Filed: 6/22/1989
In: T03N R02E S23 SESW
In: T03N R02E S26 NENW
9.0 ACRES TOTAL

63-10871
Rudd, W. Steven
Rudd, Elizabeth A.
3800 Rock Garden Ln.
Boise, ID 83703
Source: Groundwater
Diversion Pt: SENE Sec 5 T 04N R 02E
Use: Irrigation (.120 CFS)
Use: Domestic (.020 CFS)
Date Filed: 7/31/1989
In: T04N R02E S05 SENE
4.5 ACRES TOTAL

63-10874
Bruno, Sharon L.
Bruno, Albert J.
9837 Prairie Rd.
Boise, ID 83703
Source: Groundwater
Diversion Pt: NENW Sec 11 T
04N R 01 E
Use: Irrigation (.020 CFS)
Use: Stockwater (.020 CFS)
Date Filed: 8/03/1989
In: T04N R01E S11 NENW
1.0 ACRES TOTAL

63-10877
Nicolls, Carroll
Nicolls, Valene
8281 Hill Rd.
Boise, ID 83703
Source: Spring
Tributary: Sinks
Diversion Pt: SENWSW Sec 35 T
05N R 01E
Use: Irrigation (.010 CFS)
Use: Stockwater (.020 CFS)
Date Filed: 8/07/1989
In: T05N R01E S35 NWSW
0.3 ACRES TOTAL

63-10879
Pfieger, Nada
Pfieger, Jr., Ludwig
6408 Colonial Dr.
Boise, ID 83709
Source: Groundwater
Diversion Pt: NWNE Sec 11 T
03N R 01E
Use: Irrigation (.120 CFS)
Date Filed: 8/08/1989
In: T03N R01E S11 NWNE
4.0 ACRES TOTAL

63-10880
Knopp, Larry R.
701 Hale St.
Boise, ID 83706
Source: Groundwater
Diversion Pt: Lot 3 (SWNW) Sec 30 T 03N R 03E
Use: Domestic (.040 CFS)
Date Filed: 8/08/1989
In: T03N R03E S30 Lot 3 (SWNW)

63-10888
Hoffer, Vanice I.
Hoffer, Rick J.
707 Hale
Wesler, ID 83672
Source: Groundwater
Diversion Pt: NESE Sec 23 T
03N R 01E
Use: Irrigation (.030 CFS)
Date Filed: 8/09/1989
In: T03N R01E S23 NESE
1.0 ACRES TOTAL

63-10889
Boehm, John E.
Boehm, Patricia A.
8150 Brookside Ln.
Boise, ID 83703
Source: Groundwater
Diversion Pt: SESENE Sec 25 T
05N R 01E
Use: Irrigation (.040 CFS)
Date Filed: 8/10/1989
In: T05N R01E S25 SENW
2.5 ACRES TOTAL

63-10892
Stadler, Lillian E.
Rt. 1 Hwy. 55
Boise, ID 83703
Source: Groundwater
Diversion Pt: NESENE Sec 26 T
05N R 01E
Use: Irrigation (.020 CFS)
Use: Commercial (.020 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/11/1989
In: T05N R01E S26 SENE
1.0 ACRES TOTAL

63-10893
Purvis, Steven C.
Purvis, Lynn
3939 Brookside Ln.
Boise, ID 83703
Source: Groundwater
Diversion Pt: NWSE Sec 34 T
05N R 01E
Use: Irrigation (.120 CFS)
Date Filed: 8/14/1989
In: T05N R01E S34 NWSE
4.0 ACRES TOTAL

63-10896
ABC Corporation
c/o Patricia N. Syme
President
5890 Gary Ln.
Boise, ID 83703
Source: Groundwater
Diversion Pt: SENE Sec 24 T
04N R 01E
Use: Domestic (.150 CFS)
Date Filed: 8/15/1989
In: T04N R01E S24 SENE
63-10903

63-10903
Herron, Joel E.
Herron, Kathleen S.
113 E. 47th
Boise, ID 83714
Source: Groundwater
Diversion Pt: NWSE Sec 31 T
04N R 02E
Use: Commercial (.020 CFS)
Date Filed: 8/18/1989
In: T04N R02E S31 NWSE

63-10904
Jordan, William L.
Jordan, Ruth A.
7155 Sorenson
Boise, ID 83709
Source: Groundwater
Diversion Pt: Lot 1 (NWNW) Sec 30 T 03N R 02E
Use: Irrigation (.020 CFS)
Use: Domestic (.020 CFS)
Date Filed: 8/18/1989
In: T03N R02E S30 Lot 1 (NWNW)
1.0 ACRES TOTAL

63-10906
Betts, Rex K.
Betts, Beulah M.
10509 Stardust
Boise, ID
Source: Groundwater
Diversion Pt: NWNW Sec 14 T
03N R 01E
Use: Irrigation (.020 CFS)
Date Filed: 8/21/1989
In: T03N R01E S14 NWNW
0.5 ACRES TOTAL

63-10916
Lewis, Barney J.
755 W. Lake Hazel
Meridian, ID 83642
Source: Groundwater
Diversion Pt: NWNWNE Sec 1 T
02N R 01W
Use: Irrigation (.100 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/09/1989
In: T02N R01W S01 NWNE
5.0 ACRES TOTAL

63-10917
Endecott, Keith W.
Rt. 3 Deerflat
Kuna, ID 83634
Source: Groundwater
Diversion Pt: NENWNE Sec T 02N R 01W
Use: Irrigation (.060 CFS)
Use: Stockwater (.020 CFS)
Use: Domestic (.040 CFS)
Date Filed: 7/31/1989
In: T02N R01W S24 NWNE
2.0 ACRES TOTAL

63-10918
D&D Developers
7522 28th St. W.
Tacoma, WA 98466
Source: Groundwater
Diversion Pt: SENW Sec 12
03N R 01E
Use: Irrigation (.120 CFS)
Date Filed: 8/07/1989
In: T03N R01E S12 SENW
6.2 ACRES TOTAL

63-10921
City of Meridian
33 E. Idaho Ave.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: NWSE Sec 3 T 0 R 01W
Use: Irrigation (1.000 CFS)
Use: Irrigation Storage (14.0 AF)
Use: Irrigation from Storage (14.00 AF)
Use: Diversion to Storage (1.0 CFS)
Date Filed: 7/17/1989
In: T03N R01W S03 SWN SENW NESW NESE NWSE SWSE SESE
66.0 ACRES TOTAL

63-10922
Fridenstine, III, Albert E.
4327 Samara Ct.
Boise, ID 83703
Source: Waste Water
Tributary: Farmers Union Canal
Diversion Pt: SWNE Sec 29
04N R 02E
Use: Heating (.080 CFS)
Use: Domestic (.040 CFS)
Date Filed: 7/20/1989
In: T04N R02E S29 SWNE

63-10923
Everts, William E.
1902 N. 20th
Boise, ID 83702
Source: Groundwater
Diversion Pt: Lot 2 (NWSWNW) Sec 19 T 04N R 02E
Use: Irrigation (.080 CFS)
Date Filed: 8/09/1989
In: T04N R02E S19 Lot (SWNW)
4.0 ACRES TOTAL

63-10924
Brown, Edgar
5505 Saddle St.
Boise, ID 83709
Source: Groundwater
Diversion Pt: NWNENE Sec 36 T
03N R 01E
Use: Irrigation (.015 CFS)
Date Filed: 7/27/1989
In: T03N R01E S36 NESE
0.5 ACRES TOTAL

63-10925
Tozer, Lyn G.
Mayfield Stage
Boise, ID 83706
Source: Groundwater
Diversion Pt: NWSWNW Sec 10 T 02N R 03E
Use: Irrigation (.200 CFS)
Date Filed: 8/04/1989
In: T02N R03E S10 SWNW
10.0 ACRES TOTAL

63-10926
Riggs, Eileen R.
140 W. Hubbard Rd.
Kuna, ID 83634
Source: Groundwater
Diversion Pt: SESENE Sec 12 T
02N R 01W
Use: Irrigation (.030 CFS)
Use: Stockwater (.020 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/04/1989
In: T02N R01W S12 SESE
1.0 ACRES TOTAL

63-10927
Gahley, Robert
9003 Chelan Ave.
Garden City, ID 83714
Source: Groundwater
Diversion Pt: NENE Sec 26 T
04N R 01E
Use: Irrigation (.030 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/07/1989
In: T04N R01E S26 NENE
1.0 ACRES TOTAL

63-10929
State of Idaho
Dept. of Fish & Game
Box 25
Boise, ID 83720
Source: Groundwater
Diversion Pt: Lot 4 (NENW) Sec 14 T 03N R 02E
Use: Aesthetic (3.000 CFS)
Date Filed: 8/09/1989
In: T03N R02E S14 Lot 4 (NENW)

63-10930
Premoe, Billie Jo
Premoe, Gary D.
3045 Wingate Ln.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: Lot 3 (NENENW) Sec 5 T 03N R 01E
Use: Irrigation (.045 CFS)
Date Filed: 8/11/1989
In: T03N R01E S05 Lot 3 (NENW)
1.5 ACRES TOTAL

63-10931
Lawson, Richard
Lawson, Beverly
4027 Sandbar Ln.
Eagle, ID 83616
Source: Groundwater
Diversion Pt: NWSENE Sec 32 T
05N R 01E
Use: Irrigation (.150 CFS)
Date Filed: 8/11/1989
In: T05N R01E S32 SENE
5.0 ACRES TOTAL

63-10935
Whitney Fire District
9500 Overland Rd.
Boise, ID 83709
Source: Groundwater
Diversion Pt: NWNW Sec 32 T
03N R 03E
Use: Domestic (.040 CFS)
Use: Fire Protection (.160 CFS)
Date Filed: 8/16/1989
In: T03N R03E S32 NWNW

63-10936
Whitney Fire District
9500 Overland Rd.
Boise, ID 83709
Source: Groundwater
Diversion Pt: SWSE Sec 14 T
03N R 01E
Use: Domestic (.040 CFS)
Use: Fire Protection (.160 CFS)
Date Filed: 8/16/1989
In: T03N R01E S14 SWSE

63-10938
Clark Family Trust
c/o Neil M. & Elaine M. Clark
Boise, ID 83709
Source: Groundwater
Diversion Pt: NWSE Sec 19 T
04N R 02E
Use: Irrigation (.030 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/08/1989
In: T04N R02E S19 NWSE
1.0 ACRES TOTAL

63-10939
Coats, J. Roy
Coats, Kay A.
4112 Mountain View
Boise, ID 83704
Source: Groundwater
Diversion Pt: NWSE Sec 9 T 03N R 01W
Use: Irrigation (.100 CFS)
Use: Domestic (.040 CFS)
Date Filed: 7/21/1989
In: T03N R01W S09 NWSE
5.0 ACRES TOTAL

63-10940
Diamond Sports Inc.
1109 Main St. #250
Boise, ID 83702
Source: Groundwater
Diversion Pt: Lot 2 (SENE) Sec 25 T 04N R 01E
Use: Irrigation (.150 CFS)
Date Filed: 3/21/1989
In: T04N R01E S25 Lot 2 (SENE)
3.0 ACRES TOTAL

63-10941
Cornaford, Dorothy J.
14600 S. Cloverdale Rd.
Kuna, ID 83634
Source: Groundwater
Diversion Pt: NWNW Sec 34 T
02N R 01E
Use: Irrigation
Date Filed: 8/23/1989
In: T02N R01E S34 NWNW
7.0 ACRES TOTAL

63-10942
No. 1 Uffer Subdivision Well Users
2117 S. Stephen Ave.
Boise, ID 83706
Source: Groundwater
Diversion Pt: NESENE Sec 23 T
03N R 02E
Use: Irrigation (.020 CFS)
Use: Domestic (.100 CFS)
Date Filed: 8/22/1989
In: T03N R02E S23 SENE
0.8 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before SEPTEMBER 25.

MICROFILMED

NOV 21 1989

July 14, 1992

WHITNEY FIRE DISTRICT
9500 OVERLAND RD
BOISE ID 83709

RE: WATER RIGHT NO. 63-10935

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
JUL 28 1992

June 4, 1992

WHITNEY FIRE DISTRICT
9500 OVERLAND RD
BOISE ID 83709

RE: WATER RIGHT NO. 63-10935

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
JUL 28 1992

LICENSE REVIEW CHECKLIST

Permit # 63-10935

Date 5-29-92
CS

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? _____
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended? _____
	☐	☒	Disagree with Actual Measurement? _____
	☐	☒	<u>.04 cfs (DOM) (FIRE P)</u>
	☐	☒	Disagree with Theoretical? <u>Not enough info</u>
	☐	☒	Limited by Capacity? <u>.04 cfs</u>
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u>
			<u> </u> Standard Irr. Season
			<u> </u> Season Recommended
	☐	☒	Disagree with Examiner's Calculations? _____
	☐	☒	<u>1.2 AFA (DOM) (FIRE P)</u>
	☐	☒	Limited by Flow? _____
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source _____
	☐	☒	Notice of Intent to Void. _____
P/D			Verify with Map
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
P/U			Verify with Map
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
USES	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☒	☐	Non-Irr. Uses <u>DOM/Fire Station</u>
	☒	☐	Special Overlap Condition _____
	☒	☐	Other _____
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	☐	☒	Overlap
	☐	☒	Water Quality
			DATES/MISC
			<u> </u> ☒ Water Dist.
			<u> </u> ☒ App Rec'd
			<u> </u> ☒ Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduced Rate</u>		
	<u>No records on system or scheduled refill of</u>		
	<u>trucks/Limit to DOM rate per FE recommendations.</u>		
License	<u> </u>	10-Day ☒	15-Day <u> </u> Special Correspondence <u> </u>

WR0749NP
No. L63-10935

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 05/29/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	WHITNEY FIRE DISTRICT 9500 OVERLAND RD BOISE ID 83709 (208) 375-6407	08/16/1989	DOMESTIC FIRE PROTECTION	01-01 12-31 01-01 12-31	0.04 CFS 0.04 CFS	1.2 AFA
TOTAL DIVERSION:					0.04 CFS	1.2 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.04 CFS

Point(s) of Diversion: T03N R03E S32 NW NW

Place of use Legal Description for: DOMESTIC

				NE				NW				SW				SE							
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:
				Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac	
03N	03E	32	:					:					:					:					:

Place of use location for FIRE PROTECTION is the same location as described for: DOMESTIC

Pou County: ADA

Remarks: Domestic use is for a fire station.

Dates:	App. Received:	08/16/1989	Priority Date:	08/16/1989
	Proof Due Date:	12/01/1990	Proof Made Date:	11/14/1990
	Exam Made Date:	07/18/1991	Exam Sent to S.O.:	02/25/1992
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 05/29/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 2 1992

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Whitney Fire District Permit No. 63-10935
Current Address: 9500 Overland Rd. Boise, ID 83709 Phone No. 343-0661
2. Accompanied by: Randy Christensen EXAM. DATE: 7-18-91
Address: Whitney Station #2 4221 E. Amity, Boise Phone No. _____
Relationship to Permit Holder: Fireman
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = None

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

MICROFILMED

JUL 28 1992

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

The pump for the fire protection and domestic uses is located in an 8" well casing. No information on the pump size could be found by the Whitney Station, or by the pump installer. From well logs in the area, the dynamic level is no greater than 40'. The water is used inside the fire station for a kitchen & bathroom, and on a small lawn outside. The fire protection is to refill some fire trucks, but the trucks are usually refilled from other hydrants in the area.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	No logs			No logs	

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NW	32	3N	3E	Ada	USGS Quad

6. Place(s) of Use:

Indicate Method of Determination USGS Quad

Twp.	Rge.	Sec.	NE1/4				NW1/4				SW1/4				SE1/4				Totals
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
3N	3E	32						D											
								F											

Do not use this space

MICHAEL

JUL 28 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

No info available

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (8)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

1.2 ac For domestic with

NOT FILMED
JUL 28 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Since no records could be found on this system, I recommend the Fire protection to be limited to .04 cfs.
I concur. DW

No other water rights affect this permit

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.04	1.2
Fire Protection	1/1	12/31	~~.04~~ .04	-
Totals:			~~.04~~ .04	1.2

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Mark Squire

W 2/4/92

Signature

Mark Squire

Certification Date

Field Report Preparation Date


7-30-91




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUL 28 1992



63-10935



#1.

Well and hydrant.



#2.

Whitney Fire Station
no. 2, Facing South.

RECEIVED

JUL 26 1962

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10935

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 3N, Rge 3E, Sec. 32, NW 1/4 NW 1/4 or Lot _____.

2. Owner: Whiting Fire Dist.
Address 9500 Overland Rd., City B,isc, St IO

3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____

4. Access Port: Yes _____ No ☒ Static Water Level: 215'
Pressure Gauge: Yes _____ No ☒ Casing Diameter: 8"
Flowing: Yes _____ No ☒ Temperature: _____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

MAILED
JUL 28 1992

November 23, 1990

WHITNEY FIRE DISTRICT
9500 OVERLAND RD.
BOISE, ID 83709

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10935

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

DEC 11 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10936

Date: 11-19-90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change NO If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

- ☒ Surface water
☒ Groundwater
 1. well log in file 1976
 2. drilling permit NA
 NA A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
 ☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ NO Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

<u>NA</u>	
	-
	=
	+
	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED
NOV 14 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources PROOF OF BENEFICIAL USE

For Office Use Only
Amt. of Fee \$ 50.00
Date 11/14/90
Receipt No. 2018846
Received by [Signature]
11-19-90

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. P63-10935 Telephone No. 375-6407

Name(s) of Permit Holder(s): Whitney Fire District

Post Office Address: 9500 Overland Rd. Boise Idaho 83707

Source of Water: Ground water

If ground water, well driller's name: Unknown Date drilled: Approx 1976

Extent of Use:
Domestic 1 (No. of households) Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock) Other Fire Protection

Total rate and/or volume for which proof is submitted 0.20 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: Same date as drilled

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Doug McGrew 375-6407
Name Telephone No.
9500 Overland Rd. Boise Idaho 83707
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

DEC 11 1990

Oct 12 '90
Date

[Signature]
Signature (and title if on behalf of a company or organization)

WHITNEY FIRE DISTRICT
9500 OVERLAND RD.
BOISE, ID 83709

138481
September 30, 1990

PROOF DUE NOTICE

RE: PERMIT NO. 63-10935

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

DEC 11 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
November 7, 1989

WHITNEY FIRE DISTRICT
9500 OVERLAND RD.
BOISE, ID 83709

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-10935

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

NOV 21 1989

j

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

NOV 21 1988

PD 180

3N

3E

S 32

NWNW

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SR DATE: 8/21/89 APPLICATION: 63-10935

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

Gov't. Lots:
N P/D
J P/U

ADDITIONAL INFORMATION

YES	NO	
☒	☒	Overlapping place of use: (Describe source & relationship to present application on the back.)
☒	☒	Overlapping point of diversion:
☒	☒	Field check required: Field check by: _____
☒	☒	Field report attached:
☒	☒	Critical groundwater area:
☒	☒	Groundwater management area: <u>Base front but well H20 < 30'</u>
☒	☒	Diversion within interim protected river area
☒	☒	Send dam safety information:
☒	☒	Send power requirement letter:
☒	☒	Send fish farm requirement letter:
☒	☒	Power residency affidavit:
☒	☒	Power efficiency form:
☒	☒	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒	☒	Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☒	☒	<u>*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT</u>

Well already drilled.
No cond of approval reg'd.
Dor

DATE REQUESTED: _____

☒ Additional information on reverse side:

RECEIVED
AUG 22 1989

Department of Water Resources

PROCESSING

APPLICATION NO. 63-10935

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☒
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☒
☐ ☐
☐ ☐
☐ ☐

Publication dates and paper recorded on application:

Protests received. Final date for protest September 25, 1989

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approved, One

Measuring device required:

Measuring port required:

Water delivered by water master? District # 63-P05

Special conditions of approval or cover letter: _____

See below for additional information

Recommended Date or Priority 8/16/1989

Recommended by: One

Date 10/4/89

STATE OFFICE REVIEW

P05, P23

P110

46

See below for additional information. By KW

Date 11/1/89

ADDITIONAL INFORMATION

Groundwater possibly tied to Bursi River (re. augmentation).

63-10935

WHITNEY FIRE DISTRICT
9500 OVERLAND RD.
BOISE, ID 83709

Source: GROUNDWATER

Diversion Pt: NWNW Sec 32 T 03N R 03E

Use: DOMESTIC (.040 CFS)
 FIRE PROTECTION (.160 CFS)

Date Filed: 8/16/1989

In: T03N R03E S32 NWNW

MICROFILMED

NOV 21 1989