


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

MICROFILMED

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

NOV 21 1989

Edgar L. Brown
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 20 1992
Department of Water Resources

A. GENERAL INFORMATION


Permit No. 63-10924
Phone No. 362-3295
1. Owner: Edgar Brown
Current Address: 5505 Saddle St. Boise, Id 83709
2. Accompanied by: Edgar Brown EXAM. DATE: 8-19-91
Address: same Phone No. same
Relationship to Permit Holder: owner
3. Source: groundwater tributary to TVA-

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-02915, 63-03239, 63-08994
63-09697 ☐ Copies Attached
2. Other water rights with same point of diversion: same + 63-08432
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = Not to scale.

MICROFILMED

JUL 28 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This system uses a 157' well with a 6" casing and a 1/2hp motor to water .5 acres. The 40 circuits are split up with 3 for the lawn + 1 for the garden. The circuits run 8-10 heads at a time. The static water level is @ 103' and the dynamic level is @ 115'.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible.	NA	1/2	10A	NA	1" line

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		nw	re	se	36	3n	1e	Ada	Quad / Verification


6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3n	1e	36													5				.5

Do not use this space

MICROFILMED
JUL 28 1992



Old
Plu

MICROFILMED

JUL 28 1992

T3N
T2N

63-10924



view of for west
side of property.
garden



view of well
& valves to
the 4 circuits.

MICROFILMED

JUL 28 1992

63-10924



View of the Front
side of the property.
(East side)



View of the
Back lawn
(West side)

MICROFILMED

JUL 28 1992

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

MICROFILMED
DEC 11 1990

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name J. E. Stevens & Son Firm No. 153

Address 3709 Hawthorne Drive Date 8/31/84

Signed by (Firm Official)

and
(Operator

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10924

Priority: July 27, 1989

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 1.4 AF

This is to certify, that EDGAR BROWN
5505 SADDLE ST
BOISE ID 83709

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated July 27, 1989; and
has submitted Proof of Beneficial Use on November 8, 1990. An examination indicates
that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	1.4 AF

LOCATION OF POINT(S) OF DIVERSION: NESE , Sec. 36, Township 03N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	01E	36	NESE	0.3		0.3

Total number of acres irrigated: 0.3

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.
6. Place of use is also known as Lot 3, Block 4, Sunset West Unit 1.

MICROFILMED

JUL 28 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10924

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 10th
day of July, 1992

Acting for R. Keith Higginson, Director

NOT RECORDED

JUL 28 1992

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-10924

Proposed Priority: July 27, 1989

Maximum Diversion Rate:

0.02 CFS

This is to certify, that **EDGAR BROWN**
5505 SADDLE ST.
BOISE, ID 83709

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

03/15 to 11/15

0.02 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWNESE

Sec. 36, Township 03N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

TWN RGE SEC

03N 01E 36

NESE 0.5

0.5

Total number of acres irrigated:

0.5

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1990.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
5. Place of use also known as Lot 3, Blk. 4, Sunset West Unit 1.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

7th day of November, 1989

R. Keith Higginson
for R. Keith Higginson, Director

RECORDED

NOV 21 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant EDGAR L BROWN Phone 362-3295
Post office address 5505 SADDLE ST BOISE ID. 83709
2. Source of water supply GROUNDWATER which is a tributary of N/A
3. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 36 Township 3N Range 1E B.M. ADA County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Allow 0.02*
Amount ~~0.015~~ for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum) Allow 0.02*
5. Total quantity to be appropriated is (a) ~~0.015~~ *kw 1/189 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. WELL, 157' DEEP, 6"
1.5 HP PUMP, SPRINKLERS
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
- c. Proposed well diameter is 6 inches; proposed depth of well is 157 feet.
- d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

NOV 21 1989

FILED


LOT 3, BLOCK 4, SUNSET WEST UNIT 1

2.

[illegible]

8. Description of proposed uses (if irrigation only, go to item 9):

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

MILITARY

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set **NOV 21 1989**

Edgar L. Brown
(Applicant)

Received by GG Date 7-27-89 Time 10:50 A Preliminary check by RW
Fee \$ 30.00 Receipted by GG # W003848 Date 7-27-89
Publication prepared by GG Date 8-30-89 Published in ID Statesman
Publication approved st Date 9-26-89
9/7 & 9/14/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

FILED

NOV 1

Department of Water Resources
Western Regional Office

LEGAL ADVERTISING INVOICE

Amount Due

\$466.68

Account Name		Account Number	
Idaho Department of Water Resources (Western)		#47628	
Address		City/State	Zip
2735 Airport Way		Boise, ID	83705
Ordered By	P.O. Number	Rate	Run Dates
Gail Garrett		NT	1989 September 7, 14
Identification		Estimated Inches	
Applications for Water Rights			

1 Number of Affidavits Requested

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10818

Lakewood Homeowners

Assn. #4

3100 Lakewood Way

Boise, ID 83706

Source: Groundwater

Diversion Pt: NWNE Sec 26 T

03N R 02E

03N R 02E

Use: Irrigation (.620 CFS)

Date Filed: 6/22/1989

In: T03N R02E S23 SESW

In: T03N R02E S26 NENW

9.0 ACRES TOTAL

63-10871

Rudd, W. Steven

Rudd, Elizabeth A.

3800 Rock Garden Ln.

Boise, ID 83703

Source: Groundwater

Diversion Pt: SENE Sec 5 T 04N

R 02E

Use: Irrigation (.120 CFS)

Use: Domestic (.020 CFS)

Date Filed: 7/31/1989

In: T04N R02E S05 SENE

4.5 ACRES TOTAL

63-10874

Bruno, Sharon L.

Bruno, Albert J.

9837 Prairie Rd.

Boise, ID 83703

Source: Groundwater

Diversion Pt: NENW Sec 11 T

04N R 01 E

Use: Irrigation (.020 CFS)

Use: Stockwater (.020 CFS)

Date Filed: 8/03/1989

In: T04N R01E S11 NENW

1.0 ACRES TOTAL

63-10877

Nicolls, Carroll

Nicolls, Valene

8281 Hill Rd.

Boise, ID 83703

Source: Spring

Tributary: Sinks

Diversion Pt: SENWSW Sec 35 T

05N R 01E

Use: Irrigation (.010 CFS)

Use: Stockwater (.020 CFS)

Date Filed: 8/07/1989

In: T05N R01E S35 NWSW

0.3 ACRES TOTAL

63-10879

Pfleger, Nada

Pfleger, Jr., Ludwig

6408 Colonial Dr.

Boise, ID 83709

Source: Groundwater

Diversion Pt: NWNE Sec 11 T

03N R 01E

Use: Irrigation (.120 CFS)

Date Filed: 8/08/1989

In: T03N R01E S11 NWNE

4.0 ACRES TOTAL

63-10880

Knopp, Larry R.

701 Hale St.

Boise, ID 83706

Source: Groundwater

Diversion Pt: Lot 3 (SWNW) Sec

30 T 03N R 03E

Use: Domestic (.040 CFS)

Date Filed: 8/08/1989

In: T03N R03E S30 Lot 3

(SWNW)

63-10888

Hoffer, Vanice I.

Hoffer, Rick J.

707 Hale

Boise, ID 83672

Source: Groundwater

Diversion Pt: NESE Sec 23 T

03N R 01E

Use: Irrigation (.030 CFS)

Date Filed: 8/09/1989

In: T03N R01E S23 NESE

1.0 ACRES TOTAL

63-10889

Boehm, John E.

Boehm, Patricia A.

8150 Brookside Ln.

Boise, ID 83703

Source: Groundwater

Diversion Pt: SESENE Sec 25 T

05N R 01E

Use: Irrigation (.040 CFS)

Date Filed: 8/10/1989

In: T05N R01E S25 SENW

2.5 ACRES TOTAL

63-10892

Stadler, Lillian E.

Rt. 1 Hwy. 55

Boise, ID 83703

Source: Groundwater

Diversion Pt: NESENE Sec 26 T

05N R 01E

Use: Irrigation (.020 CFS)

Use: Commercial (.020 CFS)

Use: Domestic (.040 CFS)

Date Filed: 8/11/1989

In: T05N R01E S26 SENE

1.0 ACRES TOTAL

63-10893

Purvis, Steven C.

Purvis, Lynn

3939 Brookside Ln.

Boise, ID 83703

Source: Groundwater

Diversion Pt: NWSE Sec 34 T

05N R 01E

Use: Irrigation (.120 CFS)

Date Filed: 8/14/1989

In: T05N R01E S34 NWSE

4.0 ACRES TOTAL

63-10896

ABC Corporation

c/o Patricia N. Syme

President

5890 Gary Ln.

Boise, ID 83703

Source: Groundwater

Diversion Pt: SENE Sec 24 T

04N R 01E

Use: Domestic (.150 CFS)

Date Filed: 8/15/1989

In: T04N R01E S24 SENE

63-10903

Herron, Joel E.

Herron, Kathleen S.

113 E. 47th

Boise, ID 83714

Source: Groundwater

Diversion Pt: NWSE Sec 31 T

04N R 02E

Use: Commercial (.020 CFS)

Date Filed: 8/18/1989

In: T04N R02E S31 NWSE

63-10904

Jordan, William L.

Jordan, Ruth A.

7155 Sorenson

Boise, ID 83709

Source: Groundwater

Diversion Pt: Lot 1 (NWNW)

Sec 30 T 03N R 02E

Use: Irrigation (.020 CFS)

Use: Domestic (.020 CFS)

Date Filed: 8/18/1989

In: T03N R02E S30 Lot 1

(NWNW)

1.0 ACRES TOTAL

63-10906

Betts, Rex K.

Betts, Beulah M.

10509 Stardust

Boise, ID

Source: Groundwater

Diversion Pt: NWNW Sec 14 T

03N R 01E

Use: Irrigation (.020 CFS)

Date Filed: 8/21/1989

In: T03N R01E S14 NWNW

0.5 ACRES TOTAL

63-10916

Lewis, Barney J.

755 W. Lake Hazel

Meridian, ID 83642

Source: Groundwater

Diversion Pt: NWNWNE Sec 1 T

02N R 01W

Use: Irrigation (.100 CFS)

Use: Domestic (.040 CFS)

Date Filed: 8/09/1989

In: T02N R01W S01 NWNE

5.0 ACRES TOTAL

63-10917

Endecott, Keith W.

Rt. 3 Deerflat

Kuna, ID 83634

Source: Groundwater

Diversion Pt: NENWNE Sec

T 02N R 01W

Use: Irrigation (.060 CFS)

Use: Stockwater (.020 CFS)

Use: Domestic (.040 CFS)

Date Filed: 7/31/1989

In: T02N R01W S24 NWNE

2.0 ACRES TOTAL

63-10918

D&D Developers

7522 28th St. W.

Tacoma, WA 98466

Source: Groundwater

Diversion Pt: SENW Sec 12

03N R 01E

Use: Irrigation (.120 CFS)

Date Filed: 8/07/1989

In: T03N R01E S12 SENW

6.2 ACRES TOTAL

63-10921

City of Meridian

33 E. Idaho Ave.

Meridian, ID 83642

Source: Groundwater

Diversion Pt: NWSE Sec 3 T

R 01W

Use: Irrigation (1.000 CFS)

Use: Irrigation Storage (14

AF)

Use: Irrigation from Storage

(14.00 AF)

Use: Diversion to Storage (1.0

CFS)

Date Filed: 7/17/1989

In: T03N R01W S03 SWN

SENW NESW NESE NWS

SWSE SESE

66.0 ACRES TOTAL

63-10922

Fridenstine, III, Albert E.

4327 Samara Ct.

Boise, ID 83703

Source: Waste Water

Tributary: Farmers Union

Canal

Diversion Pt: SWNE Sec 29

04N R 02E

Use: Heating (.080 CFS)

Use: Domestic (.040 CFS)

Date Filed: 7/20/1989

In: T04N R02E S29 SWNE

63-10923

Everts, William E.

1902 N. 20th

Boise, ID 83702

Source: Groundwater

Diversion Pt: Lot 2 (NWSWNW)

Sec 19 T 04N R 02E

Use: Irrigation (.080 CFS)

Date Filed: 8/09/1989

In: T04N R02E S19 Lot

(SWNW)

4.0 ACRES TOTAL

63-10924

Brown, Edgar

July 13, 1992

EDGAR BROWN
5505 SADDLE ST
BOISE ID 83709

RE: WATER RIGHT NO. 63-10924

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

JUL 16 1992

June 4, 1992

EDGAR BROWN
5505 SADDLE ST
BOISE ID 83709

RE: WATER RIGHT NO. 63-10924

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MAILED
JUL 28 1992

LICENSE REVIEW CHECKLIST

Permit # 63-10924

Date 05-28-92 OS

	<u>Yes</u>	<u>No</u>	Property Size per FE 110'x138' = 15180 sq ft (Total) 1840'x300' = 552000 sq ft (Moose & shed) 13040' / 43560' = .2992 = .30 acre (IRR)
NAME	<u> </u>	<u>✓</u>	Address Change? <u> </u>
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u> </u>
	<u> </u>	<u>✓</u>	Memo to Advance <u> </u>
	<u> </u>	<u>✓</u>	Order to Reinstate Needed? <u> </u>
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended? <u> </u>
	<u> </u>	<u> </u>	Disagree with Actual Measurement? <u> </u>
	<u> </u>	<u> </u>	.3 x .02 = .006 / Allow .02 per permit
	<u>✓</u>	<u> </u>	Disagree with Theoretical? <u>1.5 x 8.8 x .7 = .036</u>
	<u> </u>	<u>✓</u>	Limited by Capacity? <u>.04 cfs</u> <u>115' x 2.31 x 60</u>
TOTAL VOLUME	<u> </u>	<u> </u>	Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
	<u> </u>	<u> </u>	<u>3-15 to 11-15</u> Standard Irr. Season
	<u> </u>	<u> </u>	<u>Same Per Permit</u> Season Recommended
	<u>✓</u>	<u> </u>	Disagree with Examiner's Calculations? <u> </u>
	<u> </u>	<u>✓</u>	.3 x 4.5 = 1.35 ≈ 1.4 AFA (IRR)
	<u> </u>	<u>✓</u>	Limited by Flow? <u>.02 x 245 x 1.9835 = 9.721.4</u>
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u>✓</u>	<u>Intended</u> source <u> </u>
	<u> </u>	<u>✓</u>	Notice of Intent to Void. <u> </u>
P/D	<u> </u>	<u>✓</u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration? <u> </u>
P/U	<u> </u>	<u>✓</u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration? <u> </u>
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u> </u>	<u>✓</u>	Non-Irr. Uses <u> </u>
	<u> </u>	<u>✓</u>	Special Overlap Condition <u> </u>
	<u>✓</u>	<u> </u>	Other P/D <u> </u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u>R27</u>	<u> </u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
	<u> </u>	<u>✓</u>	DATES/MISC
	<u> </u>	<u>✓</u>	Water Dist.
	<u> </u>	<u>✓</u>	App Rec'd
	<u> </u>	<u>✓</u>	Exam Made

COMMENTS/MEMOS NEEDED: Reduced Acre
Used 60psi estimate for IRR

License 10-Day ✓ 15-Day Special Correspondence

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 02/20

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	EDGAR BROWN 5505 SADDLE ST BOISE ID 83709 (208) 362-3295	07/27/1989	IRRIGATION	03-15 11-15	0.02 CFS	1.4 AFA
TOTAL DIVERSION:					0.02 CFS	1.4 AFA

Stage: LICENSE

2

[illegible]

Conditions of Approval:

R27 - This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.

Remarks: Place of use is also known as Lot 3, Block 4, Sunset West Unit 1.

Dates: **App. Received:** 07/27/1989 **Priority Date:** 07/27/1989

Proof Due Date:	12/01/1990	Proof Made Date:	11/08/1990
App. received:	01/21/1991	Priority date:	01/21/1990

Exam Made Date:	08/19/1991	Exam Sent to S.O.:	02/17/1992
F 001 Doc Date:	12/01/1990	F 001 Mdoc Date:	11/09/1990

EXAMIN MADE DATE:	08/19/1991	EXAMIN SELL TO S.O.:	02/11/1992
LICENSED DATE:			

Misc: Water District Number: Field Exam Fee: N (Not Required)

RECEIVED
FEB 20 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10924

1. Owner: Edgar Brown Phone No. 362-3295

Current Address: 5565 Saddle St. Boise, Id 83709

2. Accompanied by: Edgar Brown EXAM. DATE: 8-19-91

Address: same Phone No. same

Relationship to Permit Holder: owner

3. Source: groundwater tributary to TVA

B. OVERLAP REVIEW


1. Other water rights with same place of use: 63-02915, 63-03239, 63-08994
63-07697 ☐ Copies Attached

2. Other water rights with same point of diversion: same + 63-08432

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

Scale: 1" = Not to scale.

JUL 28 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This system uses a 157' well with a 6" casing and a 1/2 hp motor to pump .5 acres. The 40 circuits are split up with 3 for the lawn + 1 for the garden. The circuits run 8-10 heads at a time. The static water level is @ 103' and the dynamic level is @ 115'.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible.	N/A	1/2	N/A	N/A	1" line

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		nw	ne	se	36	3n	1e	Ada	Quad / Verification

6. Place(s) of Use:

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3n	1e	36													as				.5

Do not use this space

MICROFILMED

JUL 28 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Theoretical: $\frac{1.5 \times 8.8 \times .70}{115 + (2.3 \times 35)} = \frac{9.24}{190.5} = .0485$ ^{.05 CFS}
_{psi}
 * Assume 35 psi minimum

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Theoretical: $.05$ ~~.08~~ cfs Permit - .02 CFS - Limiter

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)
 Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)
 Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)
 Meter Input HP: (6) x 1.34 = _____ (7)
 Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)
 Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{i.r.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .5 \text{ ac} \times 4.5 = 2.25 \text{ AF}$
 $V_{d.r.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .02 \text{ cfs} \times 245 \times 1.9835 = 9.72 \text{ AF}$
 $V = \text{Smaller of } V_{i.r.} \text{ and } V_{d.r.} = 2.25 \text{ AF}$

2. Volume Calculations for Other Uses:

MICROFILMED

JUL 8 8 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

All other WR# are neighbors or water companies. None are used on the same Pld as this WR# and all have a different Pld.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	.02 cfs	2.25 afa
Totals:			.02 cfs	2.25 afa

2. Recommended Amendments


- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name DAVID GRAY
Signature [Signature]
Certification Date 8-19-91
Field Report Preparation Date 12-15-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED
JUL 28 1992



32.30°
921

T.3 N.
T.2 N.

T3N
T2N

MICROFILMED

JUL 28 1992

BOISE STATE CAPITOL 3.5 MI.

Form 238-I
05/90

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10924

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 3n, Rge 1e, Sec. 36, NE 1/4 SE 1/4 or Lot _____.

2. Owner: Edgar Brown

Address 5565 Saddle St, City Boise, St Id.

3. Casing $\geq$ 12 inches above ground: Yes X No _____

4. Access Port: Yes _____ No X Static Water Level: 103'
Pressure Gauge: Yes _____ No X Casing Diameter: 6"
Flowing: Yes _____ No X Temperature: 70

5. Are there any obvious construction problems that may be a source for contamination or waste of water? Yes _____ No X

If answer to Item 5 is Yes, describe in remarks and attach photo.


Remarks: _____

Well is in fine shape


MICROFILMED

JUL 28 1992

62-0326



view of the west
side of the
garage



view of the
e. side of
the 11 circuit


RECORDED

JUL 28 1992

43-10989



View of the Front
side of the property
(East side)



View of the
Back side
(West side)

RECEIVED

JUL 28 1964

November 23, 1990

EDGAR BROWN
5505 SADDLE ST.
BOISE, ID 83709

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10924

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MicroFILMED

DEC 11 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10924

Date: 11-19-90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change NO If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

- ☐ Surface water
☒ Groundwater
1. well log in file 1984
NA 2. drilling permit
NA A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☐ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ Is a measuring device or access port required?
☐ Has one been installed?
☐ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

<u>NA</u>	
	-
	=
	+
	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

DS 11-19-90

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-10924 Telephone No. 362-3295

2. Name(s) of Permit Holder(s): Edgar Brown

3. Post Office Address: 5505 Saddle St., Boise 09

4. Source of Water: g.w.

a. If ground water, well driller's name: W.E. Stevens & Sons Date drilled: 8/29/84

b. Pump horsepower: 1 1/2 Pressure (psi): 90# Dynamic pumping level (ft.): 103

5. Extent of Use:

Domestic _____ (No. of households)

Irrigation .5 (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

6. Total rate and/or volume for which proof is submitted .02 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

8. Fee Enclosed: \$ 0 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Same as above
Name

Telephone No.

Address

10. The above information is my true statement of the extent to which the above number of acres has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

DEC 11 1990

Nov 8, '90
Date

Edgar L. Brown
Signature (and title if on behalf of a company or organization)

138479

September 30, 1990

EDGAR BROWN
5505 SADDLE ST.
BOISE, ID 83709

PROOF DUE NOTICE

RE: PERMIT NO. 63-10924

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

DEC 11 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

USE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT


State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name _____ Address _____ 83709 Owner's Permit No. _____	7. WATER LEVEL Static water level <u>103</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ <i>Describe artesian or temperature zones below.</i>																																																										
2. NATURE OF WORK ☐ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☒ Pump ☒ Bailor ☐ Air ☐ Other <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td>40</td> <td>115</td> <td>1</td> </tr> <tr> <td>30</td> <td>110</td> <td>2</td> </tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	40	115	1	30	110	2																																																	
Discharge G.P.M.	Pumping Level	Hours Pumped																																																									
40	115	1																																																									
30	110	2																																																									
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td>8</td> <td>0</td> <td>1</td> <td>topsoil</td> <td></td> <td>X</td> </tr> <tr> <td></td> <td>1</td> <td>4</td> <td>hardpan, broken basalt</td> <td></td> <td>X</td> </tr> <tr> <td></td> <td>4</td> <td>18</td> <td>fractured black basalt</td> <td></td> <td>X</td> </tr> <tr> <td></td> <td>18</td> <td>74</td> <td>solid black basalt</td> <td></td> <td>X</td> </tr> <tr> <td>6</td> <td>74</td> <td>86</td> <td>loose sand, large gravel</td> <td></td> <td>X</td> </tr> <tr> <td></td> <td>86</td> <td>132</td> <td>cemented sand, large gravel & boulders</td> <td></td> <td>X</td> </tr> <tr> <td></td> <td>132</td> <td>157</td> <td>very muddy fine to coarse sand & pea gravel</td> <td></td> <td>X</td> </tr> <tr> <td></td> <td>157</td> <td>160</td> <td>sticky light brown clay</td> <td></td> <td>X</td> </tr> </tbody> </table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	8	0	1	topsoil		X		1	4	hardpan, broken basalt		X		4	18	fractured black basalt		X		18	74	solid black basalt		X	6	74	86	loose sand, large gravel		X		86	132	cemented sand, large gravel & boulders		X		132	157	very muddy fine to coarse sand & pea gravel		X		157	160	sticky light brown clay		X
Bore Diam.	Depth		Material	Water																																																							
	From	To		Yes	No																																																						
8	0	1	topsoil		X																																																						
	1	4	hardpan, broken basalt		X																																																						
	4	18	fractured black basalt		X																																																						
	18	74	solid black basalt		X																																																						
6	74	86	loose sand, large gravel		X																																																						
	86	132	cemented sand, large gravel & boulders		X																																																						
	132	157	very muddy fine to coarse sand & pea gravel		X																																																						
	157	160	sticky light brown clay		X																																																						
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____																																																											
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>+ 1 feet</td> <td>147 feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>142 feet</td> <td>147 feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☒ Yes ☐ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☐ No Manufacturer's name _____ Type _____ Model No. 3011 Diameter _____ Slot size 25 Set from 117 feet to 157'8" Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____ Placed from 147 feet to 157'8" feet Surface seal depth _____ Material used in seal: ☐ Cement grout ☐ Bentonite ☒ Puddling clay ☐ cuttings Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth	Thickness	Diameter	From	To	_____ inches	_____ inches	+ 1 feet	147 feet	_____ inches	_____ inches	142 feet	147 feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet																											
Thickness	Diameter	From	To																																																								
_____ inches	_____ inches	+ 1 feet	147 feet																																																								
_____ inches	_____ inches	142 feet	147 feet																																																								
_____ inches	_____ inches	_____ feet	_____ feet																																																								
_____ inches	_____ inches	_____ feet	_____ feet																																																								
Number	From	To																																																									
_____ perforations	_____ feet	_____ feet																																																									
_____ perforations	_____ feet	_____ feet																																																									
_____ perforations	_____ feet	_____ feet																																																									

MICROFILMED

DEC 11 1990

Sketch map location must agree with written location.



Subdivision Name Sunset

Test Unit 1

Lot No. 3 Block No. 4

County Blaine

1/4 Sec. 36 3/4 Sec. 36 T. 3 S. R. 1 E. W.

I/We certify that all minimum well construction standards
complied with at the time the rig was removed.

Firm Name E. Stevens & Son Firm No. 153

Address 3709 Hawthorne Drive Date 8/31/81

Signed by (Firm Official) _____
and
(Operator) _____

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
November 7, 1989

EDGAR BROWN
5505 SADDLE ST.
BOISE, ID 83709

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-10924

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

NOV 21 1989

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED

NOV 21 1989

P/D 3N 1E 336 NE SE
P/U

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RW DATE: 8/7/89 APPLICATION: 63-10924

REQUIRED INFORMATION


- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume) Gov't. Lots:
☒ Period of use: N P/D
☒ Nature of proposed use: (Include description of use) N P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes No* In form to receipt:

ADDITIONAL INFORMATION

- | YES | NO | |
|-------------------------------------|-------------------------------------|--|
| ☒ | ☐ | Overlapping place of use: (Describe source & relationship to present application on the back.) |
| ☒ | ☐ | Overlapping point of diversion: |
| ☐ | ☐ | Field check required: Field check by: _____ |
| ☐ | ☐ | Field report attached: |
| ☐ | ☐ | Critical groundwater area: |
| ☐ | ☐ | Groundwater management area: |
| ☐ | ☐ | Send dam safety information: |
| ☐ | ☐ | Send power requirement letter: |
| ☐ | ☐ | Send fish farm requirement letter: |
| ☐ | ☐ | Power residency affidavit: |
| ☐ | ☐ | Power efficiency form: |
| ☐ | ☐ | Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.) |
| ☐ | ☒ | Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.) |
| ☒ | ☐ | *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT |

DATE REQUESTED: _____

Additional information on reverse side: _____



Department of Water Resources

YES NO

SEND COPIES TO

_____	I.D. Health and Welfare
_____	I.D. Fish and Game
_____	I.D. Lands
_____	Adjudication Bureau

_____ U.S. BLM
 _____ U.S. Forest Svc.
 _____ Water Dist. # _____
 _____ Other

YES NO

✓✓ Publication dates and paper recorded on application:
 ✓ Protests received. Final date for protest September 25, 1989
 ✓ Protest dates, resolution of protest recorded on application:
 ✓ Recommendations attached: Approved, DNR
 ✓ Measuring device required:
 ✓ Measuring port required:
 0 Water delivered by water master? District # 63-P05
 Special conditions of approval or cover letter:

Recommended Date or Priority 7/27/1989 ✓
Recommended by: Ans Date 10/4/89

P05, P23 P16 46 57
See below for additional information. By kw Date 11-1-89

ADJ. Claim # A63-16703 Filed For Domestic
w/ Lawn & Garden Imp.

63-10924

BROWN, EDGAR
5505 SADDLE ST.
BOISE, ID 83709

Source: GROUNDWATER

Diversion Pt: NWNESE Sec 36 T 03N R 01E

Use: IRRIGATION (.015 CFS)

Date Filed: 7/27/1989

In: T03N R01E S36

NESE

0.5 ACRES TOTAL

MICROFILMED

NOV 21 1989