




Govt Lots
S. 24
S. 1/2
T4N
R1E

DEVELOP
3 DAY
CUT

MICHAEL
NOV 21 1983

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 17 1993
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Mike & Carol Kline Permit No. 63-10896
Current Address: 5890 Gary Lane Boise, ID 83703 Phone No. 376-2352
2. Accompanied by: Mike Kline, per telephone EXAM. DATE: 6-12-92
Address: _____ Phone No. _____
Relationship to Permit Holder: Same
3. Source: Groundwater tributary to _____

E. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 20'

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

RECEIVED
JUN 13 1994

PERMIT 63-10896 INIT MWS
T. R. S. Q/Q
P/D 4N 1E 24 SE/NE
SCALE _____
PHOTO ID. _____


Plu
PIO

JAN 13 1994

SCALE 1:24000

1 MILE

R. I. E.



63-10896



Well housing
with outside
faucets.
Pressure tank
inside.



Front Lawn

MAILED
JAN 13 1994

63-10896

Back
Lawn



ARCHIVED
JAN 13 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10896

Priority: August 15, 1989

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 0.6 AF

This is to certify, that ABC CORP
C/O PATRICIA N SYME
5890 GARY LN
BOISE ID 83703

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 15, 1989; and has submitted Proof of Beneficial Use on October 10, 1990. An examination indicates that the works have a diversion capacity of .080 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: SENE, Sec. 24, Township 04N, Range 01E
ADA County

PLACE OF USE: DOMESTIC
TWN RGE SEC
04N 01E 24 SENE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for irrigation of a lawn.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 23rd day of DECEMBER, 1993.

Acting for R. Keith Higginson, Director

JAN 13 1994

For Office Use Only
Amt. of Fee \$ 50.00
Date 10/10/90
Receipt No. C018562
Received by J. Jackson

SEP 10 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Department of Water Resources
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10896 Telephone No. 853-2163

Name(s) of Permit Holder(s): ABC Corp c/o Patricia N Syme, Pres

Post Office Address: 5890 Gary Lane

Source of Water: Ground

If ground water, well driller's name: unknown Date drilled: approx 5/69

Extent of Use:
Domestic ☒ (No. of households) Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock) Other Daycare

Total rate and/or volume for which proof is submitted .15 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 5/69?

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

OR

Flow Measurement Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Patricia N Syme 853-2163 / 2162
Name Telephone No.
6942 Tobi Drive, Boise ID 83703
Address

RECEIVED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

10/8/90 Patricia N Syme, Pres. ABC Corp.
Date Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-10896

Proposed Priority: August 15, 1989

Maximum Diversion Rate:

0.15 CFS

This is to certify, that **ABC CORP.**
C/O PATRICIA N. SYME, PRES.
5890 GARY LN.
BOISE, ID 83703

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.15 CFS

LOCATION OF POINT(S) OF DIVERSION:

SENE Sec. 24, Township 04N, Range 01E
ADA County

PLACE OF USE: DOMESTIC

TWN RGE SEC

04N 01E 24

SENE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1990.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The point of diversion identified in this permit is located within the boundaries of the Boise Front Low Temperature Geothermal Resource Ground Water Management Area. If water with a temperature greater than 85 degrees Fahrenheit is encountered by the driller, the Department must be immediately notified and drilling must immediately cease pending a review of drilling conditions by the Department.
5. Drilling fluid return temperatures shall be monitored each 20 feet during drilling, and a report shall be prepared of this data. This report, plus a determination of the static temperature gradient within the well shall be submitted to the Department when the well is completed or when 85 degree water is encountered, whichever is first.
6. Domestic use is for a daycare center.

MICROFILMED

NOV 21 1989

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-10896

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

7th day of November, 1989

R. Keith Higginson
for R. Keith Higginson, Director

RECORDED

NOV 21 1989

Ident. No. 63-10896

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: ABC CORPORATION 208-853-2163
Address: C/O PATRICIA N. SYME, PRES.
5890 GARY LN.
BOISE, ID 83703
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: SENE Sec. 24, Township 04N, Range 01E
ADA County
4. Water will be used for the following purposes:
- | Purpose | From | To | CFS | (or) | AF |
|----------|-------|-------|-------|------|----|
| DOMESTIC | 01/01 | 12/31 | 0.150 | | |
5. Total quantity to be appropriated is:
0.150 CFS (and/or) AF
6. Proposed diverting works:
- Description of ditches, flumes, pumps, headgates, etc.
202' - 4" CASED WELL W/2 HP PUMP & PIPELINE TO PLACE OF USE.
 - Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - Proposed well diameter is 4 inches; proposed depth of well is 202
feet.
 - Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.
8. Description of proposed uses:
DOMESTIC USE IN DAYCARE CENTER.
9. Place of Use: DOMESTIC
- TWN RGE SEC
04N 01E 24 SENE
10. Describe any other water rights used for the same purposes.
NONE.

RECEIVED

NOV 21 1989

11. a. Who owns the property at the point of diversion?
APPLICANTS
b. Who owns the land to be irrigated or place of use?
APPLICANTS
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? (X) (a)

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Patricia N Syme
Applicant

Received by JP Date 8/15/89 Time 2:13 PM Preliminary check by SL
Fee \$ 30 Receipted by JP # W004481 Date 8/15/89
Publication prepared by GG Date 8-30-89 Published in Idaho Statesman
9/7 & 9/14/89
Publication approved ST Date 9-26-89

MICROFILMED

NOV 21 1989

ATTACHMENT TO APPLICATION FOR PERMIT NO. 63-10896


ABC CORPORATION OFFICERS

PATRICIA N. SYME, PRES./TREAS.
5890 GARY LN.
BOISE, ID 83703

SCOTT A. SYME, VICE-PRES./SEC.
5890 GARY LN.
BOISE, ID 83703

MICROFILMED

NOV 21 1989



3257

3258

3259

3260

3261

3262

3263

3264

3265

3266

3267

3268

3269

3270

3271

3272

3273

3274

3275

3276

3277

3278

3279

3280

3281

3282

3283

3284

3285

3286

3287

3288

3289

3290

3291

3292

3293

3294

3295

3296

3297

3298

3299

3300

3301

3302

3303

3304

3305

3306

3307

3308

3309

3310

3311

3312

3313

3314

3315

LEGAL ADVERTISING INVOICE

Amount Due

\$466.68

Account Name		Account Number	
Idaho Department of Water Resources (Western)		#47628	
Address		City/State	Zip
2735 Airport Way		Boise, ID	83705
Ordered By	P.O. Number	Rate	Run Dates
Gail Garrett		NT	1989 September 7, 14

Identification

Applications for Water Rights

1 Number of Affidavits Requested

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10818
Lakewood Homeowners Assn. #4
3100 Lakewood Way
Boise, ID 83706
Source: Groundwater
Diversions Pt: NWNE Sec 26 T 03N R 02E
Use: Irrigation (.620 CFS)
Date Filed: 6/22/1989
In: T03N R02E S23 SESW
In: T03N R02E S26 NENW
9.0 ACRES TOTAL

63-10871
Rudd, W. Steven
Rudd, Elizabeth A.
3800 Rock Garden Ln.
Boise, ID 83703
Source: Groundwater
Diversions Pt: SENE Sec 5 T 04N R 02E
Use: Irrigation (.120 CFS)
Use: Domestic (.020 CFS)
Date Filed: 7/31/1989
In: T04N R02E S05 SENE
4.5 ACRES TOTAL

63-10874
Bruno, Sharon L.
Bruno, Albert J.
9837 Prairie Rd.
Boise, ID 83703
Source: Groundwater
Diversions Pt: NENW Sec 11 T 04N R 01E
Use: Irrigation (.020 CFS)
Use: Stockwater (.020 CFS)
Date Filed: 8/03/1989
In: T04N R01E S11 NENW
1.0 ACRES TOTAL

63-10877
Nicolls, Carroll
Nicolls, Valene
8281 Hill Rd.
Boise, ID 83703
Source: Spring
Tributary: Sinks
Diversions Pt: SENWSW Sec 35 T 05N R 01E
Use: Irrigation (.010 CFS)
Use: Stockwater (.020 CFS)
Date Filed: 8/07/1989
In: T05N R01E S35 NWSW
0.3 ACRES TOTAL

63-10879
Pfleger, Nada
Pfleger, Jr., Ludwig
6408 Colonial Dr.
Boise, ID 83709
Source: Groundwater
Diversions Pt: NWNE Sec 11 T 03N R 01E
Use: Irrigation (.120 CFS)
Date Filed: 8/08/1989
In: T03N R01E S11 NWNE
4.0 ACRES TOTAL

63-10880
Knopp, Larry R.
701 Hale St.
Boise, ID 83706
Source: Groundwater
Diversions Pt: Lot 3 (SWNW) Sec 30 T 03N R 03E
Use: Domestic (.040 CFS)
Date Filed: 8/08/1989
In: T03N R03E S30 Lot 3 (SWNW)

63-10888
Hoffer, Vanice I.
Hoffer, Rick J.
707 Hale
Weiser, ID 83672
Source: Groundwater
Diversions Pt: NESE Sec 23 T 03N R 01E
Use: Irrigation (.030 CFS)
Date Filed: 8/09/1989
In: T03N R01E S23 NESE
1.0 ACRES TOTAL

63-10889
Boehm, John E.
Boehm, Patricia A.
8150 Brookside Ln.
Boise, ID 83703
Source: Groundwater
Diversions Pt: SESENE Sec 25 T 05N R 01E
Use: Irrigation (.040 CFS)
Date Filed: 8/10/1989
In: T05N R01E S25 SENW
2.5 ACRES TOTAL

63-10892
Stadler, Lillian E.
Rt. 1 Hwy. 55
Boise, ID 83703
Source: Groundwater
Diversions Pt: NESENE Sec 26 T 05N R 01E
Use: Irrigation (.020 CFS)
Use: Commercial (.020 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/11/1989
In: T05N R01E S26 SENE
1.0 ACRES TOTAL

63-10893
Purvis, Steven C.
Purvis, Lynn
3939 Brookside Ln.
Boise, ID 83703
Source: Groundwater
Diversions Pt: NWSE Sec 34 T 05N R 01E
Use: Irrigation (.120 CFS)
Date Filed: 8/14/1989
In: T05N R01E S34 NWSE
4.0 ACRES TOTAL

63-10896
ABC Corporation
c/o Patricia N. Syme
President
5890 Gary Ln.
Boise, ID 83703
Source: Groundwater
Diversions Pt: SENE Sec 24 T 04N R 01E
Use: Domestic (.150 CFS)
Date Filed: 8/15/1989
In: T04N R01E S24 SENE
4.0 ACRES TOTAL

63-10903
Herron, Joel E.
Herron, Kathleen S.
113 E. 47th
Boise, ID 83714
Source: Groundwater
Diversions Pt: NWSE Sec 31 T 04N R 02E
Use: Commercial (.020 CFS)
Date Filed: 8/18/1989
In: T04N R02E S31 NWSE

63-10904
Jordan, William L.
Jordan, Ruth A.
7155 Sorenson
Boise, ID 83709
Source: Groundwater
Diversions Pt: Lot 1 (NWNW) Sec 30 T 03N R 02E
Use: Irrigation (.020 CFS)
Use: Domestic (.020 CFS)
Date Filed: 8/18/1989
In: T03N R02E S30 Lot 1 (NWNW)
1.0 ACRES TOTAL

63-10906
Betts, Rex K.
Betts, Beulah M.
10509 Stardust
Boise, ID
Source: Groundwater
Diversions Pt: NWNW Sec 14 T 03N R 01E
Use: Irrigation (.020 CFS)
Date Filed: 8/21/1989
In: T03N R01E S14 NWNW
0.5 ACRES TOTAL

63-10916
Lewis, Barney J.
755 W. Lake Hazel
Meridian, ID 83642
Source: Groundwater
Diversions Pt: NWNWNE Sec 1 T 02N R 01W
Use: Irrigation (.100 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/09/1989
In: T02N R01W S01 NWNE
5.0 ACRES TOTAL

63-10917
Endecott, Keith W.
Rt. 3 Deerflat
Kuna, ID 83634
Source: Groundwater
Diversions Pt: NENWNE Sec T 02N R 01W
Use: Irrigation (.040 CFS)
Use: Stockwater (.020 CFS)
Use: Domestic (.040 CFS)
Date Filed: 7/31/1989
In: T02N R01W S24 NWNE
2.0 ACRES TOTAL

63-10918
D&D Developers
7522 28th St. W.
Tacoma, WA 98466
Source: Groundwater
Diversions Pt: SENW Sec 12 03N R 01E
Use: Irrigation (.120 CFS)
Date Filed: 8/07/1989
In: T03N R01E S12 SENW
6.2 ACRES TOTAL

63-10921
City of Meridian
33 E. Idaho Ave.
Meridian, ID 83642
Source: Groundwater
Diversions Pt: NWSE Sec 3 T 01W R 01W
Use: Irrigation (1.000 CFS)
Use: Irrigation Storage (14. AF)
Use: Irrigation from Storage (14.00 AF)
Use: Diversion to Storage (1.0 CFS)
Date Filed: 7/17/1989
In: T03N R01W S03 SWN SENW NESW NESE NW SWSE SESE
66.0 ACRES TOTAL

63-10922
Fridenstine, III, Albert E.
4327 Samara Ct.
Boise, ID 83703
Source: Waste Water
Tributary: Farmers Union Canal
Diversions Pt: SWNE Sec 29 04N R 02E
Use: Heating (.080 CFS)
Use: Domestic (.040 CFS)
Date Filed: 7/20/1989
In: T04N R02E S29 SWNE

63-10923
Everts, William E.
1902 N. 20th
Boise, ID 83702
Source: Groundwater
Diversions Pt: Lot 2 (NWSWNW) Sec 19 T 04N R 02E
Use: Irrigation (.080 CFS)
Date Filed: 8/09/1989
In: T04N R02E S19 Lot (SWNW)
4.0 ACRES TOTAL

63-10924
Brown, Edgar
5505 Saddle St.
Boise, ID 83709
Source: Groundwater
Diversions Pt: NWNE Sec 36 T 03N R 01E
Use: Irrigation (.015 CFS)
Date Filed: 7/27/1989
In: T03N R01E S36 NESE
0.5 ACRES TOTAL

63-10925
Tozer, Lyn G.
Mayfield Stage
Boise, ID 83706
Source: Groundwater
Diversions Pt: NWSWNW Sec 10 T 02N R 03E
Use: Irrigation (.200 CFS)
Date Filed: 8/04/1989
In: T02N R03E S10 SWNW
10.0 ACRES TOTAL

63-10926
Riggs, Eileen R.
140 W. Hubbard Rd.
Kuna, ID 83634
Source: Groundwater
Diversions Pt: SESENE Sec 12 T 02N R 01W
Use: Irrigation (.030 CFS)
Use: Stockwater (.020 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/04/1989
In: T02N R01W S12 SESE
1.0 ACRES TOTAL

63-10927
Gahley, Robert
9003 Chelan Ave.
Garden City, ID 83714
Source: Groundwater
Diversions Pt: NENE Sec 26 T 04N R 01E
Use: Irrigation (.030 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/07/1989
In: T04N R01E S26 NENE
1.0 ACRES TOTAL

63-10929
State of Idaho
Dept. of Fish & Game
Box 25
Boise, ID 83720
Source: Groundwater
Diversions Pt: Lot 4 (NENW) Sec 14 T 03N R 02E
Use: Aesthetic (3.000 CFS)
Date Filed: 8/09/1989
In: T03N R02E S14 Lot 4 (NENW)

63-10930
Premoe, Billie Jo
Premoe, Gary D.
3045 Wingate Ln.
Meridian, ID 83642
Source: Groundwater
Diversions Pt: Lot 3 (NENENW) Sec 5 T 03N R 01E
Use: Irrigation (.045 CFS)
Date Filed: 8/11/1989
In: T03N R01E S05 Lot 3 (NENW)
1.5 ACRES TOTAL

63-10931
Lawson, Richard
Lawson, Beverly
4027 Sandbar Ln.
Eagle, ID 83616
Source: Groundwater
Diversions Pt: NWSENE Sec 32 T 05N R 01E
Use: Irrigation (.150 CFS)
Date Filed: 8/11/1989
In: T05N R01E S32 SENE
5.0 ACRES TOTAL

63-10935
Whitney Fire District
9500 Overland Rd.
Boise, ID 83709
Source: Groundwater
Diversions Pt: NWNW Sec 32 T 03N R 03E
Use: Domestic (.040 CFS)
Use: Fire Protection (.160 CFS)
Date Filed: 8/16/1989
In: T03N R03E S32 NWNW

63-10936
Whitney Fire District
9500 Overland Rd.
Boise, ID 83709
Source: Groundwater
Diversions Pt: SWSE Sec 14 T 03N R 01E
Use: Domestic (.040 CFS)
Use: Fire Protection (.160 CFS)
Date Filed: 8/16/1989
In: T03N R01E S14 SWSE

63-10938
Clark Family Trust
c/o Neil M. & Elaine M. Clark
Boise, ID 83709
Source: Groundwater
Diversions Pt: NWSE Sec 19 T 04N R 02E
Use: Irrigation (.030 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/08/1989
In: T04N R02E S19 NWSE
1.0 ACRES TOTAL

63-10939
Coats, J. Roy
Coats, Kay A.
4112 Mountain View
Boise, ID 83704
Source: Groundwater
Diversions Pt: NWSE Sec 9 T 03N R 01W
Use: Irrigation (.100 CFS)
Use: Domestic (.040 CFS)
Date Filed: 7/21/1989
In: T03N R01W S09 NWSE
5.0 ACRES TOTAL

63-10940
Diamond Sports Inc.
1109 Main St. #250
Boise, ID 83702
Source: Groundwater
Diversions Pt: Lot 2 (SENE) Sec 25 T 04N R 01E
Use: Irrigation (.150 CFS)
Date Filed: 3/21/1989
In: T04N R01E S25 Lot 2 (SENE)
3.0 ACRES TOTAL

63-10941
Comaford, Dorothy J.
14600 S. Cloverdale Rd.
Kuna, ID 83634
Source: Groundwater
Diversions Pt: NWNW Sec 34 T 02N R 01E
Use: Irrigation
Date Filed: 8/23/1989
In: T02N R01E S34 NWNW
7.0 ACRES TOTAL

63-10942
No. 1 Utter Subdivision Well Users
2117 S. Stephen Ave.
Boise, ID 83706
Source: Groundwater
Diversions Pt: NESENE Sec 23 T 03N R 02E
Use: Irrigation (.020 CFS)
Use: Domestic (.100 CFS)
Date Filed: 8/22/1989
In: T03N R02E S23 SENE
0.8 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before SEPTEMBER 25,

MICROFILMED
NOV 21 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 23, 1993


ABC CORP
C/O PATRICIA N SYME
5890 GARY LN
BOISE ID 83703

RE: WATER RIGHT NO. 63-10896

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECORDED

JAN 13 1994

LICENSE REVIEW CHECKLIST

Permit # 63-10896 Date 12/17/93 Cindy Zimmerman

NAME	Yes ☒	No ☐	Or Address Change? Mike & Carol Kleine (no database change)
PRIORITY DATE	☐	☒	Advance? ☐ Advanced to: ☐
<u>8/15/89</u>	☐	☐	Order to Reinstate Needed? ☐
	☐	☐	Incorrect Fee for rate recommended? ☐
SOURCE	☐	☒	Changes? Clarification of Originally Intended source
<u>GW</u>	☐	☐	Notice of Intent to Void - Source change.
P/D <u>4)</u>	☐	☒	Amendment Needed? ☐
<u>SENE 524 T4N21E</u>	☐	☐	Overlap(s) ☐
P/U	☐	☒	Amendment Needed? ☐
<u>SENE</u>	☐	☐	Overlap(s) ☐
TOTAL CFS	☐	☒	Measurement Done? <u>HPEquation</u> $\frac{2 \times 8.8 \times .7}{(2.31 \times 50) + 40}$
<u>.15</u>	☐	☐	
	☐	☐	System Capacity <u>.08</u>
	☐	☐	Allowable Amount: <u>.02</u> (ext. use only; house on Citywater)
TOTAL VOLUME	☐	☐	Season of Use: ☐
<u>.6</u>	☐	☐	Calculations: ☐
(ext. use only)	☐	☐	
	☐	☐	Flow limit: ☐ x ☐ x 1.9835 = ☐
USES	☐	☒	Change(s) in Nature of Use? ☐
<u>dom/daycare</u>	☐	☐	Amendment Needed? ☐
REMARKS	☐	☐	Multiple P/Ds in 1/4 1/4? ☐
	☐	☐	Special Overlap ☐
	☒	☐	Other <u>dom/lawn</u>
CONDITIONS	☐	☒	Measure/Lock Devices <u>10/10/90</u> Proof Rc'd
	☐	☒	W/Master Control <u>63</u> Water Dist
	☐	☐	Irrigation Overlap <u>8/15/89</u> App Rec'd
	☐	☒	Water Quality <u>6/2/92</u> Exam Made
COMMENTS:	<u>Reduce rate per capacity & use.</u>		

RECOMMENDED CFS DIV VOL

dom/lawn .02 .6

LICENSE ☒
1ST AMEND LETTER ☐
2ND AMEND LETTER ☐

WRC749NP
No. L63-10896

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 12/17/93
PAGE: 1

CWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	ABC CORP C/O PATRICIA N SYME 5890 GARY LN BOISE ID 83703 (208) 853-2163	08/15/1989	DOMESTIC	01-01 12-31	0.02 CFS	0.6 AFA
TOTAL DIVERSION:					0.02 CFS	0.6 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.08 CFS

Point(s) of Diversion: T04N R01E S24 SE NE

Place of use Legal Description for: DOMESTIC

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
04N	01E	24	:					D	:											:

Pou County: ADA

Other Water Rights Listing Overlapping Place(s) of use:
63-02406 63-11487

Remarks: Domestic use is for irrigation of a lawn.

Dates:	App. Received:	08/15/1989	Priority Date:	08/15/1989
	Proof Due Date:	12/01/1990	Proof Made Date:	10/10/1990
	Exam Made Date:	06/12/1992	Exam Sent to S.O.:	06/16/1993
	Licensed Date:			

Misc: Water District Number: 63 Field Exam Fee: R (Received)

Audit: 12/17/93 ZIMMERMA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 17 1993
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Mike & Carol Klein Permit No. 63-10896
Current Address: 5890 Gary Lane Boise, ID 83703 Phone No. 376-2352
2. Accompanied by: Mike Klein, for telephone EXAM. DATE: 6-12-92
Address: _____ Phone No. _____
Relationship to Permit Holder: Same
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 20'

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

RECEIVED
JUN 17 1994

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 200' deep, 4" dia well is creased in a well housing with a pressure tank attached. A 2 hp submersible pump is used. From well logs in the area, the dynamic water level is no greater than 40'. During the time of the exam, the home was being connected to water from Boise Water Corp. The lawn will continue to be watered from the well.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		2			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NE	24	41N	1E	Ada	USGS Photo Quad

6. Place(s) of Use:

Indicate Method of Determination USGS Photo Quad

Twp.	Rge.	Sec.	NE1/4				NW1/4				SW1/4				SE1/4				Totals
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
41N	1E	24				D													

Do not use this space

Microfilm
JAN 13 1994

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Per paving, Acreage = $(110' \times 50' + 110' \times 50' + 146' \times 22') / 43,560 = .3$ acres

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Limit to .02 cfs for external domestic only

2. Alternate Method for Checking Purposes:

$$\frac{2 \text{ hp} \times 70\% \times 8.8}{(2.31 \times 50) + 40'} = .37 \text{ cfs} \approx .08 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$$.3 \text{ ac} \times 4.5 \frac{\text{afa}}{\text{acre}} = 1.4 \text{ afa}$$

✓ afa for external domestic

JAN 13 1994

H. REMARKS AND OVERLAP REVIEW ANALYSIS

The daycare center is under new ownership, & is now named
Old McDonald's Day Care Center

No other rights affect this permit

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.02 cfs	1.4 ~~6~~ - 5
Totals:			.02 cfs	1.4 ~~6~~ - 5

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION


Field Examiner's Name
JFW 1/22/93

Signature

Certification Date

Field Report Preparation Date

Mark Senior
[Signature]
6-16-92




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MISSOURI

JAN 13 1994

PERMIT 10896 INIT MJS
T. R. S. Q/Q
P/D 21 15 24 56 15
SCALE _____
PHOTO ID. _____




SCALE 1:24 000

1 MILE

JAN 13 1994

R. I. E.



Form 238-I
05/90

Department of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10896

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 4N, Rge 1E, Sec. 24, SE 1/4 NE 1/4 or Lot _____.

2. Owner: Mike & Carol Kline

Address 5890 Gary Lane, City Bix, St IO

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port:	Yes ☒ No ☐	Static Water Level:	<u>20'</u>
Pressure Gauge:	Yes ☐ No ☒	Casing Diameter:	<u>4"</u>
Flowing:	Yes ☒ No ☐	Temperature:	_____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____


RECEIVED
JAN 13 1994

63-10896



Well housing
with outside
faucets.

Pressure tank
inside



Front Lawn

JAN 13 1994

62-19896



Back
Lawn

JAN 13 1994

December 27, 1990

ABC CORP.
C/O PATRICIA N. SYME, PRES.
5890 GARY LN.
BOISE, ID 83703

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10896

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

FEB 07 1991

138472
September 30, 1990

ABC CORP.
C/O PATRICIA N. SYME; PRES.
5890 GARY LN.
BOISE, ID 83703

PROOF DUE NOTICE

RE: PERMIT NO. 63-10896

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

FEB 07 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
November 7, 1989

ABC CORP.
C/O PATRICIA N. SYME, PRES.
5890 GARY LN.
BOISE, ID 83703

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-10896

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

RECEIVED

NOV 21 1989

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

NOV 21 1989



STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE

DIVISION OF ENVIRONMENTAL QUALITY

BOISE FIELD OFFICE
801 Reserve Street
Boise, Idaho 83712
(208) 334-3823

September 25, 1989

RECEIVED
SEP 27 1989

Mr. David R. Tuthill
Western Region Supervisor
Department of Water Resources
2735 Airport Way
Boise, Idaho 83705
Statehouse Mail

Department of Water Resources
Western Regional Office

Re: 63-10896 (ABC Corporation)

Dear Mr. Tuthill:

This office has reviewed the above referenced application
and has no objections to this appropriation.

Sincerely,

Jon Wroten
Water Quality Compliance Officer

JW:ae

cc: Craig Shepard, DEQ-BFO
Paul Jehn, DEQ-CO

Microfilm

NOV 21 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

September 1, 1989

Idaho Dept. of Health & Welfare
Division of Environment
Statehouse
Boise, ID 83720

Re: Application for Permit No. 63-10896 in the name of ABC Corporation

Dear Sir:

Enclosed is a copy(s) of the above-referenced application(s) for permit which may be of interest to your agency. Please review the application(s) and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application(s), your written protest must be received in this office by September 25, 1989.

If you have any questions regarding the application, please contact this office.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:st

Enclosure(s):

MICROFILMED

NOV 21 1989

63-10896

ABC CORPORATION
C/O PATRICIA N. SYME, PRES.
5890 GARY LN.
BOISE, ID 83703

Source: GROUNDWATER

Diversion Pt: SENE Sec 24 T 04N R 01E

Use: DOMESTIC (.150 CFS)

Date Filed: 8/15/1989

Ln: T04N R01E S24 SENE

MAILED
NOV 21 1989