


MICROFILMED

DEC 19 1989

RIE R2E

**EAGLE QUADRANGLE
IDAHO**

7.5-MINUTE SERIES (ORTHOPHOTOGRAPH)



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 25 1992

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: John E & Patricia A Boehm
Current Address: 8150 Brookside Ln; Boise, Id. 83703
2. Accompanied by: John Boehm
Address: same
Relationship to Permit Holder: owner
3. Source: groundwater tributary to none

Permit No. 63-10889

Phone No. 939-6819

EXAM. DATE: 10-1-91


Phone No. _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: None
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = not to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED
JUL 28 1992

RIF

R2E

PERMIT 63-10889 INIT

T. R. S. Q/Q

P/D 5N 1E 25 SENW


SCALE

PHOTO ID.

EAGLE QUADRANGLE
IDAHO

7.5-MINUTE SERIES (ORTHOPHOTOQUAD)

R. 2 E.



63-10889



#1

P/D



#2

Hydrant next to
well where measurement
was taken.

MICROFILMED
JUL 28 1992

63-10889



#3

Residence that is serviced by the same well as this permit.



#4

P14 for this permit is shown in the background of this photo.

MICROFILMED

JUL 28 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10889

Priority: September 20, 1989

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

4.5 AF

This is to certify, that JOHN E BOEHM
PATRICIA A BOEHM

8150 BROOKSIDE LANE
BOISE ID 83703

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 10, 1989; and has submitted Proof of Beneficial Use on January 11, 1991. An examination indicates that the works have a diversion capacity of .060 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	4.5 AF

LOCATION OF POINT(S) OF DIVERSION: SENW , Sec. 25, Township 05N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	01E	25	SENW	1		1

Total number of acres irrigated: 1

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED

JUL 28 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10889

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 29th
day of JUNE, 1992.

Acting for R. Keith Higginson, Director

RECEIVED
JUL 28 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-10889 IN THE)
NAME OF JOHN E. & PATRICIA A. BOEHM) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before December 1, 1990; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department has notified the permit holders that the permit lapsed for failure of the permit holders to submit the proof of beneficial use; and,


WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holders have provided a reasonable showing why the permit should be reinstated by submitting an acceptable proof of beneficial use on January 11, 1991;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-10889 be REINSTATED and the priority advanced to September 20, 1989.

Dated this 25th day of January, 1991.

MICROFILMED
FEB 07 1991


L. GLEN SAXTON, Chief
Water Allocation Bureau

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-10889

Proposed Priority: August 10, 1989 Maximum Diversion Rate: 0.04 CFS

This is to certify, that JOHN E. BOEHM
PATRICIA A. BOEHM
8150 BROOKSIDE LN.
BOISE, ID 83703

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.04 CFS
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		SESENW Sec. 25, Township 05N, Range 01E ADA County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N 01E 25	SENW 2.5			2.5

Total number of acres irrigated: 2.5

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1990.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

30th day of November, 1989

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

DEC 19 1989

Ident. No. 63-10889

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: JOHN E. BOEHM 208-939-6819
Address: 8150 BROOKSIDE
BOISE, ID 83703
OR
Name: PATRICIA A. BOEHM 208-939-6819
Address: 8150 BROOKSIDE
BOISE, ID 83703

2. Source: GROUNDWATER Trib. to:

3. Location of Point of Diversion: SESEW Sec. 25, Township 05N, Range 01E
ADA County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.040		

5. Total quantity to be appropriated is:
0.040 CFS (and/or) AF

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
205' DEEP, 6" CASING, SUB. PUMP, 2" LINE FOR SPRINKLING SYSTEM
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is inches; proposed depth of well is 205
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 year

8. Description of proposed uses:
ADDITIONAL IRRIG. OF 2-1/2 ACRES

9. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
05N	01E	25	SEW	2.5		2.5
Total number of acres irrigated:						2.5

MICROFILMED

DEC 19 1989

10. Describe any other water rights used for the same purposes.
A63-16616

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

* 12. Remarks:

~~THIS APPL. IS FOR ADDITIONAL USE OF 2 1/2 AC. THE ADJ. CLAIM
COVERS 1/2 ACRE, FOR A TOTAL OF 3 ACRES.
THIS SYSTEM EXISTS.~~

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.


Applicant

Received by Rdh Date 8/10/89 Time 14:09 Preliminary check by SP

Fee \$ 30.00 Receipted by Rdh # W004332 Date 8/10/89

Publication prepared by GG Date 8-30-89 Published in ID Statesman

Publication approved st Date 9-26-89 ^{9/7 & 9/14/89}

* Remarks NOT Found in data base 8-28-89, 89

MICROFILMED


DEC 19 1989

MICROFILMED

DEC 19 1989

R1E R2E

EAGLE QUADRANGLE
IDAHO
7.5-MINUTE SERIES (ORTHO)PHOTOGRAPH



Account Name		Account Number	
Idaho Department of Water Resources (Western)		#47628	
Address		City/State	Zip
2735 Airport Way		Boise, ID	83705
Ordered By	P.O. Number	Rate	Run Dates
Gail Garrett		NT	1989 September 7, 14
Identification		Estimated Inches	
Applications for Water Rights			

1 Number of Affidavits Requested

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10818

Lakewood Homeowners

Assn. #4

3100 Lakewood Way

Boise, ID 83706

Source: Groundwater

Diversion Pt: NWNE Sec 26 T

03N R 02E

Diversion Pt: NENW Sec 26 T

03N R 02E

Use: Irrigation (.620 CFS)

Date Filed: 6/22/1989

In: T03N R02E S23 SESE

In: T03N R02E S26 NENW

9.0 ACRES TOTAL

63-10871

Rudd, W. Steven

Rudd, Elizabeth A.

3800 Rock Garden Ln.

Boise, ID 83703

Source: Groundwater

Diversion Pt: SENE Sec 5 T 04N

R 02E

Use: Irrigation (.120 CFS)

Use: Domestic (.020 CFS)

Date Filed: 7/31/1989

In: T04N R02E S05 SENE

4.5 ACRES TOTAL

63-10874

Bruno, Sharon L.

Bruno, Albert J.

9837 Prairie Rd.

Boise, ID 83703

Source: Groundwater

Diversion Pt: NENW Sec 11 T

04N R 01E

Use: Irrigation (.020 CFS)

Use: Stockwater (.020 CFS)

Date Filed: 8/03/1989

In: T04N R01E S11 NENW

1.0 ACRES TOTAL

63-10877

Nicolls, Carroll

Nicolls, Valene

8281 Hill Rd.

Boise, ID 83703

Source: Spring

Tributary: Sinks

Diversion Pt: SENWSW Sec 35 T

05N R 01E

Use: Irrigation (.010 CFS)

Use: Stockwater (.020 CFS)

Date Filed: 8/07/1989

In: T05N R01E S35 NWSW

0.3 ACRES TOTAL

63-10879

Pfeiger, Nada

Pfeiger, Jr., Ludwig

6408 Colonial Dr.

Boise, ID 83709

Source: Groundwater

Diversion Pt: NWNE Sec 11 T

03N R 01E

Use: Irrigation (.120 CFS)

Date Filed: 8/08/1989

In: T03N R01E S11 NWNE

4.0 ACRES TOTAL

63-10880

Knopp, Larry R.

701 Hale St.

Boise, ID 83706

Source: Groundwater

Diversion Pt: Lot 3 (SWNW) Sec

30 T 03N R 03E

Use: Domestic (.040 CFS)

Date Filed: 8/08/1989

In: T03N R03E S30 Lot 3

(SWNW)

63-10888

Hoffer, Vanice I.

Hoffer, Rick J.

707 Hale

Weiser, ID 83672

Source: Groundwater

Diversion Pt: NESE Sec 23 T

03N R 01E

Use: Irrigation (.030 CFS)

Date Filed: 8/09/1989

In: T03N R01E S23 NESE

1.0 ACRES TOTAL

Boehm, John E.
Boehm, Patricia A.
8150 Brookside Ln.
Boise, ID 83703
Source: Groundwater
Diversion Pt: SESENE Sec 25 T
05N R 01E
Use: Irrigation (.040 CFS)
Date Filed: 8/10/1989
In: T05N R01E S25 SENW
2.5 ACRES TOTAL

63-10892
Stadler, Lillian E.
Rt. 1 Hwy. 55
Boise, ID 83703
Source: Groundwater
Diversion Pt: NESENE Sec 26 T
05N R 01E
Use: Irrigation (.020 CFS)
Use: Commercial (.020 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/11/1989
In: T05N R01E S26 SENE
1.0 ACRES TOTAL

63-10893
Purvis, Steven C.
Purvis, Lynn
3939 Brookside Ln.
Boise, ID 83703
Source: Groundwater
Diversion Pt: NWSE Sec 34 T
05N R 01E
Use: Irrigation (.120 CFS)
Date Filed: 8/14/1989
In: T05N R01E S34 NWSE
4.0 ACRES TOTAL

63-10894
ABC Corporation
c/o Patricia N. Syme
President
5890 Gary Ln.
Boise, ID 83703
Source: Groundwater
Diversion Pt: SENE Sec 24 T
04N R 01E
Use: Domestic (.150 CFS)
Date Filed: 8/15/1989
In: T04N R01E S24 SENE
1.0 ACRES TOTAL

63-10903
Herron, Joel E.
Herron, Kathleen S.
113 E. 47th
Boise, ID 83714
Source: Groundwater
Diversion Pt: NWSE Sec 31 T
04N R 02E
Use: Commercial (.020 CFS)
Date Filed: 8/18/1989
In: T04N R02E S31 NWSE
1.0 ACRES TOTAL

63-10904
Jordan, William L.
Jordan, Ruth A.
7155 Sorenson
Boise, ID 83709
Source: Groundwater
Diversion Pt: Lot 1 (NWNW)
Sec 30 T 03N R 02E
Use: Irrigation (.020 CFS)
Use: Domestic (.020 CFS)
Date Filed: 8/18/1989
In: T03N R02E S30 Lot 1
(NWNW)
1.0 ACRES TOTAL

63-10906
Betts, Rex K.
Betts, Beulah M.
10509 Stardust
Boise, ID
Source: Groundwater
Diversion Pt: NWNW Sec 14 T
03N R 01E
Use: Irrigation (.020 CFS)
Date Filed: 8/21/1989
In: T03N R01E S14 NWNW
0.5 ACRES TOTAL

63-10916
Lewis, Barney J.
755 W. Lake Hazel
Meridian, ID 83642
Source: Groundwater
Diversion Pt: NWNWNE Sec 1 T
02N R 01W
Use: Irrigation (.100 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/09/1989
In: T02N R01W S01 NWNE
5.0 ACRES TOTAL

63-10917
Endecott, Keith W.
Rt. 3 Deerflat
Kuna, ID 83634
Source: Groundwater
Diversion Pt: NENWNE Sec
T 02N R 01W
Use: Irrigation (.060 CFS)
Use: Stockwater (.020 CFS)
Use: Domestic (.040 CFS)
Date Filed: 7/31/1989
In: T02N R01W S24 NWNE
2.0 ACRES TOTAL

63-10918
D&D Developers
7522 28th St. W.
Tacoma, WA 98466
Source: Groundwater
Diversion Pt: SENW Sec 12
03N R 01E
Use: Irrigation (.120 CFS)
Date Filed: 8/07/1989
In: T03N R01E S12 SENW
6.2 ACRES TOTAL

63-10921
City of Meridian
33 E. Idaho Ave.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: NWSE Sec 3 T 0
R 01W
Use: Irrigation (1.000 CFS)
Use: Irrigation Storage (14
AF)
Use: Irrigation from Stora
(14.00 AF)
Use: Diversion to Storage (1.
CFS)
Date Filed: 7/17/1989
In: T03N R01W S03 SWN
SENW NESE NESE NWSE
SWSE SESE
66.0 ACRES TOTAL

63-10922
Fridenstine, III, Albert E.
4327 Samara Ct.
Boise, ID 83703
Source: Waste Water
Tributary: Farmers Union
Canal
Diversion Pt: SWNE Sec 29
04N R 02E
Use: Heating (.080 CFS)
Use: Domestic (.040 CFS)
Date Filed: 7/20/1989
In: T04N R02E S29 SWNE
1.0 ACRES TOTAL

63-10923
Everts, William E.
1902 N. 20th
Boise, ID 83702
Source: Groundwater
Diversion Pt: Lot 2 (NWSWNW)
Sec 19 T 04N R 02E
Use: Irrigation (.080 CFS)
Date Filed: 8/09/1989
In: T04N R02E S19 Lot
(SWNW)
4.0 ACRES TOTAL

63-10924
Brown, Edgar
5505 Saddle St.
Boise, ID 83709
Source: Groundwater
Diversion Pt: NWNESE Sec 36 T
03N R 01E
Use: Irrigation (.015 CFS)
Date Filed: 7/27/1989
In: T03N R01E S36 NESE
0.5 ACRES TOTAL

63-10925
Tozer, Lyn G.
Mayfield Stage
Boise, ID 83706
Source: Groundwater
Diversion Pt: NWSWNW Sec 10
T 02N R 03E
Use: Irrigation (.200 CFS)
Date Filed: 8/04/1989
In: T02N R03E S10 SWNW
10.0 ACRES TOTAL

63-10926
Riggs, Eileen R.
140 W. Hubbard Rd.
Kuna, ID 83634
Source: Groundwater
Diversion Pt: SESESE Sec 12 T
02N R 01W
Use: Irrigation (.030 CFS)
Use: Stockwater (.020 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/04/1989
In: T02N R01W S12 SESE
1.0 ACRES TOTAL

63-10927
Gahley, Robert
9003 Cheilan Ave.
Garden City, ID 83714
Source: Groundwater
Diversion Pt: NENE Sec 26 T
04N R 01E
Use: Irrigation (.030 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/07/1989
In: T04N R01E S26 NENE
1.0 ACRES TOTAL

63-10929
State of Idaho
Dept. of Fish & Game
Box 25
Boise, ID 83720
Source: Groundwater
Diversion Pt: Lot 4 (NENW) Sec
14 T 03N R 02E
Use: Aesthetic (3.000 CFS)
Date Filed: 8/09/1989
In: T03N R02E S14 Lot 4
(NENW)

63-10930
Premoe, Billie Jo
Premoe, Gary D.
3045 Wingate Ln.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: Lot 3 (NENENW)
Sec 5 T 03N R 01E
Use: Irrigation (.045 CFS)
Date Filed: 8/11/1989
In: T03N R01E S05 Lot 3
(NENW)
1.5 ACRES TOTAL

63-10931
Lawson, Richard
Lawson, Beverly
4027 Sandbar Ln.
Eagle, ID 83616
Source: Groundwater
Diversion Pt: NWSENE Sec 32 T
05N R 01E
Use: Irrigation (.150 CFS)
Date Filed: 8/11/1989
In: T05N R01E S32 SENE
5.0 ACRES TOTAL

63-10935
Whitney Fire District
9500 Overland Rd.
Boise, ID 83709
Source: Groundwater
Diversion Pt: NWNW Sec 32 T
03N R 03E
Use: Domestic (.040 CFS)
Use: Fire Protection (.160 CFS)
Date Filed: 8/16/1989
In: T03N R03E S32 NWNW
1.0 ACRES TOTAL

63-10936
Whitney Fire District
9500 Overland Rd.
Boise, ID 83709
Source: Groundwater
Diversion Pt: SWSE Sec 14 T
03N R 01E
Use: Domestic (.040 CFS)
Use: Fire Protection (.160 CFS)
Date Filed: 8/16/1989
In: T03N R01E S14 SWSE
1.0 ACRES TOTAL

63-10938
Clark Family Trust
c/o Nell M. & Elaine M. Clark
Boise, ID 83709
Source: Groundwater
Diversion Pt: NWSE Sec 19 T
04N R 02E
Use: Irrigation (.030 CFS)
Use: Domestic (.040 CFS)
Date Filed: 8/08/1989
In: T04N R02E S19 NWSE
1.0 ACRES TOTAL

63-10939
Coats, J. Roy
Coats, Kay A.
4112 Mountain View
Boise, ID 83704
Source: Groundwater
Diversion Pt: NWSE Sec 9 T 03N
R 01W
Use: Irrigation (.100 CFS)
Use: Domestic (.040 CFS)
Date Filed: 7/21/1989
In: T03N R01W S09 NWSE
5.0 ACRES TOTAL

63-10940
Diamond Sports Inc.
1109 Main St. #250
Boise, ID 83702
Source: Groundwater
Diversion Pt: Lot 2 (SENE) Sec
25 T 04N R 01E
Use: Irrigation (.150 CFS)
Date Filed: 3/21/1989
In: T04N R01E S25 Lot 2 (SENE)
3.0 ACRES TOTAL

63-10941
Comaford, Dorothy J.
14600 S. Cloverdale Rd.
Kuna, ID 83634
Source: Groundwater
Diversion Pt: NWNW Sec 34 T
02N R 01E
Use: Irrigation
Date Filed: 8/23/1989
In: T02N R01E S34 NWNW
7.0 ACRES TOTAL

63-10942
No. 1 Utter Subdivision Well
Users
2117 S. Stephen Ave.
Boise, ID 83706
Source: Groundwater
Diversion Pt: NESENE Sec 23 T
03N R 02E
Use: Irrigation (.020 CFS)
Use: Domestic (.100 CFS)
Date Filed: 8/22/1989
In: T03N R02E S23 SENE
0.8 ACRES TOTAL

The permit(s) will be subject to
all prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Western Region,
2735 Airport Way, Boise, Idaho
83705 on or before SEPTEMBER 25,

MICROFILMED
DEC 19 1989

June 30, 1992

JOHN E BOEHM
PATRICIA A BOEHM
8150 BROOKSIDE LANE
BOISE ID 83703

RE: WATER RIGHT NO. 63-10889

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

[Handwritten signature]

JUL 28 1992

May 20, 1992

JOHN E BOEHM
PATRICIA A BOEHM
8150 BROOKSIDE LANE
BOISE ID 83703

RE: WATER RIGHT NO. 63-10889

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:cz

Enclosure

MAILED
JUL 28 1992

LICENSE REVIEW CHECKLIST

Permit # 63-10889

Date 05-07-92
ab

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u> </u>
	<u> </u>	<u>✓</u>	Memo to Advance
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u> </u>	<u>✓</u>	Disagree with Actual Measurement?
			<u>1K.03 = .03 cfs (IRR)</u>
	<u> </u>	<u>✓</u>	Disagree with Theoretical? <u> </u>
	<u> </u>	<u>✓</u>	Limited by Capacity? <u>.04 cfs</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>0</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	<u> </u>	<u>✓</u>	Disagree with Examiner's Calculations?
			<u>1 x 4.5 = 4.5 AFA (IRR)</u>
	<u> </u>	<u>✓</u>	Limited by Flow? <u>.03 x 245 x 1.9835 = 14.6 > 4.5</u>
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u>✓</u>	<u>Intended</u> source <u> </u>
	<u> </u>	<u>✓</u>	Notice of Intent to Void.
P/D			Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u> </u>	<u>✓</u>	Non-Irr. Uses <u> </u>
	<u> </u>	<u>✓</u>	Special Overlap Condition <u> </u>
	<u> </u>	<u>✓</u>	Other <u> </u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u>R52</u>	<u> </u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
			DATES/MISC
			<u> </u> <u>✓</u> Water Dist.
			<u> </u> <u>✓</u> App Rec'd
			<u> </u> <u>✓</u> Exam Made

COMMENTS/MEMOS NEEDED: Reduced Area, Rate

License 10-Day ✓ 15-Day Special Correspondence

ok

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	JOHN E BOEHM	09/20/1989	IRRIGATION	03-15 11-15	0.03 CFS	4.5 AFA
C	PATRICIA A BOEHM					
	8150 BROOKSIDE LANE			TOTAL DIVERSION:	0.03 CFS	4.5 AFA
	BOISE ID 83703					
	(208) 939-6819					

Stage: LICENSE

Place of use Legal Description for: IRRIGATION

Pou County: ADA

Other Water Rights Listing Overlapping Place(s) of use:
63-10889

Conditions of Approval:

R52 - This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

Dates: App. Received: 08/10/1989 Priority Date: 09/20/1989 (Priority Date Advanced.)
 Proof Due Date: 12/01/1990 Proof Made Date: 01/11/1991 (Proof Received Late.)
 Exam Made Date: 10/01/1991 Exam Sent to S.O.: 02/25/1992
 Licensed Date:

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 05/11/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 25 1992

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: John E & Patricia A Boehm Permit No. 63-10889
Current Address: 8150 Brookside Ln; Boise, Id. 83703 Phone No. 939-6819
2. Accompanied by: John Boehm EXAM. DATE: 10-1-91
Address: same Phone No. _____
Relationship to Permit Holder: owner
3. Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = not to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

MICROFILMED
JUL 28 1992

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 6" diameter well with a 2 Hp submersible pump draws water through a 1 1/4" buried pipe for 60' where it turns North for about 50'. The pipe then turns West about 150' to a hydrant. From the hydrant a garden hose and a sprinkler is used to irrigate about one acre of native grasses. About 20' from the well another hydrant is used to sprinkle irrigate about 5,000 sq ft of lawn area. This well also services a single domestic use under A 63-16616. A five gallon

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Unknown	2	Unknown	Grundfos	1 1/4" Unknown

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE 1/4	NW 1/4	25	5N	1E	Ada	Aerial photo and map

6. **Place(s) of Use:**

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5N	1E	25								1									1

MICROFILMED

JUL 28 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5-gallon bucket & stop watch						

2. Measurements:

Several 5 gallon bucket fills were taken at a hydrant near the well and averaged 14 seconds.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

5 gallons in 14 seconds per Exhibit 10 = .05 cfs -

2. Alternate Method for Checking Purposes:

$$\frac{2 \times 8.8 \times .7}{100 + (2.3 \times 58)} = .06 \text{ cfs. -}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

: Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \times 4.5 = 4.5 \text{ afa -}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 246 \times 1.9835 = 14.6 \text{ afa -}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 4.5 \text{ afa -}$

2. Volume Calculations for Other Uses:

NA

MICROFILMED

JUL 28 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

bucket full, was timed at the hydrant nearest the well and averaged 14 seconds.

No overlaps.

This right when combined with A63-16616 should not exceed .05 cfs.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	.03 cfs	4.5 afa
Totals:			.03 cfs	4.5 afa

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Melvin T. Schulte


Signature

Melvin T. Schulte

Certification Date

Field Report Preparation Date

1-31-92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUL 28 1992

2

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10889

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 5N, Rge 1E, Sec. 25, SE 1/4 NW 1/4 or Lot _____.

2. Owner: John & Pat Boehm
Address 8150 Brookside Lane, City Bonne, St Id.

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

Access Port:	Yes ☐ No ☒	Static Water Level:	_____
Pressure Gauge:	Yes ☐ No ☒	Casing Diameter:	<u>6"</u>
Flowing:	Yes ☐ No ☒	Temperature:	_____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

MICROFILMED

JUL 28 1992

USE TYPEWRITER
BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name John O. Beckins
Address Rt # 6, D. Oro, Idaho
Owner's Permit No. _____

7. WATER LEVEL

Static water level 19.2 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ F Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☐ Bailor ☐ Other _____
Discharge G.P.M. _____ Draw Down _____ Hours Pumped _____
2.0 _____ _____

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 6 inches Total depth 205 feet
Casing schedule: ☐ Steel ☐ Concrete
Thickness Diameter From To
2.50 inches 6 inches 1 feet 194 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet

Was a packer or seal used? ☒ Yes ☐ No
Perforated? ☐ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number From To
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet

Well screen installed? ☒ Yes ☐ No
Manufacturer's name Johnson
Type Telephon Model No. _____
Diameter 6 Slot size 30 Set from 194 feet to 205 feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No To what depth 15 feet
Material used in seal ☐ Cement grout ☒ Pudding clay

6. LOCATION OF WELL

Sketch map location must agree with written location.

6
N
W
X
JUL 28 1992
County _____

10.

Work started 7-22-74 finished 8-10-74

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

Monline 180
Driller's or Firm's Name
Rt # 6, Monline & Sons Number

Address
Monline 7-16-74
Signed By _____ Date

USE ADDITIONAL SHEETS IF NECESSARY. FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

63-10889



#1

P/D




#2

Hydrant next to
well where measurement
was taken.


JUL 28 1992

63-10889



#3

Residence that is serviced by the same well as this permit.



#4.

P14 for this permit is shown in the background of this photo.

JUL 28 1992

January 25, 1991

JOHN E. BOEHM
PATRICIA A. BOEHM
8150 BROOKSIDE LN.
BOISE, ID 83703

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10889

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

Enclosure

RECORDED

FEB 1 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-10889

Date 1-22-91

GENERAL CONSIDERATIONS

Y Name same as permit?
Y Address same as permit? If no, prepare data entry form.
Per Proof timely received? If no, complete priority
advancement below.

SOURCE OF WATER

Y Surface water source
Y Ground water source
N/A Drill permit req'd?
/ Copy in file? Drill permit no. _____
/ Well log in file?
/ Amt paid for drilling permit? _____ Correct?

LICENSE EXAMINATION FEE

N/A Required?
/ Amount submitted?
/ Correct amount?

MEASURING DEVICE


N/A Measuring device or access port required?
/ Installed?
/ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Well drilled in 1974
Reinstate
Proof acceptable
JB

PRIORITY CALCULATION

Date proof received	<u>6-11-91</u>	<u>376</u>
Date proof due	<u>12-1-90</u>	- <u>335</u>
No. of days late		= <u>41</u>
Priority date	<u>8-10-89</u>	+ <u>222</u>
NEW PRIORITY DATE	<u>9-20-89</u>	= <u>263</u>



STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ _____
Date _____
Receipt No. _____
Received by _____

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-10889 Telephone No. 939-6819

2. Name(s) of Permit Holder(s): JOHN E AND PATRICIA A BOEHM

3. Post Office Address: 8150 BROOKSIDE LN. BOISE ID 83703

4. Source of Water: GROUNDWATER

a. If ground water, well driller's name: Marlin Witt Date drilled: 7/74

b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic _____ (No. of households) Irrigation 2.5 (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes XNo Installed? Yes No

OR

Flow Measurement Port: Required? Yes XNo Installed? Yes No

8. Fee Enclosed: \$ 0 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

John E. Boehm work 939-6821
Name Telephone No.

work: Eagle Hills Golf Course or call night before to set up
Address time to meet 939-6819

10. The above information is my true statement of the extent to which the above numbered permit has been used and I relinquish any undeveloped portion of the permit to the state of Idaho.

9/1/01/09
Date

Patricia Boehm
Signature (and title if on behalf of a company or organization)

MICROFILMED

FEB 07 1991

December 31, 1990

JOHN BOEHM
PATRICIA A BOEHM
8150 BROOKSIDE LN
BOISE ID 83703

Dear Mr. and Mrs. Boehm:

Re: Permit No. 63-10889

The department received your letter expressing your wish not to pursue the water right permit for the 2.5 acres of irriation located in Ada County.

I understand that you have been using this water since 1974. But even in 1974, the statute of law which requires you to file for a water right permit was on the books. Any water use such as your was required to be filed on since 1972. A loss of this permit will be both a loss of filing fees and constitute an illegal diversion. It is not necessary for this to happen.

To fulfill the proof requirement, review, complete and return the enclosed partially-completed form. Most of the information came from the permit itself, but there are a few high-lighted items which you need to submit. Since the diversion rate is 0.04 cfs, no license exam fee is required. SEND NO MONEY.

If you have questions, please feel free to contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

RECEIVED
DEC 31 1990
[Signature]

6310889 #1

Dec 9 1990

I don't Need This. I HAVE
HAD THIS WATER SINCE 1974.
THE STATE HAS BE PAID THE
\$50 FINE and WILL NOT PAY
ANY MORE - I WILL KEEP ON
USING WATER AS I HAVE BEEN

John Boehm

MICROFILMED

FEB 07 1991

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

December 5, 1990

JOHN E. BOEHM
PATRICIA A. BOEHM
8150 BROOKSIDE LN.
BOISE, ID 83703

LAPSE NOTICE

RE: PERMIT NO. 63-10889

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated September 30, 1990. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 12-6-90
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

MICROFILMED

FEB 07 1991

138469
September 30, 1990

JOHN E. BOEHM
PATRICIA A. BOEHM
8150 BROOKSIDE LN.
BOISE, ID 83703

PROOF DUE NOTICE

RE: PERMIT NO. 63-10889

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time; you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures **MICROFILMED**

FEB 07 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
November 30, 1989

JOHN E. BOEHM
PATRICIA A. BOEHM
8150 BROOKSIDE LN.
BOISE, ID 83703

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-10889

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

DEC 1 1989

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

DEC 19 1989

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: LL DATE: 8-28-89 APPLICATION: 63-10889

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:
- Gov't. Lots:
N/A P/D
N/A P/U

ADDITIONAL INFORMATION

- | YES | NO | |
|-------------------------------------|-------------------------------------|--|
| ☒ | ☐ | Overlapping place of use: (Describe source & relationship to present application on the back.) |
| ☒ | ☐ | Overlapping point of diversion: |
| ☐ | ☒ | Field check required: Field check by: _____ |
| ☐ | ☒ | Field report attached: |
| ☐ | ☒ | Critical groundwater area: |
| ☐ | ☒ | Groundwater management area: |
| ☐ | ☒ | Diversion within interim protected river area |
| ☐ | ☒ | Send dam safety information: |
| ☐ | ☒ | Send power requirement letter: |
| ☐ | ☒ | Send fish farm requirement letter: |
| ☐ | ☒ | Power residency affidavit: |
| ☐ | ☒ | Power efficiency form: |
| ☐ | ☒ | Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.) |
| ☐ | ☒ | Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.) |
| ☐ | ☒ | *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT |

DATE REQUESTED: _____
Additional information on reverse side: _____

Department of Water Resources

PROCESSING

APPLICATION NO. 63-10889

YES NO

☒ ☒
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☒
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☒

Publication dates and paper recorded on application:

Protests received. Final date for protest September 25, 1989

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, DNR

Measuring device required:

Measuring port required:

Water delivered by water master? District # 63-P05

Special conditions of approval or cover letter:

See below for additional information

Recommended Date or Priority 8/10/1989Recommended by: DRDate 10/4/1989

STATE OFFICE REVIEW

P05, P23P1646See below for additional information. By KWDate 10/30/89

ADDITIONAL INFORMATION

A63-16616 is not supplemental to this application even though from the same well. The 1/2 ac covered under A63-16616 is a different parcel than the ones claimed under this application.

63-10889

BOEHM, JOHN E.
BOEHM, PATRICIA A.
8150 BROOKSIDE LN.
BOISE, ID 83703

Source: GROUNDWATER

Diversion Pt: SESENW Sec 25 T 05N R 01E

Use: IRRIGATION (.040 CFS)

Date Filed: 8/10/1989

In: T05N R01E S25 SENW

2.5 ACRES TOTAL

FILED

DEC 19 1989