


# INTERIOR VEY



STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
**BENEFICIAL USE FIELD REPORT**

**A. GENERAL INFORMATION**


Permit No. 63-10879  
1. Owner: Ludwig P. Flegger, Jr. & Nada P. Flegger Phone No. 375-5321  
Current Address: 6408 Colonial Drive Boise, ID 83709  
2. Accompanied by: Ludwig P. Flegger, Jr. EXAM. DATE: 7-18-91  
Address: Same Phone No. \_\_\_\_\_  
Relationship to Permit Holder: \_\_\_\_\_  
3. Source: Groundwater tributary to \_\_\_\_\_

**B. OVERLAP REVIEW**

1. Other water rights with same place of use: NONE ☐ Copies Attached  
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

**C. SYSTEM DESCRIPTION**

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 100'

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached  
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more)  
place(s) of use (required). **FEB 6 1993**  
☒ Photo of Diversion and System Attached  
(required for all but single household domestic groundwater, and stockwater.)

PERMIT 63-10879 INIT MWS  
T. R. S. Q/Q  
P/D 3N 1E 11 NW/NE  
SCALE \_\_\_\_\_  
PHOTO ID. \_\_\_\_\_

ROAD  
FOLSON  
MAY 25 1993

63-10879



#1.

A 6" well with  
1.5hp pump. 2"  
pipe diverts water  
From well.



#2. Hose leads to  
left, ditch leads  
to right

MICROEV WED  
FEB 01 1993



#3.

Place of use,  
Facing north, as  
seen from Irving  
Street.



#4.

Measurement made  
at end of hose.

MIRACLES

FEB 01 1993



#5. Place of use.  
Pasture is to right  
of ditch.  
Facing north.



#6.

MICROFILMED  
FEB 01 1993

State of Idaho  
Department of Water Resources

# WATER RIGHT LICENSE

WATER RIGHT NO. 63-10879

Priority: August 8, 1989

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

10.8 AF

This is to certify, that LUDWIG PFLEGER JR  
NADA PFLEGER

6408 COLONIAL DR

BOISE ID 83709

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 7, 1989; and has submitted Proof of Beneficial Use on November 9, 1990. An examination indicates that the works have a diversion capacity of .080 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>RATE OF DIVERSION</u> | <u>ANNUAL VOLUME</u> |
|-----------------------|----------------------|--------------------------|----------------------|
| IRRIGATION            | 03/15 to 11/15       | 0.04 CFS                 | 10.8 AF              |

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 11, Township 03N, Range 01E  
ADA County

PLACE OF USE: IRRIGATION

| <u>TWN</u> | <u>RGE</u> | <u>SEC</u> | <u>ACRES</u> | <u>ACRES</u> | <u>ACRES</u> | <u>TOTAL</u> |
|------------|------------|------------|--------------|--------------|--------------|--------------|
| 03N        | 01E        | 11         | NWNE         | 2.4          |              | 2.4          |

Total number of acres irrigated:

2.4

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

RECEIVED


FEB 01 1993

State of Idaho  
Department of Water Resources

**WATER RIGHT LICENSE**

WATER RIGHT NO. 63-10879

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.  
Witness the seal and signature of the Director, affixed at Boise, this 15<sup>TH</sup>  
day of DECEMBER, 1992.

Acting for   
R. Keith Higginson, Director

FEB 01 1993

State of Idaho  
Department of Water Resources  
**Permit To Appropriate Water**

NO. 63-10879

Proposed Priority: August 8, 1989

Maximum Diversion Rate:

0.12 CFS

This is to certify, that **LUDWIG PFLEGER, JR.**  
**NADA PFLEGER**  
6408 COLONIAL DR.  
BOISE, ID 83709

has applied for a permit to appropriate water from: **GROUNDWATER**  
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

03/15 to 11/15

0.12 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWNE Sec. 11, Township 03N, Range 01E  
ADA County

PLACE OF USE: IRRIGATION

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

03N 01E 11

NWNE 4

4

Total number of acres irrigated:

4

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1990.**
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.  
Witness the seal and signature of the Director, affixed at Boise, this

7<sup>th</sup> day of November, 1989.

*R. Keith Higginson*  
for R. Keith Higginson, Director

**MICROFILMED**

NOV 21 1989

Ident. No. 63-10879

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: LUDWIG PFLEGER, JR. 208-375-5321  
Address: 6408 COLONIAL DR.  
BOISE, ID 83709  
AND/OR  
Name: NADA PFLEGER 208-375-5321  
Address: 6408 COLONIAL DR.  
BOISE, ID 83709

2. Source: GROUNDWATER Trib. to:  
3. Location of Point of Diversion: NWNE Sec. 11, Township 03N, Range 01E  
ADA County

4. Water will be used for the following purposes:

| Purpose    | From  | To    | CFS   | (or) | AF |
|------------|-------|-------|-------|------|----|
| IRRIGATION | 03/15 | 11/15 | 0.120 |      |    |

5. Total quantity to be appropriated is:  
0.120 CFS (and/or) AF

6. Proposed diverting works:  
a. Description of ditches, flumes, pumps, headgates, etc.  
75' DEEP WELL W/3" DISCHARGE PIPE FOR FLOOD IRRIGATION.  
b. Height of storage dam feet; active reservoir capacity  
acre-feet; total reservoir capacity acre-feet; period of  
year when water will be diverted to storage: to inclusive.  
c. Proposed well diameter is inches; proposed depth of well is  
feet.  
d. Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of  
the water to the proposed beneficial use is 1 years.


8. Description of proposed uses:  
I

9. Place of Use: IRRIGATION

NOV 21 1989

| TWN                              | RGE | SEC | ACRES  | ACRES | ACRES | TOTAL |
|----------------------------------|-----|-----|--------|-------|-------|-------|
| 03N                              | 01E | 11  | NWNE 4 |       |       | 4     |
| Total number of acres irrigated: |     |     |        |       |       | 4     |

INTERIOR  
VEY



10. Describe any other water rights used for the same purposes.  
NAMPA-MERIDIAN IRRIG. DIST(RIDENBAUGH CANAL).

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,  
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to  
appropriate the public waters of the State of Idaho as herein set forth.

Ludwig Pflieger  
Applicant

Received by JP Date 8/8/89 Time 2:45 Preliminary check by SL  
Fee \$ 30 Receipted by JP # 4004232 Date 8/8/89  
Publication prepared by GG Date 8-30-89 Published in ID Statesman  
Publication approved st Date 9/7 & 9/14/89  
926-89

**MICROFILMED**

NOV 21 1989

Department of Water Resources  
Western Regional Office

## LEGAL ADVERTISING INVOICE

Amount Due

\$466.68

|                                                               |             |                          |                                      |
|---------------------------------------------------------------|-------------|--------------------------|--------------------------------------|
| Account Name<br>Idaho Department of Water Resources (Western) |             | Account Number<br>#47628 |                                      |
| Address<br>2735 Airport Way                                   |             | City/State<br>Boise, ID  | Zip<br>83705                         |
| Ordered By<br>Gail Garrett                                    | P.O. Number | Rate<br>NT               | Run Dates<br>1989<br>September 7, 14 |
| Identification<br>Applications for Water Rights               |             | Estimated Inches         | 63-10929                             |

1 Number of Affidavits Requested

### NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10818

Lakewood Homeowners Assn. #4  
3100 Lakewood Way  
Boise, ID 83706  
Source: Groundwater  
Diversion Pt: NWNE Sec 26 T 03N R 02E  
Diversion Pt: NENW Sec 26 T 03N R 02E  
Use: Irrigation (.620 CFS)  
Date Filed: 6/22/1989  
In: T03N R02E S23 SESE  
In: T03N R02E S26 NENW  
9.0 ACRES TOTAL

63-10871

Rudd, W. Steven  
Rudd, Elizabeth A.  
3800 Rock Garden Ln.  
Boise, ID 83703  
Source: Groundwater  
Diversion Pt: SENE Sec 5 T 04N R 02E  
Use: Irrigation (.120 CFS)  
Use: Domestic (.020 CFS)  
Date Filed: 7/31/1989  
In: T04N R02E S05 SENE  
4.5 ACRES TOTAL

63-10874

Bruno, Sharon L.  
Bruno, Albert J.  
9837 Prairie Rd.  
Boise, ID 83703  
Source: Groundwater  
Diversion Pt: NENW Sec 11 T 04N R 01E  
Use: Irrigation (.020 CFS)  
Use: Stockwater (.020 CFS)  
Date Filed: 8/03/1989  
In: T04N R01E S11 NENW  
1.0 ACRES TOTAL

63-10877

Nicolls, Carroll  
Nicolls, Valerie  
8281 Hill Rd.  
Boise, ID 83703  
Source: Spring  
Tributary: Sinks  
Diversion Pt: SENWSW Sec 35 T 05N R 01E  
Use: Irrigation (.010 CFS)  
Use: Stockwater (.020 CFS)  
Date Filed: 8/07/1989  
In: T05N R01E S35 NWSW  
0.3 ACRES TOTAL

63-10879

Pfleger, Nada  
Pfleger, Jr., Ludwig  
6408 Colonial Dr.  
Boise, ID 83709  
Source: Groundwater  
Diversion Pt: NWNE Sec 11 T 03N R 01E  
Use: Irrigation (.120 CFS)  
Date Filed: 8/08/1989  
In: T03N R01E S11 NWNE  
4.0 ACRES TOTAL

63-10880

Knopp, Larry R.  
701 Hale St.  
Boise, ID 83706  
Source: Groundwater  
Diversion Pt: Lot 3 (SWNW) Sec 30 T 03N R 03E  
Use: Domestic (.040 CFS)  
Date Filed: 8/08/1989  
In: T03N R03E S30 Lot 3 (SWNW)

63-10888

Hoffer, Vanice I.  
Hoffer, Rick J.  
707 Hale  
Weiser, ID 83672  
Source: Groundwater  
Diversion Pt: NESE Sec 23 T 03N R 01E  
Use: Irrigation (.030 CFS)  
Date Filed: 8/09/1989  
In: T03N R01E S23 NESE  
1.0 ACRES TOTAL

63-10889

Boehm, John E.  
Boehm, Patricia A.  
8150 Brookside Ln.  
Boise, ID 83703  
Source: Groundwater  
Diversion Pt: SESENE Sec 25 T 05N R 01E  
Use: Irrigation (.040 CFS)  
Date Filed: 8/10/1989  
In: T05N R01E S25 SENW  
2.5 ACRES TOTAL

63-10892

Stadler, Lillian E.  
Rt. 1 Hwy. 55  
Boise, ID 83703  
Source: Groundwater  
Diversion Pt: NESENE Sec 26 T 05N R 01E  
Use: Irrigation (.020 CFS)  
Use: Commercial (.020 CFS)  
Use: Domestic (.040 CFS)  
Date Filed: 8/11/1989  
In: T05N R01E S26 SENE  
1.0 ACRES TOTAL

63-10893

Purvis, Steven C.  
Purvis, Lynn  
3939 Brookside Ln.  
Boise, ID 83703  
Source: Groundwater  
Diversion Pt: NWSE Sec 34 T 05N R 01E  
Use: Irrigation (.120 CFS)  
Date Filed: 8/14/1989  
In: T05N R01E S34 NWSE  
4.0 ACRES TOTAL

63-10896

ABC Corporation  
c/o Patricia N. Syme  
President  
5890 Gary Ln.  
Boise, ID 83703  
Source: Groundwater  
Diversion Pt: SENE Sec 24 T 04N R 01E  
Use: Domestic (.150 CFS)  
Date Filed: 8/15/1989  
In: T04N R01E S24 SENE  
1.0 ACRES TOTAL

63-10903

Herron, Joel E.  
Herron, Kathleen S.  
113 E. 47th  
Boise, ID 83714  
Source: Groundwater  
Diversion Pt: NWSE Sec 31 T 04N R 02E  
Use: Commercial (.020 CFS)  
Date Filed: 8/18/1989  
In: T04N R02E S31 NWSE  
1.0 ACRES TOTAL

63-10904

Jordan, William L.  
Jordan, Ruth A.  
7155 Sorenson  
Boise, ID 83709  
Source: Groundwater  
Diversion Pt: Lot 1 (NWNW) Sec 30 T 03N R 02E  
Use: Irrigation (.020 CFS)  
Use: Domestic (.020 CFS)  
Date Filed: 8/18/1989  
In: T03N R02E S30 Lot 1 (NWNW)  
1.0 ACRES TOTAL

63-10906

Betts, Rex K.  
Betts, Beulah M.  
10509 Stardust  
Boise, ID  
Source: Groundwater  
Diversion Pt: NWNW Sec 14 T 03N R 01E  
Use: Irrigation (.020 CFS)  
Date Filed: 8/21/1989  
In: T03N R01E S14 NWNW  
0.5 ACRES TOTAL

63-10916

Lewis, Barney J.  
755 W. Lake Hazel  
Meridian, ID 83642  
Source: Groundwater  
Diversion Pt: NWNWNE Sec 1 T 02N R 01W  
Use: Irrigation (.100 CFS)  
Use: Domestic (.040 CFS)  
Date Filed: 8/09/1989  
In: T02N R01W S01 NWNE  
5.0 ACRES TOTAL

63-10917

Endecott, Keith W.  
Rt. 3 Deerflat  
Kuna, ID 83634  
Source: Groundwater  
Diversion Pt: NENWNE Sec T 02N R 01W  
Use: Irrigation (.060 CFS)  
Use: Stockwater (.020 CFS)  
Use: Domestic (.040 CFS)  
Date Filed: 7/31/1989  
In: T02N R01W S24 NWNE  
2.0 ACRES TOTAL

63-10918

D&D Developers  
7522 28th St. W.  
Tacoma, WA 98466  
Source: Groundwater  
Diversion Pt: SENW Sec 12 03N R 01E  
Use: Irrigation (.120 CFS)  
Date Filed: 8/07/1989  
In: T03N R01E S12 SENW  
6.2 ACRES TOTAL

63-10921

City of Meridian  
33 E. Idaho Ave.  
Meridian, ID 83642  
Source: Groundwater  
Diversion Pt: NWSE Sec 3 T 01W  
Use: Irrigation (1.000 CFS)  
Use: Irrigation Storage (14.00 AF)  
Use: Irrigation from Storage (14.00 AF)  
Use: Diversion to Storage (1.0 CFS)  
Date Filed: 7/17/1989  
In: T03N R01W S03 SWN  
SENW NESE NESE NWSE  
SWSE SESE  
66.0 ACRES TOTAL

63-10922

Fridenstine, III, Albert E.  
4327 Samara Ct.  
Boise, ID 83703  
Source: Waste Water  
Tributary: Farmers Union Canal  
Diversion Pt: SWNE Sec 29 04N R 02E  
Use: Heating (.080 CFS)  
Use: Domestic (.040 CFS)  
Date Filed: 7/20/1989  
In: T04N R02E S29 SWNE  
1.0 ACRES TOTAL

63-10923

Everts, William E.  
1902 N. 20th  
Boise, ID 83702  
Source: Groundwater  
Diversion Pt: Lot 2 (NWSWNW) Sec 19 T 04N R 02E  
Use: Irrigation (.080 CFS)  
Date Filed: 8/09/1989  
In: T04N R02E S19 Lot (SWNW)  
4.0 ACRES TOTAL

63-10924

Brown, Edgar  
5505 Saddle St.  
Boise, ID 83709  
Source: Groundwater  
Diversion Pt: NWNENE Sec 36 T 03N R 01E  
Use: Irrigation (.015 CFS)  
Date Filed: 7/27/1989  
In: T03N R01E S36 NESE  
0.5 ACRES TOTAL

63-10925

Tozer, Lyn G.  
Mayfield Stage  
Boise, ID 83706  
Source: Groundwater  
Diversion Pt: NWSWNW Sec 10 T 02N R 03E  
Use: Irrigation (.200 CFS)  
Date Filed: 8/04/1989  
In: T02N R03E S10 SWNW  
10.0 ACRES TOTAL

63-10926

Riggs, Eileen R.  
140 W. Hubbard Rd.  
Kuna, ID 83634  
Source: Groundwater  
Diversion Pt: SESENE Sec 12 T 02N R 01W  
Use: Irrigation (.030 CFS)  
Use: Stockwater (.020 CFS)  
Use: Domestic (.040 CFS)  
Date Filed: 8/04/1989  
In: T02N R01W S12 SESE  
1.0 ACRES TOTAL

63-10927

Gahley, Robert  
9003 Chelan Ave.  
Garden City, ID 83714  
Source: Groundwater  
Diversion Pt: NENE Sec 26 T 04N R 01E  
Use: Irrigation (.030 CFS)  
Use: Domestic (.040 CFS)  
Date Filed: 8/07/1989  
In: T04N R01E S26 NENE  
1.0 ACRES TOTAL

State of Idaho  
Dept. of Fish & Game  
Box 25  
Boise, ID 83720  
Source: Groundwater  
Diversion Pt: Lot 4 (NENW) Sec 14 T 03N R 02E  
Use: Aesthetic (3,000 CFS)  
Date Filed: 8/09/1989  
In: T03N R02E S14 Lot 4 (NENW)

63-10930

Premoe, Billie Jo  
Premoe, Gary D.  
3045 Wingate Ln.  
Meridian, ID 83642  
Source: Groundwater  
Diversion Pt: Lot 3 (NENENW) Sec 5 T 03N R 01E  
Use: Irrigation (.045 CFS)  
Date Filed: 8/11/1989  
In: T03N R01E S05 Lot 3 (NENW)  
1.5 ACRES TOTAL

63-10931

Lawson, Richard  
Lawson, Beverly  
4027 Sandbar Ln.  
Eagle, ID 83616  
Source: Groundwater  
Diversion Pt: NWSENE Sec 32 T 05N R 01E  
Use: Irrigation (.150 CFS)  
Date Filed: 8/11/1989  
In: T05N R01E S32 SENE  
5.0 ACRES TOTAL

63-10935

Whitney Fire District  
9500 Overland Rd.  
Boise, ID 83709  
Source: Groundwater  
Diversion Pt: NWNW Sec 32 T 03N R 03E  
Use: Domestic (.040 CFS)  
Use: Fire Protection (.160 CFS)  
Date Filed: 8/16/1989  
In: T03N R03E S32 NWNW  
1.0 ACRES TOTAL

63-10936

Whitney Fire District  
9500 Overland Rd.  
Boise, ID 83709  
Source: Groundwater  
Diversion Pt: SWSE Sec 14 T 03N R 01E  
Use: Domestic (.040 CFS)  
Use: Fire Protection (.160 CFS)  
Date Filed: 8/16/1989  
In: T03N R01E S14 SWSE  
1.0 ACRES TOTAL

63-10938

Clark Family Trust  
c/o Neil M. & Elaine M. Clark  
Boise, ID 83709  
Source: Groundwater  
Diversion Pt: NWSE Sec 19 T 04N R 02E  
Use: Irrigation (.030 CFS)  
Use: Domestic (.040 CFS)  
Date Filed: 8/08/1989  
In: T04N R02E S19 NWSE  
1.0 ACRES TOTAL

63-10939

Coats, J. Roy  
Coats, Kay A.  
4112 Mountain View  
Boise, ID 83704  
Source: Groundwater  
Diversion Pt: NWSE Sec 9 T 03N R 01W  
Use: Irrigation (.100 CFS)  
Use: Domestic (.040 CFS)  
Date Filed: 7/21/1989  
In: T03N R01W S09 NWSE  
5.0 ACRES TOTAL

63-10940

Diamond Sports Inc.  
1109 Main St. #250  
Boise, ID 83702  
Source: Groundwater  
Diversion Pt: Lot 2 (SENE) Sec 25 T 04N R 01E  
Use: Irrigation (.150 CFS)  
Date Filed: 3/21/1989  
In: T04N R01E S25 Lot 2 (SENE)  
3.0 ACRES TOTAL

63-10941

Comaford, Dorothy J.  
14600 S. Cloverdale Rd.  
Kuna, ID 83634  
Source: Groundwater  
Diversion Pt: NWNW Sec 34 T 02N R 01E  
Use: Irrigation  
Date Filed: 8/23/1989  
In: T02N R01E S34 NWNW  
7.0 ACRES TOTAL

63-10942

No. 1 Utter Subdivision Well Users  
2117 S. Stephen Ave.  
Boise, ID 83706  
Source: Groundwater  
Diversion Pt: NESENE Sec 23 T 03N R 02E  
Use: Irrigation (.020 CFS)  
Use: Domestic (.100 CFS)  
Date Filed: 8/22/1989  
In: T03N R02E S23 SENE  
0.8 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before SEPTEMBER 25, 1989.

MICROFILMED

NOV 21 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS  
GOVERNOR

R. KEITH HIGGINSON  
DIRECTOR

December 16, 1992

LUDWIG PFLEGER JR  
NADA PFLEGER  
6408 COLONIAL DR  
BOISE ID 83709

RE: WATER RIGHT NO. 63-10879

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS  
Water Resource Agent

PS:cz

Enclosure

DEC 16 1992



State of Idaho  
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000  
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS  
GOVERNOR

R. KEITH HIGGINSON  
DIRECTOR

October 13, 1992

LUDWIG PFLEGER JR  
NADA PFLEGER  
6408 COLONIAL DR  
BOISE ID 83709

RE: Permit No. 63-10879

Dear Permit Holder(s):

We are in the process of licensing the above referenced water right. Because of an insufficient examination fee, the Department has no alternative but to issue the license for less than the amount actually diverted unless an additional fee is received. The amount of water to be licensed will be limited to 0.04 cfs rather than 0.07 cfs.

You can submit the additional exam fee along with a late payment penalty. The priority of the right will be advanced according to the number of days from the date of this letter to the date we receive the extra fee.

The exam fee required to cover the 0.07 cfs is \$50.00 and the late payment penalty is \$25.00, for a total of \$75.00.

The Department will hold action on licensing this right for 30 days to allow you to submit the above fee. If we do not receive the additional fee, we will proceed with licensing the water right for the limited amount of water.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS  
Water Resource Agent

PS:cz

FEB 01 1993

# LICENSE REVIEW CHECKLIST

Permit # 63-10879

Date 7-24-92 CS

|               | Yes                                 | No                                  |                                                                       |
|---------------|-------------------------------------|-------------------------------------|-----------------------------------------------------------------------|
| NAME          | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Address Change?                                                       |
| PRIORITY DATE | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Advance?                                                              |
|               | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Memo to Advance                                                       |
|               | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Order to Reinstate Needed?                                            |
| TOTAL CFS     | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Incorrect Fee for rate recommended?                                   |
|               | <input type="checkbox"/>            | <input type="checkbox"/>            | Disagree with Actual Measurement?(IRR)                                |
|               | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | Measurement = $.08 / 2.4 \times .03 = .07$ / $.04$ cfs only per proof |
|               | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Disagree with Theoretical? $1.5 \times 8.8 \times .7 = .078$          |
|               | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Limited by Capacity? $.08$ cfs $25' + (2.31 \times 40)$               |
| TOTAL VOLUME  |                                     |                                     | Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>                           |
|               |                                     |                                     | <u>3-15</u> to <u>11-15</u> Standard Irr. Season                      |
|               |                                     |                                     | <u>Same Per Permit</u> Season Recommended                             |
|               | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Disagree with Examiner's Calculations?                                |
|               |                                     |                                     | $2.4 \times 4.5 = 10.8$ afa (IRR)                                     |
|               | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Limited by Flow? $.04 \times 2.45 \times 1.9835 = 19.4 > 10.8$        |
| SOURCE        | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Changes? Clarification of <u>Originally</u>                           |
|               | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <u>Intended</u> source                                                |
|               | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Notice of Intent to Void.                                             |
| P/D           |                                     |                                     | Verify with Map                                                       |
|               | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Amendment Needed?                                                     |
|               | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Is Overlap Analysis a Consideration?                                  |
| P/U           |                                     |                                     | Verify with Map                                                       |
|               | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Amendment Needed?                                                     |
|               | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Is Overlap Analysis a Consideration?                                  |
| USES          | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Change(s) in Nature of Use?                                           |
|               | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Amendment Needed?                                                     |
| REMARKS       | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Multiple P/Ds in 1/4 1/4?                                             |
|               | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Non-Irr. Uses                                                         |
|               | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Special Overlap Condition                                             |
|               | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Other                                                                 |
| CONDITIONS    | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Measuring Device                                                      |
|               | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | W/Master Control                                                      |
|               | <u>R52</u>                          | <input type="checkbox"/>            | Overlap                                                               |
|               | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Water Quality                                                         |
|               |                                     |                                     | DATES/MISC                                                            |
|               |                                     | <input checked="" type="checkbox"/> | Water Dist.                                                           |
|               |                                     | <input checked="" type="checkbox"/> | App Rec'd                                                             |
|               |                                     | <input checked="" type="checkbox"/> | Exam Made                                                             |

COMMENTS/MEMOS NEEDED: Reduced Rate, Acres  
Used 40 psi irr estimate

License 10-Day ☒ 15-Day ☐ Special Correspondence ☒  
Send Letter/Fee for additional Water

WR0749NP  
No. L63-10879

IDAHO DEPARTMENT OF WATER RESOURCES  
WATER RIGHT PROFILE REPORT  
(REGIONAL)

DATE: 07/24/92  
PAGE: 1

| OWNER<br>CODE | NAME & ADDRESS    | PRIORITY<br>DATE | WATER USE  | USE PERIOD<br>FROM TO | DIVERSION<br>RATE | DIVERSION<br>VOLUME |
|---------------|-------------------|------------------|------------|-----------------------|-------------------|---------------------|
| C             | LUDWIG PFLEGER JR | 08/08/1989       | IRRIGATION | 03-15 11-15           | 0.04 CFS          | 10.8 AFA            |
| C             | NADA PFLEGER      |                  |            |                       |                   |                     |
|               | 6408 COLONIAL DR  |                  |            |                       |                   |                     |
|               | BOISE ID 83709    |                  |            |                       |                   |                     |
|               | (208) 375-5321    |                  |            |                       |                   |                     |
|               |                   |                  |            | TOTAL DIVERSION:      | 0.04 CFS          | 10.8 AFA            |

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.08 CFS

Point(s) of Diversion: T03N R01E S11 NW NE

Place of use Legal Description for: IRRIGATION

|     |     |    |   | NE |    |    |    | NW |    |    |    | SW |    |    |    | SE |    |    |    |             |     |
|-----|-----|----|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-------------|-----|
| T   | R   | S  | : | Lt | Ac | Lt | Ac | Lt | Ac | Lt | Ac | Lt | Ac | Lt | Ac | Lt | Ac | Lt | Ac | :           | SUM |
| 03N | 01E | 11 | : |    |    | 02 |    |    |    |    |    |    |    |    |    |    |    |    |    | :           | 2.4 |
|     |     |    |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | TOTAL ACRES | 2.4 |

Pou County: ADA

Other Water Rights with Same Point(s) of Diversion and Source:  
63-10854 63-10879 63-11009

Other Water Rights Listing Overlapping Place(s) of use:  
63-10854 63-10879

Conditions of Approval:

- R52 - This right when combined with all other rights shall provide no  
- more than .03 cfs per acre nor more than 4.5 afa per acre for the  
- lands above.

|        |                 |            |                    |            |
|--------|-----------------|------------|--------------------|------------|
| Dates: | App. Received:  | 08/07/1989 | Priority Date:     | 08/08/1989 |
|        | Proof Due Date: | 12/01/1990 | Proof Made Date:   | 11/09/1990 |
|        | Exam Made Date: | 07/18/1991 | Exam Sent to S.O.: | 02/07/1992 |
|        | Licensed Date:  |            |                    |            |

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 07/24/92 SKAGGS

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
**BENEFICIAL USE FIELD REPORT**

**A. GENERAL INFORMATION**


1. Owner: Ludwig Pfkger, Jr. & Nada Pfkger Permit No. 63-10879  
 Current Address: 6408 Colonial Drive Boise, ID 83709 Phone No. 375-5321  
 2. Accompanied by: Ludwig Pfkger, Jr. EXAM. DATE: 7-18-91  
 Address: Same Phone No. \_\_\_\_\_  
 Relationship to Permit Holder: \_\_\_\_\_  
 3. Source: Groundwater tributary to \_\_\_\_\_

**B. OVERLAP REVIEW**

1. Other water rights with same place of use: NONE ☐ Copies Attached  
 2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

**C. SYSTEM DESCRIPTION**

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 100'

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more)  
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater.)

**RECEIVED**

FEB 1 1993

**System Description (continued)**

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 6" well with a 1.5 hp pump is located in the southern end of the orchard being irrigated. The well is 32' deep. A 2" steel pipe extends 15' to the south. A 2" hose, 20' long, is connected to the end of the steel pipe. The orchards are irrigated through Flooding. A measurement was made at the end of the hose. A 1' ditch bordered the property, and it was also used at times to transport the water for flood irrigation.

Total Acreage =  $350' \times (250' + 350') / 2 \div 43560 = 2.4 \text{ acres}$

☐ See Remarks on page 4 for continuation

4.

| Well or Diversion Identification No.* | Motor Make | Hp  | Motor Serial No. | Pump Make | Pump Serial No. or Discharge Size |
|---------------------------------------|------------|-----|------------------|-----------|-----------------------------------|
|                                       | No tags    | 1.5 |                  | Sta. Rite |                                   |
|                                       |            |     |                  |           |                                   |
|                                       |            |     |                  |           |                                   |
|                                       |            |     |                  |           |                                   |

\*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

| Ident. No. | Gov't. Lot | 1/4 | 1/4 | 1/4 | Sec. | Twp. | Rge. | County | Method of Determination/Remarks |
|------------|------------|-----|-----|-----|------|------|------|--------|---------------------------------|
|            |            |     | NW  | NE  | 11   | 3N   | 1E   | Ada    | USGS Quad                       |
|            |            |     |     |     |      |      |      |        |                                 |
|            |            |     |     |     |      |      |      |        |                                 |
|            |            |     |     |     |      |      |      |        |                                 |

6. **Place(s) of Use:**

Indicate Method of Determination USGS Quad

| Twp. | Rge. | Sec. | NE 1/4 |        |        |        | NW 1/4 |        |        |        | SW 1/4 |        |        |        | SE 1/4 |        |        |        | Totals |
|------|------|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
|      |      |      | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 |        |
| 3N   | 1E   | 11   |        | 2.4    |        |        |        |        |        |        |        |        |        |        |        |        |        |        | 2.4    |
|      |      |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |      |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |      |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |      |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |      |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |      |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |      |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |

**RECEIVED**

FEB 01 1993

Do not use this space

## D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

| Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|-----------------------|------|------|-----------|------------|------|-------------|
| 5 gallon bucket       |      |      |           |            |      |             |
| & stopwatch           |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |

2. Measurements:

5 gallons in 8 seconds

1.5 hp pump, 20 psi cst for irrig, 25' dynamic from well logs in  
20 psi area & 32' well depth

## E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$2.4 \text{ m} \times 0.3 \text{ cfs} = 0.72 \text{ cfs} \quad \frac{5 \text{ gal}}{8 \text{ sec}} \times \frac{60 \text{ sec}}{1 \text{ min}} \times \frac{1 \text{ cfs}}{448.8 \text{ gpm}} = 0.08 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$\frac{1.5 \text{ hp} \times 8.8 \times 70\%}{(2.31 \times 20 \text{ psi}) + 25'} = 0.13 \text{ cfs}$$

(proof filed  
box only  
0.04 cfs)

## F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: \_\_\_\_\_ psi x 2.31 = \_\_\_\_\_ ft (1); Dynamic pumping level: \_\_\_\_\_ ft (2)

Total Head: (1) + (2) = \_\_\_\_\_ (3)

: Flow rate: \_\_\_\_\_ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = \_\_\_\_\_ (5)

Meter Input KW: 3.6 x \_\_\_\_\_ KH x \_\_\_\_\_ CTR or \_\_\_\_\_ MULT x \_\_\_\_\_ PTR x \_\_\_\_\_ N/ \_\_\_\_\_ T = \_\_\_\_\_ (6)

Meter Input HP: (6) x 1.34 = \_\_\_\_\_ (7)

Panel Input KW: \_\_\_\_\_ Ave PF x \_\_\_\_\_ Ave Volts x \_\_\_\_\_ Ave Amps x .001732 = \_\_\_\_\_ (6)

Panel Input HP: (6) x 1.34 = \_\_\_\_\_ (7) Efficiency: (5)/(7) x 100 = \_\_\_\_\_ %

## G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2.4 \times 4.5 = 10.8 \text{ afa}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .04 \times 245 \times 1.9835 = 19.4 \text{ afa}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 10.8 \text{ afa}$$

2. Volume Calculations for Other Uses:

IMPROVED

FEB 01 1993

## H. REMARKS AND OVERLAP REVIEW ANALYSIS

*No other water rights affect this permit.*

## I. RECOMMENDATIONS

### 1. Recommended Amounts

| Beneficial Use    | Period of Use |              | Rate of Diversion<br>Q (cfs) | Annual Volume<br>V (afa) |
|-------------------|---------------|--------------|------------------------------|--------------------------|
|                   | From          | To           |                              |                          |
| <i>Irrigation</i> | <i>3/15</i>   | <i>11/15</i> | <i>.04</i>                   | <i>10.8</i>              |
|                   |               |              |                              |                          |
|                   |               |              |                              |                          |
|                   |               |              |                              |                          |
| Totals:           |               |              | <i>.04</i>                   | <i>10.8</i>              |

### 2. Recommended Amendments


- ☐ Change P.D. as reflected above  
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above  
☐ Add P.U. as reflected above

- ☒ None  
☐ Other


## J. AUTHENTICATION

Field Examiner's Name *Mark Series*  
Signature *Mark Series*  
Certification Date \_\_\_\_\_  
Field Report Preparation Date *8-02-91*



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

FEB 01 1993



PERMIT 63-10879 INIT MWS  
T. R. S. Q/Q  
P/D 3N 1E 11 NW/NE  
SCALE \_\_\_\_\_  
PHOTO ID. \_\_\_\_\_

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10879

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 3N, Rge 1E, Sec. 11, NW 1/4 NE 1/4 or Lot \_\_\_\_\_.

2. Owner: Ludwig & Nada Pflieger

Address 6408 Colonial Drive, City Buick, St ID  
83209

3. Casing  $\geq$  12 inches above ground: Yes ☒ No \_\_\_\_\_

4. Access Port: Yes \_\_\_\_\_ No ☒ Static Water Level: ~10'  
Pressure Gauge: Yes \_\_\_\_\_ No ☒ Casing Diameter: 6"  
Flowing: Yes \_\_\_\_\_ No ☒ Temperature: \_\_\_\_\_

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes \_\_\_\_\_ No ☒


If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

MICHAEL J. JONES

FEB 01 1993

63-10879



#1.

A 6" well with  
1.5hp pump. 2"  
pipe diverts water  
from well.



#2. Hose leads to  
left, ditch leads  
to right.

UNRECORDED

FEB 01 1993



#3.

Place of use,  
Facing north, as  
seen from Irving  
Street.



#4.

Measurement made  
at end of hole.

RECEIVED

FEB 01 1993



#5. Place of use.  
Pasture is to right  
of ditch.  
Facing north.



#6.

RECEIVED  
FEB 01 1993

FEB 01 1993

November 23, 1990

NADA PFLEGER  
LUDWIG PFLEGER, JR.  
6408 COLONIAL DR.  
BOISE, ID 83709

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10879

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck  
Secretary/Records Manager

c: IDWR - Region

**MICROFILMED**

DEC 11 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10879

Date: 11-19-90

General Considerations:

- ☒ Name same as permit  
☒ Signature the same as permit holder  
☒ Address change NO If yes, prepare a data entry  
☒ Proof received timely  
☐ Reinstated

Source of Water:

- ☐ Surface water  
☒ Groundwater  
1. well log in file 1986  
2. drilling permit  
A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses  
☒ Is rate or volume and fee appropriate?  
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ Is a measuring device or access port required?  
☒ Has one been installed?  
☒ Waiver or modification of measuring device requested

Remarks:

*Proof acceptable*

Priority Calculation:

Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

|           |  |
|-----------|--|
| <u>NA</u> |  |
|           |  |
|           |  |
|           |  |
|           |  |
|           |  |

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

08/89

**RECEIVED**

NOV 9 1990

For Office Use Only

Amt. of Fee \$ \_\_\_\_\_

Date \_\_\_\_\_

Receipt No. \_\_\_\_\_

Received by \_\_\_\_\_

## STATE OF IDAHO

## DEPARTMENT OF WATER RESOURCES

Department of Water Resources

## PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10879Telephone No. 208-~~208~~ 3755321Name(s) of Permit Holder(s): LUDWIG PELEGER JR & NADIA G PELEGERPost Office Address: 6408 COLONIAL DR BOISE IDAHO 83709Source of Water: WELL I HAVE TWO WELLSIf ground water, well driller's name: KENT BURN Date drilled: about 1956Extent of Use: one of the wells has been dug about 75 years

Domestic \_\_\_\_\_ (No. of households)

Irrigation 2 1/2 (No. of acres)

Stockwater \_\_\_\_\_ (No. and type of stock)

Other \_\_\_\_\_

Total rate and/or volume for which proof is submitted .04 cfs \_\_\_\_\_ acre/feetShow date water was first diverted and beneficially used under this permit: 1986

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ NoFee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Name LUDWIG PELEGER JR Telephone No. 3455111Address 6408 COLONIAL DR BOISE IDAHO 83709**MICROFILMED**

DEC 11 1990

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date

Signature (and title if on behalf of a company or organization)

138466  
September 30, 1990

NADA PFLEGER  
LUDWIG PFLEGER, JR.  
6408 COLONIAL DR.  
BOISE, ID 83709

PROOF DUE NOTICE

RE: PERMIT NO. 63-10879

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck  
Secretary/Records Manager

Enclosures

**MICROFILMED**

DEC 11 1990

S T A T E   O F   I D A H O  
D E P A R T M E N T   O F   W A T E R   R E S O U R C E S

-----

Statehouse  
Boise, Idaho 83720  
(208) 327-7900  
November 7, 1989

NADA PFLEGER  
LUDWIG PFLEGER, JR.  
6408 COLONIAL DR.  
BOISE, ID 83709

P E R M I T   A P P R O V A L   N O T I C E

RE: PERMIT NO.      P63-10879

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

**NOT FILMED**

NOV 21 1989

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor  
Water Right Permits Section

GS: SC  
Enclosures

RECEIVED

NOV 21 1987

Form No. 202a.  
3/89

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SL DATE: 8/15/89 APPLICATION: 63-10879

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)  
☒ Address:  
☒ Source: (See USGS Quad for names of water sources)  
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)  
☒ County:  
☒ Quantity: (flow and/or volume)  
☒ Period of use:  
☒ Nature of proposed use: (Include description of use)  
☒ Description of diverting works:  
☒ Time required for beneficial use of water:  
☒ Place of use or acres irrigated:  
☒ Map:  
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)  
☒ Fee:  
☒ Yes ☐ No\* In form to receipt:

Gov't. Lots:  
N P/D  
N P/U

ADDITIONAL INFORMATION

YES NO

☒ Overlapping place of use: (Describe source & relationship to present application on the back.)  
☒ Overlapping point of diversion:  
☒ Field check required: Field check by: \_\_\_\_\_  
☒ Field report attached:  
☒ Critical groundwater area:  
☒ Groundwater management area:  
☒ Diversion within interim protected river area  
☒ Send dam safety information:  
☒ Send power requirement letter:  
☒ Send fish farm requirement letter:  
☒ Power residency affidavit:  
☒ Power efficiency form:  
☒ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)  
☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)  
☒ \*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED:

☒ Additional information on reverse side:

RECEIVED  
OCT 06 1989

Department of Water Resources

## PROCESSING

APPLICATION NO.

63-10879

YES NO

Handwriting practice lines with four 'x' marks.

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO



I.D. Health and Welfare

I.D. Fish and Game

## I.D. Lands

Adjudication Bureau

YES NO

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

## FINAL REGIONAL PROCESSING REVIEW

YES/ NO

~~\_\_\_\_\_~~ \_\_\_\_\_

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest

Protest dates, resolution of protest recorded on application:

Recommendations attached: *Approve, One*

Measuring device required:

Measuring port required:

Water delivered by water master?

District #

Special conditions of approval or cover letter:

See below for additional information

Recommended Date or Priority

8/8/1989

Recommended by:

Date 10/4/1989

## STATE OFFICE REVIEW

P05, P23

P/60

46 57

See below for additional information. By

Two

Date \_\_\_\_\_

10/30/89

### ADDITIONAL INFORMATION

63-10879

PFLEGER, NADA  
PFLEGER, JR., LUDWIG  
6408 COLONIAL DR.  
BOISE, ID 83709

Source: GROUNDWATER

Diversion Pt:               NWNE       Sec 11 T 03N R 01E

Use: IRRIGATION               ( .120 CFS)

Date Filed: 8/08/1989

In: T03N R01E S11               NWNE

4.0 ACRES TOTAL

*Handwritten signature*  
NOV 21 1989