


NOV 21 1989

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).




PERMIT 63-10870 INIT *MWS*
T. R. S. Q/Q
3N 1E 3 NE/SW

OCT 20 1983
FARMERS
VICTORY RD
Water Tank



View of well housing. Well is
under this iron top. This casing is
the well is located in the S/W corner
of the lawn.

PHOTO ONE-



View of the well, motor, pressure
tank system underneath well
housing

OCT 20 1993

PHOTO TWO-



View looking East. This is the
FRONT OF THE P/U. THE LAWN IS
IRRIGATED WITH POP-UPS. IN THE
BACK THE GARDEN & TREES ARE
IRRIGATED WITH SPIGOTS - HOSES - RAINBIRDS

PHOTO THREE-



View looking west. This is the
back OF THE P/U.

RECEIVED
OCT 20 1993

PHOTO FOUR-

09/30/93

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10870

Priority: August 29, 1989

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

2.3 AF

This is to certify, that DAN A DORAMUS
DEANA R DORAMUS

2126 BRYSON RD
BOISE ID 83704

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 28, 1989; and has submitted Proof of Beneficial Use on January 2, 1991. An examination indicates that the works have a diversion capacity of .060 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	2.3 AF

LOCATION OF POINT(S) OF DIVERSION:

NESW , Sec. 3, Township 03N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	01E	3	NESW	0.5		0.5

Total number of acres irrigated: 0.5

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Place of use is located within Lot 5, Block 3, Bryson Subdivision.

RECORDED


OCT 20 1993


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10870

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 1st
day of OCTOBER, 1993.

Acting for  R. Keith Higginson, Director



OCT 20 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-10870 IN THE)
NAME OF DEAN R. OR DAN A. DORAMUS) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before December 1, 1990; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department has notified the permit holders that the permit lapsed for failure of the permit holders to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,


WHEREAS, the permit holders have provided a reasonable showing why the permit should be reinstated by submitting an acceptable proof of beneficial use on January 2, 1991;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-10870 be REINSTATED and the priority advanced to August 29, 1989.

Dated this 25 day of January, 1991.

MICROFILMED

FEB 07 1991


L. GLEN SAXTON, Chief
Water Allocation Bureau

RECEIVED

JAN 02 1991

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-10870 Telephone No. 375-16362. Name(s) of Permit Holder(s): Deana R (or) Dan A Doramus3. Post Office Address: 2126 Bryson Rd Boise, Id 837044. Source of Water: Groundwater

a. If ground water, well driller's name: _____ Date drilled: _____

b. Pump horsepower: 1 1/2 hp Pressure (psi): 45-50 Dynamic pumping level (ft.): ?

5. Extent of Use:

Domestic 1 (No. of households) Irrigation .5 (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted .02 cfs 0.5 acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ NoOR
Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No8. Fee Enclosed: \$ 5 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Dan Doramus
Name375-1636
Telephone No.2126 Bryson Rd Boise, Id 83704
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

FEB 07 1991

Date

12-28-90

Signature (and title if on behalf of a company or organization)

Deana Doramus

State of Idaho
Department of Water Resources

Proposed Priority: July 28, 1989

0.02 CFS

This is to certify, that **DEANA R. DORAMUS**
DAN A. DORAMUS
2126 BRYSON RD.
BOISE, ID 83704

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

RATE OF DIVERSION

0.02 CFS

NESW Sec. 3, Township 03N, Range 01E
ADA County

TOTAL

0.5

0.5

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1990.**
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
5. Point of diversion and place of use also known as Lot 5, Block 3, Bryson Subdivision.

1st day of November, 1989

R. Keith Higginson
R. Keith Higginson, Director

RECEIVED

NOV 21 1989

Ident. No. 63-10870

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: DAN A. DORAMUS 208-375-1636
Address: 2126 BRYSON SUB.
BOISE, ID 83704
OR
Name: DEANA R. DORAMUS 208-375-1636
Address: 2126 BRYSON SUB.
BOISE, ID 83704
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: NESW Sec. 3, Township 03N, Range 01E
ADA County
4. Water will be used for the following purposes:
- | Purpose | From | To | CFS | (or) | AF |
|------------|-------|-------|-------|------|----|
| IRRIGATION | 03/15 | 11/15 | 0.020 | | |
5. Total quantity appropriated is:
0.020 CFS (and/or) AF
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc.
SUR. PUMP, PIPED TO SPIGOTS, HOSES.
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is 6 inches; proposed depth of well is unknown *
feet.
d. Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.
8. Description of proposed uses:
IRRIGATION
9. Place of Use: IRRIGATION

MICROFILMED

NOV 21 1989

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
03N	01E	3	NESW 0.5			0.5
Total number of acres irrigated:						0.5

* No well log, owners unsure of depth, estimated casing (buried). Additional
1/2 ac. irrigation started several years ago thus could not be added to
A63-16769. Well in place as of 1960 (A63-16769). - SL 8/4/89.

Per telecon with Deana Doramus.

10. Describe any other water rights used for the same purposes. *
A63-16769 same well but for home and yard
11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

LOT 5, BLK 3, BRYSON SUB.

↑ ~~THIS APPL. IS FOR ADDITIONAL 1/2 ACRE~~
~~THE SYSTEM EXISTS~~ *

Point of Diversion & Place of Use also known as

13. Map of proposed point of diversion and place of use attached? [X]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Dan A. Koramus
Applicant

Received by Rel Date 7/20/89 Time 16:49 Preliminary check by Rel

Fee \$ 30.00 Receipted by Rel # W003891 Date 7/20/89

Publication prepared by GG Date 8-9-89 Published in ID Statesman

Publication approved St Date 9/2/89 8/17 & 8/24/89

* database modified 8/4/89

RECEIVED

NOV 21 1989



T3N
R16
S.3

MICROFILMED

NOV 21 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 7, 1993


DAN A DORAMUS
DEANA R DORAMUS
2126 BRYSON RD
BOISE ID 83704

RE: WATER RIGHT NO. 63-10870

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

OCT 20 1993

DATE: 09/28/93
PAGE: 1

Audit: 09/28/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 63-10870 Date 9-28-93 Brenda Chapman

	Yes	No	
NAME	<u> </u>	<u> </u> ✓	Or Address Change?
PRIORITY DATE	<u> </u>	<u> </u> ✓	Advance? <u> </u> ✓ Memo to Advance <u>TO: 8-24-89</u>
	<u> </u>	<u> </u> ✓	Order to Reinstate Needed?
	<u>-NA-</u>	<u> </u>	Incorrect Fee for rate recommended?
SOURCE	<u> </u>	<u> </u> ✓	Changes? Clarification of Originally Intended source <u> </u>
	<u> </u>	<u> </u> ✓	Notice of Intent to Void - Source change.
P/D	<u> </u>	<u> </u> ✓	Amendment Needed? <u> </u>
	<u> </u>	<u> </u> ✓	Overlap(s) <u> </u>
P/U	<u> </u>	<u> </u> ✓	Amendment Needed? <u> </u>
	<u> </u>	<u> </u> ✓	Overlap(s) <u> </u>
TOTAL CFS	<u>-NA-</u>	<u> </u>	Disagree/Measurement <u>None Done</u>
	<u> </u>	<u> </u>	<u>1/2 acre = .02 CFS</u>
	<u> </u>	<u> </u>	Theoretical $(8.8 \times .70 \times 1.5 \text{ HP}) / (50 + 2.31 \times 40) = .06 \text{ CFS}$
	<u> </u>	<u> </u>	Capacity <u>.06</u>
	<u> </u>	<u> </u>	Allowable Amount: <u>Permit Limit @ .02</u>
TOTAL VOLUME	<u> </u>	<u> </u> ✓	Disagree with Examiner's Calculations?
	<u> </u>	<u> </u>	<u>.5 x 4.5 = 2.25 (2.3)</u>
	<u> </u>	<u> </u> ✓	Flow limit: <u>.02</u> x 246 x 1.9835 = <u>9.8</u>
	<u> </u>	<u> </u>	Season <u>0/4.5</u> <u>3/15 to 11/15</u>
USES	<u> </u>	<u> </u> ✓	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u> </u> ✓	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u> </u> ✓	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u> </u>	<u> </u> ✓	Special Overlap <u> </u>
	<u> </u>	<u> </u> ✓	Other <u> </u>
CONDITIONS	<u> </u>	<u> </u>	Measuring/Locking Devices Misc/Dates
	<u> </u>	<u> </u>	W/Master Control <u> </u> Water Dist
	<u>RS2</u>	<u> </u>	Irrigation Overlap <u>7-28-89</u> App Rec'd
	<u> </u>	<u> </u>	Water Quality <u>8-10-83</u> Exam Made

COMMENTS:

RECOMMENDED	CFS	DIV VOL
-------------	-----	---------

<u>IRRIGATION</u>	<u>.02</u>	<u>2.3</u>
-------------------	------------	------------

LICENSE ✓

AMEND

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This system uses a 1/2 HP motor & has 6" casing for irrigation & domestic purposes. The system has a 30' pumping level & the water below it is around 70' deep. Well logs in the same 1/4 1/4 reveal that the static water level is 15'. The well irrigates through pop-up sprinklers & has lines to spigots. The owner attaches hoses & rainbirds to these spigots to irrigate a garden & some trees.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
SURFACE	Aeromotor	1/2	NOT AVAILABLE	Aeromotor	3/4"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SW	3	3n	1E	ADA	Quads - Field Exam

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3n	1E	3									.5								.5

OCT 20 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

THEORETICAL = $1.5 \times 0.8 \times 1.70 = 2.04$ cfs. SYSTEM CAPACITY. NEED = .02 cfs
 $50 + (2.3 \times 45) = 153.5$ for 1/2 acre

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

THEORETICAL = .06 cfs. Allow .02 cfs for 1/2 acre

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

: Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 5 \times 4.5 = 2.3 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .02 \times 245 \times 1.9835 = 10 \text{ AFA}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 2.3 \text{ AFA}$

2. Volume Calculations for Other Uses:

None

OCT 20 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

* Adj claim # A63-16769 is from the same well for domestic of 1 home without issue.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/15	11/15	.02 cfs	2.3 AFA
Totals:			.02 cfs	2.3 AFA

2. Recommended Amendments

- | | | |
|---|--|--|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☒ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |


J. AUTHENTICATION

Field Examiner's Name DAVID T GRAY
Signature [Signature]
Certification Date _____
Field Report Preparation Date 8-11-93

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

OCT 20 1993



EAGLE 4.1
2.6 MI. TO

52
EAGLE HWY
BM

2624

BM 2627

ROAD
FISHER
KDSH
Radio Towers

2658

MC DONALD

2693

LATERAL

Ustick

North

p/u
p/d

Flume

Trail

PERMIT 63-10870 INIT 11/15
T. R. S. Q/Q
311 IE 3 NE/SW

Cloverdale

CLOVERDALE
MEMORIAL
PARK

CANAL

Beatty

UNION

BM 2652

FRANKLIN

BM 2662

PACIFIC

RIDENBAUGH ROAD

WILSON

FRUIT

Radio Range Tower

Creek

OVERLAND

CLOVERDALE DRIVE

SOUTH

21

LEVEE
CANAL

22

CRAWFORD

23

OCT 20 1993

Eightmile

BM

2697

VICTORY Rd

FARMERS

Water Tank

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10870

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 3N, Rge 1E, Sec. 3, ne 1/4 ~~sw~~ 1/4 or Lot _____.
2. Owner: 2126 Bryson Rd. Boise Ida 83709
↓ ↑
Address 2126 Bryson Rd. Boise, Idaho, City Boise, St Ida
3. Casing ≥ 12 inches above ground: Yes No
4. Access Port: Yes No Static Water Level: 15' ¹⁰⁹⁵
Pressure Gauge: Yes No Casing Diameter: 6"
Flowing: Yes No Temperature: N/A
5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes No

If answer to Item 5 is Yes, describe in remarks and attach photo.


Remarks: _____

OCT 20 1993



VIEW OF WELL HOUSING. Well is
under this iron top. This casing!
The well is located in the S/W corner
OF THE LAWN.

PHOTO ONE-



VIEW OF THE WELL, MOTOR, PRESSURE
TANK SYSTEM UNDERNEATH WELL
HOUSING

OCT 20 1973

PHOTO TWO-



View looking East. This is the
front of the P/U. The lawn is
irrigated with pop-ups. In the
back the garden & trees are
irrigated with spigots - hoses - rainbirds.

PHOTO THREE-



View looking west. This is the
back of the P/U.

PHOTO FOUR-

RECEIVED
OCT 20 1993

January 25, 1991

DEANA R. DORAMUS
DAN A. DORAMUS
2126 BRYSON RD.
BOISE, ID 83704

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10870

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

Enclosure

MICROFILMED

FEB 07 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-10870

Date 1-22-91

GENERAL CONSIDERATIONS

y Name same as permit?
y Address same as permit? If no, prepare data entry form.
Pen Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

y Surface water source
y Ground water source
N/A Drill permit req'd?
y Copy in file? Drill permit no. _____
No Well log in file?
N/A Amt paid for drilling permit? _____ Correct?

LICENSE EXAMINATION FEE

No Required?
No Amount submitted?
Yes Correct amount?

MEASURING DEVICE

No Measuring device or access port required?
Installed?
Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable
Reinstated

PRIORITY CALCULATION *LB*

Date proof received	<u>Jan. 2</u>	<u>367</u>
Date proof due	<u>Dec 1</u>	<u>- 335</u>
No. of days late		<u>= 32</u>
Priority date	<u>July 28, 89</u>	<u>+ 209</u>
NEW PRIORITY DATE	<u>Aug. 29, 89</u>	<u>= 241</u>

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

December 5, 1990

DEANA R. DORAMUS
DAN A. DORAMUS
2126 BRYSON RD.
BOISE, ID 83704

LAPSE NOTICE

RE: PERMIT NO. 63-10870

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated September 30, 1990. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf


Enclosures

RECEIVED

FEB 17 1991

CERTIFICATION OF MAILING

I hereby certify that on 12-16-90
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.



138461

September 30, 1990

DEANA R. DORAMUS
DAN A. DORAMUS
2126 BRYSON RD.
BOISE, ID 83704

PROOF DUE NOTICE

RE: PERMIT NO. 63-10870

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

FEB 07 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
November 1, 1989

DEANA R. DORAMUS
DAN A. DORAMUS
2126 BRYSON RD.
BOISE, ID 83704

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-10870

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

NOV 21 1989

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

NOV 21 1983

Amount Due

201.72

NOV 21 1989

permits(s) will be subject to
for water rights. Protests
be filed with the Director,
of Water Resources, West-
region, 2735 Airport Way,
Idaho 83705 on or before
JANUARY 5, 1989.
KEITH HIGGINSON
Director
Aug. 17, 24, 1989

63-10870

DORAMUS, DAN A.
DORAMUS, DEANA R.
2126 BRYSON SUB.
BOISE, ID 83704

Source: GROUNDWATER

Diversion Pt: NESW Sec 3 T 03N R 01E

Use: IRRIGATION (.020 CFS)

Date Filed: 7/28/1989

In: T03N R01E S03 NESW

0.5 ACRES TOTAL