

T5N
T4N

T. 4839

42' 30"

4839

4838

4837


4836

4835

40'

MICROFILMED

001 20 1989



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 13 1992
Department of Water Resources

A. GENERAL INFORMATION


Permit No. 63-10816
Phone No. 939-0430
1. Owner: Clarence Suiter
Current Address: 4635 Skyline Dr., Eagle, Id. 83616
2. Accompanied by: owner EXAM. DATE: 6/19/91
Address: _____ Phone No. same
Relationship to Permit Holder: _____
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-03055, 63-04465, 63-04727, 63-08124
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: 63-4727, 63-8124
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




MICROFILMED
SEP 11 1992

Scale: 1" = 50'

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and place(s) of use (required). (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

63 10916

4N
1E
Sec 8
SE SE



MICROFILMED

SEP 11 1992



→ P/d
artesian
well
+ pressure
tank

PHOTO ONE-



P/u

Suiter
Law
Offices

(no longer being
used - up for
sale.)

PHOTO TWO-

MICROFILMED

SEP 11 1992



→ P/u
second
office
using
water
from
well.
front
view

PHOTO THREE-



P/u -
back
view

PHOTO FOUR-

RECEIVED
SEP 11 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10816

Priority: June 14, 1989

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

0.1 AF

This is to certify, that CLARENCE D SUITER
NANCY I SUITER

360 W STATE
EAGLE ID 83616

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 14, 1989; and has submitted Proof of Beneficial Use on October 31, 1990. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS	0.1 AF

LOCATION OF POINT(S) OF DIVERSION: NESE , Sec. 8, Township 04N, Range 01E
ADA County

PLACE OF USE: COMMERCIAL
TWN RGE SEC

04N 01E 8 NESE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. Commercial use is for 2 offices.

MICROFILMED

SEP 11 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10816

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 25TH
day of AUGUST, 1992.

Acting for *Norm C. Young*
R. Keith Higginson, Director

MICROFILMED

SEP 11 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-10816 IN)
THE NAME CLARENCE D. & NANCY I. SUITER)
_____)

ORDER OF REINSTATEMENT

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before November 1, 1990; and,

WHEREAS, Section 42-218a Idaho Code provides that the Department notify permit holders sixty days prior to the proof due date; and,


WHEREAS, the Department sent notice to the permit holders by certified mail that proof was due with instructions as to the steps to be taken to make said proof; and,

WHEREAS, the Department notified the permit holders that the permit lapsed for failure of the permit holders to submit proof of beneficial use form and proper fee; and,

WHEREAS, on October 31, 1990, the permit holders submitted the proof of beneficial use and fee for this water right; and,


WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of lapsing; and,

WHEREAS, the permit holders provided a reasonable showing as to why said permit should be reinstated by submitting the proof of beneficial use form and fee timely;



IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-10816 be REINSTATED
with no advance in priority.

Dated this 18th day of January, 1991.


L. GLEN SAXTON, Chief
Water Allocation Bureau

REINSTATED

FEB 07 1991

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-10816

Proposed Priority: June 14, 1989

Maximum Diversion Rate:

0.08 CFS

This is to certify, that **CLARENCE D. SUITER**
NANCY I. SUITER
4635 SKYLINE DR.
EAGLE, ID 83616

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

COMMERCIAL

01/01 to 12/31

0.08 CFS

LOCATION OF POINT(S) OF DIVERSION:

NESE

Sec. 8, Township 04N, Range 01E
ADA County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

04N 01E 8

NESE

SESE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **November 1, 1990**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
5. Commercial use is for 2 offices.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

29th day of September, 1989.

for J. Keith Saxton
R. Keith Higginson, Director

RECORDED

OCT 20 1989

Ident. No. 63-10816

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: CLARENCE D. SUITER 208-939-0430
Address: 4635 SKYLINE DR.
EAGLE, ID 83616
OR
Name: NANCY I. SUITER 208-939-0430
Address: 4635 SKYLINE DR.
EAGLE, ID 83616

2. Source: GROUNDWATER Trib. to:

3. Location of point of diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
04N	01E	8	NE	SE			ADA

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AFA
COMMERCIAL	01/01	12/31		0.080	

5. Total quantity appropriated is:
0.080 CFS (and/or) AFA

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
ARTESIAN WELL W/PUMP & PIPELINE TO TWO OFFICE BUILDINGS.
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is 6 inches; proposed depth of well is 100
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

RECORDED

OCT 20 1989

8. Description of proposed uses:

COMMERCIAL USE FOR DOMESTIC PURPOSES IN TWO OFFICE BUILDINGS.

9. Description of place of use:

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
04N	01E	8	NE SE		COMMER	
			SE SE		COMMER	*

10. Describe any other water rights used for the same purposes.

CLAIM NO. A63-15687 - SAME WELL, DIFFERENT OFFICE BUILDING.

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

RICK & VALERIE THOMAS

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.

APPLICANT SUPPLIES WATER TO THE TWO OFFICE BLDGS. ONE OWNED BY A BANK.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Applicant

Received by JP Date 6/14/89 Time 12:00 Preliminary check by SL

Fee \$ 30 Receipted by JP # 4003222 Date 6/14/89

Publication prepared by GG Date 6-28-89 Published in ID Statesman

Publication approved ST Date 7-28-89 ^{7/6 & 7/13/89}

* see orthophotograph 6/22/89
(data entry updated ")

SL
Microfilm

OCT 20 1989

T5N
T4N

T. 4840

42' 30"

4839

4838

4837


4836

4835

40'

MICROFILMED

001 20 1989



GAL ADVERTISING INVOICE

Amount Due

75.96

Account Name Idaho Department of Water Resources (Western)				Account Number #47628	
Address 2735 Airport Way			City/State Boise, ID		Zip 83705
Ordered By Judy Pense	P.O. Number	Rate NT	Run Dates 1989 July 6, 13		
Identification Applications for Water Rights			Estimated Inches	Real Inches	
					Legal Number #3058

Number of Affidavits
Requested
1

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s)
have been filed to appropriate the
public waters of the State of
Idaho:

63-10807

Greenfield, William R.
Greenfield, Jean M.
2965 W. Amity Rd.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: NWNW Sec 35 T
03N R 01W
Use: Stockwater (.070 CFS)
Commercial (.040 CFS)
Date Filed: 6/01/1989
In: T03N R01W S35 NWNW

63-10813

Kuna East Water Corp.
9000 E. Kuna Rd.
Kuna, ID 83634
Source: Groundwater
Diversion Pt: NESE Sec 23 T
02N R 01E
Use: Irrigation (.840 CFS)
Date Filed: 6/13/1989
In: T02N R01E S23 SWNE
NWSE SWSE SESE
42.0 Acres Total

63-10815

Sulter, Nancy I.
Sulter, Clarence D.
4635 Skyline Dr.
Eagle, ID 83616
Source: Groundwater
Diversion Pt: SESW Sec 30 T
05N R 01E
Use: Irrigation (.080 CFS)
Date Filed: 6/14/1989
In: T05N R01E S30 SESW
4.0 Acres Total

63-10816

Sulter, Clarence D.
Sulter, Nancy I.
4635 Skyline Dr.
Eagle, ID 83616
Source: Groundwater
Diversion Pt: NESE Sec 8 T
04N R 01E
Use: Commercial (.080 CFS)
Date Filed: 6/14/1989
In: T04N R01E S08 NESE
SESE

The permit(s) will be subject to
all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, West-
ern Region, 2735 Airport Way,
Boise, Idaho 83705 on or before
July 24, 1989.

R. KEITH HIGGINSON
Director

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Debbie Richards

, being duly
sworn, deposes and says: That she is the Principal Clerk of The Idaho
Statesman, a daily newspaper printed and published at Boise, Ada
County, State of Idaho, and having a general circulation therein and
which said newspaper has been continuously and uninterruptedly
published in said County during a period of twelve consecutive months
prior to the first publication of the notice, a copy of which is attached
hereto; that said notice was published in The Idaho Statesman in
conformity with Section 60-108, Idaho Code as amended, for 2
☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of July 6, 19 89

and ending with the issue of July 13, 19 89

Debbie Richards

Subscribed and sworn to before me this 13th

day of July, 19 89

MICROFILMED

OCT 20 1989

[Signature]
Notary Public for Idaho, Residing at Boise, Idaho

August 26, 1992

CLARENCE D SUITER
NANCY I SUITER
360 W STATE
EAGLE ID 83616

RE: WATER RIGHT NO. 63-10816

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
SEP 11 1992

July 28, 1992

CLARENCE D SUITER
NANCY I SUITER
360 W STATE
EAGLE ID 83616

RE: WATER RIGHT NO. 63-10816

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECORDED
SEP 11 1992

LICENSE REVIEW CHECKLIST

Permit # 63-10816

Date 7-24-92

28

	Yes	No	
NAME	☒	☐	Address Change? New address per proof
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? _____
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended? _____
	☒	☐	Disagree with Actual Measurement? _____
	☒	☐	<u>.04 cfs (COMM) per proof B/U</u>
	☒	☐	Disagree with Theoretical? _____
	☐	☒	Limited by Capacity? <u>.04</u>
TOTAL VOLUME			Rate/ac _____ AFA Irr. Season _____
			Standard Irr. Season _____
			Season Recommended _____
	☒	☐	Disagree with Examiner's Calculations? _____
	☒	☐	<u>5 x 15 x 251 / 325,850 = .057 / Allow .1 cfs (COMM)</u>
	☒	☐	Limited by Flow? _____
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source _____
	☐	☒	Notice of Intent to Void. _____
P/D			Verify with Map _____
	☒	☐	Amendment Needed? <u>Per Map NESE</u>
	☒	☐	Is Overlap Analysis a Consideration? _____
P/U			Verify with Map _____
	☒	☐	Amendment Needed? <u>Per map NESE / Drop SESE</u>
	☒	☐	Is Overlap Analysis a Consideration? _____
USES	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☒	☐	Non-Irr. Uses <u>COMM / 2 offices</u>
	☐	☒	Special Overlap Condition _____
	☐	☒	Other _____
CONDITIONS	☐	☒	Measuring Device _____ DATES/MISC _____
	☐	☒	W/Master Control _____ ☒ Water Dist.
	☐	☒	Overlap _____ ☒ App Rec'd
	☐	☒	Water Quality _____ ☒ Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduced Rate</u>		
License _____ 10-Day ☒ 15-Day _____ Special Correspondence _____			

WR0749NP
No. 163-10816

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 07/24/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CLARENCE D SUITER	06/14/1989	COMMERCIAL	01-01 12-31	0.04 CFS	0.1 AFA
C	NANCY I SUITER					
	360 W STATE					
	EAGLE ID 83616					
	(208) 939-0430					
				TOTAL DIVERSION:	0.04 CFS	0.1 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.04 CFS

Point(s) of Diversion: T04N R01E S08 NE SE

Place of use Legal Description for: COMMERCIAL

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
04N	01E	8	:																	:
			:																	:

Pou County: ADA

Other Water Rights Listing Overlapping Place(s) of use:
63-02406 63-07908 63-10983

Conditions of Approval:

- 004 - The issuance of this right in no way grants any right-of-way
- or easement across the land of another.

Remarks: Commercial use is for 2 offices.

Dates:	App. Received:	06/14/1989	Priority Date:	06/14/1989
	Proof Due Date:	11/01/1990	Proof Made Date:	10/31/1990
	Exam Made Date:	06/19/1991	Exam Sent to S.O.:	02/11/1992
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 07/24/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 18 1992

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10816
1. Owner: Clarence Suiter Phone No. 939-0430
Current Address: 4635 Skyline Dr., Eagle, Id. 83616
2. Accompanied by: owner EXAM. DATE: 6/19/91
Address: _____ Phone No. same
Relationship to Permit Holder: _____
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: 63-03055, 63-04465, 63-04727, 63-08124

☐ Copies Attached
2. Other water rights with same point of diversion: 63-4727, 63-8124

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 50'

MICROFILMED

SEP 11 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached
☒ Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

System consists of an artesian well of depth 100'. Water flows to surface then is piped approx. 8" to a 6 gal. pressure tank. It is then pumped to 2 offices approx. 100' away via 2 separate 1" buried pipelines.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3	N/A	Red Jacket	N/A 1 1/2"

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SE	8	4N	1E	Ada	7.5' U.S.G.S. topo

6. **Place(s) of Use:**

Indicate Method of Determination same as P/D

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	1E	8																	

MICROFILMED

SEP 11 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

no measurement necessary.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

*.08 cfs per permit
.04 cfs per proof*

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses: *commercial*

domestic use 2 houses:

$$\frac{(10)(3)(251)}{325850} + \frac{(10)(2)(251)}{325850} = .04 \text{ afa} = V_{\text{reg.}}$$

vs. $(.08)(251)(1.9835) = 39.9 \text{ afa} = V_{\text{div.}}$
.04 cfs days

Since minimum recommended vol. (.12 afa) exceeds $V_{\text{reg.}}$ recommended vol. = .12 afa.

NOT RECORDED

SEP 11 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

use is for 2 offices - domestic use only.

overlaps are from people using drainage canal right by the 2 offices. Overlaps do not affect this system.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
commercial	1/1	12/31	~~.08~~ .04	.1
			.04	
Totals:			~~.08~~ cfs	.1 afa

2. Recommended Amendments

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

SARA West

JFW 1/31/92


Signature

S-Y West

Certification Date

Field Report Preparation Date

6/19/92




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

SEP 11 1992

41
1E
SCL S
SE SE



MICROFILMED

SEP 11 1992

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10816

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP____, Rge____, Sec.____, ____ 1/4 ____ 1/4
or Lot_____.

2. Owner: _____
Address _____, City_____, St_____

3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____

4. Access Port: Yes ☒ No _____ Static Water Level: surface
Pressure Gauge: Yes ☒ No _____ Casing Diameter: 6"
Flowing: Yes _____ No ☒ Temperature: Cold
Properly Valved: Yes _____ No _____


5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks:

PROFILMED

SEP 11 1992



→ P/d
artesian
well
+ pressure
tank

PHOTO ONE-



P/u
Switzer
Law
Offices
(no longer being
used - up for
sale.)

PHOTO TWO-

MICROFILMED

SEP 11 1992



→ P/u
second
office
using
water
from
well.

front
view

PHOTO THREE-



P/u -

back
view

PHOTO FOUR-

SEP 1 1992

January 22, 1991

CLARENCE D. SUITER
NANCY I. SUITER
360 W STATE
EAGLE ID 83616

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10816

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

Enclosure

MICROFILMED

FEB 07 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10816 Telephone No. 939-0430

Name(s) of Permit Holder(s): CLARENCE D. / NANCY I. SUITER

Post Office Address: 360 W. STATE
4635 SKYLINE DR., EAGLE, ID 83616

Source of Water: GROUND

If ground water, well driller's name: UNKNOWN Date drilled: 1900 (office added in 1981)

Extent of Use:
Domestic _____ (No. of households) Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock) Other DOMESTIC USE IN OFFICE BLDGS.

Total rate and/or volume for which proof is submitted .04 cfs N/A acre/feet

Show date water was first diverted and beneficially used under this permit: OFFICE ADDED IN 1981

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

Fee Enclosed: \$NO FEE REQUIRED (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

NANCY SUITER 939-0430
Name Telephone No.

4635 SKYLINE DR., EAGLE, ID 83616
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I hereby relinquish any undeveloped portion of the permit to the state of Idaho.

RECORDED
FEB 07 1991

10/29/90 Nancy Suiter
Date Signature (and title if on behalf of a company or organization)

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-10816

Date 12-21-90

GENERAL CONSIDERATIONS

Y Name same as permit?
N Address same as permit? If no, prepare data entry form.
Y Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

✓ Surface water source
✓ Ground water source
N Drill permit req'd? Drilled 1900
 Copy in file? Drill permit no.
 Well log in file?
 Amt paid for drilling permit? Correct?

LICENSE EXAMINATION FEE

N Required? not for 0.04 cfs on proof
 Amount submitted?
 Correct amount?

MEASURING DEVICE

N Measuring device or access port required?
 Installed?
 Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Reinstate - lapsed in error
address change

PRIORITY CALCULATION

LB
Date proof received
Date proof due -
No. of days late =
Priority date +
NEW PRIORITY DATE =

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

November 5, 1990

CLARENCE D. SUITER
NANCY I. SUITER
4635 SKYLINE DR.
EAGLE, ID 83616

LAPSE NOTICE

RE: PERMIT NO. 63-10816

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated August 31, 1990. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf

Enclosures

MICROFILMED

FEB 07 1991

CERTIFICATION OF MAILING

I hereby certify that on 11-8-90
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

[Signature]

138411
August 31, 1990

CLARENCE D. SUITER
NANCY I. SUITER
4635 SKYLINE DR.
EAGLE, ID 83616

PROOF DUE NOTICE

RE: PERMIT NO. 63-10816

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MAILED

FEB 07 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
September 29, 1989

CLARENCE D. SUITER
NANCY I. SUITER
4635 SKYLINE DR.
EAGLE, ID 83616

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-10816

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

RECORDED

OCT 40 1989

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

Mineral

OCT 20 1989

p/a 4N 1E S. 8 NESC
p/a { " " " " SESE

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SL DATE: 6/22/89 APPLICATION: 63-10816

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume) Gov't. Lots:
☒ Period of use: N P/D
☒ Nature of proposed use: (Include description of use) N P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES	NO	
☒	☐	Overlapping place of use: (Describe source & relationship to present application on the back.)
☒	☐	Overlapping point of diversion:
☒	☐	Field check required: Field check by: _____
☒	☐	Field report attached:
☒	☐	Critical groundwater area:
☒	☐	Groundwater management area:
☒	☐	Diversion within interim protected river area
☒	☐	Send dam safety information:
☒	☐	Send power requirement letter:
☒	☐	Send fish farm requirement letter: _____
☒	☐	Power residency affidavit:
☒	☐	Power efficiency form:
☒	☐	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒	☐	Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☒	☐	*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

☒ DATE REQUESTED: _____
☒ Additional information on reverse side:

RECEIVED
AUG 15 1989

Department of Water Resources

63-10816

SUITER, CLARENCE D.
SUITER, NANCY I.
4635 SKYLINE DR.
EAGLE, ID 83616

Source: GROUNDWATER

Diversion Pt:

NESE Sec 8 T 04N R 01E

Use: COMMERCIAL

(.080 CFS)

Date Filed: 6/14/1989

In: T04N R01E S08

NESE

SESE

INDEXED

OCT 20 1989