

7.5-MINUTE SERIES (ORTHOPHOTOQUAD)



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Clarence D. &/or Nancy I. Switer Permit No. 63-10815
Current Address: 4635 Skyline Dr. Eagle ID 83616 Phone No. 939-0430
2. Accompanied by: Nancy Switer EXAM. DATE: 9-27-91
Address: _____ Phone No. _____
Relationship to Permit Holder: owner
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: numerous domestic & small acreages
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: same
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NONE

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

N 6040 W 3200

W 1600

8234

30

STILLWELL ESTATES

SKYLINE ACRES

NO. 1

NO. 2

NO. 7


NO. 6

NO. 4

3.7 AC.
(per Ada
Co. Assess)

N 4440


W. HOMER RD.



NO. 5

RIMROCK EST.

HEATHER HAVEN ESTATES




31

JUN 25 1992

EAGLE PINES SUB.

W

3



RIW RIE

State of Idaho
DEPARTMENT

PERMIT 63-10815 INIT

T. R. S. Q/Q

P/D 5N 1E 30 SESW

SCALE

PHOTO ID.

QUADRANGLE

IDAHO


UNITED
DEPARTMENT

GEOLOGIC

7.5-MINUTE SERIES (ORTHOPHOTOQUAD)

550 116° 22' 30"

551000M



SUITER 6310815
PG 1

1. POINT OF
DIVERSION

PRESSURE SYSTEM
HERE

2. PRESSURE TANK
(DRIP SYSTEM)

3. DRIP SYSTEM
VALVES &
PRESSURE
REGULATOR

MICROFILMED
JUN 25 1992

SUITE 63-10815
PG 2



4. POUL EAST
(FRONT)



5. POUL WEST
(REAR)

MICROFILMED
JUN 25 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10815

Priority: June 14, 1989

Maximum Diversion Rate: 0.06 CFS
Maximum Diversion Volume: 13.5 AF

This is to certify, that CLARENCE D SUITER
NANCY I SUITER

4635 SKYLINE DR
EAGLE ID 83616

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 14, 1989; and has submitted Proof of Beneficial Use on October 31, 1990. An examination indicates that the works have a diversion capacity of .060 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.06 CFS	13.5 AF

LOCATION OF POINT(S) OF DIVERSION: SWSE , Sec. 30, Township 05N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	01E	30	SWSE	3		3

Total number of acres irrigated: 3

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Place of use is also known as Lot 3, Skyline Acres Subdivision No. 1.

MICROFILMED


JUN 25 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10815

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 19TH
day of JUNE, 1992

Acting for


R. Keith Higginson, Director

RECEIVED
JUN 25 1992

State of Idaho
Department of Water Resources

RECEIVED
MAY 26 1992

APPLICATION FOR AMENDMENT
(For Licensing Purposes)

Department of Water Resources
Laramie Regional Office

WATER RIGHT NO. 63-10815

Department of Water Resources

Date of Priority: June 14, 1989

Maximum Diversion Rate:

0.06 CFS

Maximum Diversion Volume:

13.5 AF

Comes now

CLARENCE D SUITER
NANCY I SUITER

4635 SKYLINE DR
EAGLE ID 83616

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 63-10815, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.06 CFS	13.5 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 30, Township 05N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N 01E 30	SWSE 3			3

Total number of acres irrigated: 3

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Eagle, Idaho, this 21st day of July, 1992.

NOT RECORDED

JUN 25 1992

(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10815

RECEIVED
MAY 26 1992

Department of Water Resources

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$20.00 Received by JED Date 5-22-92

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-10815 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Place of use is also known as Lot 3, Skyline Acres Subdivision No. 1.

Witness my hand this 19 day of JUNE, 1992.

Norman C Young
R. Keith Higginson, Director

RECEIVED
JUN 25 1992

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-10815

Proposed Priority: June 14, 1989

Maximum Diversion Rate:

0.08 CFS

This is to certify, that **CLARENCE D. SUITER**
NANCY I. SUITER
4635 SKYLINE DR.
EAGLE, ID 83616

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

03/15 to 11/15

0.08 CFS

LOCATION OF POINT(S) OF DIVERSION:

SESW Sec. 30, Township 05N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

05N 01E 30

SESW 4

4

Total number of acres irrigated:

4

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **November 1, 1990**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

29th day of September, 1989.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

OCT 20 1989

Ident. No. 63-10815

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: CLARENCE D. SUITER 208-939-0430
Address: 4635 SKYLINE DR.
EAGLE, ID 83616

OR
Name: NANCY I. SUITER 208-939-0430
Address: 4635 SKYLINE DR.
EAGLE, ID 83616

2. Source: GROUNDWATER Trib. to:

3. Location of point of diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
05N	01E	30	SE	SW			ADA

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AFA
IRRIGATION	03/15	11/15		0.080	

5. Total quantity appropriated is:
0.080 CFS (and/or) AFA

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
6" WELL - 301' DEEP W/PUMP & PIPELINE TO PLACE OF USE.
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is 6 inches; proposed depth of well is 301
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

MICROFILMED

OCT 20 1989

8. Description of proposed uses:
IRRIGATION OF 4 ACRES.

9. Description of place of use:

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
05N	01E	30	SE SW		IRR	4.0
Total Section Acres						4.0
Total Acres						4.0

10. Describe any other water rights used for the same purposes.
CLAIM NO. A63-15686 - SAME WELL - DOMESTIC USE.

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.



Applicant

MICROFILMED

OCT 20 1989

STAR QUADRANGLE
IDAHO
7.5-MINUTE SERIES (ORTHOPHOTOQUAD)

546 25' 548 1330 000 FEET 550 116° 22' 30" 43° 45'



Ident. No. 63-10815
Page 3

Received by [Signature] Date 6/14/89 Time 12:00 Preliminary check by [Signature]
Fee \$ 30 Receipted by [Signature] # W003222 Date 6/14/89
Publication prepared by GG Date 6-28-89 Published in ID Statesman
Publication approved [Signature] Date 7-28-89 ^{7/6 & 7/13/89}

MICROFILMED

OCT 20 1989

LEGAL ADVERTISING IN ICE

Amount Due

75.94

Account Name Idaho Department of Water Resources (Western)				Account Number #47628	
Address 2735 Airport Way		City/State Boise, ID		Zip 83705	
Ordered By Judy Pense	P.O. Number	Rate NT	Run Dates 1989 July 6, 13		
Identification Applications for Water Rights			Estimated Inches	Real Inches	
					Legal Number #3058

☐ Number of Affidavits Requested

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10807
Greenfield, William R.
Greenfield, Jean M.
2965 W. Amity Rd.
Meridian, ID 83642
Source: Groundwater
Diversión Pt: NWNW Sec 35 T
03N R 01W

Use: Stockwater (.070 CFS)
Commercial (.040 CFS)

Date Filed: 6/01/1989
In: T03N R01W S35 NWNW

63-10813
Kuna East Water Corp.
9000 E. Kuna Rd.
Kuna, ID 83634
Source: Groundwater
Diversión Pt: NESE Sec 23 T
02N R 01E

Use: Irrigation (.840 CFS)
Date Filed: 6/13/1989
In: T02N R01E S23 SWNE
NWSE SWSE SESE
42.0 Acres Total

63-10815
Sulfer, Nancy L.
Sulfer, Clarence D.
4635 Skyline Dr.
Eagle, ID 83616

Source: Groundwater
Diversión Pt: SESW Sec 30 T
05N R 01E
Use: Irrigation (.080 CFS)
Date Filed: 6/14/1989
In: T05N R01E S30 SESW
4.0 Acres Total

63-10816
Sulfer, Clarence D.
Sulfer, Nancy L.
4635 Skyline Dr.
Eagle, ID 83616
Source: Groundwater
Diversión Pt: NESE Sec 8 T
04N R 01E
Use: Commercial (.080 CFS)
Date Filed: 6/14/1989
In: T04N R01E S08 NESE
SESE

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before July 24, 1989.

R. KEITH HIGGINSON
Director

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Debbie Richards, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for 2 consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of July 6, 19 89

and ending with the issue of July 13, 19 89

Debbie Richards

Subscribed and sworn to before me this 13th

day of July, 19 89

MICROFILMED

OCT 20 1989

John R. Rue 12/1/83

Notary Public for Idaho, Residing at Boise, Idaho

June 22, 1992

CLARENCE D SUITER
NANCY I SUITER
4635 SKYLINE DR
EAGLE ID 83616

RE: WATER RIGHT NO. 63-10815

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

JUN 25 1992

May 12, 1992

CLARENCE D SUITER
NANCY I SUITER
4635 SKYLINE DR
EAGLE ID 83616

RE: WATER RIGHT NO. 63-10815

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:cz

Enclosure

RECEIVED

JUN 25 1992

LICENSE REVIEW CHECKLIST

Permit # 63-10815

Date 05-07-92 *GS*

	Yes	No	
NAME		☒	Address Change?
PRIORITY DATE		☒	Advance?
		☒	Memo to Advance
		☒	Order to Reinstate Needed?
TOTAL CFS		☒	Incorrect Fee for rate recommended?
		☒	Disagree with Actual Measurement?
			<u>3x.02 = .06 cfs (IRR)</u>
		☒	Disagree with Theoretical?
		☒	Limited by Capacity? <u>.06 cfs</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
		☒	Disagree with Examiner's Calculations?
			<u>3x4.5 = 13.5 AFA (IRR)</u>
		☒	Limited by Flow? <u>.06 x 245 x 1.9835 = 29.27 / 3.5</u>
SOURCE		☒	Changes? Clarification of <u>Originally</u>
		☒	<u>Intended</u> source
			Notice of Intent to Void.
P/D			Verify with Map
	☒		Amendment Needed? <u>Change SESW to SWSSE</u>
		☒	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	☒		Amendment Needed? <u>Change SESW to SWSSE</u>
		☒	Is Overlap Analysis a Consideration?
USES		☒	Change(s) in Nature of Use?
		☒	Amendment Needed?
REMARKS		☒	Multiple P/Ds in 1/4 1/4?
		☒	Non-Irr. Uses
		☒	Special Overlap Condition
	☒		Other <u>P/U</u>
CONDITIONS		☒	Measuring Device
		☒	W/Master Control
	<u>R32</u>		Overlap
		☒	Water Quality
			DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made
COMMENTS/MEMOS NEEDED:			<u>Reduced Acres. Rate</u>

License 10-Day 15-Day ✓ Special Correspondence

DATE: 05/07/92
PAGE: 1

DIVERSION RATE DIVERSION VOLUME

13.5 AFA

13.5 AFA

Stage: LICENSE

0.06 CFS

T05N R01E S3I

IRRIGATION

三

ANAS ANAS ANAN ANAN

Lt AC Lt AC Lt AC Lt AC

0
0
9
9
F

4
6
6
8
8

9
9
9
1
4

6
6
9
8
8

Pol County: ADA

of Diversion and Source: 63-10159
63-10110

Place(s) of use: 63-10159 63-10861

Conditions of Approval:

R32 - This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

Remarks: Place of use is also known as Lot 3, Skyline Acres Subdivision No. 1.

Dates:		Priority Date:	
App. Received:	06/14/1989	Proof Made Date:	06/14/1989
Proof Due Date:	11/01/1990	Exam Made Date:	10/31/1990
Exam Made Date:	09/27/1991	Exam Sent to S.O.:	02/07/1992
Licensed Date:			

Misc: _____
 Water District Number: _____
 Field Exam Fee: R (Received) _____

Audit: 05/07/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

1. Owner: Clarence D. & Nancy I. Switer Permit No. 63-10815
Current Address: 4635 Skyline Dr. Eagle ID 83616 Phone No. 939-0430
2. Accompanied by: Nancy Switer EXAM. DATE: 9-27-91
Address: _____ Phone No. _____
Relationship to Permit Holder: OWNER
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: NUMEROUS DOMESTIC & SMALL ACREAGES

☐ Copies Attached
2. Other water rights with same point of diversion: Same

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NONE

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

FILED
JUN 25 1992

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 300 ft, 6" well and 3HP pump 50 ft. to one

domestic use with 5 small yard (A63-15080), and 3 acres

states under the previous arrangement. The dip

Integration system has a separate process. (picture)

~~and valve system, and control for the hydraulic~~

प्रमाणित किया जाता है कि उपरोक्त उद्घोषित की गई जानकारी सत्य और विश्वसनीय है।

pressure tank. Entails repair to 2 1/2 hrs/day now

* Navy through OTCBOL. 07 Jul/Mr. Enfield's Operatic. 1968

☒ See Remarks on page 4 for continuation

Well or Division Identification No.*	1				
Motor Make					
Hp	3				
Motor Serial No.					
Pump Make	JACUZZI				
Pump Serial No. or Discharge Size	6D7050537				

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

~~ABOVE~~ Indicate Method of Determination

[illegible]

Do not use this space

JUN 25 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Low-pressure drip system - No measurement possible
 720 emitters per set, each emitter 1 gal/hr = (720 gal/hr = 12 gpm = .03 cfs)
 Rate < .2 cfs - No measurement req'd.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: (Theoretical)

720 gph / 60 = 12 gpm = .03 cfs (calculated delivery rate)

2. Alternate Method for Checking Purposes: HP equation: $\frac{3 \times 8.8 \times .7}{225 + (2.31 \times 40)} = .06 \text{ cfs}$ - System capacity
 (well log) (est)

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3 \times 4.5 = 13.5$ - (max rate $3 \times .02 = .06$)

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9834 = 246 \times 1.9834 = 29.3$ -

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 13.5$ -

2. Volume Calculations for Other Uses:

JUN 25 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Overlapping rights do not affect this permit.

< 1/2 A. yard irrigation assumed to be covered by
claim A63-15686 under same owners

MUST USE

Legal Descriptions incorrect - ~~entire~~ ~~the~~ ~~entire~~ the
entire section to determine QQ, as there are govt lots on
West side.

*(cont) 2-hr set, 6 sets per day ^{at 15 psi.} (omit information
from grower Bruce Healy, phone 939-8318)

Recommend NOT limiting to ~~theoretical~~ delivery rate since a drip

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	11-15	.06	13.5
Totals:			.06	13.5


2. Recommended Amendments

- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above

- ☐ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name C. J. HODGES
Signature Cynthia J. Hodges
Certification Date _____
Field Report Preparation Date 10-18-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED
JUN 25 1992