


e of use, section




OCT 20 1989

Robert E. King
(Applicant)

(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible		5			2"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Pressure gauge: 72, 80, 78, 70 psi = 75 psi average

MICROFILMED

DEC 11 1995



McMillan Chapel

35

2668

2624

Cloverdale

Flume

Trailer Park

SETTLERS

BM 2627

UNION

FRANKLIN

BM 2652

WILSON

FRUIT

KDSH
Radio Towers

16

13

14

P/O: T3N R1E S3 SESW
USGS Topo. map 7.5
X-58, X-8 S.H. 63-10912

DEC 11 1955

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? [] Yes [x] No

If yes, is there a check-valve present? [] Yes [] No

Is there a possible source of contamination nearby? [] Yes [x] No

If yes, what Type? _____


How far away from the well is this source? _____

9. REMARKS: _____

Paul Hernandez WPC Agent
Signature of Dept. Representative & Title


5/22/95
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



MICROCHEM

DEC 11 1995



63-10812
5/22/95 S.H.

P/D:
8" casing
Driller: Bill Doty '89
63-89-Q-0054

shut off

P/u: field
2" aluminum
hand line, 15 sections
20' long sections
1 1/8" rainbird nozzle
per section
15 nozzles run @ 1 time
75psi average



P/u:
yard

MICROFILMED
DEC 11 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10812

Priority: May 8, 1989

Maximum Diversion Rate:

0.06 CFS

This is to certify, that ROBERT E KING
PATSY R KING

2610 NE 19TH

PAYETTE ID 83661

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 8, 1989; and has submitted Proof of Beneficial Use on September 7, 1994. An examination indicates that the works have a diversion capacity of 0.140 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

IRRIGATION	03/15 to 11/15	0.06 CFS	
------------	----------------	----------	--

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 3, Township 03N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	01E	3	SESW	4.5		4.5

Total number of acres irrigated: 4.5

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right.
5. This right to divert groundwater shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use without the approval of the Department.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor exceed a combined annual diversion volume of 20.3 af for the lands above.

RECEIVED

DEC 11 1995

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 63-10812

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 17TH
day of NOVEMBER, 1995.

Acting for

KARL J. DREHER, Director



NOV 11 1995

RECEIVED

SEP 7 1994

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-10812 Telephone No. 642-3811
2. Name(s) of Permit Holder(s): Robert + Datsy King
3. Mailing Address: 2610 NE 19th Payette Id. 83661
4. Source of Water: Groundwater If GROUNDWATER (well), Date Drilled: mo. _____ / yr. 89
 - a. Well Driller: Bill Doty Drilling Permit Number: 63-89-2-0054
 - b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): _____ Stockwater (No. and type of stock): _____
Irrigation (No. of acres): 5 Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: .06 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____ or No <u>X</u>
	Has the measuring device been installed?	Yes _____ or No _____
Flow Measurement Port:	Is a flow measurement port required?	Yes _____ or No <u>X</u>
	Has the measurement port been installed?	Yes _____ or No _____
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Lisa Tate/King Telephone Number: 376-7914
Address: Payette Id.
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:

Pat R. King
(include your title, if on behalf of company or organization)

OCT 26 1994

Date: 9/7/94

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-10812

Proposed Priority: May 8, 1989

Maximum Diversion Rate:

0.06 CFS

This is to certify, that **ROBERT E. KING**
PATSY R. KING
2610 N.E. 19TH
PAYETTE, ID 83661

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

04/01 to 10/01

0.06 CFS

LOCATION OF POINT(S) OF DIVERSION:

SESW Sec. 3, Township 03N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

03N 01E 3

SESW 5

5

Total number of acres irrigated:

5

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **October 1, 1994**.
2. Subject to all prior water rights.
3. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
6. The maximum rate of diversion for irrigation purposes under this permit shall not exceed 0.056 cfs or 25 gpm.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this


10th day of October, 1989.

RECORDED

OCT 20 1989

for

R. Keith Higginson, Director



Form 202

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMITIdent. No. 63-10812

To appropriate the public waters of the State of Idaho

Department of Water Resources

1. Name of applicant ROBERT E. / PATSY R KING Phone 642-3811Post office address 2610 NE 19TH, PAYETTE, ID 836612. Source of water supply GROUND WATER which is a tributary of _____3. Location of point of diversion is SE $\frac{1}{4}$ of S~~E~~ $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____Sec. 3 Township 3N Range 1E B.M. ADA County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

Allow 0.056 cfs per written agreement between applicants and protestants

Amount 0.10 for IRRIGATION purposes from APR 1 to OCT 1 (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum) 0.056 cfs5. Total quantity to be appropriated is (a) 0.10 cfs and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pipeline & sprinkler-
movable line.b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.c. Proposed well diameter is 8 inches; proposed depth of well is 150d. Is ground water with a temperature of greater than 90°F being sought? NO7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	1E	3											5						5

Total number of acres to be irrigated 5

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Applicant


b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Drilling Permit No. 63-89-Z-054 issued
5/5/89 - Amended to include irrig. on 5/8/89 -
\$100. total fee paid.

OCT 20 1989

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

OCT 20 1989

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert E. King
(Applicant)

nl 5-10-89 8:00
Received by T. He Date 5/8/89 Time 11:50 Am Preliminary check by kw
Fee \$ 30.00 Receipted by K. Young # 0006649 Date 5/8/89
Publication prepared by GG Date 6-14-89 Published in ID Statesman
Publication approved st Date 7-17-89 6/22 & 6/29/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

OCT 20 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 20, 1995

ROBERT E KING
PATSY R KING
2610 NE 19TH
PAYETTE ID 83661

RE: WATER RIGHT NO. 63-10812

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please contact me.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECORDED

DEC 11 1995

LICENSE REVIEW CHECKLIST



PERMIT NO. 63-10812 DATE 11-15-95

NAME	<u>Change OK</u>	☒	Or Address Change?	
PRIORITY DATE		☒	Advance? <u> </u> Advanced to: <u> </u>	
			Order to reinstate needed? <u> </u>	
			Incorrect fee for rate recommended? <u>NO</u>	
SOURCE		☒	Changes or just clarification of originally intended source? <u> </u>	
			Notice of Intent to Void necessary? <u> </u>	
POINT OF DIV		☒	Amendment needed? <u> </u>	
		☒	Overlaps? <u>NA</u>	
PLACE OF USE		☒	Amendment needed? <u> </u>	
		☒	Overlaps? <u>NA</u>	
DIV RATE		☒	Permit/fee limits: <u>.06 CFS</u>	
<u>SPRINKLER NOZZEL</u>			Meas Q = <u>.14</u> Theo Q = <u>.15</u> Recommend: <u>.06</u>	
			<u>4.5 x .02 = .09 limited by permit</u>	
			Combined rates exceed capacity <u> </u>	
ANNUAL VOLUME		☒	Volume Limit: <u>NEW Season</u> <u>D/4.5 (3-15 to 11-15)</u>	
			Calculations: <u>4.5 x 4.5 = 20.398</u>	
			Flow limit: <u> </u> cfs x <u> </u> x 1.9835 = <u> </u>	
			Combined volumes exceed capacity/allowable <u> </u>	
USES		☐	Change in Nature of Use or additional uses? <u> </u>	
			Amendment necessary? <u> </u>	
ADDITIONAL INFO	Supplemental Groundwater <u>YES</u> PPU Scenario <u> </u>			
			Irr/Dom Combination <u> </u> Shared G/W System <u> </u>	
NEW REMARKS	☐	Multiple p/d(s) in 1/4 1/4? <u> </u>		
	☒	Other <u>WB3 WB8 WB7</u>		
NEW CONDITIONS	☐	Watermaster control - District <u> </u>		
	☐	Measuring/Locking Devices <u> </u>		
	☒	Irrigation Overlap <u>B32</u>		
	☐	Other <u> </u>		
	☐	Water Quality <u> </u> Heat/Cool/Fish verified <u> </u>		

COMMENTS: Per July 28, 1989 letter they do have access to surface water - though not always available. Permit holders do address this right as supplemental water.

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	<u>NO</u>
<u>Irrigation</u>	<u>.06</u>	<u>20.3</u>	Adjustment Memo Needed	<u>NO</u>
			LICENSE	☒
			1ST AMEND LETTER	
			2ND AMEND LETTER	

RECEIVED

OCT 13 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10812

1. Owner: Robert E. 4th on Patsy R. King Phone No. (208) 642-3811

Current Address: 2610 NE 19th Parlette, Id 83661

2. Accompanied by: Lisa King / daughter EXAM DATE: 5/22/95

Address: 11716 Fairview Ave Boise, Id 83704 Phone No. (208) 376-7914

Relationship to Permit Holder: daughter/occupant

3. Source: groundwater tributary to —

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-04723, 63-07875, 63-11384

2. Other water rights with the same point of diversion: 63-04723, 63-07875

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

[illegible]

2. Place(s) of Use:

Indicate Method of Determination USGS Topo. &
exam

[illegible]

[illegible]

☒ Photo of Diversion and System Attached

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible		5			2"

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Pressure gauge: 72, 80, 78, 70 psi = 75 psi average

DEC 11 1995

E. NARRATIVE/REMARKS/COMMENTS

- Physical address 11716 Fairview, Boise, Id 83704.
- No govt. lots were found.
- Overlaps for P/D were other sources.
- Overlaps for P/U were other land +/or other uses.
- Driller: Bill Doty Lic. #042, Drilling Permit No. 63-89-C-0054, drilled 1989.
- Use is irrigation of 4.5 acres yard + field/pasture.
- Other water is Suttlers Irrigation; this groundwater source is a supplemental source.
- The system consists of a groundwater source with a 8" casing well, 5 HP submersible pump, 2" discharge to 2" ^{aluminum} handlines, 15 ^{20'} sections, 1 (1/8") ^{rainbird} nozzle per section run on the system at 1 time at an average of 75 psi, to irrigate 4.5 acres of yard + pasture (nozzle discharge calculation of .14 cfs).

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED
DEC 11 1989

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

Theoretical Pump Efficiency Calculation (see attachment) = .15 cfs

4.5 acres x .02 cfs = .09 cfs

U of I nozzle discharge (see attachment) = .14 cfs

Allow .056 cfs = .06 cfs as on permit

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 4.5 \times 4.5 = 20.25 = 20.3$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .06 \text{ cfs} \times 184 \times 1.9835 = 21.9$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 20.3$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
* Irrigation	4/1	10/1	.06	20.3
Totals:			.06	20.3

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Sandy Hernandez Date 9/18/95

Reviewer _____ Date _____

* Irrigation dates changed to standard. BC

SEAL
MICROFILMED

DEC 11 1995

- ① Permit: Irrigation 4/1 - 10/1 .06 cfs
5 acres
- ② B/U proof: \$50⁰⁰ pd 9/7/94 0 - .20 cfs
irrigation 5 acres
- ③ Max. Allowable:

Remarks: .056 cfs or 25 gpm

$$4.52 \text{ acres} \times .02 \text{ cfs} = .09 \text{ cfs}$$

④ Measurements:

Property: (total of 5 acres owned) nonirrigated fenced areas

$$\begin{array}{r} 217800 - 6781.25 - 6781.25 - 937.5 \\ - 3600 - 2964 \\ \hline 43560 \end{array}$$

= 4.52 acres irrigated

Theoretical Pump Efficiency Calculation (see attachment) = .15 cfs
= .20 cfs

U of I nozzle discharge calculations

15 (1/8" rainbird) nozzles run on system at 1 time, 75 average psi

$$Q = 30 \times D(\text{in})^2 \times P(\text{psi})^{.5} = 30 \times \left(\frac{1}{8}\right)^2 \times (75)^{.5}$$

$$30 \times .015625 \times 8.660254038 = 4.059 = 4.1 \text{ gpm}$$

$$\frac{15 \times 4.059 \text{ gpm}}{448.8} = .135 = .14 \text{ cfs}$$

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 63-10812

DATE: 18-SEP-95

COMPLETE BY: SANDY HEMENWAY

HORSEPOWER = 5


PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 30 FEET *20' static + 10'*

SYSTEM PRESSURE = 75 PSI *average pressure taken from 4 nozzles,*

QUANTITY = 0.15 CFS = *.20 cfs* *since no pressure gauge was on the system*

RECEIVED
DEC 11 1995



Cloverdale

Flume Trailer Park

X-58
X-8

UNION

P/D: T3N R1E S3 SESW
USGS Topo. map 7.5
X-58, X-8

S.H.

63-10912

WILSON

FRUIT

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-89-B-0054 OTHER APPLICABLE NO: WR 63-10812

2. OWNER: Robert & Patsy King Phone: (208) 642-3811
Address: 2610 NE 19th Payette, Id 83661

3. WELL LOCATION: Twp 3N, Rge. 1E, Sec. 3, SE 1/4 SW 1/4
County Ada (Provide sketch map and photo on reverse.)

4. DRILLER: Bill Doty Lic. No. 042
When Drilled? 1989

5. WELL CONSTRUCTION:

Casing Diameter 8 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 97 ft. Method Drilled rotary + air
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving good
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water 20 ft. Water Temperature cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☒ Domestic	☒ Irrigation	☐ Stock
☐ Test	☐ Municipal	☐ Industrial
☐ Abandoned	☐ Waste Disposal/Injection	☐ Not Used
☐ Other: _____		

DEC 11 1989

8. **POSSIBLE CONTAMINATION SOURCES:**

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____


How far away from the well is this source? _____

9. **REMARKS:**

Paul Hennessy WIC Agent
Signature of Dept. Representative & Title

5/22/95
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



RECEIVED
DEC 1 1 1995

PERMIT NUMBER	OWNER CODE	NAME & ADDRESS	TWP	RGE	SEC	TRACT	LOT	COUNTY
63-89-C-0054-000	0	BOB KING 2610 NE 19TH AVE PAYETTE, ID 83661	03N	01E	03	SE SW		ADA
	0	BOB KING 2610 NE 16TH PAYETTE, ID 83661						

Subdivision Location and Description:

Subdivision Name:

Well Site Address:

City, State:

Lot(s):

Block(s):

Geographic Location:

Accuracy Code:

Lat: 0 : : N

Long: 0 : : W

Proposed Use of Well: Other Proposed Casing Diameter: 6 In.
Anticipated Bottom Hole Temperature: 85F or Less

Proposed Depth: 150 Ft.

Well Use Comments: DOMESTIC AND IRRIGATION

Driller License No: 0042

Firm Name: BILL DOTY DRILLING CO INC
Official: WILLIAM H DOTY JR

Permit Status: Filed

Verbal Issue Date:

Date Received: 05/04/1989

Date Approved: 05/05/1989

Proposed Start Date: 04/27/1989

Extension Date:

Extension Expiration:

Receipt No.

C006603

Receipt Date

05/04/1989

Fee

\$ 10.00

NOT ON FILE

NOT ON FILE

NOT ON FILE

NOT ON FILE

Specific Conditions:

Permit Remarks: receipt attached application for permit attached

Conditions of Approval:

----- WELL DRILLER'S LOG REPORT -----

Drilling Permit No: 63-89-C-0054-000

Water Right No:

Injection Permit No:

Nature of Work:

Construction Method: ROTARY & AIR

Number of Monitor Wells:

Casing Diameter: 8 In.

Depth of Casing: 97 Ft.

Total Depth: 100 Ft.

Screen Installed? No

Static Water Level: 20 Ft.

Temperature: F.

Production Rate: 150.00 GPM

Actual Start Date: 05/11/1989

Well Finish Date: 05/12/1989


Log Received Date: 05/17/1989

Certification Date: 05/16/1989

Field Inspection Date:

Inspector:

Violation Flag:



63-10812
5/22/95 S.H.

P/D:
8" casing
Driller: Bill Doty '89
63-89-Q-0054

shut off

P/u: field
2" aluminum
hand line, 15 sections
20' long sections
1 1/8" reinbird nozzle
per section
15 nozzles run @ 1 time
75psi average



P/u:
upad

DECI 1 1995

September 29, 1994

ROBERT E. KING
PATSY R. KING
2610 N.E. 19TH
PAYETTE ID 83661

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10812

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

OCT 26 1994

July 31, 1994

ROBERT E. KING
PATSY R. KING
2610 N.E. 19TH
PAYETTE ID 83661

PROOF DUE NOTICE

RE: PERMIT NO. 63-10812

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

OCT 2 8 1994



S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
October 11, 1989

ROBERT E. KING
PATSY R. KING
2610 N.E. 19TH
PAYETTE, ID 83661

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-10812

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

MICROFILMED

OCT 20 1989

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED
JUL 1 1961

JUL 1 1961



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

August 10, 1989

Robert E. &/or Patsy R. King
2610 N.E. 19th
Payette, ID 83661

Re: Application for Permit No. 63-10812 in the name of Robert E &/or Patsy R. King

Dear Mr. & Mrs. King:

This office acknowledges receipt of the withdrawal of protest against the above-referenced application.

The Department now will continue to process the application.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

DRT:st

cc: E.A. Fulton
Dale B. Tomkinson

MICROFILMED

OCT 20 1989

W I T H D R A W A L

REGARDING WELL PERMIT # 10812

TO WHOM IT MAY CONCERN:

As per written Agreement with Robert E. King &/or Patsy R. King,
Owners of property at 11,716 Fairview, Boise, Ada County, Idaho;
We E. A. &/or Irene K. Fulton and Dale B. &/or Mildred Tomkinson,
neighboring property Owners within 350 yards of said well; withdraw
our protest on condition the usage does not lower our wells to less
than 25 gallons per minute by their sprinkling for irrigation of
farm property. If property is leased or sold, above stated conditions
also applies to new occupants or owners and to possible commercial
usage.

Each Owner requests a certified copy of the final Agreement, signed
by all six property Owners.

Thanking you, we are

E. A. Fulton Irene K. Fulton

1769 Bryson Road
Boise, Idaho 83704

Protestants

Dale B. Tomkinson Mildred Tomkinson

1919 Delmar
Boise, Idaho 83704

protestants

Signed at Boise Idaho

this 10th day of August 1989

ATTEST;

MICROFILMED

OCT 20 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

August 1, 1989

E. A. Fulton
1769 Bryson Rd.
Boise, ID 83704

Dale B. &/or Mildred TomKinson
1919 Delmar St.
Boise, ID 83704

Re: Application for Permit No. 10812 in the Name of Robert E. &/or Patsy R.
King

Dear Protestants:

Enclosed is a copy of a letter we received from Mr. Robert E. King regarding the above-referenced application. In order for the protests to be resolved we need to have you complete the enclosed Withdrawal of Protest form and return it to this office.

If we can assist you further in this matter, please don't hesitate to let us know.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

DRT:st

Encl: Copy of letter from Mr. King
Withdrawal of Protest Forms

CC: Mr. Robert E. King

MICROFILMED

OCT 20 1989

July 28, 1989

IDAHO DEPARTMENT OF WATER RESOURCES, WESTERN REGION
2735 Airport Way
Boise, ID 83705

David R. Tuthill, Jr., P.E.
Manager, Western Regional Office

Dr
RECEIVED

JUL 31 1989

Department of Water Resources
Western Regional Office

Re: Application for permit No. 63-10812, and protests regarding same.

Dear Sir:

Monday, July 24, I, Robert E. King, met with Mr. & Mrs. E.A. Fulton on the matter of protest of our supplemental irrigation well. Mr. Fulton requested my agreement that if they run low on water in their wells I would shut off irrigation with our well. I so agreed. I was unable to contact Mr. Tomkinson, however Mr. Fulton will contact him to convey my assurance that we do not want to create problems with their water. I am sending both parties a copy of the enclosed letter assuring co-operation.

We are at the end of an old, poorly designed surface irrigation system, with frequent insufficient water. We wish to supplement this, as needed, by sprinkle irrigating approx. 2 1/2 acres of hay field and lawn area with night time irrigation by 14 rainbird heads, with nozzle size 7/64", plus one small lawn sprinkler at the end of 100' of 5/8" hose. Closest estimate of flow Approx. 45 to 50 gallons per minute. Naturally, due to power cost, this will be held to a bare minimum schedule, - just enough to keep the hay growing. My thought is it is doubtful this conservative usage would effect any wells, as the drillers log shows the static water level remained at 20' below ground surface while they were testing flow at 150 gallon per minute for one hour.

We believe we can operate this system in a manner which will not effect our neighbors, and certainly hope your department looks favorably on our application.

Thank you for the consideration.

Sincerely,

Robert E. King
Robert E. King
2610 N.E. 19th Ave
Payette, ID 83661

Enclosure: copy of letter to protestants.

MICROFILMED

OCT 20 1989

RECEIVED
JUL 31 1989

July 25, 1989

Department of Water Resources
Western Regional Office

Mr. & Mrs. E.A. Fulton
1769 Bryson Rd.
Boise, ID 83704

Mr. & Mrs. Dale B. TomKinson
1919 Delmar St.
Boise, ID 83704

Re: Supplemental irrigation well at 11716 Fairview Ave., Boise, ID.

Dear Ladies and Gentlemen:

As per my discussion with Jerry Fulton on 7-24-89; to again assure all parties concerned, we do not wish to cause water problems.

Therefore, in the event of noticable drop of the water level in your wells, upon notification of such condition to Robert E. King and/or the occupant at 11716 Fairview, the supplemental irrigation with well water shall be discontinued until the cause of your water shortage is determined.

Sincerely,

Robert E. King
Robert E. King

2610 N.E. 19th Ave
Payette, ID 83661

Phone 642-3811

Copies to:

State of Idaho
Department of Water Resources

E.A. Fulton

Dale B. TomKinson

Occupant at 11716 Fairview, Boise.

RECEIVED

OCT 20 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

July 14, 1989

Robert E. &/or Patsy R. King
2610 N.E. 19th
Payette, ID 83661

Re: Application for Permit No. 63-10812

Dear Applicant:

Enclosed is a copy of a protest(s) filed against the issuance of a permit pursuant to the above-referenced application. The Department suggests that you contact the protestant(s) and attempt to resolve the protest(s).

If this office has not been advised within twenty (20) days that the protest(s) has been resolved, the matter will be scheduled for a conference. At such a conference, the following are the principle items the Department will review (per Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use under this permit conflict with the local public interest?

Please contact this office if you have questions regarding this procedure.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

Enclosure: Copy of protest(s)

MicroFILMED
OCT 20 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

July 14, 1989

E.A. Fulton
1769 Bryson Rd.
Boise, ID 83704

Dale B. &/or Mildred TomKinson
1919 Delmar St.
Boise, ID 83704

Re: Application for Permit No. 10812 in the Name of Robert E. &/or
Patsy R. King

Dear Protestant:

This office acknowledges receipt of your protest to the issuance of a permit pursuant to the above referenced application. The Department suggests you contact the applicant(s) directly in an effort to determine what is proposed by the application and to attempt to resolve the protest.

If this office has not been advised within twenty (20) days that the protest has been resolved, the matter will be scheduled for conference. At such a conference, the following are the principle items the Department can consider in either approving or denying an application or permit (Section 42-1203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use under this permit conflict with the local public interest?

If this office can be of further assistance, please contact us.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

MICROFILMED

OCT 20 1989

6-8-89

JN REQ

155

ADA COUNTY ASSESSMENT NOTICE

U.S. POSTAGE

RECEIVED

PARCEL NO. 511

PROPERTY ADDRESS

1759

03N 1E 03

036700

03N 1E 03

036700

03N 1E 03

036700

03N 1E 03

036700

03N 1E 03

036700

03N 1E 03

CODE	PROPERTY DESCRIPTION	LOTS/ACRES	MARKET VALUE FOR ASSESSMENT PURPOSE
010	IRRIGATED AGRICULTURAL	1.00	15,000
100	RESIDENTIAL HOME SITE ON FARM	.50	72,100
310	RESIDENTIAL IMPROVEMENT - FARM		36,050
990	HOMEOWNERS EXEMPTION	MINUS	

JUN 15 1989

Description of Property

LEGAL DESCRIPTION
PAR #6700 OF SE4SW4
SEC 3 3N 1E
03N01E036700

NAME/ADDRESS
FULTON & IRENE K
1759 BRYSON RD
3N 1E 03 036700 ID 83704

RECEIVED

JUN 09 1989

Department of Water Resources

NOTICE OF VALUATION

SHOULD YOU WISH TO PROTEST THE MARKET VALUE ESTIMATE ON THIS ASSESSMENT NOTICE, YOU MUST FILE A WRITTEN FORM OF PROTEST WITH THE COUNTY COMMISSIONER NO LATER THAN THE SECOND MONDAY OF JULY. PROTESTS OF VALUATION FORMS MAY BE PICKED UP AT THE COUNTY COMMISSIONER'S OFFICE, 650 MAIN. PROTESTS FILED LATER THAN THE 2ND MONDAY OF JULY CANNOT BE HEARD.

PLEASE KEEP THIS COPY FOR YOUR RECORDS
THIS IS NOT A TAX BILL

IMPORTANT INFORMATION ON REVERSE SIDE

The above property owned by us FULTON & IRENE K is only 300 yds from the King well they just drilled. We have lived here since 1960.

*Dale B Tomkinson 1919 Pelmar St. Boise, Idaho 83704
Mildred Tomkinson
Par #6742 OF SE4SW4*

*Sec. 3 3N 1E
#346740-5 #8854330 8854331
03N01E036742- 3N 1E 03*

I Dale Tomkinson Protest S.W.P. on new well just drilled on Property listed below. For Irrigation Water, all well are

*approx 100 ft deep. Mrs Dale B Tomkinson
ROBERT E & PATSY R. KING
SESW-SEC. 3, T3N, R1E*

Property description below that we protest against these people using the new well just drilled for irrigation these five acres. This well as they told us is 100 ft deep and has the same strata of water as our two wells. The amount of water our well drilled tested pumps approximately 25 gal per minute if Mr & Mrs Robert & Patsy King install a 5 horse pump it they will pump our well water for our homes try in quick order. Hoping you take action to stop them from doing this. all well are drilled approx 100 ft

OCT 20 1989

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

51.00

Account Name Western Region Idaho Department of Water Resources		Account Number #47628	
Address 2735 Airport Way		City/State Boise, ID	Zip 83705
Ordered By Judy Pense	P.O. Number	Rate NT	Run Dates 1989 June 22, 29
Identification Notice: Application for Water Right		Estimated Inches	Real Inches
Number of Affidavits Requested 1			Legal Number #2937

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10808

Martin, Russell E.
Martin, Dorris E.
1375 Leslie Way
Meridian, Idaho 83642

Source: Groundwater

Diversion Pt: Lot 2 (NWNE)
Sec. 5 T 03N R 01E

Use: Irrigation (.030 CFS)

Use: Domestic (.020 CFS)

Date Filed: 06/07/1989

In: T03N R01E S05 Lot 2 (NWNE)

1.0 ACRES TOTAL

63-10812

King, Robert E.
King, Patsy R.
2610 N.E. 19th
Payette, ID 83661

Source: Groundwater

Diversion Pt: SESW Sec 3 T
03N R 01E

Use: Irrigation (.100 CFS)

Date Filed: 5/08/89

In: T03N R01E S03 SESW

5.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before JULY 10, 1989.

R. KEITH HIGGINSON
Director

Pub. June 22, 29, 1989

2937

MICROFILMED

OCT 20 1989

RECEIVED

JUN 30 1989

STATE OF IDAHO)

ss.

COUNTY OF ADA)

Department of Water Resources
Western Regional Office

Debbie Richards

, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for 2 consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of June 22, 19 89

and ending with the issue of June 29, 19 89

Debbie Richards

Subscribed and sworn to before me this 29th

day of June, 19 89

R. Keith Higginson
Notary Public for Idaho Residing at Boise Idaho

63-10812

KING, ROBERT E.
KING, PATSY R.
2610 N.E. 19TH
PAYETTE, ID 83661

Source: GROUNDWATER

Diversion Pt:

SESW Sec 3 T 03N R 01E
(.100 CFS)

Use: IRRIGATION

Date Filed: 5/08/1989

In: T03N R01E S03

SESW

5.0 ACRES TOTAL

MICROFILMED

OCT 20 1989