




SEE "N.W. ADA COUNTY MAP"

FOR CONTINUATION OF MAP
SEE "EAGLE MAP" ON OTHER SIDE

An Enlarged, Full Color Map
of the Meridian is available through
the Meridian Chamber of
Commerce, Phone 888-2817

Meridian
Based on a Special Design Map for the
Meridian Chamber of Commerce.

LOCUST GROVE
Planning Area
Board Amtrak in Boise or Nampa

UNDER ACRES
Planning Area

SOUTHGATE
Planning Area

MERIDIAN HILLS
Planning Area

CARTOGRAPHY & ART by MICHAEL
McCOY, Boise, TYPESETTING by
OFFICE AMERICA, Boise, TECHNICAL
PHOTOGRAPHY by THE NEGATIVE
STUDIO, Boise, PRINTED IN U.S.A. by
LITHOCRAFT, Boise, ID.

These maps may not be copied, traced,
used to prepare other maps, or printed
in any way in whole, or in part (even a
single street) without written permission
of Hunt Enterprises, Copyright
Owner. Detection devices inherent. Of
lending companies and their draft-
persons (or individuals) will be pro-
secuted. We welcome legitimate
inquiries regarding the compensated
use of this map.

Bob Hunt
Bob Hunt, Director

FOR CONTINUATION
This map cannot be used
for legal purposes.

OF MAP SEE "S.W. ADA COUNTY MAP" ABOVE

MICROFILMED
SEP 22 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
APR 25 1991

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Robert V. Kone Permit No. 63-10798
Current Address: 1355 Eggers Place; Meridian, Idaho 83642 Phone No. 888-3128
2. Accompanied by: Robert Eggers EXAM. DATE: 6-11-90
Address: Same Phone No. _____
Relationship to Permit Holder: Same
3. Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-4305 ☒ Copies Attached
2. Other water rights with same point of diversion: 63-4305 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED
JUN 25 1992

Scale: 1" = Not to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

PERMIT 03-10798 INIT MTS
 T. R. S. Q/Q
 P/D 3W 1W 24 NWSW - 50SW
 SCALE _____
 PHOTO ID. X57



00

W 1600

W. OVERLAND ROAD

10	9	8	7	6	5	4	3	2	1
1795	745	705	665	615	565	525	515	501	485
11	1710								
12	1750								

QUEENLAND ACRES

63-10798
Robert V. Kane

2043 2045

S. LINDER ROAD

2430

S. STODDARD ROAD

2352
2370

P/D

P/U.

EGGERS SUBDIVISION

PEBBLE LANE ESTATES

W. STEGERMAN CT.

S. MODEL FARM DRIVE

S. COBBLE WAY

MODEL FARM ACRES

W. VICTORY ROAD

MICROFILMED
JUN 25 1992

W 1600

3144
3164
3170
670

63-10798



Picture #1
Location of well



Picture #2
Place of Use is
one domestic
home and approx.
.75 of an acre.

MICROFILMED
JUN 25 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10798

Priority: May 15, 1989

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

4.2 AF

This is to certify, that ROBERT V KANE

1355 EGGERS PLACE

MERIDIAN ID 83642

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 15, 1989; and has submitted Proof of Beneficial Use on May 15, 1989. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	3.6 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.04 CFS	4.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 24, Township 03N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	01W	24	NWSW	0.8		0.8

Total number of acres irrigated: 0.8

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.

RECORDED

JUN 25 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10798

CONDITIONS/REMARKS:

6. Domestic use is for one home.
7. Place of use is also known as Lot 2, Block 2, Eggers Subdivision.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 23rd
day of JUNE, 1992.

Acting for R. Keith Higginson, Director

JUN 25 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-10798

Proposed Priority: May 15, 1989

Maximum Diversion Rate:

0.04 CFS

This is to certify, that **ROBERT V. KANE**
1355 EGGERS PLACE
MERIDIAN, ID 83642

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.03 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWSW Sec. 24, Township 03N, Range 01W
SWSW Sec. 24, Township 03N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	01W	24	NWSW 0.5	SWSW 0.5		1
Total number of acres irrigated:						1

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1990**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
5. Point of diversion is on boundary line between NWSW & SWSW, S24 T3N, R1W.
6. Domestic use is for one home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

31st day of August, 19 89

REPROFILMED

SEP 22 1989

for R. Keith Higginson, Director

Ident. No. 63-10798

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: ROBERT V. KANE 208-888-3128
Address: 1355 EGGERS PLACE
MERIDIAN, ID 83642

2. Source: GROUNDWATER Trib. to:

3. Location of point of diversion:

Township	Range	Section	1/4 of	1/4 of	1/4 of	Lot	County
03N	01W	24	NW	SW			ADA
			SW	SW			ADA

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AFA
IRRIGATION	03/15	11/15	0.030		
DOMESTIC	01/01	12/31	0.040		

5. Total quantity appropriated is:
0.040 CFS (and/or) AFA

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
8 INCH WELL, PUMP AND SPRINKLER SYSTEM.
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is 8 inches; proposed depth of well is 100
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:

DOMESTIC USE FOR 1 HOME AND IRRIGATION OF 1 ACRE

MICROFILMED

SEP 22 1989

9. Description of place of use:

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
03N	01W	24	NW SW		IRR	0.5
			SW SW		IRR	0.5

Total Section Acres 1.0

Total Acres 1.0

10. Describe any other water rights used for the same purposes.
BOISE RIVER WATER VIA NAMPA-MERIDIAN IRRIGATION DISTRICT.

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

*Point of diversion is on boundary of NWSW and SWSW, S. 24, T. 3N, R. 1W. **

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
Applicant

Received by DR Date May 15, 1989 Time 3:00 Preliminary check by SL

Fee \$ 30.00 Receipted by DR # W 002793 Date 5/15/1989

Publication prepared by GG Date 5/31/89 Published in Idaho Statesman
6/8 & 6/15/89


Publication approved st Date 7-7-89

MAINTAINED

SEP 22 1989

* data update 5/24/89 per attached map, SL.

SEE "N.W. ADA COUNTY MAP"



An Enlarged, Full Color Map of Meridian is available through the Meridian Chamber of Commerce, Phone 888-2817

FOR CONTINUATION OF MAP SEE "EAGLE MAP" ON OTHER SIDE

Meridian

FOR CONTINUATION OF MAP SEE BOISE MAP ON OTHER SIDE

CARTOGRAPHY & ART BY MICHAEL MCCOY, Boise, TYPESETTING BY OFFICE AMERICA, Boise, TECHNICAL PHOTOGRAPHY BY THE NEGATIVE STUDIO, Boise, PRINTED IN U.S.A. BY LITHOCRAFT, Boise, ID.

These maps may not be copied, traced, used to prepare other maps, or placed in any way in whole, or in part (even a single street) without written permission of Hunt Enterprises, Copyright Owner. Detection of such infringement, leading companies and their cartographers (or individuals) will be prosecuted. We welcome legislators inquiries regarding the copyrighted use of this map.

Bob Hunt, Director

FOR CONTINUATION This map cannot be used for legal purposes.

OF MAP SEE "S.W. ADA COUNTY MAP" ABOVE

NOT FOR CONSTRUCTION
29 SEP 22 1989

JUN 16 1989

Statesman

P.O. BOX 40, BOISE, IDAHO 83707

Department of Water Resources
Western Regional Office

LEGAL ADVERTISING INVOICE

Amount Due

101.88

Account Name Idaho Department of Water Resources (Western)			Account Number #47628	
Address 2735 Airport Way		City/State Boise, ID		Zip 83705
Ordered By Judy Pense	P.O. Number	Rate NT	Run Dates 1989 June 8, 15	
Identification Applications for Water Rights			Estimated Inches	Real Inches
1 Number of Affidavits Requested				Legal Number #2828

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10786

Wishney — Attorney
Retirement Plan
c/o David Wishney
Stonegate Mobile Home Park
Tamura, Doug
Wishney, Peter
P.O. Box 837
Boise, ID 83701

Source: Groundwater
Tributary: Boise River

Diversion Point: Lot 1 (NE - NENE) Sec 5 T 03N R 02E

Use: Irrigation (.120 CFS)

Date Filed: 04/28/1989

In: T03N R02E S05 Lot 1 (NENE)

In: T04N R02E S32 Lot 1 (SESE)

4.0 ACRES TOTAL

63-10798

Kane, Robert V.
1355 Eggers Place
Meridian, ID 83642

Source: Groundwater

Diversion Pt: NWSW Sec 24 T 03N R 01W

Diversion Pt: SWSW Sec 24 T 03N R 01W

Use: Irrigation (.030 CFS)

Use: Domestic (.040 CFS)

Date Filed: 05/15/1989

In: T03N R01W S24 NWSW SWSW

1.0 ACRES TOTAL

63-10803

McLemore, Michael Thomas
Perraud, Lynn Ann
722 Valli Hi Rd.
Eagle, ID 83616

Source: Groundwater

Diversion Pt: SWNE Sec 32 T 05N R 01E

Use: Irrigation (.150 CFS)

Use: Stockwater (.020 CFS)

Date Filed: 05/16/1989

In: T05N R01E S32 SWNE

5.0 ACRES TOTAL

63-10805

Hillside Nursery, Inc.
2350 Hill Rd.
Boise, Idaho 83702

Source: Groundwater

Diversion Pt: NENE Sec 13 T 03N R 01E

Use: Irrigation (.280 CFS)

Date Filed: 05/17/1989

In: T03N R01E S13 NENE NWNE

14.0 ACRES TOTAL

63-10806

Hillside Nursery, Inc.
2350 Hill Rd.
Boise, ID 83702

Source: Groundwater

Diversion Pt: NWSW Sec 12 T 03N R 01E

Use: Irrigation (.090 CFS)

Date Filed: 05/17/1989

In: T03N R01E S12 NWSW

3.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before JUNE 26, 1989.

R. KEITH HIGGINSON

STATE OF IDAHO)

ss.

COUNTY OF ADA)

Debbie Richards

, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for 2 ☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of June 8, 19 89

and ending with the issue of June 15, 19 89

Debbie Richards

Subscribed and sworn to before me this 15th

day of June, 19 89

Notary Public for Idaho, Residing at Boise, Idaho

MICROFILMED
SEP 22 1989

June 23, 1992

ROBERT V KANE
1355 EGGERS PLACE
MERIDIAN ID 83642

RE: WATER RIGHT NO. 63-10798

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
JUN 28 1992

May 12, 1992

ROBERT V KANE
1355 EGGERS PLACE
MERIDIAN ID 83642

RE: WATER RIGHT NO. 63-10798

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:cz

Enclosure

RECEIVED
JUN 25 1992

LICENSE REVIEW CHECKLIST

Permit # 63-10798

Date 05-06-92

CS

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? _____
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended? _____
	☒	☐	Disagree with Actual Measurement? _____
	☐	☐	<u>.04 cfs (DOM) Allow .03 cfs (IRR)</u>
	☒	☐	Disagree with Theoretical? <u>.75 x 8.8 x .7 = .039</u>
	☐	☒	Limited by Capacity? <u>.04 cfs (25) + 2.31 x (40)</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	☒	☐	Disagree with Examiner's Calculations? _____
	☐	☒	<u>.8 x 4.5 = 3.6 AFA (IRR) .6 AFA (DOM)</u>
	☐	☒	Limited by Flow? <u>.03 x 245 x 1.9835 = 14.6 > 3.6</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source _____
	☐	☒	Notice of Intent to Void. _____
P/D			Verify with Map _____
	☐	☒	Amendment Needed? <u>Drop SWSW</u>
	☐	☒	Is Overlap Analysis a Consideration? _____
P/U			Verify with Map _____
	☐	☒	Amendment Needed? <u>Drop SWSW</u>
	☐	☒	Is Overlap Analysis a Consideration? _____
USES	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☒	☐	Non-Irr. Uses <u>DOM/1 Home</u>
	☐	☒	Special Overlap Condition _____
	☒	☐	Other <u>P/U</u>
CONDITIONS	☐	☒	Measuring Device _____
	☐	☒	W/Master Control _____
	<u>R27</u>	☐	Overlap _____
	☐	☒	Water Quality _____
			DATES/MISC
		☒	Water Dist. _____
		☒	App Rec'd _____
		☒	Exam Made _____
COMMENTS/MEMOS NEEDED:			<u>Used Average est. depth 25' / Low end estimate</u>
			<u>Domestic System 40 psi (40-60)</u>
			<u>Reduced 1 Acre to .8 Acre</u>
License	☐	☒	10-Day _____
	☐	☐	15-Day _____
	☐	☐	Special Correspondence _____

WR0749NP
No. L63-10798

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 05/06/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	ROBERT V KANE 1355 EGGERS PLACE MERIDIAN ID 83642 (208) 888-3128	05/15/1989	IRRIGATION DOMESTIC	03-15 11-15 01-01 12-31	0.03 CFS 0.04 CFS	3.6 AFA 0.6 AFA
TOTAL DIVERSION:					0.04 CFS	4.2 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.04 CFS

Point(s) of Diversion: T03N R01W S24 NW SW

Place of use Legal Description for: IRRIGATION

		NE				NW				SW				SE				
T	R S	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM
03N	01W 24	:		:		:		:		:		:		:		:		0.8
TOTAL ACRES																	0.8	

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: ADA

Other Water Rights with Same Point(s) of Diversion and Source:
63-04305 63-10798

Other Water Rights Listing Overlapping Place(s) of use:
63-04305 63-10798

Conditions of Approval:

R27 - This right when combined with all other rights shall provide no
- more than 4.5 afa per acre for the lands above.

Remarks: Domestic use is for one home.
Place of use is also known as Lot 2, Block 2, Eggers Subdivision.

Dates: App. Received: 05/15/1989 Priority Date: 05/15/1989
Proof Due Date: 09/01/1990 Proof Made Date: 05/15/1989
Exam Made Date: 06/11/1990 Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 05/06/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
APR 25 1991

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Robert V. Howe Permit No. 63-10798
Current Address: 1355 Eggers Place; Meridian, Idaho 83642 Phone No. 888-3128
2. Accompanied by: Robert Eggers EXAM. DATE: 6-11-90
Address: Same Phone No. _____
Relationship to Permit Holder: Same
3. Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-4305
_____ ☒ Copies Attached
2. Other water rights with same point of diversion: _____
63-4305 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = Not to scale

MICROFILMED
JUN 25 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

System consists of a $\frac{3}{4}$ Hp submersible pump which supplies irrigation water to underground sprinkler system for approx. $\frac{3}{4}$ acre. The well also provides domestic water for one home.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
<i>Unknown</i>	<i>Unknown</i>	<i>$\frac{3}{4}$ Hp</i>	<i>Unknown</i>	<i>Dempster</i>	<i>1$\frac{1}{2}$"</i>

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	$\frac{1}{4}$	$\frac{1}{4}$	$\frac{1}{4}$	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					<i>24</i>	<i>3N</i>	<i>1W</i>	<i>Ada</i>	<i>Aerial photo map</i>

6. **Place(s) of Use:**

Indicate Method of Determination *facing*

Twp.	Rge.	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
<i>3N</i>	<i>1W</i>	<i>24</i>									<i>74</i>								<i>74 Acres</i>
											<i>1</i>								<i>1</i>

Do not use this space

MICROFILMED

JUN 25 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Not required

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

See theoretical, next sheet.

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \times 4.5 = 4.5$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 246 \times 1.9835 = 14.6$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 4.5$

2. Volume Calculations for Other Uses:

Domestic internal use = .6 AFA

REPROFILMED
JUN 25 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Other rights in same P@ do not affect this permit.

Irrigated area calculation:

Total area = 43,560 A
 Less: House @ 2,461 A
 Shed @ 1,664
 Driveway @ 7,093 11,218 A
 $32,342 A \div 43,560 = .74 \text{ acres irrigated} = 1 \text{ ac}$

Confirmation was made with the owner during exam that P/D and P/U are in NWSW, Sec 24, 3N, 1W.

I. RECOMMENDATIONS What happened to irrigation component?

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic with ~~water~~	1-1	12-31	.04	.612 AFA
Irrigation	3-15	11-15	.03	4.5
Totals:			.04	1.2 AFA 5.1


2. Recommended Amendments

- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above
- ☒ Change P.U. as reflected above ☐ Add P.U. as reflected above

- ☐ None
- ☐ Other

J. AUTHENTICATION

Field Examiner's Name Melvin T. Schulte
 Signature Melvin T. Schulte
 Certification Date _____
 Field Report Preparation Date 6-11-90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

JUN 25 1992

IRRIGATION RIGHT FROM A GROUND WATER SOURCE

A theoretical calculation is necessary to determine if a measurement is required for irrigation from a groundwater source.

=====

1. Using the found acres (or an estimate by the permit holder) calculate the acre-foot per annum limit. This is the volume that the system must be able to theoretically produce to exclude a rate of flow measurement.
2. Next, given the pump hp and the estimated dynamic water level, calculate the theoretical rate of flow that the system can produce.
3. Using the rate found in step 2 and the days in the permitted irrigation season, calculate the theoretical AFA that the system could produce. This volume is then compared to the first AFA calculation. If the theoretical volume (step 3) is greater than the irrigation requirement volume (step 1) then no measurement is necessary. If it is less, then you must make a diversion rate measurement during the field examination.

1.
$$\frac{.75}{\text{Found Acres}} * \frac{4.5}{\text{Irr. Req.}} = \frac{3.375}{\text{AFA}}$$
2.
$$\frac{(.75)\text{HP} * 8.8 * (.7)\text{EFF}}{(.20)\text{Dyn Level} + (2.3 * \{30\}\text{PSI})} = \frac{.05}{\text{Theor. Div. Rate}} \text{ CFS}$$
3.
$$\frac{.05}{\text{Theoretical Div. Rate}} * \frac{246}{\text{Days in season}} * 1.9835 = \frac{24.40}{\text{AFA}}$$

Note: for electrical motors
EFF = 0.70
for diesel motors
EFF = 0.60

Data Requires Verification ☐
Measurement Required -- ☐
Measurement Not Required ☐


$Q \text{ with Dyn. H}_2\text{O @ } 30' = .046 = .05 \text{ OK}$

Calculation data sources:

Found acres = by pacing
HP = from owner's records
Dyn Level = provided by owner's records
PSI = estimated

JUN 25 1992

PERMIT 03-10798 INIT MTS
 T. R. S. Q/Q
 P/D 3N 1W 24 NWSN - SWSN
 SCALE _____
 PHOTO ID. X57



191 M

S. A. LINDER ROAD

STODDARD ROAD

W. VICTORY ROAD

MODEL FARM ACRES

1600

63-10798
Robert V. Kane

QUEENLAND
ACRES

~~EGGERS~~
~~SUBDIVISION~~

PEBBLE LANE
ESTATES

MICROFILMED
JUN 25 1992

APPROPRIATELY
JUN 25 1992

63-10798



Picture #1

Location of well



Picture #2

Place of Use is
one domestic
home and approx.
.75 of an acre.

SEARCHED INDEXED
SERIALIZED FILED
JUN 25 1992

December 1, 1989

ROBERT V. KANE
1355 EGGERS PLACE
MERIDIAN, ID 83642

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10798

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

DEC 19 1989

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10798

Date: 11/9/89

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change NO If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

- ☒ Surface water
☒ Groundwater
1. well log in file LATE 1975
NA 2. drilling permit
NA A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- NO Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10798

Name(s) of Permit Holder: Robert V. Kane

Post Office Address: 1355 Eggers Place Meridian Id 83642

Telephone No. 888-3128

Source of Water: Groundwater

Extent of Use:

Domestic 1 (number of households) Stockwater _____ (number and type of stock)

Irrigation 1 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.01 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: Late 1975

Measuring Device: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ N/A
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

See above

(Name)

888-3128

(Telephone Number)

1355 Eggers Pl. Meridian
(Address)

The above information is my true statement of the extent to which the above numbered permit has been completed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

SEP 22 1989

May 15, 1989
Date

Robert V. Kane
Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
Af = acre feet)

cfs	Af	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources
No fee is required for single family
domestic use or stockwater use.

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
September 1, 1989

ROBERT V. KANE
1355 EGGERS PLACE
MERIDIAN, ID 83642

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-10798

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water.

MICROFILMED

SEP 22 1989

Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED
SEP 22 1989

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SL DATE: 5/24/89 APPLICATION: 63-10798

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume) Gov't. Lots:
☒ Period of use: N P/D
☒ Nature of proposed use: (Include description of use) N P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes No* In form to receipt:

ADDITIONAL INFORMATION

YES	NO	
☒	☐	Overlapping place of use: (Describe source & relationship to present application on the back.)
☒	☐	Overlapping point of diversion:
☐	☐	Field check required: Field check by: _____
☐	☐	Field report attached:
☐	☐	Critical groundwater area:
☐	☐	Groundwater management area:
☐	☐	Send dam safety information:
☐	☐	Send power requirement letter:
☐	☐	Send fish farm requirement letter:
☐	☐	Power residency affidavit: _____
☐	☐	Power efficiency form: _____
☐	☐	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐	☐	Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☐	☐	*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

☒ Additional information on reverse side:

RECEIVED
JUL 24 1989

PROCESSING

APPLICATION: 63-10798

YES NO

☒ ☐

In form for advertising:

☐ ☒

Statewide advertising:

☒ ☐

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒

I.D. Health and Welfare

☐ ☒

I.D. Fish and Game

☐ ☒

I.D. Lands

☐ ☒

Adjudication Bureau

YES NO

☐ ☒

U.S. BLM

☐ ☒

U.S. Forest Svc.

☐ ☒

Water Dist. #

☐ ☒

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐

Affidavit of publication received:

☒ ☐

Application published correctly: If not, record action taken.

☒ ☒

Publication dates and paper recorded on application:

☒ ☒Protests received. Final date for protest June 26, 1989☒ ☒

Protest dates, resolution of protest recorded on application:

☒ ☒Recommendations attached: Approve, Dnr☒ ☒

Measuring device required:

☒ ☒

Measuring port required:

☒ ☒Water delivered by water master? District # 63-P05☒ ☒

Special conditions of approval or cover letter:

See below for additional information

Recommended Date or Priority

5/15/1989Recommended by: DnrDate 7/20/89

STATE OFFICE REVIEW

P05, P2346 03A

See below for additional information. By

KWDate 8/18/89

ADDITIONAL INFORMATION

NOTE: Proof of B/L completed and attached.OverlapP10 - 63-04305 + 10264 different wellsP11 - 63-02388 Basin River, Irrig. Dist. with for same area- 63-04305 different well for irrig. & domestic uses on other land.- 63-10264 " " " " " " " " " "

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

MAY 31, 1989

The Idaho Statesman
P.O. Box 40
Boise, ID 83707

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JUNE 26, 1989.

Yours truly,

JUDY PENSE
Secretary

Encl.

MICROFILMED

SEP 22 1989

63-10798

KANE, ROBERT V.
1355 EGGERS PLACE
MERIDIAN, ID 83642

Source: GROUNDWATER

Diversion Pt:	NWSW	Sec 24 T 03N R 01W
	SWSW	Sec 24 T 03N R 01W

Use: IRRIGATION	(.030 CFS)
DOMESTIC	(.040 CFS)

Date Filed: 5/15/1989

In: T03N R01W S24	NWSW	SWSW
-------------------	------	------

1.0 ACRES TOTAL

MICROFILMED

SEP 22 1989