

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Debra Carnah
Pres. (Applicant)

RECEIVED

SEP 2 - 1994

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 7 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-107921. Owner: Jayker Tree Farm, Inc.Phone No. 939-0014Current Address: 801 E. Beacon Light Rd.2. Accompanied by: Joe Carter EXAM. DATE: 7-10-92

Address: _____ Phone No. _____


Relationship to Permit Holder: Operation Manager3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None☐ Copies Attached2. Other water rights with same point of diversion: None☐ Copies Attached☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached


(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached

(required for irrigation of 10 acres or more).

RECEIVED
OCT 26 1994

007 2 6 1994



OCT 26 1994

COPY OF NORTH, RANGE N° 1 EAST OF THE BOISE






PHOTO ONE-

The pressure tanks and
irrig control system.



PHOTO TWO-

A typical drip irrig. system
and a valve on the left, used
in Fields #1-#3.

RECEIVED
OCT 26 1994



PHOTO THREE-

*The eastern edge of
Field #1, with a valve in foreground.*



PHOTO FOUR-

*The eastern edge of Field
#3 with a valve in foreground.*

RECEIVED

OCT 26 1994



PHOTO FIVE-

Field #4 with sprinklers.
Facing north.



PHOTO SIX-

The domestic place of use
is Field #4 on the right.
Facing West.


MICROFILMED
OCT 26 1994

4N-1E-5:4-NSM
L.3

RECEIVED

SEP 22 1989

S. 89° 59' E.



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10792

Priority: April 28, 1989

Maximum Diversion Rate:

0.11 CFS

Maximum Diversion Volume:

54.3 AF

This is to certify, that JAYKER TREE FARM INC
801 E BEACON LIGHT RD
EAGLE ID 83616

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 28, 1989; and has submitted Proof of Beneficial Use on August 10, 1990. An examination indicates that the works have a diversion capacity of .110 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.11 CFS	53.7 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
Totals		0.11 CFS	54.3 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3(NENW), Sec. 4, Township 04N, Range 01E
ADA County

<u>PLACE OF USE:</u>	<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
IRRIGATION	04N	01E	4	Lot 3(NENW)	14		14
Total number of acres irrigated:							14

PLACE OF USE:
DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa p acre for the lands above.

OCT 26 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10792


CONDITIONS/REMARKS:

6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.
7. Domestic use is for an office.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 4TH day of OCTOBER, 1994.

Acting for

R. Keith Higginson, Director



OCT 26 1994

RECEIVED
AUG 10 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10792 Telephone No. 939-0014

Name(s) of Permit Holder(s): JAYKER TREE FARM INC. / Meredith Carnahan ✓

Post Office Address: Eagle, Idaho : 801 E. Beacon Light Rd ✓

Source of Water: well

If ground water, well driller's name: ? NO LONGER IN BUSINESS Date drilled: 1981 ✓

Extent of Use:
Domestic 1 (No. of households) Irrigation 14 (No. of acres) ✓
Stockwater 0 (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted .30 cfs _____ acre/feet ✓

Show date water was first diverted and beneficially used under this permit: 1981 ✓

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes / No Installed? Yes / No

OR

Flow Measurement Port: Required? Yes / No Installed? Yes / No

Fee Enclosed: \$ 100.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Kevin Glenn or Meredith Carnahan 939-0014
Name Telephone No.

801 E. Beacon Light Eagle Idaho 83616
Address

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

NOV 27 1990

8/7/90
Date

Meredith Carnahan, President ✓
Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-10792

Proposed Priority: April 28, 1989

Maximum Diversion Rate:

0.30 CFS

This is to certify, that **JAYKER TREE FARM INC.**
801 E. BACON LIGHT RD.
EAGLE, ID 83616

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/15 to 10/15	0.28 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.30 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 3(NENW), Sec. 4, Township 04N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	01E	4	LOT 3(NENW)	14		14
Total number of acres irrigated:						14

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **October 1, 1990**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
5. Domestic use is for one home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

20th day of September, 1989.

R. Keith Higginson
for R. Keith Higginson Director
MICROFILMED

SEP 22 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Jayker Tree Farm Inc. Phone 208-939-0014
Post office address 801 E. Beacon Light Rd. , Eagle, Id 83616

2. Source of water supply Groundwater which is a tributary of N/A L.3 ↓

3. Location of point of diversion is _____ ¼ of NE ¼ of NW ¼, Govt. Lot _____
Sec. 4 Township 4N Range 1E B.M. ADA County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .28 for Irrigation purposes from 4/15 to 10/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .30 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well w/pump and pipe to
house - Drip irrigation for greenhouse

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water for proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

SEP 22 1989

8. Description of proposed uses. *irrigation only, go to item 9*:

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. 1/ Domestic household
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (*example: D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
04N	01E	04					14												14
							1/ D *												
							L.3												

* 1/ D = 1 domestic home and yard
 5/1/89.


Total number of acres to be irrigated 14

- Describe any other water rights used for the same purposes as described above. Farmers union ditch shares
- Who owns the property at the point of diversion? Applicant
 - Who owns the land to be irrigated or place of use? Applicant
 - If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MICROFILMED
 SEP 22 1989

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

SEP 22 1963

Joseph Carmichael
Pres. (Applicant)

Received by nl Date 1-28-89 Time 12:00 Preliminary check by SL
Fee \$ 45⁰⁰ Received by M.H. # W002639 Date April 28 1989
Publication prepared by CG Date 5/10/89 Published in Idaho Statesman
5/18 & 5/25/89
Publication approved st Date 7-20-89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

SEP 22 1989

CONVERSATION MEMORANDUM

DATE 5/2/89

FILE _____

NAME OF PARTY Jayken Tree Farm, Inc.

EMPLOYEE Steve Lester

RE: telem concerning names/titles for company

Meredith Carnahan - Pres.

Doug " - Chairman of Board

these are the only 2 titled people.

Per conversation with M. Carnahan.

Microfilmed

SEP 22 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 5, 1994

JAYKER TREE FARM INC
801 E BEACON LIGHT RD
EAGLE ID 83616

RE: WATER RIGHT NO. 63-10792

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

RECEIVED

OCT 26 1994

LICENS REVIEW CHECKLIST



PERMIT NO. 63-10792 DATE 9-8-94

NAME	Yes <u> </u> No <u> </u>	Or Address Change?
PRIORITY DATE	<u> </u> <u> </u>	Advance? <u> </u> Advanced to: <u> </u> Order to reinstate needed? <u> </u> Incorrect fee for rate recommended? <u> </u>
SOURCE	<u> </u> <u> </u>	Changes or just clarification of originally intended source? <u> </u> Notice of Intent to Void necessary? <u> </u>
POINT OF DIV	<u> </u> <u> </u>	Amendment needed? <u> </u> Overlaps? <u> </u>
PLACE OF USE	<u> </u> <u> </u>	Amendment needed? <u> </u> Overlaps? <u> </u>
DIV RATE	<u> </u> <u> </u>	Measurement Q = <u>.11</u> Theoretical Q = <u>.12 cfs</u> <u>14 x .02 = .28 / 50 gpm = .11 cfs</u> Capacity: <u>.11</u> Combined rates exceed capacity <u> </u> Permit/fee limits: <u>.30</u> Allowable: <u>.11 cfs</u>
ANNUAL VOLUME	<u> </u> <u> </u>	Season of use: <u>D/4.5</u> ^{3-15 to 11-15} (use this - STANDARD) Calculations: <u>14 x 4.5 = 63</u> Flow limit: <u>.11</u> cfs x <u>246</u> x 1.9835 = <u>53.67</u> Combined volumes exceed capacity/allowable <u> </u>
USES	<u> </u> <u> </u>	Change in Nature of Use or additional uses? <u> </u> Amendment necessary? <u> </u>
REMARKS	<u> </u> <u> </u>	Multiple p/d(s) in <u>1/4</u> <u>1/2</u> ? <u> </u> Other <u>Farmers Union Ditch Shares</u>
CONDITIONS	<u> </u> <u> </u>	Measuring/Locking Devices <u> </u> Watermaster control - District <u> </u> <u>R32</u> Irrigation Overlap <u> </u> Water Quality <u> </u> Other <u> </u>
COMMENTS:	<u>Reduce rate to capacity.</u>	

RECOMMENDED	CFS	VOLUME	LICENSE <u> </u>
<u>Irrigation</u>	<u>.11</u>	<u>53.7</u>	ADJUSTMENT MEMO NEEDED <u> </u>
<u>Domestic</u>	<u>.02</u>	<u>.6</u>	1ST AMENDMENT LETTER <u> </u>
TOTALS	<u>.11</u>	<u>54.3</u>	FINAL AMENDMENT LETTER <u> </u>

RECEIVED

SEP 2 - 1994

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 7 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-107921. Owner: Jayker Tree Farm, Inc.Phone No. 939-0014Current Address: 801 E. Beacon Light Rd.2. Accompanied by: Joe CarterEXAM. DATE: 7-10-92


Address: _____ Phone No. _____

Relationship to Permit Holder: Operation Manager3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None☐ Copies Attached2. Other water rights with same point of diversion: None☐ Copies Attached☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

OCT 26 1994

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 10" well that is 180' deep with a 3 h.p. pump is the source of water. The well has a 4" line which discharges into two pressure tanks of approx. 30 gallons each. A 2" discharge supplies water to four 2" valve systems. Each valve system supplies water to a separate field of trees. Fields 1-3 are watered through drip irrigation lines and field four is watered by overhead sprinklers. From an aerial photo, Fields 1 & 2 combine to form 8.2 acres, Field three is 3.8 acres, and Field 4 is approx 2 acres.

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3.0*			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

* Per Burgess Pumps, phone call

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	3	NE	NE	NW	4	41N	1E	Ada	USGS Photo Quad

6. Place(s) of Use:

Indicate Method of Determination

USGS Photo Quad,

Aerial

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
41N	1E	4					14.0												14.0
							4.3												

Do not use this space

NOTED
JUL 2007

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

50 gpm, per answer
 3 h.p.
 30 psi pressure tanks for drip system
 60' dynamic - 90' dynamic

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{50 \text{ gpm}}{448.8} = .11 \text{ cfs}$$

$$\begin{aligned} \text{Domestic} &= .02 \text{ cfs} - \text{internal only} \\ + \text{Irrig} &= 14 \text{ acres} \left(\frac{.02 \text{ cfs}}{\text{acre}} \right) = \frac{.28 \text{ cfs}}{.30 \text{ cfs}} \end{aligned}$$

2. Alternate Method for Checking Purposes:

$$\frac{3 \text{ h.p.} \times 70\% \times 8.8}{(30 \times 2.31) + 60'} = .14 \text{ cfs}$$

$$\frac{3 \text{ h.p.} \times 70\% \times 8.8}{(231 \times 30) + 70'} = .12 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 14 \times 4.5 = 63 \text{ a-ft}$$

$$* V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .11 \text{ cfs} \times 245 \times 1.9835 = 53.5 \text{ a-ft}$$

$$* V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 53.5 \text{ a-ft} \quad 40.1 \quad 184 \quad 40.1$$

2. Volume Calculations for Other Uses:

.6 a-ft for internal domestic

* by 7/20/94 (per permit limits)

RECEIVED
OCT 26 1994

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Through the pump installer, Burgess Pumps, and Joe Carter, the operations manager of field #4, the pump only supplies 50 gpm.

From well logs in the g-g, the dynamic level appears to be around 60'-90'.

The domestic use is for an office with a bathroom.

I recommend licensing a rate of .11 cfs. This is the maximum amount that the owner's claim to be capable of, and the approximate theoretical calc. verifies this.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (af) 40.1
	From	To		
Irrigation	3-15	11-15	.11 cfs	53.5 af
Domestic	1-1	12-31	.02 cfs	.6 af
Totals:			.11 cfs	54.1 af

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

by 7/20/94

J. AUTHENTICATION

Field Examiner's Name Mark Series

Signature Mark Series

Certification Date _____

Field Report Preparation Date 7-10-92

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

OCT 26 1994

Form 238-I
05/90

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10792

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 4N, Rge 1E, Sec. 4, NE 1/4 NW 1/4 or Lot 3.

2. Owner: Jayker Tree Farm, Inc.

Address 801 E. Benson Light Rd., City Boise, St ID

3. Casing $\geq$ 12 inches above ground: Yes ✓ No

4. Access Port: Yes No ✓
Pressure Gauge: Yes No ✓
Flowing: Yes ✓ No

Static Water Level: ≈ 40'
Casing Diameter: 10"
Temperature:

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes No

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks:

RECEIVED
OCT 26 1994

007 26 1994

91 2 6 1994

COPY OF
NORTH RANGE No 1 EAST OF THE BOISE






PHOTO ONE-

*The pressure tanks and
irrig control system.*



PHOTO TWO-

*A typical drip irrig. system
and a valve on the left, used
in Fields #1-#3.*

OCT 26 1994




PHOTO THREE-

*The eastern edge of
Field #1, with a valve in foreground.*




PHOTO FOUR-

*The eastern edge of Field
#3 with a valve in foreground.*

UNRECORDED

OCT 26 1994



PHOTO FIVE-

Field #4 with sprinklers.
Facing north.




PHOTO SIX-

The domestic place of use
is Field #4 on the right.
Facing West.

MAR 26 1994

OCT 26 1994

ACTION REQUIRED

FROM: Tim Luke 11-5-90

TO: File 63-10792 & Western Region

ON this DATE I spoke w/ the applicant who called concerning Proof Acknowledgment letter. This letter states that the permit holder was required to install a lockable device on the diversion works. My review of the permit shows that there is no such requirement. I informed the permit holder to ignore this language of the 11-1-90 letter proof Acknowledgment letter.

TFL

November 1, 1990

JAYKER TREE FARM INC.
801 E. BEACON LIGHT RD.
EAGLE, ID 83616

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10792

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a lockable device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the lockable device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

NOV 27 1990

JAYKER TREE FARM INC.
801 E. Beacon Light Rd.
Eagle, ID 83616

138063
July 31, 1990

PROOF DUE NOTICE

RE: PERMIT NO. 63-10792

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

NOV 2 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
September 21, 1989

JAYKER TREE FARM INC.
801 E. BACON LIGHT RD.
EAGLE, ID 83616

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-10792

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

Microfilm

SEP 22 1989

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED


SEP 22 1989

41N-1E S:4 - N6W
L.3

MISSOURI LUMED

SEP 22 1989

S. 89° 59' E.



Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

71.14

Account Name Idaho Department of Water Resources (Western)			Account Number #47628		
Address 2735 Airport Way		City/State Boise, ID		Zip 83705	
Ordered By Judy Pense	P.O. Number	Rate NT	Run Dates 1989 May 18, 25		
Identification Applications for Water Rights			Estimated Inches		Real Inches
Number of Affidavits Requested 1					Legal Number #2673

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10780

McKay, Darwin
3220 E. Lake Hazel Rd.
Meridian, ID 83642

Source: Groundwater

Diversion Pt.: SWSW Sec. 33
T 03N R 01E

Use: Irrigation (1.000 CFS)

Date Filed: 4/05/1989

In: T03N R01E S32 SESE

In: T03N R01E S33 SWSW
SESW

50.0 ACRES TOTAL

(63-10792)

Jayker Tree Farm Inc.
801 E. Beacon Light Rd.
Eagle, ID 83616

Source: Groundwater

Diversion Pt.: Lot 3 (NENW)
Sec 4 T 04N R 01E

Use: Irrigation (.280 CFS)

Use: Domestic (.040 CFS)

Date Filed: 4/28/1989

In: T04N R01E S04 Lot 3
(NENW)

14.0 ACRES TOTAL

63-10793

See, Jeanne
Stevenson, Claudette
Stone, Jack D.
7590 Highland Valley Rd.
Boise, ID 83706

Source: Groundwater

Diversion Pt.: SESWNW Sec
34 T 03N R 03E

Diversion Pt.: SWSNW Sec
34 T 03N R 03E

Use: Irrigation (.200 CFS)

Use: Stockwater (.020 CFS)

Use: Domestic (.040 CFS)

Date Filed: 4/24/1989

In: T03N R03E S34 SWNW
SENW

10.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705, or before, June 5, 1989.

R. KEITH HIGGINSON
Director

STATE OF IDAHO)

) ss.

COUNTY OF ADA)

Debbie Richards

, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for 2 consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of May 18, 19 89

and ending with the issue of May 25, 19 89

Debbie Richards

Subscribed and sworn to before me this 25th

May, 19 89

SEP 22 1989

Notary Public for Idaho

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

MAY 10, 1989

The Idaho Statesman
P.O. Box 40
Boise, ID 83707

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JUNE 5, 1989.

Yours truly,

JUDY PENSE
Secretary

Encl.

MICROFILMED

SEP 22 1989

63-10792

JAYKER TREE FARM INC.
801 E. BACON LIGHT RD.
EAGLE, ID 83616

Source: GROUNDWATER

Diversion Pt: Lot 3 (NENW) Sec 4 T 04N R 01E

Use: IRRIGATION (.280 CFS)
DOMESTIC (.040 CFS)

Date Filed: 4/28/1989

In: T04N R01E S04 Lot 3 (NENW)

14.0 ACRES TOTAL

INDEXED

SEP 22 1989