


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lena C. Lahey
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 63-10791


1. Owner: Lana Lakey Phone No. 459-7241
Current Address: 910 Lakey's Trailer Ct, Rt #3; Caldwell, Idaho 83605
2. Accompanied by: Stelly Smallwood EXAM. DATE: 9-20-91
Address: Caldwell, Idaho Phone No. 454-8769
Relationship to Permit Holder: daughter
3. Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-11235, 63-2294
☐ Copies Attached
2. Other water rights with same point of diversion: 63-11235
☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 80'

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

MICROFILMED
JUN 11 1992



833
JUN 11 1992
MICROFILMED

USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

63-10791



#3

P/U - tavern




#4

P/U - convenience
store

MICROFILMED
JUN 1 1 1992

63-10791



#1

P/D



#2.

P/D - part of
nine mobile
homes served
by well in
photo #1

MICROFILMED
JUN 11 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10791

Priority: April 21, 1989

Maximum Diversion Rate: 0.05 CFS
Maximum Diversion Volume: 16.0 AF

This is to certify, that LENA C LAKEY
C/O LAKEYS TRAILER CT
RT 3

CALDWELL ID 83605 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 21, 1989; and has submitted Proof of Beneficial Use on April 9, 1990. An examination indicates that the works have a diversion capacity of .050 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	3.6 AF
COMMERCIAL	01/01 to 12/31	0.01 CFS	7.0 AF
DOMESTIC	01/01 to 12/31	0.05 CFS	5.4 AF
	Totals	0.05 CFS	16.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 24, Township 04N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	03W	24	SESE	0.8		0.8

Total number of acres irrigated: 0.8

PLACE OF USE: COMMERCIAL, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

JUN 11 1992


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10791

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.
6. Commercial use is for a tavern and store.
7. Domestic use is for 9 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 5TH day of JUNE, 19 72

Acting for  R. Keith Higginson, Director

MICROFILMED
JUN 11 1992

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-10791

Proposed Priority: April 21, 1989 Maximum Diversion Rate: 0.10 CFS

This is to certify, that **LENA C. LAKEY**
C/O LAKEY'S TRAILER CT.
RT. 3
CALDWELL, ID 83605

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.03 CFS
COMMERCIAL	01/01 to 12/31	0.10 CFS
DOMESTIC	01/01 to 12/31	0.10 CFS
	Totals	0.10 CFS

LOCATION OF POINT(S) OF DIVERSION: SWSESE Sec. 24, Township 04N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	03W	24	SESE	1		1

Total number of acres irrigated: 1

PLACE OF USE: COMMERCIAL, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1990.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
5. Commercial use is for a tavern, service station, and a convenience store.
6. Domestic use is for 9 homes.

MICROFILMED

SEP 22 1989

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-10791

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

1st day of September, 1989.

for R. Keith Higginson, Director

MICROFILMED

SEP 22 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED

APR 21 1989

To appropriate the public waters of the State of Idaho

1. Name of water resources Lena C. Lakey Phone 459-7241

Post office address Route #3, c/o Lakey's Trailer Court, Caldwell, ID 83605

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____

Sec. 24 Township 4 North Range 3 West B.M. Canyon County; additional
points of diversion if any: None

4. Water will be used for the following purposes:

Amount .10 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .10 for commercial purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .03 for irrigation purposes from 03/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .10 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Johnson Pump, pipelines

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 6 inches; proposed depth of well is 65 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is

** (1) years (minimum 1 year). **Diverting works completed in 1991

MICROFILMED

SEP 22 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. Nine Mobile Homes
- e. Other; describe fully. Tavern and Service Station/Convenience Store, Irrigation of lawns around mobile homes

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	3W	24																1	1
4N	3W	24																D C	

Total number of acres to be irrigated 1

10. Describe any other water rights used for the same purposes as described above. _____
None

11. a. Who owns the property at the point of diversion? Lena C. Lakey


b. Who owns the land to be irrigated or place of use? Lena C. Lakey

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks:

SEP 22 1989

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lena C. Haley
(Applicant)

Received by nl K Young Date 4-21-89 Time 1:00 p.m. Preliminary check by SL
Fee \$ 30.00 Receipted by K Young # C006448 Date 4/21/89
Publication prepared by GG Date 5/10/89 Published in Press-Tribune
Publication approved st Date 7-19-89
5/17 & 5/24/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECEIVED
SEP 16 1989

SEP 16 1989

Department of Water Resources
Western Regional Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

NOTICE OF APPLICATION
FOR WATER RIGHT

The following applications have
been filed to appropriate the public
waters of the State of Idaho:

63-10788

ROGERS BROTHERS SEED CO.
P.O. Box 4727
BOISE, ID 83711-0727
Source: GROUNDWATER
Diversion Pt: SWSE Sec 24 T 04N
R 02W
Use: COMMERCIAL (.670 CFS)
Date Filed: May 1, 1989

In: T04N R02W S24 SWSE
63-10789

SLOVIACZEK, TAMARA
SOMMER, TIM
11741 BULLOCK LN.
MIDDLETON, ID 83644
Source: GROUNDWATER
Diversion Pt: LOT 3 (NWNWSW)
Sec 19 T 05N R 02W
Use: IRRIGATION (.200 CFS)
COMMERCIAL (.200 CFS)
Date Filed: April 12, 1989
In: T05N R02W S19 Lot 3 (NWSW)
10.0 ACRES TOTAL

63-10791

LAKEY, LENA C.
c/o LAKEY'S TRAILER CT.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt: SWSESE Sec 24 T
04N R 03W
Use: IRRIGATION (.030 CFS)
COMMERCIAL (.100 CFS)
DOMESTIC (.100 CFS)
Date Filed: April 21, 1989
In: T04N R03W S24 SESE
1.0 ACRES TOTAL

The permits will be subject to all
prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Western Region,
2735 Airport Way, Boise, Idaho
83705 on or before JUNE 5, 1989.

R. KEITH HIGGINSON
Director
May 17, 24, 1989

Debra Martin del Campo

of Nampa, Canyon County, Idaho, being first duly sworn, deposes
and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of eighteen years,
and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a
daily, (except Saturday) newspaper published in the City of
Nampa and Caldwell, in the County of Canyon, State of Idaho;
that the said newspaper is in general circulation in the said
County of Canyon, and in the vicinity of Nampa and Caldwell, and
has been uninterruptedly published in said County during a period
of seventy-eight consecutive weeks prior to the first publication of
the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper
Two times

—in the regular and entire issue of said paper, and was printed in
the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

May 17, 24, 1989

STATE OF IDAHO)
)
COUNTY OF CANYON)

On this 24th day of May in the
year of 1989, before me, a Notary Public, personally
appeared Debra Martin del Campo, known
or identified to me to be the person whose name subscribed to the
within instrument, and being by me first duly sworn, declared
that the statements therein are true, and acknowledged to me that
he/she executed the same.

Jeanne L. Lusk
Notary Public for Idaho
Residing at Nampa

MICROFILMED

SEP 22 1989

MY COMMISSION EXPIRES
JULY 12th, 1991

June 9, 1992

LENA C LAKEY
C/O LAKEYS TRAILER CT
RT 3
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-10791

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
JUN 11 1992

May 12, 1992

LENA C LAKEY
C/O LAKEYS TRAILER CT
RT 3
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-10791

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:cz

Enclosure

RECEIVED
JUN 11 1992

LICENSE REVIEW CHECKLIST

Permit # 63-10791

Date 05-06-92 38

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? _____
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☒	☐	Disagree with Actual Measurement?
	☐	☐	<u>.8 x .03 = .02 cfs (IRR) .01 cfs (COMM) Limited to .05 (DOM)</u>
	☒	☐	Disagree with Theoretical? <u>1 x 8.8 x .7 = .05 cfs</u>
	☒	☐	Limited by Capacity? <u>.05 cfs (25) + 2.31 x (40)</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	☐	☒	Disagree with Examiner's Calculations?
			<u>.8 x 4.5 = 3.6 AFA (IRR) 9 x .6 = 5.4 AFA (DOM) 7.0 AFA (COMM)</u>
	☐	☒	Limited by Flow? _____
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source _____
	☐	☒	Notice of Intent to Void. _____
P/D	☐	☒	Verify with Map
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
P/U	☐	☒	Verify with Map
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
USES	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☒	☐	Non-Irr. Uses <u>DOM/9 Homes COMM/Store + Tavern</u>
	☐	☒	Special Overlap Condition _____
	☐	☒	Other _____
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>R27</u>	☐	Overlap
	☐	☒	Water Quality
			DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduce Acre, Rate</u>		
	<u>Used 10' static level + 15' Drawdown From Well log.</u>		
	<u>Used 40 psi as low estimate / Between 56 psi stated</u>		
	<u>in narrative + 30 psi used in Theoretical</u>		
License	☐	☒	10-Day
	☐	☐	15-Day
	☐	☐	Special Correspondence

ok

WR0749NP
No. L63-10791

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 05/06/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD		DIVERSION RATE	DIVERSION VOLUME
				FROM	TO		
C	LENA C LAKEY C/O LAKEYS TRAILER CT RT 3 CALDWELL ID 83605 (208) 459-7241	04/21/1989	IRRIGATION	03-15	11-15	0.02 CFS	3.6 AFA
			COMMERCIAL	01-01	12-31	0.01 CFS	7.0 AFA
			DOMESTIC	01-01	12-31	0.05 CFS	5.4 AFA
			TOTAL DIVERSION:			0.05 CFS	16.0 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.05 CFS

Point(s) of Diversion: T04N R03W S24 SE SE

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE										
				NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM		
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	
04N	03W	24	:					:					:					:						:		
																								TOTAL ACRES		0.8
																										0.8

Place of use location for COMMERCIAL is the same location as described for: IRRIGATION

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: CANYON

Other Water Rights with Same Point(s) of Diversion and Source:
63-11235

Other Water Rights Listing Overlapping Place(s) of use:
63-02294 63-10791 63-11235

Conditions of Approval:

R27 - This right when combined with all other rights shall provide no
- more than 4.5 afa per acre for the lands above.

Remarks: Commercial use is for a tavern and store.
Domestic use is for 9 homes.

Dates: App. Received: 04/21/1989 Priority Date: 04/21/1989
Proof Due Date: 10/01/1990 Proof Made Date: 04/09/1990
Exam Made Date: 09/20/1991 Exam Sent to S.O.: 01/28/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 05/06/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 63-10791
Phone No. 459-7241
1. Owner: Lona Lakey
Current Address: 910 Lakey's Trailer Ct, Rt #3; Caldwell, Idaho 83605
2. Accompanied by: Stella Smallwood EXAM. DATE: 9-20-91
Address: Caldwell, Idaho Phone No. 454-8769
Relationship to Permit Holder: Daughter
3. Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-11235, 63-2294
☐ Copies Attached
2. Other water rights with same point of diversion: 63-11235
☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 80'

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
- ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED
JUN 1 1992

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 6" diameter well with a one inch discharge line to a 50 gal. pressure tank provides water to a 1" buried pipe. The buried pipe goes West approx 120' and East approx 270' to service 9 mobile home lots. The buried pipe has two separate 1" service lines from the main pipe to provide water to a tavern and a convenience store. The pressure gauge at the well registered 56 psi at noon. Irrigation is provided for lawn around the mobile homes. The convenience store

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Grundfos	1	9003	Grundfos	1 1/4 F25S10-7

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	SE	SE	24	4N	3W	Canyon	Orthophoto quad map.

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	3W	24																.8	
4N	3W	24																D/C	

MICROFILMED

JUN 11 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Commercial = 10 fixtures $\times$.65 = 6.5 gpm $\div$ 448.8 = .01 cfs. -
Irrigation = .03 cfs $\times$.8 = .02 cfs. -
Domestic = .07 cfs - .03 allocated to commercial irrigation = .04 cfs

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes: $\frac{1 \times 8.8 \times 7}{20 + (2.3 \times 30)} = .07 \text{ cfs.}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi $\times$ 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)
Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) $\times$ (4) $\div$ 8.8 = _____ (5)
Meter Input KW: 3.6 $\times$ _____ KH $\times$ _____ CTR or _____ MULT $\times$ _____ PTR $\times$ _____ N/ _____ T = _____ (6)
Meter Input HP: (6) $\times$ 1.34 = _____ (7)
Panel Input KW: _____ Ave PF $\times$ _____ Ave Volts $\times$ _____ Ave Amps $\times$.001732 = _____ (6)
Panel Input HP: (6) $\times$ 1.34 = _____ (7) Efficiency: (5)/(7) $\times$ 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .8 \times 4.5 = 3.6 \text{ afa}$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .02 \times 246 \times 1.9835 = 9.8$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3.6$

2. Volume Calculations for Other Uses:

Domestic = .6 (internal only) $\times$ 9 = 5.4 ofa - vs - .07 $\times$ 365 $\times$ 1.9835 = 50.7
Commercial 6.5 gpm $\times$ 60 $\times$ 16 hrs/day $\times$ 365 = 2,277,600 $\div$ 325,850 = 7.0 ofa
- vs - .01 $\times$ 365 $\times$ 1.9835 = 7.2 ofa

PHOTOFILMED
JUN 11 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

has one private restroom with two fixtures and a coffee pot. The tavern has a women's room with 2 fixtures, a men's room with 3 fixtures, a sink, a swamp cooler and serves an average of 20 customers per day.

63-11235 serves a mobile home park adjacent to this permit from a separate well. 63-2294 is an irrigation right that has no effect on this permit.

The total flow rate is limited to the system capacity of .07 cfs.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	.02	3.6 afa
Domestic	1-1	12-31	.04	5.4 afa
Commercial	1-1	12-31	.01	7.0 afa
Totals:			.07 cfs.	16.0 afa

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Melvin T. Schulte


Signature

Melvin T. Schulte

Certification Date

Field Report Preparation Date

1-14-92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

FILED

JUN 11 1992

PERMIT 63-10791 IMIT
T. R. S. Q/Q
P/D 4N 3W 24 SWSE
SCALE
PHOTO ID. X5

4838

4837

4836

4835

40'

4834

P/D
P/U

BM 2399

MICROFILMED
JUN 1 1992

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10791

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 4N, Rge 3W, Sec. , SE 1/4 SE 1/4 or Lot .

2. Owner: Lana Labej

Address Labej's Trailer Ct. Rt #3, City Caldwell, St

3. Casing $\geq$ 12 inches above ground: Yes ☒ No

4. Access Port: Yes ☒ No Static Water Level: 10'

Pressure Gauge: Yes ☒ No Casing Diameter: 6"

Flowing: Yes No ☒ Temperature:

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks:

MICROFILMED
JUN 11 1992

RECEIVED

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

7. WATER LEVEL _____ Department of _____
 Static water level 10 feet below land surface Administration
 Flowing? ☐ Yes ☒ No G.P.M. flow _____
 Temperature _____ ° F. Quality _____
 Artesian closed-in pressure _____ p.s.i.
 Controlled by ☐ Valve ☐ Cap ☐ Plug

2. WELL TEST DATA

☐ Pump ☐ Bailor ☒ Other

Discharge G.P.M.	Draw Down	Hours Pumped
60	15'	2

Note Diam.	Depth		Material	Water	
	From	To		Yes	No
	0	2	tan, red, s		

0	2	Top soil	
2	15	Brown clay	
15	19	gravel	
19	26	sandy clay	

0	7	top soil	
2	15	Brown clay	X
15	19	gravel	X
19	26	sandy clay	X
26	54	gravel	X
54	61 1/2	white clay	X
61	65	sandy gravel	X

10. Work started 3/20/77 finished 3/22/77

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

L. B. Hunzinger Well drilling 192
Driller's or Firm's Name Number

6065 Greene Dr. Boise, Idaho
Address

L. B. Hunzinger 3/22/77
Signed by Date


USE ADDITIONAL SHEETS IF NECESSARY **FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT**

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.


[illegible]

63-10791



#3

P/U - tavern



#4

P/U - convenience
store

MICROFILMED
JUN 11 1992

63-10791



#1

P10



#2.

P14 - part of
nine mobile
homes served
by well in
photo #1

MICROFILMED

JUN 11 1992

April 26, 1990

Lena C. Lakey
c/o Lakey's Trailer Court
Route 3
Caldwell, ID 83605

Dear Ms. Lakey:

Re: Permit No. 63-10791

The department received the proof of beneficial use form along with your check for \$100. The license exam fee based on the rate of diversion of 0.10 cfs is \$50. I have initiated the paperwork to prepare a refund. The \$50 refund should be sent to you in a couple of weeks.

The next step is for the department to conduct the field inspection to confirm and determine the extent of beneficial use. I cannot tell just when the representative from our Western Regional office will conduct the exam, but he will try to contact prior to being in the area.

If you have questions, please contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

c: Fiscal Sec.

MICROFILMED

JUN 05 1990

MEMORANDUM

DATE: April 26, 1990

TO: FISCAL SECTION

FROM: Nina Shields or Rita Fleck

RE: REFUND - Permit No. 63-10791

Please prepare a refund of \$50.00 (receipt No. C016182). Attached is a copy of a letter which explains why the refund is necessary.

Also, please reference the water right identification number on any papers returned to me for the file. Thanks.

Attachments: letter
receipt

MICROFILMED

JUN 05 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10791

Date: 4-20-90

General Considerations:

9 Name same as permit
9 Signature the same as permit holder
9 Address change _____ If yes, prepare a data entry
9 Proof received timely _____
_____ Reinstated

Source of Water:

9 Surface water
9 Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

9 Rate of diversion appropriate for uses
9 Is rate or volume and fee appropriate?
9 Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

9 Is a measuring device or access port required?
9 Has one been installed?
9 Waiver or modification of measuring device requested

Remarks:

Refund \$50.00
Proof acceptable
Per telephone conv. with Rena Lakey, well drilled about 20 years ago 4/26/90 by

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

APR 9 1990

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received 100.00

Date 4-9-90

Receipt # CDWR82

Receipt by Guff

Reviewed by Hy

Sent to region 12090

Refunded \$50.00

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. P63-10791

Name(s) of Permit Holder: Lena C. Lakay

Post Office Address: c/o Lakay's Trailer Court, Route 3,
Caldwell, Id 83605 Telephone No. 208-454-7241

Source of Water: Groundwater

Extent of Use:

Domestic 9 (number of households) Stockwater _____ (number and type of stock)

Irrigation 1 (acres) Other/Remark Commercial

Total rate and/or volume for which proof is submitted 10 cts _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 4/21/89

Measuring Device: Required? Yes No
Installed? Yes No Fee enclosed \$ 100.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

Lena C. Lakay (Name) (208) 454-7241 (Telephone Number)

c/o Lakay's Trailer Court, Route #3, Caldwell, Id 83605
(Address)

The above information is my true statement of the extent to which the above numbered permit has been used and I relinquish any undeveloped portion of the permit to the state of Idaho.

NOT FILMED

JUN 05 1990

4/3/90
Date

Lena C. Lakay
Signature of Permit Holder (and title, if appropriate)

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
September 1, 1989

LENA C. LAKEY
C/O LAKEY'S TRAILER CT.
RT. 3
CALDWELL, ID 83605

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-10791

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

SEP 22 1989

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

SEP 22 1989

PO - 4N 3W 5.24 SWSESE

pu - " SESE

Form No. 202a.

4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: gc DATE: 5/2/89 APPLICATION: 63-10791

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality title of signator is required)
☒ Fee:
☒ yes ☐ No* In form to receipt:

Gov't. Lots:

N P/D

N P/U

ADDITIONAL INFORMATION

YES NO

☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion:
☒ Field check required: Field check by: _____
☒ Field report attached:
☒ Critical groundwater area:
☒ Groundwater management area:
☒ Send dam safety information:
☒ Send power requirement letter:
☒ Send fish farm requirement letter:
☒ Power residency affidavit:
☒ Power efficiency form:
☒ Within trust water boundry: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

☒ Additional information on reverse side:

RECEIVED

JUL 26 1989

Department of Water Resources

PROCESSING

YES NO

- ☒ ☐ In form for advertising:
☒ ☐ Statewide advertising:
☒ ☐ Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

- ☐ ☒ I.D. Health and Welfare
☐ ☒ I.D. Fish and Game
☐ ☒ I.D. Lands
☐ ☒ Adjudication Bureau

YES NO

- ☐ ☒ U.S. BLM
☐ ☒ U.S. Forest Svc.
☐ ☒ Water District # _____
☐ ☒ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ YES NO

- ☒ ☐ Affidavit of publication received:
☒ ☐ Application published correctly: If not, record action taken.

- ☒ ☒ Publication dates and paper recorded on application:
☒ ☐ Protests received, Final date for protest June 5, 1989
☒ ☐ Protests, dates, resolution of protest recorded on application:
☒ ☐ Recommendations attached: Approved Dm
☒ ☐ Measuring device required:
☒ ☐ Measuring port required:
☒ ☐ Water delivered by water master? District # 603-P05
☒ ☐ Special conditions of approval or cover letter: (see additional info. below)
☒ ☐ See Below For Additional Information
Recommended Date of Priority 4/21/1989
Recommended by: Dm Date 7/25/1989

STATE OFFICE REVIEW

P05, P23 P110 46

See below for additional information. By KW Date 8/25/89

ADDITIONAL INFORMATION

Overlap
p/n 63-02294 Fremont Ck., Pioneer Irrig. Dist., irrig. & domestic use on
other land in tract.

63-10791

LAKEY, LENA C.
C/O LAKEY'S TRAILER CT.
CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: SWSESE Sec 24 T 04N R 03W

Use: IRRIGATION	(.030 CFS)
COMMERCIAL	(.100 CFS)
DOMESTIC	(.100 CFS)

Date Filed: 4/21/1989

In: T04N R03W S24 SESE

1.0 ACRES TOTAL

MICROFILMED

SEP 22 1989