


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
 (Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ N/A Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	<u>SUBMERSIBLE</u>	<u>3.5</u>			<u>8"</u>

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
<u>5 gal bucket</u>						

2. Measurements: Theoretical


AUG 05 1994



PERMIT 63-10789 INIT _____
 T. R. S. Q/Q
 P/D 5N 2W 19 NWSN
 SCALE _____
 PHOTO ID. _____

ROAD CLASSIFICATION
 Primary highway, hard surface —————
 Secondary highway, hard surface - - - - -
 Unimproved road - - - - -
 Light duty road, hard or improved surface - - - - -
 Interstate Route (circle with 'I') U. S. Route (circle with 'U') State Route (circle with 'S')

Produced by the Geological Survey
 Orthophotograph prepared from 1:80,000-scale aerial photographs taken July 8, 1981
 projection and 10,000-foot grid ticks: Idaho coordinate system, west zone (transverse Mercator)
 100-meter Universal Transverse Mercator grid, zone 11
 1927 North American Datum
 place on the predicted North American Datum 1983 move
 e projection lines 16 meters north and 78 meters east
 shown by dashed corner ticks
 otomimagery rectified by optical scanning





P10

HYPOCHYRIS
AUG 05 1994

COMMERCIAL
USE





IRRIGATION USE

MISSOURI STATE

AUG 05 1994



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10789

Priority: April 12, 1989

Maximum Diversion Rate: 0.17 CFS

Maximum Diversion Volume: 24.0 AF

This is to certify, that TIM SOMMER
TAMARA SLOVIACZEK

11741 BULLOCK LN
MIDDLETON ID 83644

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 12, 1989; and has submitted Proof of Beneficial Use on July 10, 1990. An examination indicates that the works have a diversion capacity of .170 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.06 CFS	9.0 AF
COMMERCIAL	01/01 to 12/31	0.17 CFS	15.0 AF
	Totals	0.17 CFS	24.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3(NWNWSW), Sec. 19, Township 05N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	02W	19	Lot 3(NWSW)	2		2

Total number of acres irrigated: 2

PLACE OF USE:

COMMERCIAL, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Commercial use is for 4 greenhouses.

MICHAEL H. CO
AUG 05 1994


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10789

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 22ND
day of JULY, 19 94.

Acting for


R. Keith Higginson, Director




AUG 05 1994

RECEIVED
JUL 10 1990

For Office Use Only
Amt. of Fee \$ 100.00
Date 7/10/90
Receipt No. CC17597
Received by J. Davison

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-16789 Telephone No. 208-585-6140

Name(s) of Permit Holder(s): Tamara Slovianczek + Tim Sommer ✓

Post Office Address: 11741 Bullock Lane, Middleton, ID 83644 ✓

Source of Water: ground water ✓

If ground water, well driller's name: Bill Doty Drilling Co. Date drilled: 12-4-89

Extent of Use:

Domestic _____ (No. of households)

Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock)

Other Domestic/Commercial 8"

watering Greenhouses + limited farming,

Total rate and/or volume for which proof is submitted .4 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 12-4-89

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Fee Enclosed: \$ 100.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Tim Sommer
Name

208-585-6140
Telephone No.

11741 Bullock Ln, Middleton, ID 83644
Address

MICROFILMED

JAN 10 1991

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

July 6, 1990
Date

Tim Sommer
Signature (and title if on behalf of a company or organization)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Tim Sommer and Tamara Sloviaczek (hus. & wife) ^{Phone} 208-585-6140
Post office address 11741 Bullock Lane, Middleton, ID 83644
2. Source of water supply groundwater which is a tributary of N/A
3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot 3
Sec. 19 Township 5N Range 2W B.M. Canyon County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Commercial - per item 8c, 5/1/89, 82.
Amount .2cfs for greenhouses purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .2cfs for irrigation purposes from Mar. 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .4 cfs and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 8-inch cased groundwater well
using one 5h.p. electric motor or two 3 h.p. motors, depending on further design.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 8 inches inches; proposed depth of well is 150 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 year years (minimum 1 year).

MICROFILMED

AUG 29 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. Irrigation of greenhouses and surrounding acreage. Twelve greenhouses are initially planned for.

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5N	2W	19									10								10
											2.3								

Total number of acres to be irrigated 10


10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Tim Sommer, Tamara Sloviaczek--applicants

b. Who owns the land to be irrigated or place of use? Tim Sommer, Tamara Sloviaczek--applicants


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____



AUG 28 1969

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)

Proposed Priority 4/12/89

Received by nl Date 4-12-89 Time 10:30 AM Preliminary check by SL

Fee \$ 45.00 Received by JN # W0002559 Date 4-12-89

Publication prepared by GG Date 5/10/89 Published in Press Tribune
5/17 & 5/24/89

Publication approved AT Date 6-20-89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10789, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before
August 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Witness my hand this 19th day of July, 1989.

A. M. Saxton

MICROFILMED

AUG 29 1989

Department of Water Resources
Western Regional Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

NOTICE OF APPLICATION
FOR WATER RIGHT

The following applications have
been filed to appropriate the public
waters of the State of Idaho:

63-10788

ROGERS BROTHERS SEED CO.
P.O. Box 4727
BOISE, ID 83711-0727
Source: GROUNDWATER
Diversion Pt: SWSE Sec 24 T 04N
R 02W
Use: COMMERCIAL (.670 CFS)
Date Filed: May 1, 1989

In: T04N R02W S24 SWSE
63-10789 ✓

SLOVIACZEK, TAMARA
SOMMER, TIM
11741 BULLOCK LN.
MIDDLETON, ID 83644
Source: GROUNDWATER
Diversion Pt: LOT 3 (NWNWSW)
Sec 19 T 05N R 02W
Use: IRRIGATION (.200 CFS)
COMMERCIAL (.200 CFS)
Date Filed: April 12, 1989
In: T05N R02W S19 Lot 3 (NWSW)
10.0 ACRES TOTAL
63-10791

LAKEY, LENA C.
c/o LAKEY'S TRAILER CT.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt: SWSE Sec 24 T
04N R 03W
Use: IRRIGATION (.030 CFS)
COMMERCIAL (.100 CFS)
DOMESTIC (.100 CFS)
Date Filed: April 21, 1989
In: T04N R03W S24 SESE
1.0 ACRES TOTAL

The permits will be subject to all
prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Western Region,
2735 Airport Way, Boise, Idaho
83705 on or before JUNE 5, 1989.

R. KEITH HIGGINSON
Director

May 17, 24, 1989

Debra Martin del Campo

of Nampa, Canyon County, Idaho, being first duly sworn, deposes
and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of eighteen years,
and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a
daily, (except Saturday) newspaper published in the City of
Nampa and Caldwell, in the County of Canyon, State of Idaho;
that the said newspaper is in general circulation in the said
County of Canyon, and in the vicinity of Nampa and Caldwell, and
has been uninterruptedly published in said County during a period
of seventy-eight consecutive weeks prior to the first publication of
the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper
Two times

—in the regular and entire issue of said paper, and was printed in
the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

May 17, 24, 1989

Debra Martin del Campo

STATE OF IDAHO)
)
COUNTY OF CANYON)

On this 24th day of May in the
year of 1989, before me, a Notary Public, personally
appeared Debra Martin del Campo, known
or identified to me to be the person whose name subscribed to the
within instrument, and being by me first duly sworn, declared
that the statements therein are true, and acknowledged to me that
he/she executed the same.

Janet Deek
Notary Public for Idaho
Residing at Nampa

MICROFILMED

AUG 29 1989

MY COMMISSION EXPIRES
JULY 12th, 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 25, 1994

TIM SOMMER
TAMARA SLOVIACZEK
11741 BULLOCK LN
MIDDLETON ID 83644

RE: WATER RIGHT NO. 63-10789

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in dark ink, appearing to be 'Jim Johnson', followed by a horizontal line.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

RECEIVED

AUG 05 1994

Permit #: 63-10789 Name: Sommer/Sloviczek Date: 6/23/94

COMMENTS: limited by capacity

LICENSE: P49
#1 AMEND LTR: P46 or
P39/P41/P37 & P38
#2 AMEND LTR: P42/P47

WR0749NP
No. L63-10789

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 06/23/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	TIM SOMMER	04/12/1989	IRRIGATION	03-15 11-15	0.06 CFS	9.00 AFA
C	TAMARA SLOVIACZEK 11741 BULLOCK LN MIDDLETON ID 83644 (208) 585-6140		COMMERCIAL	01-01 12-31	0.17 CFS	15.00 AFA
TOTAL DIVERSION:					0.17 CFS	24.00 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.17 CFS

Point(s) of Diversion: T05N R02W S19 Lot 03(NWNWSW)

CANYON County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
05N	02W	19	:																	:	2.0
																				TOTAL ACRES	2.0

Place of use location for COMMERCIAL is the same location as described for: IRRIGATION

Pou County: CANYON

Other Water Rights with Same Point(s) of Diversion and Source:
63-10789

Other Water Rights Listing Overlapping Place(s) of use:
63-10789

Conditions of Approval:

- R52 - This right when combined with all other rights shall provide no
- more than .03 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: Commercial use is for 4 greenhouses.

Dates:	App. Received:	04/12/1989	Priority Date:	04/12/1989
	Proof Due Date:	08/01/1990	Proof Made Date:	07/10/1990
	Exam Made Date:	05/19/1993	Exam Sent to S.O.:	06/28/1993
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 06/23/94 CZIMMERM

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 29 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10789

1. Owner: TIM SOMMER & TAMARA SLOVIACZEK Phone No. 585-6140

Current Address: 11741 BULLOCK LN MIDDLETON ID 83644

2. Accompanied by: TIM SOMMER EXAM DATE: 5/19/93

Address: SAME Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	3	NW	NW	SW	19	5N	2W	CANYON	USGS QUAD

2. Place(s) of Use:

Indicate Method of Determination

TWP.	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
5N	2W	19										2							2
											C								

AUG 05 1994

E. NARRATIVE/REMARKS/COMMENTS

An 8" well with a 3.5 HP submersible pump supplies water to 4 greenhouses and 2 acres. The acres are irrigated via handlines. The greenhouses are watered ~3 hrs / dy via 3 faucets and hoses / greenhouse. Each greenhouse also uses a 4th faucet for a cooling system that requires ~50 gpd.

No other water uses are used.

Have conditions of permit approval been met? ☒ yes ☐ no

AUG 05 1994

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

$$\frac{5 \text{ gal} \times 49 \text{ sec}}{60 \text{ sec}} = 6.12 \text{ GPM} \times 3 \text{ faucets / greenhouse} = 18.36 \text{ gpm / greenhouse} \times 4 \text{ greenhouse} \\ = 73.44 \text{ gpm} \times 180 \text{ min / day} = 13,219 \text{ GPD} + 200 \text{ gal (50 gpd / greenhouse for cooling system)} = \underline{13,419 \text{ GPD}} / 3 \text{ hrs} / 60 \text{ min} = \underline{.17 \text{ cfs}}$$

$$\text{Theo: } \frac{3.5 \times 8.8 \times .7}{35 + (40 \times 2.31)} = .17 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{2 \times 4.5 = 9} \\ V_{D.R.} = [\text{Diversión Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{.06 \times 246 \times 1.9835 = 29.3} \\ V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{9}$$

2. Volume Calculations for Other Uses:

$$.17 \text{ cfs} \times 365 \times 1.9835 = 123 \text{ AFA} \\ -VS- \\ 13,419 \text{ gpd} \times 365 / 325,850 = \underline{15 \text{ AFA}}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversión Q (cfs)	Annual Volume V (afa)
	From	To		
IRR	3/15	11/15	.06	9
COMMERCIAL	1/1	12/31	.17	15
Totals:			.17 cfs	24 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Loi Greaves Date 5/19/93

Reviewer _____ Date _____



AUG 05 1994



PERMIT 63-10787 INIT _____
 T. R. S. Q/Q
 P/D 5N 2W 19 NWSW
 SCALE _____
 PHOTO ID. _____

ROAD CLASSIFICATION
 Primary highway, hard surface ——— Light duty road, hard or improved surface
 Secondary highway, hard surface - - - Unimproved road
 Interstate Route (thick line with red shield) U. S. Route (thin line with blue shield) State Route (thin line with black shield)

Produced by the Geological Survey
 Orthophotograph prepared from 1:80,000-scale aerial photographs taken July 8, 1981
 Projection and 10,000-foot grid ticks: Idaho coordinate system, west zone (transverse Mercator)
 300-meter Universal Transverse Mercator grid, zone 11 327 North American Datum
 To place on the predicted North American Datum 1983 move projection lines 16 meters north and 78 meters east shown by dashed corner ticks

I

i


K

k

L

l

M



IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

Drilling Permit No.: 63-89-Z-226

Water Right No.: 63-10789

Owner: Tim Sommer + Tamara Slovacek Phone No.: 585-6140

Address: 11741 Bullock Ln Middleton ID 83644

1. Well Location: NW ¼, NW ¼, SW ¼, Lot , Twp 5N, Rge 2W,
Sec. 19, CANYON County (provide sketch map on reverse)

2. Driller: Bill Doty

Is driller licensed? ☒ yes ☐ no License No.:

Date of Completion: 11/22/89

3. Casing size: 8" Water tight cap? ☐ yes ☐ no

Casing ≥ 12 inches above ground? ☐ yes ☐ no

—4. Evidence of well seal? ☐ yes ☐ no

☐ visual Auger to a depth of

—5. Access Port: ☐ yes ☐ no Static Water Level:

Pressure Gauge: ☐ yes ☐ no Temperature:

Pressure: 40

6. Flowing Artesian? ☐ yes ☒ no

Flowing: ☐ around annulus ☐ through casing

7. Are there obvious construction problems that may be a source
for contamination or waste of water? ☐ yes ☒ no

Remarks: could not get to well — inside
well house surrounded by straw stack

by (Agent) 5/19/93 (Inspection Date)

(unimpaired)

AUG 05 1994

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]




P/D

RECEIVED

AUG 05 1994

COMMERCIAL
USE






IRRIGATION USE

MINOR USE

AUG 05 1994



December 7, 1990

TAMARA SLOVIACZEK
TIM SOMMER
11741 BULLOCK LN.
MIDDLETON, ID 83644

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10789

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JAN 10 1991

138827
May 31, 1990

TAMARA SLOVIACZEK
TIM SOMMER
11741 BULLOCK LN.
MIDDLETON, ID 83644

PROOF DUE NOTICE

RE: PERMIT NO. 63-10789

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JAN 10 1991

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

RECEIVED

DEC 1 1989

State of Idaho
Department of Water Resources

Department of Water Resources

D R I L L I N G P E R M I T

1. Applicant PURPLE SAGE FARMS (TIM SOMMER)
2. Mailing Address 11741 BULLOCK LN MIDDLETON, ID 83644
Telephone _____
- (☒ Well Owner () Well Operator () Other, specify _____)
3. Proposed well location NW1/4SW 1/4, or Gov't lot No. _____,
Sec. 19, Twp. 5N, Rge. 2W, County CANYON,
Street Address of Well Site _____,
Lot, block and subdivision _____
4. Proposed use of well:
() Single family or stockwater use (less than 13,000 gallons per day)
() Irrigation (more than 1/2 acre)
() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
(☒) Other (describe fully) DOMESTIC/COMMERICAL 8"
5. Well construction information:
A. (☒ New well () Deepen () Replace - See Condition 9.
B. Proposed surface diameter 8" Maximum depth 100
C. Anticipated bottom hole temperature:
(☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Well Driller must notify Department's regional representative in advance of drilling at one of the numbers listed below:

Boise (208) 334-2190	Idaho Falls (208) 525-7161	Twin Falls (208) 734-3578	Coeur d'Alene (208) 765-4639
-------------------------	-------------------------------	------------------------------	---------------------------------
7. Anticipated Well Driller BILL DOTY DRILLING CO., INC.
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature _____ Date JAN 10 1991
Title _____
(Owner, Firm Representative, Other)

MICROFILMED

ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is **APPROVED**Date Dec 5, 1989

If approved, this permit authorizes the construction of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:**MICROFILMED**

JAN 10 1991

Mark B. Sylla
Signature of Authorized Department Representative

Groundwater Protection Section
Title

Receipt No. CO13157 Received by D.K. Fee 100⁰⁰ Date 12-4-89

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
July 19, 1989

TAMARA SLOVIACZEK
TIM SOMMER
11741 BULLOCK LN.
MIDDLETON, ID 83644

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 63-10789

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

NOT RECORDED

AUG 29 1989

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

AUG 29 1985

DEPENDENT RESURVEY AND SUBDIVI

899

AUG 29 1989

86.6

85.61

12

20

00.00

20.03

23

N. 0° 05' E.		S. 89° 35' W.		S. 89° 38' W.		S. 89° 50' W.	
19.81	20.05	20.01	20.04	20.00	20.035	20.00	20.05
S. 89°	S. 89°	32' W.	20.04	S. 89°	20.035	35' W.	20.05
19.85	20.05	20.01	20.04	20.00	20.035	20.00	20.06
S. 89°	S. 89°	02' W.	20.04	S. 89°	20.035	02' W.	20.06
19.88	20.00	20.01	20.00	20.00	20.00	20.00	20.06
S. 89°	S. 89°	29' W.	20.00	S. 89°	20.00	30' W.	20.06
19.92	20.00	20.02	20.00	20.01	20.00	20.01	20.06
S. 89°	S. 89°	29' W.	20.00	S. 89°	20.00	31' W.	20.06
19.95	20.00	20.02	20.00	20.01	20.00	20.01	20.06
S. 89°	S. 89°	32' W.	20.00	S. 89°	20.00	32' W.	20.06
19.90	20.00	20.00	20.00	20.01	20.00	20.01	20.06
S. 89°	S. 89°	32' W.	20.00	S. 89°	20.00	33' W.	20.06
19.85	20.05	20.01	20.04	20.00	20.035	20.00	20.05
S. 89°	S. 89°	02' W.	20.04	S. 89°	20.035	02' W.	20.05
19.88	20.00	20.01	20.00	20.00	20.00	20.00	20.06
S. 89°	S. 89°	29' W.	20.00	S. 89°	20.00	30' W.	20.06
19.92	20.00	20.02	20.00	20.01	20.00	20.01	20.06
S. 89°	S. 89°	29' W.	20.00	S. 89°	20.00	31' W.	20.06
19.95	20.00	20.02	20.00	20.01	20.00	20.01	20.06
S. 89°	S. 89°	32' W.	20.00	S. 89°	20.00	32' W.	20.06
19.90	20.00	20.00	20.00	20.01	20.00	20.01	20.06
S. 89°	S. 89°	32' W.	20.00	S. 89°	20.00	33' W.	20.06

63-10789

SLOVIACZEK, TAMARA
SOMMER, TIM
11741 BULLOCK LN.
MIDDLETON, ID 83644

Source: GROUNDWATER

Diversion Pt: LOT 3 (NWNWSW) Sec 19 T 05N R 02W

Use: IRRIGATION	(.200 CFS)
COMMERCIAL	(.200 CFS)

Date Filed: 4/12/1989

In: T05N R02W S19 Lot 3 (NWSW)

10.0 ACRES TOTAL

MICROFILMED

AUG 29 1989