


ace of use, section



lication.

[illegible]

appropriate the public waters of

R. Helmick
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
NOV 2 1992

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10775

1. Owner: Albert F. Helmick
Current Address: P.O. Box 445, Emmett, Idaho 83617

Phone No. 365-4285

2. Accompanied by: Tim Helmick & Al Helmick EXAM. DATE: 9-12-91

Address: same Phone No. same

Relationship to Permit Holder: son & owner

3. Source: 2-wells tributary to none
groundwater

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-8044


☒ Copies Attached

2. Other water rights with same point of diversion: 63-8044

☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = not to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MODIFIED
FEB 01 1993



PERMIT 03-10775 INIT _____

T. R. S. Q/Q _____

D/D SN 1W 3 NWNE

SCALE _____


PHOTO ID. W57

29-11-68
5-11-68

NOV 1968

FEB 01 1993

5 North Range 404 West Boise Meridian.



63-10775



#5
P/U - fruit trees
and native
vegetation



#6.
Some of stock
that use water
from system

MISSOURI FED

FEB 01 1993

63-10775



#7

P14 - two stock tanks can be seen in background of photo.

RECEIVED

FEB 01 1993

63-10775



#1.

P/D - Well #1



#2

Well house #1

MURPHY MED
FEB 01 1993

63-10775



#3

Well house #2
Photo of well
casing inside
building did not
develop.



#4.

Hydant used
to irrigate a
row of fruit
trees and native
vegetation.

FEB 01 1993

WED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10775

Priority: September 8, 1989

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.9 AF

This is to certify, that ALBERT F HELMICK

3222 BUTTE RD

EMMETT ID 836179507

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 1, 1989; and has submitted Proof of Beneficial Use on February 8, 1991. An examination indicates that the works have a diversion capacity of .080 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	0.9 AF
STOCKWATER	01/01 to 12/31	0.01 CFS	1.0 AF
	Totals	0.04 CFS	1.9 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 3, Township 05N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	01W	3	NWNE	0.2		0.2
Total number of acres irrigated:						0.2

PLACE OF USE: STOCKWATER

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>
05N	01W	3	NWNE	SWNE	NENW	
			SWNW	SENE	NWSW	

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

FEB 01 1993

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 63-10775

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.
6. The total combined rate of diversion under this right and Right 63-08044 shall not exceed 0.08 cfs.
7. Stockwater use is for 120 range cattle.
8. Two points of diversion are located within NWNE, S03, T05N, R01W.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 28TH day of DECEMBER, 1992.

Acting for  R. Keith Higginson, Director

FEB 2 1993

RECEIVED

DEC 16 1992

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10775

APPROVED

Date of Priority: September 8, 1989

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.9 AF

Comes now

ALBERT F HELMICK

PO BOX 445

EMMETT ID 83617

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-10775, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	0.9 AF
STOCKWATER	01/01 to 12/31	0.01 CFS	1.0 AF
	Totals	0.04 CFS	1.9 AF

LOCATION OF POINT(S) OF DIVERSION:NWNE , Sec. 3, Township 05N, Range 01W
ADA CountyPLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	01W	3	NWNE	0.2		0.2

Total number of acres irrigated: 0.2

PLACE OF USE: STOCKWATER

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>
05N	01W	3	NWNE	SWNE	NENW	
			SWNW	SENE	NWSW	

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Bolde, this 16 day of Dec, 19 92.

Robert L. Helmick
(Signature)

(Son/Trustee Estate of Albert Helmick)

FEB 6 1993

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10775

FOR DEPARTMENT USE ONLY

Preliminary check by OK Fee = \$2000 Received by [Signature] # C02630 Date 12-16-92

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-10775 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.
6. The total combined rate of diversion under this right and Right 63-08044 shall not exceed 0.08 cfs.
7. Stockwater use is for 120 range cattle.
8. Two points of diversion are located within NWNE, S03, T05N, R01W.

Witness my hand this 28TH day of DECEMBER, 1992.

[Signature]
Acting for R. Keith Higginson, Director

FEB 1 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-10775 IN THE
NAME OF ALBERT F. HELMICK

ORDER OF REINSTATEMENT

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before August 1, 1990; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on February 8, 1991;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-10775 be REINSTATED and the priority advanced to September 8, 1989.

Dated this 25th day of February, 1991.


L. GLEN SAXTON, Chief
Water Allocation Bureau

ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED

MAR 18 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Albert F. Helmick Phone 365-4285
Post office address P.O. Box 445, Emmett, ID 83617

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of NW 1/4 of NE 1/4, Govt. Lot _____
Sec. 3 Township 5N Range 1W B.M. Ada County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.10 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs ~~or acre-feet per annum~~)

Amount 0.09 for Stockwater purposes from 1-1 to 12-31 (both dates inclusive)
(cfs ~~or acre-feet per annum~~)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.19 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Two existing wells w/pipeline to stockwater tanks and irrigation.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 8" inches; proposed depth of well is 430' feet.
16" 480'

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to ~~the~~ proposed beneficial use is
1 years (minimum 1 year).

RECORDED

AUG 29 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. 100 → 400 hds.
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
<u>5N</u>	<u>1W</u>	<u>3</u>		<u>1</u>	<u>4</u>														<u>5</u>
		<u>3</u>		<u>S</u>	<u>S</u>		<u>S</u>		<u>S</u>			<u>S</u>							

Total number of acres to be irrigated 5


- Describe any other water rights used for the same purposes as described above. 63-8044 & 63-7987
Cannot depend on Willow Ck. water.
- Who owns the property at the point of diversion? Applicant
 - Who owns the land to be irrigated or place of use? Applicant
 - If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

RECORDED

AUG 29 1989

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

AUG 27 1989

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Albert F. Helmick
(Applicant)

Proposed Priority 3/1/89 9/8/1989
Received by kw Date 3/1/1989 Time 2:45 Preliminary check by [signature]
Fee \$ 30.00 Receipted by kw # 0005619 Date 3/1/1989
Publication prepared by GG Date 3-29-89 Published in ID Statesman
Publication approved st Date 4-24-89
4/6 & 4/13/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10775, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:
- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 90.
 - c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
 - d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
 - e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Witness my hand this 19th day of July 1989.
[Signature: J. Glen Saylor]

MICROFILMED
AUG 29 1989

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

6348

Account Name Idaho Department Water Resources - Western Region			Account Number #47628	
Address 2735 Airport Way		City/State Boise, ID		Zip 83705
Ordered By Judy Pense	P.O. Number	Rate NT	Run Dates 1989 April 6, 13	
Identification Application for Water Right:		63-10773 63-10775 63-10777	Estimated Inches	Real Inches
1 Number of Affidavits Requested				Legal Number #2272

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10773

W.E. Pierce Building Assn.
1020 Main St., #440
Boise, ID 83702

Source: Groundwater

Diversion Pt: NWNE Sec 10 T
03N R 02E

Use: Cooling (.370 CFS)

Date Filed: 3/08/1989

In: T03N R02E S10 NWNE

63-10775

Helmick, Albert F.

P.O. Box 445

Emmett, ID 83617

Source: Groundwater

Diversion Pt: NWNE Sec 3 T
05N R 01W

Use: Irrigation (.100 CFS)

Use: Stockwater (.090 CFS)

Date Filed: 3/01/1989

In: T05N R01W S03 NWNE

SWNE NENW SWNW

NWSW

5.0 ACRES TOTAL

63-10777

Schaefer, Todd

1515 Grant

Boise, ID 83706

Source: Groundwater

Diversion Pt: NWNE Sec 29 T
04N R 02E

Use: Irrigation (.150 CFS)

Use: Domestic (.110 CFS)

Date Filed: 3/07/1989

In: T04N R02E S29 NWNE

5.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before APRIL 24, 1989.

R. KEITH HIGGINSON
Director

Pub. Apr. 6, 13, 1989

2272

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

RECEIVED
APR 14 1989

Department of Water Resources
Western Regional Office

Debbie Richards, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for 2 consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip insertion(s) beginning with the issue of April 6, 19 89 and ending with the issue of April 13, 19 89

Debbie Richards

Subscribed and sworn to before me this 13th

day of April, 19 89

[Signature]
Notary Public for Idaho, Residing at Boise, Idaho



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 28, 1992

ALBERT F HELMICK
3222 BUTTE RD
EMMETT ID 836179507

RE: WATER RIGHT NO. 63-10775

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

FOR THE DIRECTOR

FEB 01 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

100 North Orchard Street
Boise, Idaho 83706-2237

← New Address

HELM445# 836172017 1A92 12/11/92
NOTIFY SENDER OF NEW ADDRESS
HELMICK ALBERT
3222 BUTTE RD
EMMETT ID 83617-9507

DEC 6 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 8, 1992

ALBERT F HELMICK
PO BOX 445
EMMETT ID 83617

RE: WATER RIGHT NO. 63-10775

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

FEB 01 1993

*Albert Helmick is deceased. Amendment completed by his son.
Update address in database per envelope. CS 12-14-92*

LICENSE REVIEW CHECKLIST

Permit # 63-10775

Date 11-23-92
CS

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u> </u>
	<u> </u>	<u>✓</u>	Memo to Advance
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u>NA</u>	<u> </u>	Disagree with Actual Measurement?
	<u> </u>	<u>✓</u>	<u>.03cfs (IRR) .01cfs (STOCK)</u>
	<u> </u>	<u>✓</u>	Disagree with Theoretical?
	<u> </u>	<u>✓</u>	Limited by Capacity? <u>.08cfs</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	<u> </u>	<u>✓</u>	Disagree with Examiner's Calculations?
	<u> </u>	<u>✓</u>	<u>.2 x 4.5 = .9afa (IRR) 1.0afa (STOCK)</u>
	<u> </u>	<u>✓</u>	Limited by Flow? <u> </u>
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u>✓</u>	<u>Intended</u> source <u> </u>
	<u> </u>	<u>✓</u>	Notice of Intent to Void.
P/D			Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u>✓</u>	<u> </u>	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	<u>✓</u>	<u> </u>	Amendment Needed? <u>Add SENE</u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
REMARKS	<u>✓</u>	<u> </u>	Multiple P/Ds in 1/4 1/4? <u>2/NWNE</u>
	<u>✓</u>	<u> </u>	Non-Irr. Uses <u>STOCK/120</u>
	<u>WBI</u>	<u> </u>	Special Overlap Condition <u>63-8044/.08cfs</u>
	<u> </u>	<u>✓</u>	Other <u> </u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u>R27</u>	<u> </u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
			DATES/MISC
			<u> </u> <u>✓</u> Water Dist.
			<u>✓</u> <u> </u> App Rec'd
			<u>✓</u> <u> </u> Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduced Acres, rates</u>		
	<u>Amend P/U</u>		

License 10-Day 15-Day ✓ Special Correspondence

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	ALBERT F HELMICK PO BOX 445 EMMETT ID 83617 (208) 365-4285	09/08/1989	IRRIGATION STOCKWATER	03-15 11-15 01-01 12-31	0.03 CFS 0.01 CFS	0.9 AFA 1.0 AFA
TOTAL DIVERSION:					0.04 CFS	1.9 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.08 CFS

Point(s) of Diversion: T05N R01W S03 NW NE

Place of use Legal Description for: IRRIGATION

			NE				NW				SW				SE									
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM
---	---	---	:	---	---	---	---	:	---	---	---	---	:	---	---	---	---	:	---	---	---	---	:	---
05N	01W	3	:			.2		:					:					:					:	0.2
TOTAL ACRES																							:	0.2

Place of use Legal Description for: STOCKWATER

				NE				NW				SW				SE									
				NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:		
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
05N	01W	3	:			S	S			S		S	S	:			S								:

Pou County: ADA

Non-Irrigation Uses: ~~6/100-400 RANGE~~

Other Rights: 63-08044 & 63-07987

Other Water Rights with Same Point(s) of Diversion and Source:
63-08044 63-10775

Other Water Rights Listing Overlapping Place(s) of use:
63-08044 63-10775

Conditions of Approval:

- R27 - This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.

Remarks: The total combined rate of diversion under this right and Right 63-08044 shall not exceed 0.08 cfs.
Stockwater use is for 120 range cattle.
Two points of diversion are located within NWNE, S03, T05N, R01W.

WR0749NP
No. L63-10775

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 11/23/92
PAGE: 2

=====

Dates:	App. Received:	03/01/1989	Priority Date:	09/08/1989	(Priority Date Advanced.)
	Proof Due Date:	08/01/1990	Proof Made Date:	02/08/1991	(Proof Received Late.)
	Exam Made Date:	09/12/1991	Exam Sent to S.O.:	10/30/1992	
	Licensed Date:				

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 11/23/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with Conditions of Approval *Permit statement*
- ☒ Well Inspection Form (If Needed) *2 wells*
- ☒ Aerial Photo Required? ☐ yes ☒ no If yes: ☐ copy attached
- ☒ SRBA Attachment A Submitted to Adjudication Section
- SRBA Claim Check Received _____ (initial & date)
- ☐ N/A ☐ Applicable, See Attachment A _____
- ☒ Copy of U.S.G.S. Quad
- ? *Lot 3* ☒ Check for Government Lots. If so, make a copy of government plat
- ☒ Check of P/D index *mts* _____ (initial & date)
- Overlap ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?
- Type of Overlap? ☒ Add acres or uses to existing system
- ☐ Increase rate of flow or volume
- ☐ Other: _____
- ☒ Check of P/U index *mts* _____ (initial & date)
- Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?
- Type of Overlap? ☐ Increase rate of flow or volume
- ☐ Add P/D's
- ☐ Increase number of acres within tracts
- ☒ Other: *T* _____
- ☒ Scheduling Letter Sent? *mts* _____ (initial & date)
- ☒ Appointment Made and Telephone Conversation Memo Attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully Completed and Signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Copy of SRBA Claim Verification Sheet / ☐ Original Returned to Adjudication Section

C. Review and Processing:

Exam Completed *Mel Schulte* *12-13-91* (signature of examiner & date)

Exam Reviewed by Senior Water Resource Agent *lw* *1/24/92* (initial & date)

Exam Reviewed by Manager of Regional Office *Dmr* *10/23/92* (initial & date)

Exam Sent to State Office *10-30-92* *st* (initial & date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
NOV 2 1992

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Albert F. Helmick Permit No. 63-10775
Current Address: P.O. Box 445, Emmett, Idaho 83617 Phone No. 365-4285
2. Accompanied by: Tim Helmick & Al Helmick EXAM. DATE: 9-12-91
Address: same Phone No. same
Relationship to Permit Holder: son & owner
3. Source: 2-wells tributary to none
groundwater

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-8044
☒ Copies Attached
2. Other water rights with same point of diversion: 63-8044
☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = not to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)

RECEIVED
FEB 01 1993

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Two wells, each with 6" diameter casings and 3 Hp pumps, tie together to provide water for a single domestic use, stockwater and approximately 4 acre of irrigation. Each well is located in a well house and has a pressure tank. A one inch buried pipe from well #2 diverts water to hydrant about 200' south for irrigation by hose and sprinklers. A 1 1/4" buried pipe ties the two wells into a single system and a 1" buried pipe delivers water to 6 stock tanks located

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1	Franklin	3	282-3088-703	Joanzy	1 1/4"
#2	"	3	282-2038-205	"	1 1/4"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	32		NW	NE	3	5N	1W	Ada	On the photo quad map

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5N	1W	3		S	S		S		S	S	S								.2

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
None						

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$\#1 \frac{3 \times 8.8 \times 7}{400 + (2.3 \times 45)} = .04 \text{ cfs} \quad \#2 \frac{3 \times 8.8 \times 7}{400 + (2.3 \times 45)} = .04 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .2 \times 4.5 = .9 \text{ oia}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

2. Volume Calculations for Other Uses: *Stockwater:*

$$30 \text{ hd} \times 12 \text{ gpd} \times 60 \text{ days} = 21,600$$

$$40 \text{ hd} \times 11 \times 365 \text{ } = 175,200$$

$$50 \text{ hd} \times 11 \times 211 \text{ } = 126,600$$

$$\frac{323,400}{1000} = 1 \text{ oia}$$

MICROCY WED

FEB 01 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

up to $\frac{3}{4}$ mile from the wells. Pressure readings at the wells registered 45# at #1 and 40# at #2. The owner indicated they feed watered 30 head of mixed cows with calves from 49 to 5-31, 40 head of mixed feeders year around and 50 head of steers from 10-1 to 5-1. The system also services a single domestic use.

This permit adds a 2nd well to license 63-8044. Both wells are in the same GP and 63-8044 covers more irrigation, more stockwater and the additional domestic use than this permit requests. ~~Recommend cancellation of this permit because 63-8044 covers the same uses requested.~~ The combination of the permit and 63-8044 is limited to the system capacity of .08 cfs

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
Irrigation	3-15	11-15	.03	.9 afa
Stockwater	1-1	12-31	.01	1.0 afa
Totals:			.04	1.9 afa

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Melvin T. Schulte


Signature

Melvin T. Schulte

Certification Date

Field Report Preparation Date

12-13-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

FEB 01 1993



PERMIT 03-10775 INIT

T. R. S. Q/Q

ID SN 1W 3 NWNE

SCALE

PHOTO ID. W57

Jackass

Hells

28897

001 093

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10775
Otherwise provide legal description and a sketch map and/or address
so that the well can be located easily.

1. Legal Description: TWP 5N, Rge 1W, Sec. 3, NW 1/4 NE 1/4
or Lot _____.

2. Owner: Albert Helmick

Address _____, City Emmett, St Id

3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____

4. Access Port: Yes ☒ No _____

Static Water Level: 375'

Pressure Gauge: Yes ☒ No _____

Casing Diameter: 6"

Flowing: Yes _____ No ☒

Temperature: _____

5. Are there any obvious construction problems that may be a
source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach
photo.

Remarks: _____

RECEIVED
FEB 01 1993

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10775

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

Well #1

1. Legal Description: TWP 5N, Rge 1W, Sec. 3, NW 1/4 NE 1/4 or Lot _____.

2. Owner: Albert Helms

Address _____, City Emmett, St Id.

3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____

4. Access Port: Yes ☒ No _____

Static Water Level: 375'

Pressure Gauge: Yes ☒ No _____

Casing Diameter: 6"

Flowing: Yes _____ No ☒

Temperature: _____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

RECEIVED
MAY 01 1993

State of Idaho
Department of Reclamation

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

7. WATER LEVEL

Static water level 175 feet below land surface

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Temperature _____ ° F. Quality _____

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
30		

Hole Diam.		Depth		Material	Wat Yes
		From	To		

[illegible]

0	80	HARD SAND
80	100	LOOSE SAND
100	230	SAND & COARSE SAND
230	240	BROWN CLAY
240	375	COARSE SAND
375	440	COARSE SAND
BO 1. PERFORATED 5" CASING 1 1/2 BY 3 PERFORATIONS		

10. Work started NOV 70 finished DEC 70

11: DRILLER'S CERTIFICATION

This work was drilled under my supervision and this report is true to the best of my knowledge.

REGISTERED COMPANY DRILLING

Driller's or Firm's Name _____ Number _____

Address _____

Signed By _____

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 103-10775
Otherwise provide legal description and a sketch map and/or address
so that the well can be located easily.

1. Legal Description: TWP 5N, Rge 1W, Sec. 3, NW 1/4 NE 1/4
or Lot _____.

2. Owner: Albert Helmick
Address _____, City Emmett, St Id.

3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____

4. Access Port: Yes ☒ No _____ Static Water Level: 375'
Pressure Gauge: Yes ☒ No _____ Casing Diameter: 6"
Flowing: Yes _____ No ☒ Temperature: _____

5. Are there any obvious construction problems that may be a
source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach
photo.

Remarks: _____

RECEIVED
FEB 01 1993

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10775

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

Well #1

1. Legal Description: TWP 5N, Rge 1W, Sec. 3, NW 1/4 NE 1/4 or Lot _____.

2. Owner: Albert Helms

Address _____, City Emmett, St. Id.

3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____

4. Access Port: Yes ☒ No _____

Static Water Level: 375'

Pressure Gauge: Yes ☒ No _____

Casing Diameter: 6"

Flowing: Yes _____ No ☒

Temperature: _____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

RECEIVED
DEC 01 1993

63-10775



#5
P/U - fruit trees
and native
vegetation



#6.
Some of stock
that use water
from system

FEB 01 1993

63-10775



#7

P/U - two stock
tanks can be
seen in background
of photo.

FEB 01 1993

63-10775



#1.

P/D-Well #1




#2

Well house #1

RECEIVED
FEB 01 1993

63-10775



#3

Well house #2
Photo of well
casing inside
building did not
develop.



#4.

Hydant used
to irrigate a
row of fruit
trees and native
vegetation.

FEB 01 1993

February 26, 1991

ALBERT F. HELMICK
P.O. BOX 445
EMMETT, ID 83617

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10775

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

Enclosure

RECEIVED
MAR 1 1991

MAR 1 1991

RECEIVED
FEB 08 1991

STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ _____
Date _____
Receipt No. _____
Received by _____

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-10775 Telephone No. 365-4285
2. Name(s) of Permit Holder(s): Albert F. Helmick
3. Post Office Address: P.O. Box 445 Emmett, ID 83617
4. Source of Water: Groundwater
- a. If ground water, well driller's name: Bill Doty Date drilled: ≈ 1981
- b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic _____ (No. of households)

Irrigation 1 (No. of acres)

Stockwater 100 → 400 hd (No. and type of stock)

Other _____

6. Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☒ Installed? Yes ☒ No ☒

OR

Flow Measurement Port: Required? Yes ☒ No ☒ Installed? Yes ☒ No ☒

8. Fee Enclosed: \$ N/A (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Albert F. Helmick

Name

Telephone No.

see above

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date

Signature (and title if on behalf of a company or organization)

X 2-8-91 X Albert F. Helmick

MAR 18 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-10775

Date 2-19-91

GENERAL CONSIDERATIONS

☒ Name same as permit?
☒ Address same as permit? If no, prepare data entry form.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

☒ Surface water source
☒ Ground water source
☒ Drill permit req'd?
1981 ☒ Copy in file? Drill permit no. _____
☒ Well log in file?
☒ Amt paid for drilling permit? _____ Correct?

LICENSE EXAMINATION FEE

☒ Required?
☒ Amount submitted?
☒ Correct amount?

MEASURING DEVICE

☒ Measuring device or access port required?
☒ Installed?
☒ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable when reinstated

PRIORITY CALCULATION

Date proof received Feb 8, 1991 39
Date proof due Aug 1, 1990 - 213
No. of days late = 191
Priority date Mar 1, 1989 + 60
NEW PRIORITY DATE Sept 8, 1989 = 251

365
39
404
213
191

LB

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

February 5, 1991

ALBERT F HELMICK
P O BOX 445
EMMETT ID 83617

Dear Mr. Helmick:

Re: Permit No. 63-10775

LAPSE NOTICE

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, the above referenced permit has lapsed. This office did not receive either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time to our letter of May 31, 1990 and Rita Fleck's letter of October 31, 1990. No further construction or additional development is authorized under this permit unless it is reinstated.

Your permit cannot be reinstated unless you submit the proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal including the examination fee or a completed field examination report or the extension request form together with the \$15 fee must be received by this department within sixty days of the date of mailing of this lapse notice or the permit will no longer be of any force or effect.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which brings title to the water in question.

Sincerely,

L. GLEN SAXTON, Chief
Water Allocation Bureau

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 2-6-91
a ~~copy~~an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

Rita Fleck
MAR 18 1991

October 31, 1990

Albert F. Helmick
P. O. Box 445
Emmett, ID 83617

Dear Mr. Helmick:

Re: Permit No. 63-10775

Returned is the proof of beneficial use form submitted on June 8, 1990.

The permit was issued for the diversion and use of 0.19 cfs (approximately 75 gpm) of water for irrigation of 5 acres and stockwater. For the department to conduct the field inspection, determine the extent of beneficial use, and issue a license, there is a license exam fee of \$50.

Note that the form was due on October 1, 1990. It is important that you return it and the fee soon.

If you have any question, please feel free to contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager


Enclosure

107. Box 445
Dorchester, MA

83619

MAR 18 1991

RECEIVED



25



State of Idaho
Department of Water Resources
1301 North Dickson St.

State House Mail,
Dorchester

83120

138825
May 31, 1990

ALBERT F. HELMICK
P.O. BOX 445
EMMETT, ID 83617

PROOF DUE NOTICE

RE: PERMIT NO. 63-10775

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

MAR 18 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
July 19, 1989

ALBERT F. HELMICK
P.O. BOX 445
EMMETT, ID 83617

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 63-10775

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

RECEIVED

AUG 29 1989

Sincerely,

GS: SC
Enclosures

408 29 1914

Form No. 202a.

4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: GC

DATE: 3-17-89

APPLICATION: 63-10775

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)

☒ Address:

☒ Source: (See USGS Quad for names of water sources)

☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)

☒ County:

☒ Quantity: (flow and/or volume)

Gov't. Lots:

☒ Period of use:

N/A P/D

☒ Nature of proposed use: (Include description of use)

N/A P/U

☒ Description of diverting works:

☒ Time required for beneficial use of water:

☒ Place of use or acres irrigated:

☒ Map:

☒ Signature: (If applicant is corp., partnership, or municipality title of signator is required)

☒ Fee:

☒ yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

☒ Overlapping place of use: (Describe source & relationship to present application on the back.)

☒ Overlapping point of diversion:

☒ Field check required: Field check by: _____

☒ Field report attached:

☒ Critical groundwater area:

☒ Groundwater management area:

☒ Send dam safety information:

☒ Send power requirement letter:

☒ Send fish farm requirement letter:

☒ Power residency affidavit:

☒ Power efficiency form:

☒ Within trust water boundry: (If yes, attach Trust Water Supplementary Analysis Sheet.)

☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)

☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

☒ Additional information on reverse side:

RECEIVED
JUL 03 1989

Department of Water Resources

63-10775

HELMICK, ALBERT F.
P.O. BOX 445
EMMETT, ID 83617

Source: GROUNDWATER

Diversion Pt:

NWNE Sec 3 T 05N R 01W

Use: IRRIGATION
STOCKWATER

(.100 CFS)
(.090 CFS)

Date Filed: 3/01/1989

In: T05N R01W S03

5.0 ACRES TOTAL

NWNE
NE1W SW1W N1SW SWNE

UNRECORDED

AUG 29 1989