

S INTERIOR WEY

532

533

35'

534


535

536


63-10763

T2N
R2W

3 Acres
P10, pw
nw nw
Sec 27



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



GRASS:
 11900
 4200
 17150
 805
 7000
 41055
 /
 43650
 .94 acres

Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
submersible	—	1 1/2			
submersible	—	10			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: From Exam on 63-09354 = .43 cfs

Irr. Theoretical = information from

Domestic Theoretical = well logs.

NOT SIGNED

OCT 26 1994

35'

534

535

536

32' 30"

538

↑ plu
pd

PERMIT 63-10763 INIT DS
T. R. S. Q/Q
P/D 2n 2w 27 ANNU
SCALE _____
PHOTO ID. _____

Gravel
Pit

BM
2603

BENNE

LA TERR

SIDE

6199

63-10763



View of the irrigation well. Pumped INTO THE RITCHES
Then circulated into the fields.

MISSOURI

OCT 26 1994

63-10762



Domestic well.



View of the west
side of the house.

RECORDED
OCT 26 1984

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10763

Priority: February 15, 1989

Maximum Diversion Rate:

0.05 CFS

Maximum Diversion Volume:

4.7 AF

This is to certify, that JOHN RAPTOSH
PEGGY G RAPTOSH

7984 HWY 45

NAMPA ID 83686

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 15, 1989; and has submitted Proof of Beneficial Use on December 5, 1989. An examination indicates that the works have a diversion capacity of .480 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	4.1 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.05 CFS	4.7 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 27, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	27	NWNW	0.9		0.9

Total number of acres irrigated: 0.9

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

OCT 26 1994

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE


WATER RIGHT NO. 63-10763

CONDITIONS/REMARKS:

6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.
7. Two points of diversion are located within NWNW, S27, T02N, R02W.
8. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 3rd day of OCTOBER, 1994.

Acting for  R. Keith Higginson, Director



001 30 1994

RECEIVED

DEC 5 1989

For Office Use Only
Fee Received \$50.00
Date 12/6/89
Receipt # 0013293
Receipt by C. Wong
Reviewed by 221-13-90
Sent to region

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10763

Name(s) of Permit Holder: JOHN RAPTOSH PEGGY

Post Office Address: 7984 Hwy 45 NAMPA IDAHO
83686 Telephone No. 208 466-5121

Source of Water: GROUNDWATER

Extent of Use:

Domestic 1 (number of households) Stockwater _____ (number and type of stock)
Irrigation 3 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.110 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 5/1/1976

Measuring Device: Required? ☒ Yes ☐ No
NOT Installed? ☒ Yes ☐ No Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

JOHN RAPTOSH 208-466-5121
(Name) (Telephone Number)

7984 Hwy 45 NAMPA ID. 83686
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MINUTELMED

MAR 14 1990

11/4/89
Date

John Raptosh
Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-10763

Proposed Priority: February 15, 1989 Amount: 0.11 CFS

This is to certify, that **JOHN RAPTOSH**
PEGGY G. RAPTOSH
7984 HWY. 45
Nampa, ID 83686

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.09 CFS
DOMESTIC	01/01 to 12/31	0.02 CFS
Totals		0.11 CFS

LOCATION OF POINT(S) OF DIVERSION: NWNW Sec. 27, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	27	NWNW	3		3

Total number of acres irrigated: 3


PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:


1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **June 1, 1990**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
5. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

30th day of May, 1989.



JUN 14 1989

for 
R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: JOHN RAPTOSH 208-466-5121
Address: 7984 HIWAY 45
NAMPA, ID 83686

AND/OR

Name: PEGGY G. RAPTOSH 208-466-5121
Address: 7984 HIWAY 45
NAMPA, ID 83686

2. Source: GROUNDWATER Trib. to:

3. Location of point of diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
02N	02W	27	NW	NW			CANYON

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AFA
DOMESTIC	01/01	12/31	0.020		
IRRIGATION	03/15	11/15	0.090		

5. Total quantity appropriated is:

0.110 CFS (and/or) AFA

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
EXISTING WELL, PUMP, AND PIPELINE FOR DOM. & IRRIGATION USE
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is 8 inches; proposed depth of well is 180
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

MICROFILMED

JUN 14 1989

8. Description of proposed uses:
IRRIGATION AND DOMESTIC 1 HOME

9. Description of place of use:

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
02N	02W	27	~~NW~~	~~NW~~	~~DOMEST~~	
			NW	NW	IRR	3.0
Total Section Acres						3.0
Total Acres						3.0

10. Describe any other water rights used for the same purposes.
BOISE KUNA IRRIG. DISTRICT

11. a. Who owns the property at the point of diversion?
APPLICANT

b. Who owns the land to be irrigated or place of use?
APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

~~SYSTEM EXISTS~~

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

John Reptosh
Applicant

MICROFILMED

JUN 14 1989

WATER RESOURCES

S
INTERIOR
VEY

63-10763

T2N
R2W

3 Acres
P10, 1 pm
nw nw
Sec 27

532


533

35'

534

535

536



Ident. No. 63-10763
Page 3

Received by Rdh Date 2-15-89 Time 10:05 Preliminary check by SL
Fee \$ 30.00 Receipted by Rdh # W002211 Date 2-15-89
Publication prepared by GG Date 2-22-89 Published in Press-Tribune
Publication approved st Date 3-22-89
3/1 & 3/8/89

MICROFILMED

JUN 14 1989



DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 29, 1995

Mr. Randy Raptosh
7756 Hwy 45
Nampa, ID 83686

RE: APPLICATION FOR PERMIT

Dear Mr. Raptosh:

In addition to the letter I sent to you dated September 13, other questions have occurred based on additional research into your water rights. Please review the following information and let me know what you think.

Previous Water Rights

1) Snake River Basin Adjudication (SRBA) Claim No. A63-30162 records a domestic well used for your home in NWNW Section 27. The claim states that a six inch, 200 foot well has been used since 1978, and this appears to be confirmed by the well log filed with the department.

2) Water Right License No. 63-09354 covers an irrigation well for 32 acres plus stockwater for up to 50 cattle in NWNW Section 27. The right was filed in 1980, and the 1983 field examination of the system discussed an eight inch, 217 foot well with a ten horsepower motor and pump supplying a cement ditch plus sprinklers.

Water rights developed by November, 1987 require the filing of SRBA claims to protect the rights. Without SRBA claims, such rights must be recommended for disallowal in the adjudication and will be considered no longer valid. I cannot find any trace of a SRBA claim for this license. If you still irrigate all or part of the 32 acres from a well(s), you should consider filing such a claim to protect License No. 63-09354.

3) **Water Right License No. 63-10763** includes two wells for domestic and irrigation use for 0.9 acre around your home in NWNW Section 27. This right was filed in 1989 and field examined in 1992. The field exam report states that this right compliments License No. 63-09354 by using the same irrigation well. I imagine that the domestic well use in this license is the same as that covered in SRBA Claim No. A63-30162 (that is not a problem). The field report includes two well logs: the previously mentioned one for a 200 foot well (1978) and another log for a six inch, 187 foot well (1991).

Because this newer license was developed after November, 1987 when the SRBA commenced, a SRBA claim is not required.

Mr. Randy Raptosh
September 29, 1995
Page 2

New Application for Permit

Your new filing made on August 18, 1995 mentions a twelve inch, 250 foot well to irrigate about 20 acres in NWNW Section 27. Please consider the following items.

- 1) How many wells already are in place on your land in NWNW Section 27?
- 2) Are you proposing to drill a new well?
- 3) Do you intend to irrigate additional acres not already irrigated under any of the above rights?
- 4) If you simply want to add another well to existing uses but not to increase the irrigated area, another type of water right filing is more appropriate -- an *Application for Transfer* to change existing rights (add a well) could replace your current *Application for Permit*.

Based on your response within 30 days, I will take the appropriate steps regarding your water right filings.

Sincerely,



Steve Lester
Water Rights Supervisor



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 4, 1994

JOHN RAPTOSH
PEGGY G RAPTOSH
7984 HWY 45
NAMPA ID 83686

RE: WATER RIGHT NO. 63-10763

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

OCT 26 1994

LICENSE REVIEW CHECKLIST

Permit # 63-10763

Date 01-13-93

CB

NAME	<u>Yes</u>	<u>No</u>	Address Change?	<u>9-6-94 BC</u>
PRIORITY DATE	<u>Yes</u>	<u>No</u>	Advance?	
	<u>Yes</u>	<u>No</u>	Memo to Advance	
	<u>Yes</u>	<u>No</u>	Order to Reinstate Needed?	

TOTAL CFS	<u>Yes</u>	<u>No</u>	Incorrect Fee for rate recommended?	
	<u>Yes</u>	<u>No</u>	Disagree with Actual Measurement?	
	<u>Yes</u>	<u>No</u>	Disagree with Theoretical?	<u>1.5 x 8.8 x .7 = .0456</u>
	<u>Yes</u>	<u>No</u>	Limited by Capacity?	<u>.05 cfs 110' H (2.31 x 40)</u>

Both wells:
DOM = .05
IRR = .43
IRR = .48

TOTAL VOLUME	<u>Yes</u>	<u>No</u>	Rate/ac	<u>4.5</u>	AFA	Irr. Season	<u>D</u>
	<u>Yes</u>	<u>No</u>		<u>3-15 to 11-15</u>		Standard Irr. Season	
	<u>Yes</u>	<u>No</u>		<u>Same Per Permit</u>		Season Recommended	
	<u>Yes</u>	<u>No</u>	Disagree with Examiner's Calculations?				<u>agree</u>
	<u>Yes</u>	<u>No</u>	Limited by Flow?	<u>.03 x 245 x 1.9835 = 14.629</u>			

SOURCE	<u>Yes</u>	<u>No</u>	Changes?	<u>Clarification of Originally Intended source</u>
	<u>Yes</u>	<u>No</u>	Notice of Intent to Void.	

P/D	<u>Yes</u>	<u>No</u>	Verify with Map	
	<u>Yes</u>	<u>No</u>	Amendment Needed?	
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration?	

P/U	<u>Yes</u>	<u>No</u>	Verify with Map	
	<u>Yes</u>	<u>No</u>	Amendment Needed?	
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration?	

USES	<u>Yes</u>	<u>No</u>	Change(s) in Nature of Use?	
	<u>Yes</u>	<u>No</u>	Amendment Needed?	

REMARKS	<u>Yes</u>	<u>No</u>	Multiple P/Ds in 1/4 1/4?	
	<u>Yes</u>	<u>No</u>	Non-Irr. Uses	<u>DOM / Home</u>
	<u>Yes</u>	<u>No</u>	Special Overlap Condition	
	<u>Yes</u>	<u>No</u>	Other	

CONDITIONS	<u>Yes</u>	<u>No</u>	Measuring Device	<u>DATES/MISC</u>
	<u>Yes</u>	<u>No</u>	W/Master Control	<u>Water Dist.</u>
	<u>Yes</u>	<u>No</u>	Overlap	<u>App Rec'd</u>
	<u>Yes</u>	<u>No</u>	Water Quality	<u>Exam Made</u>

COMMENTS: SWL = 100' / Used 110' min. Dynamic estimate + 40 psi DOM estimate.
App. + Permit for single well - DOM + sm. IRR / DOM system provides
full amounts & examiner states yard IRR Done by sprinklers & DOM well.
No recommendation to Amend permit & add 2nd P/D. IRR well & system under 63-9354.

LICENSE AMEND SPECIAL PARAGRAPH

see exam
H. Z. 7/20/94

RECEIVED
SEP 2 - 1994

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORTRECEIVED
JAN 7 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-107631. Owner: John Raptash Phone No. 466-5121Current Address: 7984 Hwy 45 Nampa Id 836862. Accompanied by: John Raptash EXAM DATE: 7-23-92Address: same Phone No. sameRelationship to Permit Holder: same3. Source: ground water tributary to NA

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-02724 Agenbroad; 63-05046 Briggs; 63-09354 Raptash2. Other water rights with the same point of diversion: 63-05046 Briggs; 63-09354 Raptash

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
2 P/D			NW	NW	27	2N	2W	Canyon	Quads; Field Exam

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	2W	27						L											
								D											

MICROFILMED

OCT 26 1994

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



GRASS:
11900
4200
17100
805
7000
41955
43650
94400

Scale: 1" = _____

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
submersible	—	1 1/2			
submersible	—	10			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: From Exam on 63-09354 = .43 cfs

Irr. Theoretical = information from

Arithmetic Theoretical = well logs

MISSOURI

OCT 26 1994

E: NARRATIVE/REMARKS/COMMENTS

This system is an extension of Permit # 63-9354. The system uses a domestic $1\frac{1}{2}$ hp, 6" well. This well is used mostly in the house, but can also be used in the lawn. It is 200' deep and has a static/dynamic level of 100'.

The IRRIGATION WELL IS THE SAME AS 63-9354. It is used on the lawn - the grounds around the domestic. The well is 8" with a 10hp. The well is around 185' and has a static water level of 120'; an estimated dynamic level of 140'. Underground sprinklers are used to water most of the lawn.

* The lawn can be watered partially by the irrigation well mostly the domestic well irrigator via sprinklers.

(63-09354 did not include domestic lawn in recommendations) 6/7/20/94

Have conditions of permit approval been met? ☒ yes ☐ no

OCT 26 1994

Additional Computation Sheets Attached

43cfs Irrigation available

Exam 63-09354

$$.99 \times .03 = .0327$$

under 03-09354 = .43ds
need = 03.1-
AVAILABLE 0.0ds

03 cfs Irrigation
(.03 rounded)

9 4.7

9 4.7

9 4.7

9 4.7

$R_{\text{omestic}} = .6$ Domestic with no loan

1. Recommended Amounts

Totals: .05-fts 4.43 AFA
4.7

2 1/2

X None

Other

Field Examiner's Name 1 AVID GRAY Date 8-14-92

Reviewer _____ Date _____

REF ID: A66562

OCT 26 1994

35'

534

535

536

32' 30"

538

↑ plu
Pd

PERMIT 63-10163 INIT DS
T. R. S. Q/Q
P/D in 2w 27 Amw
SCALE _____
PHOTO ID. _____

Gravel
Pit

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10763

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 2a, Rge 2w, Sec. 27, nw 1/4 nw 1/4 or Lot _____.

2. Owner: John Raskah

Address 7984 Hwy 45, City Ames, St Id.

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port: Yes ☒ No ☐ Static Water Level: _____
Pressure Gauge: Yes ☐ No ☒ Casing Diameter: _____
Flowing: Yes ☒ No ☐ Temperature: _____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☐

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

2004

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name RAUDY RAPTOSH
Address 7756 HIGHWAY 45, NAMPA, IDAHO
Owner's Permit No. 63-91-W-004

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other

Thickness	Diameter	From	To
<u>.250</u> inches	<u>6"</u> inches	<u>2</u> feet	<u>182</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal depth 20 Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Puddling clay ☐

Sealing procedure used: ☒ Slurry pit ☒ Temp. surface casing
☐ Overbore to seal depth


Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld

☐ Cemented between strata

Describe access port WELL SEAL

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County CANYON

NW 1/4 NW 1/4 Sec. 27, T. 2, S. 11 R. 2, W. 4

7. WATER LEVEL

Static water level 120 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality 12.1RAIN PH 8.1IRON 3
Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailor ☒ Air ☐ Other

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>17 GPM</u>	<u>—</u>	<u>1 1/2 HOURS</u>

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
6"	1	5	TOP SOIL		
	5	11	HARD PAN		
	11	22	LAUA ROCK WITH CLAY & CINDERS		
	22	25	SAND		
	25	40	TAN CLAY		
	40	60	GRAVEL & SAND		
	60	62	SAND		
	62	100	TAN SANDY CLAY		
	100	104	SAND		
	104	138	CLAY		
	138	145	SAND (VERY LITTLE)	X	
	145	162	CLAY		
	162	166	SAND (8-10 GPM)	X	
	166	170	CLAY		
	170	175	SHORT CLAY & SAND STRATAS (LITTLE)	X	
	175	177	CLAY		
	177	187	SAND & CLAY STRATAS (17-20 GPM) (CLEANED UP WELL)	X	

10.

Work started 1-18-91 finished 1-21-91

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

Firm Name ADAMSON PUMP-DRILL Firm No. 457

Address NAMPA IDAHO Date 1-28-91

Signed by (Firm Official) DAVE ADAMSON

and
(Operator) DAVE ADAMSON

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Randy Raptosh</u> Address <u>Nampa, Idaho</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>100</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____																																																																												
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☒ Bailer ☐ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td align="center"><u>18</u></td> <td align="center"><u>100</u></td> <td align="center"><u>3</u></td> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>18</u>	<u>100</u>	<u>3</u>																																																																						
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																											
<u>18</u>	<u>100</u>	<u>3</u>																																																																											
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td align="center"><u>6</u></td> <td align="center"><u>0</u></td> <td align="center"><u>3</u></td> <td><u>Top Soil</u></td> <td align="center"></td> <td align="center">☒</td> </tr> <tr> <td></td> <td align="center"><u>3</u></td> <td align="center"><u>4</u></td> <td><u>Hard Pan</u></td> <td align="center"></td> <td align="center">☒</td> </tr> <tr> <td></td> <td align="center"><u>4</u></td> <td align="center"><u>14</u></td> <td><u>Sand</u></td> <td align="center"></td> <td align="center">☒</td> </tr> <tr> <td></td> <td align="center"><u>14</u></td> <td align="center"><u>35</u></td> <td><u>Clay</u></td> <td align="center"></td> <td align="center">☒</td> </tr> <tr> <td></td> <td align="center"><u>35</u></td> <td align="center"><u>72</u></td> <td><u>Sandy Clay</u></td> <td align="center"></td> <td align="center">☒</td> </tr> <tr> <td></td> <td align="center"><u>72</u></td> <td align="center"><u>136</u></td> <td><u>Clay</u></td> <td align="center"></td> <td align="center">☒</td> </tr> <tr> <td></td> <td align="center"><u>136</u></td> <td align="center"><u>144</u></td> <td><u>Sand</u></td> <td align="center"></td> <td align="center">☒</td> </tr> <tr> <td></td> <td align="center"><u>144</u></td> <td align="center"><u>157</u></td> <td><u>Clay</u></td> <td align="center"></td> <td align="center">☒</td> </tr> <tr> <td></td> <td align="center"><u>157</u></td> <td align="center"><u>175</u></td> <td><u>Sandy Clay</u></td> <td align="center"></td> <td align="center">☒</td> </tr> <tr> <td></td> <td align="center"><u>175</u></td> <td align="center"><u>192</u></td> <td><u>Clay</u></td> <td align="center"></td> <td align="center">☒</td> </tr> <tr> <td></td> <td align="center"><u>192</u></td> <td align="center"><u>200</u></td> <td><u>Blue Clay</u></td> <td align="center"></td> <td align="center">☒</td> </tr> </tbody> </table>	Hole Diam.	Depth		Material	Water		From	To	Yes	No	<u>6</u>	<u>0</u>	<u>3</u>	<u>Top Soil</u>		☒		<u>3</u>	<u>4</u>	<u>Hard Pan</u>		☒		<u>4</u>	<u>14</u>	<u>Sand</u>		☒		<u>14</u>	<u>35</u>	<u>Clay</u>		☒		<u>35</u>	<u>72</u>	<u>Sandy Clay</u>		☒		<u>72</u>	<u>136</u>	<u>Clay</u>		☒		<u>136</u>	<u>144</u>	<u>Sand</u>		☒		<u>144</u>	<u>157</u>	<u>Clay</u>		☒		<u>157</u>	<u>175</u>	<u>Sandy Clay</u>		☒		<u>175</u>	<u>192</u>	<u>Clay</u>		☒		<u>192</u>	<u>200</u>	<u>Blue Clay</u>		☒
Hole Diam.	Depth		Material	Water																																																																									
	From	To		Yes	No																																																																								
<u>6</u>	<u>0</u>	<u>3</u>	<u>Top Soil</u>		☒																																																																								
	<u>3</u>	<u>4</u>	<u>Hard Pan</u>		☒																																																																								
	<u>4</u>	<u>14</u>	<u>Sand</u>		☒																																																																								
	<u>14</u>	<u>35</u>	<u>Clay</u>		☒																																																																								
	<u>35</u>	<u>72</u>	<u>Sandy Clay</u>		☒																																																																								
	<u>72</u>	<u>136</u>	<u>Clay</u>		☒																																																																								
	<u>136</u>	<u>144</u>	<u>Sand</u>		☒																																																																								
	<u>144</u>	<u>157</u>	<u>Clay</u>		☒																																																																								
	<u>157</u>	<u>175</u>	<u>Sandy Clay</u>		☒																																																																								
	<u>175</u>	<u>192</u>	<u>Clay</u>		☒																																																																								
	<u>192</u>	<u>200</u>	<u>Blue Clay</u>		☒																																																																								
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____	Department of Water Resources Western Regional Office																																																																												
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>.250</u> inches</td> <td><u>6</u> inches</td> <td>+ <u>1</u> foot</td> <td><u>179</u> feet</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>23'</u> Material used in seal: ☐ Cement grout ☒ Well cuttings ☐ Puddling clay ☒ Temp. surface casing Sealing procedure used: ☐ Slurry pit ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>None</u>		Thickness	Diameter	From	To	<u>.250</u> inches	<u>6</u> inches	+ <u>1</u> foot	<u>179</u> feet													Number	From	To																																																					
Thickness	Diameter	From	To																																																																										
<u>.250</u> inches	<u>6</u> inches	+ <u>1</u> foot	<u>179</u> feet																																																																										
Number	From	To																																																																											
6. LOCATION OF WELL Sketch map location must agree with written location. Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Canyon</u>	10. Work started <u>10-9-78</u> finished <u>11-4-78</u>																																																																												
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>H₂O Well Drilling</u> Firm No. <u>303</u> Address <u>Boise Idaho</u> Date <u>11-9-78</u> Signed by (Firm Official) <u>Bruce E. Connolly</u> and (Operator) <u>Bruce E. Connolly</u>																																																																													

63-10763



View of the irrigation well. Pumped INTO THE DITCHES
Then circulated into the fields.

OCT 26 1934

63-10762



Domestic well.



View of the west
side of the house.

RECORDED
INDEXED
OCT 26 1934

63-10762



Domestic well.



View of the west
side of the house.

RECORDED
OCT 26 1934

March 9, 1990

JOHN RAPTOSH
PEGGY G. RAPTOSH
7984 HWY. 45
NAMPA, ID 83686

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10763

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MicroFILMED

MAR 14 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
May 31, 1989

JOHN RAPTOSH
PEGGY G. RAPTOSH
7984 HWY. 45
NAMPA, ID 83686

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. ~~P~~63-10763

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

INDEXED

JUN 14 1989

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED

JUN 14 1971

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) SS.
 County of Canyon)

NOTICE OF APPLICATION FOR WATER RIGHT

The Following applications have been filed to appropriate the public waters of the State of Idaho:

63-10763

RAPTOSH, JOHN
 RAPTOSH, PEGGY G.
 7984 HIWAY 45
 NAMPA, ID 83686
 Source: GROUNDWATER
 Diversion Pt: NWNW Sec 27 T 02N R 02W

Use: DOMESTIC (1.020 CFS)
 IRRIGATION (.090 CFS)
 Date Filed: 2/15/1989
 In: T02N R02W S27 NWNW
 3.0 ACRES TOTAL

63-10764

WOODARD, MAURICE E.
 18638 PRESCOTT LN.
 NAMPA, ID 83687
 Source: GROUNDWATER
 Diversion Pt: NENE Sec 35 T 04N R 02W

Use: IRRIGATION (2.600 CFS)
 Date Filed: 2/21/1989
 In: T04N R02W S35 NENE NWNE
 SWNE SENE
 130.0 ACRES TOTAL

63-10766

PERKINS, GALENE E.
 PERKINS, FRANCES
 14501 LOCUST LN.
 NAMPA, ID 83686
 Source: GROUNDWATER
 Diversion Pt: NENE Sec 10 T 02N R 03W

Use: IRRIGATION (1.340 CFS)
 Date Filed: 2/16/1989
 In: T02N R03W S10 NWNE NENW
 67.0 ACRES TOTAL

63-10767

GREEN ACRES FARMS
 14501 LOCUST LN.
 NAMPA, ID 83686
 Source: GROUNDWATER
 Diversion Pt: NENW Sec 36 T 03N R 04W

Use: IRRIGATION (2.400 CFS)
 Date Filed: 2/16/1989
 In: T03N R04W S36 SWNE NENW
 SENW
 120.0 ACRES TOTAL

The permits will be subject to all prior water rights. Protests just be filled with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before MARCH 20, 1989.

R: KEITH HIGGINSON,

Director
 March 2, 9, 1989

Debra Kalousek

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times

—in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

March 2, 9, 1989

Debra Kalousek

STATE OF IDAHO)
)
 COUNTY OF CANYON)

On this 9th day of March in the year of 1989, before me, a Notary Public, personally appeared Debra Kalousek, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he/she executed the same.

Janet Gush
 Notary Public for Idaho

Residing at Nampa

63-10763

RAPTOSH, JOHN
RAPTOSH, PEGGY G.
7984 HIWAY 45
NAMPA, ID 83686

Source: GROUNDWATER

Diversion Pt: NWNW Sec 27 T 02N R 02W

Use: DOMESTIC (.020 CFS)
 IRRIGATION (.090 CFS)

Date Filed: 2/15/1989

In: T02N R02W S27 NWNW

3.0 ACRES TOTAL

MICROFILMED

JUN 14 1989