

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

63-10760

T3N
R2E

DE

(EAGLE)

116°15'
43°37'30"

20 26

CALDWELL (U.S. 30) 23 MI.

26 MI. TO U.S. 30
EAGLE 8.5 MI.

12°30" 5.9


T. 3 N.

30

NAMPA 17 MI.
MERIDIAN 7.5 MI.

MERIDIAN 8.2 MI.

35'



63-10-760

Sec 8

89° 56' W
80.20

160

80

3728 21.00

NORTH

40

Sec 9

43.10 42.20

160

80

T3N
R2E
S. 9

89° 47' W

79.64

NORTH

Sec 10

3671 4700 46.6

7 4 3

33.00

5700 5

WOOD
89° 43' W
18.29
27.1
10
80.35 5

Sec 5

10 40 11

26.10

13 12

34.88

19.00

3700.8

12

49.70

Sec 4

6

80

52' W

79.70

44.25

38820

3705

8

5

0° 01' E

20.00

20.00

20.00

20.00

20.00

20.00

20.00

20.00

20.00

APR 19 1993

2. Measurements:

Flow too great from 6" pipe for butut, And too short of pipe for polyline. (rated @ 600 gpm, or 1.4 cfs)

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

D. FLOW MEASUREMENTS


N/A

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	50	N/A	STA-RITE	LS 700 T8

4.


Scale: 1" = NTS
 Copy of USGS Quadrangle Showing location(s) of point(s) of diversion and place(s) of use (required).
 Aerial Photo Attached (required for irrigation of 10+ acres)
 Photo of Diversion and System Attached



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.







PERMIT 63-10760 INIT RC
 T. R. S. Q/Q
 P/D 3N 2E 9 SENW 6T8
 SCALE _____
 PHOTO ID. X-59 Boise South

AUG 09 1996

COMPOSITE PLAT OF
NORTH, RANGE N° 2 EAST OF TH






PHOTO ONE-

Well and electrical boxes located at east end of Kathryn Albertson Park.



View westward of north portion of Kathryn Albertson Park.

AUG 09 1999

PHOTO TWO-



PHOTO THREE-

View Southwest of EAST end of PARK.



PHOTO FOUR-

Northwest portion of park being irrigated by
underground sprinkling system.

AUG 09 1996



PHOTO FIVE-

Well discharge through 6" iron pipe. Discharge point is approximately 200' westerly from well.



View westerly of portion of pond.

PHOTO SIX-

STATE OF IDAHO
IDAHO DEPARTMENT OF WATER RESOURCES
NOTICE OF CHANGE OF WATER RIGHT OWNERSHIP

RECEIVED

MAR 25 1999

**WATER RESOURCES
 WESTERN REGION**

Please print or type. Attach pages with additional information. Instructions are on the back of this page.
 Incomplete forms will be returned.

Water Right or Adjudication Claim No(s): See Attached Sheet

The following **REQUIRED** information must be submitted with this form:

A. A copy of the most recent **DEED, TITLE POLICY, CONTRACT OF SALE** or other legal document indicating your ownership of the property and water rights or claims in question, **WITH ATTACHED LEGAL DESCRIPTION.**

AND

B. **PLAT OF PROPERTY** or **SURVEY MAP** for parcel of ten acres or less. (These are usually attached to your deed or on file with the county.)

OR

C. For water rights or adjudication claims involving ten or more irrigated acres, a USDA Farm Service Agency **AERIAL PHOTO** with irrigated acres outlined and point(s) of diversion clearly marked.

Name and Address of Former Owner/Claimant See Attached Sheet

4. New Owner/Claimant(s) City of Boise
 Name Connector (Check one): ☐ and, ☐ or, ☐ and/or
 New Mailing Address Parks & Recreation Dept.
1104 Royal Blvd.
 City, State and ZIP Code Boise, ID 83706
 New Telephone Number (208) 384-4060

5. Date you acquired the property _____

6. If you have acquired only a portion of the former owner's property, IDWR may need to split the water right(s) or adjudication claim(s). If this applies, describe in detail your portion of each water right or adjudication claim in the spaces below. If necessary, attach additional pages.

Number of acres you irrigate _____ Number and type of stock _____

Diversion rate in CFS _____ Number of homes _____ Other uses _____

If a water right or adjudication claim is being split and you are not sure how to identify your portion of the original right or claim, please contact the nearest IDWR office for assistance.

7. Signature of New Owner or Claimant(s) James R. Ball
Director

Corporations or other organizations must submit a list of directors and/or officers demonstrating authority to sign this form.


8. For Snake River Basin Adjudication Claims: Please attach a Notice of Appearance completed by your attorney, if you wish IDWR to correspond with him or her for all matters related to your claims.

City of Boise
Parks & Recreation Department
Water Rights/Adjudication Claims

Names are those found on adjudication profile reports, if water right has been claimed. In many instances different names appear on water right profile reports. The water right names also need to be changed to the corrected name and address.

A63-00164A	City of Boise Parks and Recreation Dept. 1104 Royal Blvd. Boise, ID 83706	A63-03116	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-00164C	City of Boise Parks and Recreation Dept. 1104 Royal Blvd. Boise, ID 83706	A63-03132	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-02792	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-03147	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-02841	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-03413	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-02843	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-03565	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-02925	Boise Parks System 1104 Royal Blvd. Boise, ID 83706	A63-07034	City of Boise Parks and Recreation Dept. 1104 Royal Blvd. Boise, ID 83706
A63-02933	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-07179	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-02971	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-07523	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-02972	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-07524	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-03069	Boise Parks and Recreation 1104 Royal Blvd. Boise, ID 837062898	63-07549	City of Boise Park Dept. City Hall Boise, ID 83701

E.C. Underhill



63-07728	City of Boise Dept. of Parks City Hall Boise, ID 83702	A63-09670	Boise Park System 1104 Royal Blvd. Boise, ID 83706
63-07592	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-10022	City of Boise Dept of Parks 1104 Royal Blvd Boise, ID 83706
A63-07666	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-10188	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-07668	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-10246	Boise Park System Jullion Park 1104 Royal Blvd. Boise, ID 83706
A63-08025	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-10296	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-08263	Boise Park System 1104 Royal Blvd. Boise, ID 83706	✓ 63-10305	Boise City Parks Dept. 1104 Royal Blvd. Boise, ID 83706
A63-08600	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-10395A	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-09112	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-10395B	Boise Park System 1104 Royal Blvd. Boise, ID 83706
✓ 63-09138	City of Boise c/o Louis Uranga P.O. Box 500 Boise, ID 83701	✓ 63-10750	Boise Park System Mountain View Park 1104 Royal Blvd. Boise, ID 83706
A63-09192	Boise Park System 1104 Royal Blvd. Boise, ID 83706	✓ 63-10752	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-09276	City of Boise Parks and Recreation Dept. 1104 Royal Blvd. Boise, ID 83706	✓ 63-10760	City of Boise Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-09326	Boise Park System 1104 Royal Blvd. Boise, ID 83706	✓ 63-11075	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-09362	Boise Park System 1104 Royal Blvd. Boise, ID 83706		

✓ 63-11816

Boise Park System
1104 Royal Blvd.
Boise, ID 83706

✓ 63-11822

Boise Park System
1104 Royal Blvd.
Boise, ID 83706

A63-22375

City of Boise

A63-30418

City of Boise
Parks & Recreation Dept.
1104 Royal Blvd.
Boise, ID 83706

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10760

Priority: January 31, 1989

Maximum Diversion Rate: 1.00 CFS
Maximum Diversion Volume: 131.5 AF

This is to certify, that CITY OF BOISE
BOISE PARK SYSTEM
1104 ROYAL BLVD
BOISE ID 83706

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 31, 1989; and has submitted Proof of Beneficial Use on December 8, 1993. An examination indicates that the works have a diversion capacity of 1.000 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.00 CFS	121.5 AF
WILDLIFE STORAGE	01/01 to 12/31		10.0 AF
DIVERSION TO STORAGE	01/01 to 12/31	1.00 CFS	
Totals		1.00 CFS	131.5 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 8(SENW), Sec. 9, Township 03N, Range 02E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	02E	9	NENW 4	Lot 10(NWNW) 3	Lot 8(SENW) 20	27
Total number of acres irrigated:						27

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Diversion and use of water under this right is subject to rules that may subsequently be promulgated for the use of existing rights used for supplemental purposes.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10760

CONDITIONS OF APPROVAL AND REMARKS

6. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.
7. This right when combined with all other rights shall provide no more than .04 cfs per acre nor exceed a combined annual diversion volume of 121.5 af for the lands above.
8. Diversion to storage shall not occur under this right if the surface water right(s) appurtenant to the place of use is sold, transferred, leased, or used on any other place of use.
9. The right holder shall only divert groundwater to storage under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.
10. Place of use is located within Kathryn Albertson Park.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 19TH day of JULY, 1976.

Acting for

KARL J. DREHER, Director

AUG 9 1976

RECEIVED

DEC 08 1993

Department of Water Resources
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

OFFICE USE ONLY

Amt. of Fee \$ 125.00

Date 12-8-93

Receipt No. 029185

Receipt by [Signature]

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 03-10760 Telephone No. 384-4240

2. Name(s) of Permit Holder(s): BOISE PARK SYSTEM

3. Mailing Address: 1104 Royal Blvd. Boise, ID 83706

4. Source of Water: GROUNDWATER

If GROUNDWATER, Well Driller's Name: DENNIS PHIPPS Date Drilled: 3/5/89

OPTIONAL:

Pump horsepower: 50 Pressure (psi): 80 Dynamic pumping level (ft.):

5. Extent of Use (as authorized by the permit):

Domestic (No. of households) Stockwater (No. and type of stock)

Irrigation 32 (No. of acres) Other WILDLIFE / AESTHETIC STORAGE

6. Total rate and/or volume for which proof is submitted 1.34 cfs plus 10 acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

OR

Flow Measurement Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

8. Fee Enclosed: \$ 125.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

DAVE HENDERSON 384-4240
Name Telephone No.

1104 Royal Blvd. Boise, ID 83705
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

12/8/93 Paul Philbrook Park Designer
Date Signature (and title, if on behalf of a company or organization)

JAN 13 1994

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-10760

Proposed Priority: January 31, 1989 Maximum Diversion Rate: 1.34 CFS

This is to certify, that **CITY OF BOISE**
BOISE PARK SYSTEM
1104 ROYAL BLVD
BOISE ID 83706

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.34 CFS	
WILDLIFE STORAGE	01/01 to 12/31		10.0 AF
DIVERSION TO STORAGE	01/01 to 12/31	1.34 CFS	
	Totals	1.34 CFS	

LOCATION OF POINT(S) OF DIVERSION: Lot 8(SENW), Sec. 9, Township 03N, Range 02E
ADA County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>					
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	02E	9	Lot 7(SWNE) 1	NE1/4 4	Lot 10(NWNW) 5	
			SWNW 2	Lot 8(SENW) 20		32
				Total number of acres irrigated:		32

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **April 1, 1994**.
2. Subject to all prior water rights.
3. A flow measurement port or other device as specified by the Department shall be installed by the right holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
4. Use of water under this right is subject to control by the watermaster of State Water District No. 63.
5. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.04 cubic feet per second for each acre of land.
6. Place of use is located within Kathryn Albertson Park.
7. Place of use in the NWNW 1/4 1/4 is located within Government Lots 9 and 10.

APPROVED

APR 19 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-10760

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

16 th day of March, 1993

R. Keith Higginson
for R. Keith Higginson, Director



RECEIVED

9 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: CITY OF BOISE 208-384-4240
Address: BOISE PARK SYSTEM
1104 ROYAL BLVD.
BOISE, ID 83706

2. Source: GROUNDWATER Trib. to:

3. Location of point of diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
03N	02E	9	SE	NW		8	ADA

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AFA
IRRIGATION	03/15	11/15	1.340		
WILDLIFE STORAGE	01/01	12/31			10.00
DIVERSION TO STORAGE	01/01	12/31	1.340		

5. Total quantity appropriated is:
1.340 CFS (and/or) 10.00 AFA

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
8" CASING, 200' WELL, PUMP AND PIPELINES FOR SPRINKLER IRRIGATION
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is inches; proposed depth of well is
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:

A

APR 19 1993

9. Description of place of use:

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
03N	02E	9	SE SW NE	7	IRR	1.0
			NE NW		IRR	4.0
			NW NW	10	IRR	5.0
			SW NW		IRR	2.0
			SE NW	8	IRR	20.0
			SE NW	8	DIV S	
Total Section Acres						32.0
Total Acres						32.0

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?
APPLICANT
- b. Who owns the land to be irrigated or place of use?
APPLICANT
- c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

P/U NWNW INCLUDES GOV'T LOTS 9 & 10. WLIDLIFE PONDS WILL OCCUR
IN ALL TRACTS SHOWN. P/U AKA KATHRYN ALBERTSON PARK.

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

Phil Yuba

Applicant

Project Coordinator for
K. Albertson Park

APR 19 1993

Ident. No. 63-10760
Page 3

Received by SL Date 1/31/89 Time 2:00 Preliminary check by SL
Fee \$ 65 Receipted by SL # W002135 Date 1/31/89
Publication prepared by GG Date 2-8-89 Published in Id Statesman
Publication approved SL Date 3/13/89 2/16 & 2/23/89

APR 19 1993

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

63-10760

T3N
R2E

DE

(EAGLE)
116°15'
43°37'30"

20 26

CALDWELL (U.S. 30) 23 MI.


26 MI. TO U.S. 30
EAGLE 8.6 MI.


12°30' 5.9

T. 3 N.

30

NAMPA 17 MI.
MERIDIAN 7.5 MI.





Sec. 4

Sec. 5

6

80

8

Lot 10

2

5

26.10

49.70

14.55

40

3705

29.20

BOISE

APR 19 1993

S. 89° 54'

80.00

12

3700

Lot 9

89°

52' W.

79.70

44.25

2705

3882

6

57.00

33.00

Sec. 10

7

4

3

36.71

47.00

46.6

37.28

21.00

40

43.10

42.20

Sec. 9

NORTH

160

160

80

T3N
R2E
S. 9

S.

89° 47' W.

79.64

2010 5 1710 6 0110 5 0052 3 NORTH 50.00

Lot 14

WOOD

89°

43' W.

18.29

Lot 12

15.33

80.35

89° 56' W.

80.20

63-10-176



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 22, 1996

CITY OF BOISE
BOISE PARK SYSTEM
1104 ROYAL BLVD
BOISE ID 83706

RE: WATER RIGHT NO. 63-10760

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

A faint, circular official stamp, likely from the Idaho Department of Water Resources, located at the bottom right of the page.

AUG 8 1996

MEMORANDUM

TO: File 63-10760

FROM: Sharla

DATE: July 11, 1996

RE: Recommendation Adjustment(s)

The final license recommendations for Right 63-10760 are based on the following.

C. DIVERSION AND DELIVERY SYSTEM

2. Place of Use - NENW, NWNW, SENW, S9, T3N, R2E

After outlining $\frac{1}{4}$ division lines on the aerial photo attached, the breakdown of acres is as follows:


NENW - 4 acres

NWNW - 3 acres

SENW - 20 acres

Examiner: Rick Collingswood
Exam date: April 7, 1994

AUG 09 1996



LICENSE REVIEW CHECKLIST

PERMIT NO. 63-10760

DATE 7/11/96

REVIEWER: S H A R L A

NAME Change OK

Address Change No

SOURCE Change OK

Is change clarification of originally intended source? Yes
If not, prepare Notice of Intent to Void Yes

POINT OF DIV Change OK

Amendment required No

PLACE OF USE Change OK

Amendment required No

Does map agree with written description? Yes no * - only 3 1/4's

OVERLAPS P/D

P/U 63-0164A - Boise R.

Cond rem. WB7 & WB8 covers

RATE OF DIV

Permitted Rate 1.34 cfs

Fee limit 2.00 cfs \$12500

Measured .91 cfs (1.4) cfs

Theoretical .91 cfs (1.4) cfs

NO MEASUREMENT MADE (1.1 well log)
pump rating

Recommended Total Div Rate 1.0 cfs

ANNUAL VOLUME/
NATURE OF USES Change OK

Use	Volume Calculation
<u>Irr.</u>	<u>27 x 4.5 = 121.5</u> af
<u>Wildlife Stor.</u>	<u>10.0</u> af
<u>Dw. to Stor.</u>	<u> </u> af
	<u> </u> af
SUBTOTAL	<u>131.5</u> af

Flow rate 1.0 cfs X 365 days X 1.9835 = 722.7 af

Total volume recommended 131.5 af
(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

CONDITIONS R04 Watermaster Control WD# #63

 GW Measurement/Measuring Device

WB7 Overlap WB8

 Use-specific conditions 065, 050

Advancement of Priority Date Required yes no

SRBA Claim Filed N/A

Adjustment Memo * plus dese.

1st Amend Letter N/A

2nd Amend Letter N/A

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 22 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10760

1. Owner: CITY OF BOISE, BOISE PARK SYSTEM Phone No. 384-4240

Current Address: 1104 ROYAL BLVD., BOISE, ID 83706

2. Accompanied by: DAVE HENDERSON EXAM DATE: 4/7/94

Address: SAME Phone No. SAME

Relationship to Permit Holder: Park Superintendent

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: MANY - See Attached Sheets

2. Other water rights with the same point of diversion: MANY - See Attached Sheets

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	8		SE	NW	9	3N	2E	Ada	Aerial map

2. Place(s) of Use:


Indicate Method of Determination SAME AS P/D

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	2E	9			1 LOT 7		4	5 LOT 10	2	2D LOT 8									32
3N	2E	9			X		X	X	X	X									

X - WILDLIFE STORAGE
Diversion to STORAGE

AUG 09 1996

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size ^{model}
	Franklin	50	N/A	STA-RITE	LS 700 T8

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS N/A

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Flow too great from 6" pipe for bucket,
and too short of pipe for polysonic. (Rated @ 600 gpm,
or 1.4 CFS)

AUG 09 1996

E. NARRATIVE/REMARKS/COMMENTS

OVERLAPS: P/O Same QA, different P/D's.

P/V Same QA, different places of use.

Well, with 10" casing, is used to irrigate approximately 27 acres of park land, and to supplement the filling of ponds in park. The main source for the initially filling each spring of the ponds is the Ridenbough drain. The well is used periodically through the year to maintain a desired water level in ponds.

The park is irrigated entirely by well through an underground system. The entire park is irrigated by pop-ups.

The requested allocation of 1.34 cfs is much greater than the theoretical capacity of 0.91 cfs. Due to the 'rough' estimate for the dynamic pumping level, recommend licensing for 1.0 cfs for irrigation of 27 acres of park and for diversion to storage. Also, recommend licensing for wildlife storage of 10.0 AF, since map estimation was close to this figure.

(No adjudication claim filed)

$$\begin{array}{lcl} \text{Theoretical: } Q = \frac{(8.8)(0.7)(50)}{1.55 + (2.31 \times 80)} = \frac{308}{339.8} \approx \frac{0.91}{0.90} \text{ cfs} \\ \text{Use 1.0 cfs} \end{array}$$

Note: Dynamic Pumping Level determined by office diagram and specifications.

System pressure of 80 psi is gage reading during operation.

Have conditions of permit approval been met? ☒ yes

☐ no

1081338

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

(SEE NARRATIVE FOR THEORETICAL SYSTEM CAPACITY CALCULATION)

G. VOLUME CALCULATIONS**1. Volume Calculations for Irrigation:**

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 27 \times 4.5 = 121.5 \text{ AFA}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.0 \times 246 \times 1.9835 = 487.9 \text{ AFA}$$

$$V = \text{Smaller of } V_{LR} \text{ and } V_{DR} = 121.5 \text{ AFA}$$

2. Volume Calculations for Other Uses:WILDLIFE STORAGE: $24 \text{ AF} \times 0.4 = 10.0 \text{ AF}$ **H. RECOMMENDATIONS****1. Recommended Amounts**

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/15	11/15	1.0	121.5
WILDLIFE STORAGE	1/1	12/31	—	10.0
DIVERSION TO STORAGE	1/1	12/31	1.0	—
Totals:			1.0	131.5

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Rick Collingwood Date 4/20/94

Reviewer _____ Date _____

SEAL

AUG 9 1996

6/04/93

PARKS - PUMP, MOTOR & WELL INFORMATION


Page 1

DRAFT

SERIES LS 700 T 8


NAME	GPM	PSI	HP	V&P	PUMP/MFR	T/S	SIZE	SET	COL	MOTOR MFR	YEAR	DEPTH	SIZE-1	SWL	CASING	SCREENS
DIVISION: BENCH Albertson	600	80	50	480/3	STAYRITE	S	5" 126' 6"	FRANKLIN			1989	330'	10"	20'	10-248'	8"-267-277/277-323
ANN MORRISON BALL DIAMOND (4)	1050	90	125	480/30	JACUZZI 12LC	T	11.6"	170'	8"		1992	435'	25 & 21	6'	12-186/8-396	186-206/8" 252-282/325-365/378-388
ANN MORRISON OFFICE (3)	500	90	75	480/30	TOP OF THE LINE 10DH- 500	T	12"	190'	6"		1990	500'	20"	5'	16-228/8-500	230-240/285-305/330-345/350-360/370-380/398-413/418-428/460-480
ANN MORRISON PLAYGROUND (2)	600	100	50	240/30	JACUZZI/10HC Z6	T	10"	70'	8"	FAIRBANKS MORSE	1959	420'	16"	12"	16=0-49/12=0- 131/8=128-420	12" & 8" PERFS.
ANN MORRISON PLAYGROUND (5)	750	90	75	480/30	TOP OF THE LINE 8AH-735	S	10"	90'	6"		1992	260'	25 & 21	4'	12-111/8-260	111-161/8" 201-211/243-253
Ann Morrison Pump	70	40	40	480/3	Berkely B3ZPC	T	10'				1990	20'	20"		12" stub out to River	
BC	450	80	40	480/30	PEERLESS	S	5" ?		5/6	FRANKLIN OR ?	1968	300'	12"	4'	12-276/4	12"/276-296 ³
BOWDEN (SOUTH JR. HIGH)	225	40	10	30	JOHNSTON	T	8"	40'			1952	41'	12"		12-60	12" PERFS./20-60





PERMIT 63-10760 INIT RC
T. R. S. Q/Q
P/D 3N 2E 9 SENW LOT 8
SCALE _____
PHOTO ID. X-59 5015C South

COMPOSITE PLAT OF NORTH, RANGE N° 2 EAST OF TH



Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10760

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 3N, Rge 2E, Sec. 9, SE 1/4 NW 1/4 or Lot 8.

2. Owner: CITY OF BOISE (KATHRYN ALBERTSONS PARK)

Address 1104 ROYAL BLVD., City BOISE, St ID

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port:	Yes ☒ No ☐	Static Water Level:	<u>20</u>
Pressure Gauge:	Yes ☒ No ☐	Casing Diameter:	<u>10"</u>
Flowing:	Yes ☒ No ☐	Temperature:	<u>N/A</u>

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____


WATER RESOURCES

11-10-90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESUSE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Alberstons Park</u> Address <u>1104 Royal Blvd. Boise</u> Owner's Permit No. <u>63-89-W-013</u>		7. WATER LEVEL Static water level <u>20</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF, Quality _____ Describe artesian or temperature zones below.																																																																																			
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>50.0</u></td><td></td><td><u>10</u></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>50.0</u>		<u>10</u>																																																																												
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																			
<u>50.0</u>		<u>10</u>																																																																																			
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td><u>10</u></td><td><u>0</u></td><td><u>2</u></td><td><u>Gravel</u></td><td></td><td>☒</td></tr><tr><td></td><td><u>2</u></td><td><u>4</u></td><td><u>Top Soil</u></td><td></td><td>☒</td></tr><tr><td></td><td><u>4</u></td><td><u>15</u></td><td><u>Gravel</u></td><td></td><td>☒</td></tr><tr><td></td><td><u>15</u></td><td><u>23</u></td><td><u>SAND & Gravel</u></td><td>☒</td><td></td></tr><tr><td></td><td><u>23</u></td><td><u>33</u></td><td><u>Clay</u></td><td></td><td>☒</td></tr><tr><td></td><td><u>33</u></td><td><u>38</u></td><td><u>SAND</u></td><td>☒</td><td></td></tr><tr><td></td><td><u>38</u></td><td><u>227</u></td><td><u>Blue Clay</u></td><td></td><td>☒</td></tr><tr><td></td><td><u>227</u></td><td><u>230</u></td><td><u>Cone SAND</u></td><td>☒</td><td></td></tr><tr><td></td><td><u>230</u></td><td><u>245</u></td><td><u>B.C. and SAND Strata</u></td><td>☒</td><td></td></tr><tr><td></td><td><u>245</u></td><td><u>270</u></td><td><u>Blue Clay</u></td><td></td><td>☒</td></tr><tr><td></td><td><u>270</u></td><td><u>275</u></td><td><u>Cone SAND</u></td><td>☒</td><td></td></tr><tr><td></td><td><u>275</u></td><td><u>350</u></td><td><u>SAND Strata & B.C.</u></td><td>☒</td><td></td></tr></tbody></table>		Bore Diam.	Depth		Material	Water		From	To	Yes	No	<u>10</u>	<u>0</u>	<u>2</u>	<u>Gravel</u>		☒		<u>2</u>	<u>4</u>	<u>Top Soil</u>		☒		<u>4</u>	<u>15</u>	<u>Gravel</u>		☒		<u>15</u>	<u>23</u>	<u>SAND & Gravel</u>	☒			<u>23</u>	<u>33</u>	<u>Clay</u>		☒		<u>33</u>	<u>38</u>	<u>SAND</u>	☒			<u>38</u>	<u>227</u>	<u>Blue Clay</u>		☒		<u>227</u>	<u>230</u>	<u>Cone SAND</u>	☒			<u>230</u>	<u>245</u>	<u>B.C. and SAND Strata</u>	☒			<u>245</u>	<u>270</u>	<u>Blue Clay</u>		☒		<u>270</u>	<u>275</u>	<u>Cone SAND</u>	☒			<u>275</u>	<u>350</u>	<u>SAND Strata & B.C.</u>	☒	
Bore Diam.	Depth		Material		Water																																																																																
	From	To		Yes	No																																																																																
<u>10</u>	<u>0</u>	<u>2</u>	<u>Gravel</u>		☒																																																																																
	<u>2</u>	<u>4</u>	<u>Top Soil</u>		☒																																																																																
	<u>4</u>	<u>15</u>	<u>Gravel</u>		☒																																																																																
	<u>15</u>	<u>23</u>	<u>SAND & Gravel</u>	☒																																																																																	
	<u>23</u>	<u>33</u>	<u>Clay</u>		☒																																																																																
	<u>33</u>	<u>38</u>	<u>SAND</u>	☒																																																																																	
	<u>38</u>	<u>227</u>	<u>Blue Clay</u>		☒																																																																																
	<u>227</u>	<u>230</u>	<u>Cone SAND</u>	☒																																																																																	
	<u>230</u>	<u>245</u>	<u>B.C. and SAND Strata</u>	☒																																																																																	
	<u>245</u>	<u>270</u>	<u>Blue Clay</u>		☒																																																																																
	<u>270</u>	<u>275</u>	<u>Cone SAND</u>	☒																																																																																	
	<u>275</u>	<u>350</u>	<u>SAND Strata & B.C.</u>	☒																																																																																	
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____		 JUN-29-1989 Department of Water Resources Western Regional Office																																																																																			
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>2.50</u> inches</td><td><u>10</u> inches +</td><td><u>1</u> feet</td><td><u>248</u> feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☒ Yes ☐ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>Johnson</u> Type <u>304</u> Model No. _____ Diameter <u>8</u> Slot size <u>0.25</u> Set from <u>227</u> feet to <u>323</u> feet Diameter <u>8</u> Slot size <u>0.30</u> Set from <u>267</u> feet to <u>277</u> feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☒ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port _____				Thickness	Diameter	From	To	<u>2.50</u> inches	<u>10</u> inches +	<u>1</u> feet	<u>248</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet																																																														
Thickness	Diameter	From	To																																																																																		
<u>2.50</u> inches	<u>10</u> inches +	<u>1</u> feet	<u>248</u> feet																																																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																																																		
6. LOCATION OF WELL Sketch map location must agree with written location. <table border="1"><tr><td>N</td><td></td><td></td><td></td><td></td></tr><tr><td>W</td><td></td><td>X</td><td></td><td>E</td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr></table> Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Ada</u> <u>SE 1/4 NW 1/4 Sec. 9 T. 3 N. 2 R. 2 E. 1/4</u>		N					W		X		E						10. Work started <u>13 Feb 89</u> finished <u>5 March 89</u>																																																																				
N																																																																																					
W		X		E																																																																																	
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Deane's Pumps</u> Firm No. <u>352</u> Address <u>Meridian ID</u> Date <u>3/32</u> Signed by (Firm Official) <u>Deane Pumps</u> and _____ (Operator) _____																																																																																					

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10760

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 3N, Rge 2E, Sec. 9, SE 1/4 NW 1/4 or Lot 8.

2. Owner: CITY OF BOISE, (KATHRYN ALBERTSONS PARK)

Address 1104 ROYAL BLVD., City BOISE, St ID

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port:	Yes ☒ No ☐	Static Water Level:	<u>20</u>
Pressure Gauge:	Yes ☒ No ☐	Casing Diameter:	<u>10"</u>
Flowing:	Yes ☒ No ☐	Temperature:	<u>N/A</u>

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

RECEIVED
JUL 10 1996



PHOTO ONE- Well and electrical boxes located at east end of Kathryn Albertson Park.



View westerly of north portion of Kathryn Albertson Park.

PHOTO TWO-



PHOTO THREE- View Southwest of EAST end of PARK.



PHOTO FOUR- Northwest portion of park being irrigated by underground sprinkling system.



PHOTO FIVE-

Well discharge through 6" iron pipe. Discharge point is approximately 200' westerly from well.



View westerly of portion of pond.

PHOTO SIX-

December 14, 1993

CITY OF BOISE
BOISE PARK SYSTEM
1104 ROYAL BLVD
BOISE ID 83706

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10760

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region


JAN 13 1994

(Kathryn Albertson Park)

Linda Tracy

Form 235-1
4/88

Drilling Permit No. 63-89-W-013
Water Permit No. 63-10760
Injection Permit No. —



FEB 08 1989

State of Idaho
Department of Water Resources

DRILLING PERM

PHIL YRIBAR
PROJECT COORDINATOR
KATHRYN ALBERTSON PARK
(208) 338-1403



Cloverdale Nursery
& Turf Farm

(Authorizing Construction of a
Department of Water Resources City of Boise

1. Applicant Boise Parks System
2. Address 1104 Royal Blvd
Boise Id 83706 Telephone 384 4240

2528 N. Cloverdale Rd.
Boise, Idaho 83704
(208) 375-5262

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location SE 1/4 NW 1/4, or Gov't lot No. 8,
Sec. 9, Twp. 3N, Rge. 2E, County Ada,
Lot, block and subdivision _____

4. Proposed use of well: (Check all that apply)

() Domestic () Stockwater () Monitoring
☒ Irrigation () Industrial () Municipal
() Injection ☒ Other, Specify wildlife storage

5. Well construction information:

☒ New well () Deepen () Replace
Proposed surface diameter 8 " Maximum depth 200 "
Anticipated bottom hole temperature: _____

☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)

6. Anticipated construction start date A.S.A.P.

7. Well Driller (if known) Dennis Phipps # 332
Address 2008 Bently Ave. Meridian, Id 83642

8. Applicant's signature Phil Yribar
Title Project Coordinator for Kathryn Albertson Park
Date 1/31/89

JAN 13 1994

* After other pre-requisite approvals have been obtained.
* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

(X) Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Conditions Nos. 8 through 11 are attached.

Dated this 1st day of February, 19 89.

Signed David E. Tuttle
Title Manager, Western Regional Office

Received by SC Fee \$100 Date 1/31/89

Receipt No. WV2135 Construction start extension to JAN 13 1994

Extension approved by _____


Additional Conditions of Approval for Well Drilling Permit No. 63-89-W-013
February 1, 1989

8. The Boise Park System shall not divert or authorize the diversion of water from the well unless and until written authorization is received from the director of the Department of Water Resources in accordance with an approved water right permit, or transfer.

9. Any diversion of water from this well, other than for a pump test, is a violation of Section 42-351, Idaho Code, pending further action of the Department.

10. A permanent pump or diversion system shall not be installed in the well without approval of a water right permit or transfer which specifies the location of this well as an authorized point of diversion.

11. Evidence concerning the approval of this drilling permit and the existence and cost of construction of the well will not be given any weight in the Director's decision regarding the pending application for transfer.



David R. Tuthill, Jr., P.E.
Manager, Western Regional Office

JAN 18 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 16, 1993

CITY OF BOISE
BOISE PARK SYSTEM
1104 ROYAL BLVD
BOISE ID 83706

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10760

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Sincerely,

Brenda L. Chapman

BRENDA L. CHAPMAN
Water Resource Agent

BLM:cz

Enclosures

APR 16 1993

MEMORANDUM

TO: File 63-10760
FROM: Brenda Chapman
DATE: March 10, 1993
RE: Processing Information



=====

The above reference application was filed in 1989. It was protested, but those protests were withdrawn . The application was received in the state office May 10, 1990; however, the file was placed in the Hold Drawer and not processed.

Steve Lester from Western called wanting to know the status on the application and why it was being held. Boise Park System staff thought it had been approved long ago but recently discovered a permit had never been issued. The well was drilled in 1989.

Because the file was inadvertently placed in the Hold drawer and not processed in a timely manner, it is recommended that the application be approved as a permanent right with regular conditions.

APR 19 1993

 **TELEDYNE
ISOTOPES**

50 VAN BUREN AVENUE

WESTWOOD, NEW JERSEY 07675

(201) 664-7070

December 15, 1989

RECEIVED
DEC 20 1989

Department of Water Resources
Western Regional Office

Mr. Dave Tuthill
Idaho Dept. Water Resources
Western Regional Office
2735 Airport Way
Boise, Idaho 83705

Dear Mr. Tuthill:

Thank you for your interest in our high sensitivity tritium capabilities by electrolytic enrichment and gas counting. We can attain a tritium detection limit of 1-2 TU (3-6 pCi/l). We request at least one half liter of water and the unit price is \$175.00.

Sincerely,

J. David Martin

J. David Martin, Ph.D.
Vice President-Technical

JDM;cs

RECEIVED

APR 19 1993

CONVERSATION MEMORANDUM

DATE 7/28/89

1-503-388-^{FILE} 63-10760
3500NAME OF PARTY Century Testing Laboratories, Inc. (Mr. Tillman)
EMPLOYEE Dave Tutill (Dr Linvick)RE: Tritium Test (for Aging Water Samples)

I called the lab to determine specific information regarding the tritium test. I was advised as follows:

If tritium is low, then the water has been underground since prior to 1945. Atomic bombs elevated surface tritium throughout the world.

General tritium request results in <500 or >500 . For more accurate info, ask for Tritium

Teledyne Isotopes

50 Van Buren Ave.

Westwood N6 07675

201-667-7870

Dr. Norton's office

Mr. Jim Buckley - has an analytical laboratory
Nevada aquifer

APR 19 1993

Take 3 samples. River, Old groundwater & water in question

Samples must be hermetically sealed, filled w/ no air space

a tire is needed for each sample

Federal express is the best way for shipment

~ \$170 for each sample

Specify: Tritium analysis by enrichment & gas counting (in letter) (over)

To attn of Jim Buckley



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

July 12, 1989

Don Smitchger, Chairman
Settlers' Irrigation District
P.O. Box 7571
Boise, ID 83707

Boise Water Corporation
P.O. Box 7488
Boise, ID 83707

Re: Application for Permit No. 63-10760 in the name of City of Boise, Boise
Park System

Dear Protestants:

This office acknowledges receipt of the withdrawal of both protests against
the above-referenced application.

The Department now will continue to process the application.

Sincerely,

A handwritten signature in cursive script that reads "David R. Tuthill, Jr.".

DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

DRT/st

cc: City of Boise, Boise Park System
Phil Yribar

RECEIVED

APR 19 1993

BOISE WATER CORPORATION

RECEIVED
JUL 12 1989

Department of Water Resources
Western Regional Office

July 10, 1989

Mr. David Tuthill, Manager
Department of Water Resources
Western Region
2735 Airport Way
Boise, ID 83705

RE: Protest of Permit #63-10760


Dear Mr. Tuthill:

Boise Water Corporation has conducted pumping tests to evaluate potential interference between our existing Sixteenth Street Well and the subject well. The tests reflect minimal interference and Boise Water Corporation is hereby withdrawing our protest.

Due to the short duration of these tests, we will monitor this situation closely during our peak season operations. If we observe substantial interference during this time, Boise Water Corporation will notify the Department of Water Resources.

Very truly yours,

BOISE WATER CORPORATION


Wayne L. Booe
President

WLB:jw

APR 19 1989



CITY OF TREES

✓ one
Protested File

BOISE PARK SYSTEM
1104 ROYAL BLVD.
BOISE, IDAHO 83706-2840
(208) 384-4240

BOISE CITY, IDAHO

DIRK A. KEMPTHORNE
MAYOR

COUNCIL MEMBERS
MIKE WETHERELL, COUNCIL PRESIDENT
SARA BAKER, COUNCIL PRO-TEM
DON BRENNAN
H. BRENT COLES
GARY L. SMITH
JAY L. WEBB

July 8, 1989

Mr. David R. Tuthill, Jr., P.E.
Manager, Western Regional Office
State of Idaho
Department of Water Resources
Western Region
2735 Airport Way
Boise, ID 83705

RECEIVED
JUL 11 1989

Department of Water Resources
Western Regional Office

RE: PERMIT #63-10760

Dear Mr. Tuthill:

This letter is in reference to your letter of March 13, 1989 citing protests filed against the captioned well permit sought for Kathryn Albertson Park. I have been informed by the park construction manager that both protests have been resolved.

Boise Water Corporation representatives monitored their 16th Street well during a test session conducted on the new park well. No significant draw down was observed at the BWC well. That company is satisfied that the park well will not affect production at their commercial well.

Reviews of the non-consumed, aesthetic water discharge from the park have been made by the Settlers Canal Company. Settlers also filed a protest on the well permit which was based upon design interpretations made from the park development model. Upon evaluation of the actual on site water flows, Settlers representatives indicate that the company protest will be withdrawn.

This information was received from Phil Triber, park construction manager. It is my understanding that letters from both companies withdrawing their respective protests will be forwarded to your attention shortly. As the administrator of the agency that is in fact the applicant of record for this project, this letter informs D.W.R. of the resolution of the complaints. Upon receipt of the company letters it is requested that permit #63-10760 be finalized and issued to the Park System of Boise City.

Sincerely,

Jack Cooper
(mcr)
Jack Cooper, Director
Boise Park System

JC/mcr

SETTLERS' IRRIGATION DISTRICT

P. O. BOX 7571 • BOISE, IDAHO 83707
PHONE 344-2471

Don
RECEIVED
JUL 07 1989

Department of Water Resources
Western Regional Office

July 5, 1989

Dave Tuthill
Idaho Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720

Re: Kathryn Albertson Park

Dear Mr. Tuthill:

Having walked through the park and inspected the overflows from the ponds and discussing possible problems with Phil of Cloverdale Nursery, the Board of Directors of Settlers Irrigation District agrees that there should be no problem with the pond system and overflows for the park in relation to the Settlers canal. The District; therefore, withdraws its protests against the pending application for permit.

Sincerely,

Don Smitchger

Don Smitchger, Chairman
Settlers Irrigation District

MICROFILMED

APR 19 1993

Conference Notes

63-10760 in the Name of the City of Boise, Boise Park System

June 19, 1989 10:00 am

Applicant (represented by Phil Tribar) (also represented by J.J.

Well is 300' deep (lower 50' is screened)

System will divert a max of 550 gpm

Pond is about 12 acres in surface area or less, 1 1/2 to 3' deep.

28-30 acres will be under sprinkler system

Total park area 41.97 acres.

Boise City Park Personnel Present: Dusty Stehr
Paul PhilbrookProtestants Present: Scott Campbell for Settlers Irr Dist
Dan Brown for Boise Water Corp.

Scott Campbell (for Settlers)

His clients need to take walk-thru inspection to determine if protest can be withdrawn.

Dan Brown (for Boise Water Corp.)

16th Street well is located in SE corner of parcel
Drilled in 1951 to a depth of > 500' (532')

Designed to produce 1200 gpm

Requested a pump test in conjunction with pumping of new well.

Aquifer zone (production) = 220' to 275'

APR 19 1993

Phil Yribar

0-40' gravel/sand
 40'-250' clay
 250-300 sandy layer
 305-310 clay

} Well log will be submitted

Pump will be installed today

historic irrigation was limited to $\frac{1}{2}$ to 1 acre in the past decade

Solutions:

1. Phil Yribar will set up an ^{onsite} meeting with the Settlers Irr Dist Board of Directors ASAP. Their concerns will likely be resolved at the meeting.
2. Boise Water Corp will assist with a pump test. Jim Howard will coordinate with Dan Brown on the pump test.
3. Tritium test might be required by IDWR.

~~Don~~ 6/19/89

APR 19 1993

BOISE WATER COPROATION

16th St. Well Log
5/21/51 Completed
Driller - Clifford Hosack

5/3/72
JH

0 - 20	River gravel
20 - 45	Yellow sand
45 - 56	Gray brown sand
56 - 59	Small gravel
59 - 68	Blue shale
68 - 82	Blue silt
82 - 112	Dark gray sand
112 - 117	Blue clay
117 - 122	Sand and clay
122 - 165	Light gray sand
165 - 220	Sand with silt stringers
220 - 243	Fine gray sand
243 - 260	Coarse gray sand
260 - 275	Heavy coarse sand with small gravel
275 - 296	Blue clay
296 - 318	Blue mud and sand
318 - 326	Gray blue shale
326 - 335	Fine gray sand
335 - 370	Bule sticky clay
370 - 392	Brown clay
392 - 398	Lava rock and mud
398 - 405	Brown clay
405 - 413	Brown sand

APR 19 1993

16th St. Well Log Continued

413 - 424	Fine gray sand
424 - 428	Brown clay
428 - 434	Coarse gray sand and gravel
434 - 438	Clay and sand
438 - 458	Brown clay
458 - 466	Coarse gray sand with pebbles
466 - 469	Brown clay
469 - 474	Gray fine sand
474 - 476	Gray sticky clay
476 - 479	Sandstone
479 - 490	Gray clay
490 - 532	Hard gray sand

APR 19 1993

Roster of Attendance

Conference Re: Application for Permit No 63-10760

June 19, 1989 10:00 am EDWR Conf Rm

Conference Officer: Dave Tuthill

Name

Representing

DAN BROWN
Paul Philbrook
J.V. Howard (Jim)
Scott H. Campbell
DUSTY STEHR
Phil Yribar

BOISE WATER CORP.
Boise Park System
J.V. Howard Engineers
Settlers Irrigation District
BOISE PARK SYSTEM
Cloverdale Nursery

RECEIVED

APR 19 1993

UNITED STATES POSTAL SERVICE

OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address and ZIP Code in the space below.

- Complete items 1, 2, 3, and 4 on the reverse.
- Attach to front of article if space permits, otherwise affix to back of article.
- Endorse article "Return Receipt Requested" adjacent to number.

MICROFILMED

APR 19 1993



**PENALTY FOR PRIVATE
USE, \$300**

**RETURN
TO**



Print Sender's name, address, and ZIP Code in the space below.

**DEPARTMENT OF WATER RESOURCES
2735 AIRPORT WAY
BOISE, IDAHO 83705**

● **SENDER:** Complete items 1 and 2 when additional services are desired, and complete items 3 and 4.

Put your address in the "RETURN TO" Space on the reverse side. Failure to do this will prevent this card from being returned to you. The return receipt fee will provide you the name of the person delivered to and the date of delivery. For additional fees the following services are available. Consult postmaster for fees and check box(es) for additional service(s) requested.

1. ☐ Show to whom delivered, date, and addressee's address. 2. ☐ Restricted Delivery
(Extra charge) (Extra charge)

3. Article Addressed to:

Mr. Dan Brown
Boise Water Corporation
P.O. Box 7488
Boise, ID 83707

4. Article Number

P 397 135 327

Type of Service:

- | | |
|---|--|
| ☐ Registered | ☐ Insured |
| ☒ Certified | ☐ COD |
| ☐ Express Mail | ☐ Return Receipt
for Merchandise |

Always obtain signature of addressee
or agent and DATE DELIVERED.

5. Signature - Address

X

6. Signature - Agent

X

7. Date of Delivery

JUN 15 1989

8. Addressee's Address (ONLY if
requested and fee paid)

UNITED STATES POSTAL SERVICE

OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address and ZIP Code in the space below.

- Complete Items 1, 2, 3, and 4 on the reverse.
- Attach to front of article if space permits, otherwise affix to back of article.
- Endorse article "Return Receipt Requested" adjacent to number.

RETURN
TO



Print Sender's name, address, and ZIP Code in the space below.

DEPARTMENT OF WATER RESOURCES

2735 AIRPORT WAY

BOISE, IDAHO 83705



RECEIVED

319 1993



PENALTY FOR PRIVATE
USE, \$300

1016

● **Sender:** Complete items 1 and 2 when additional services are desired, and complete items 3 and 4.

Put your address in the "RETURN TO" Space on the reverse side. Failure to do this will prevent this card from being returned to you. The return receipt fee will provide you the name of the person delivered to and the date of delivery. For additional fee the following services are available. Consult postmaster for fees and check boxes for additional service(s) requested.

1. ☐ Show to whom delivered, date, and addressee's address. (Extra charge) 2. ☐ Restricted Delivery (Extra charge)

3. Article Addressed to:

Scott L. Campbell, Esq.
Elam, Burke & Boyd
702 West Idaho
Boise, ID 83701

4. Article Number


P 397 135 328

Type of Service:

- ☐ Registered ☐ Insured
☒ Certified ☐ COD
☐ Express Mail ☐ Return Receipt for Merchandise

Always obtain signature of addressee or agent and DATE DELIVERED.

5. Signature - Addressee

X 

6. Signature - Agent

X

7. Date of Delivery

6-14-89 AM

8. Addressee's Address (ONLY if requested and fee paid)

UNITED STATES POSTAL SERVICE

OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address and ZIP Code in the space below.

- Complete Items 1, 2, 3, and 4 on the reverse.
- Attach to front of article if space permits, otherwise affix to back of article.
- Endorse article "Return Receipt Requested" adjacent to number.

RETURN

TO



Print Sender's name, address, and ZIP Code in the space below.

DEPARTMENT OF WATER RESOURCES

2735 AIRPORT WAY

BOISE, IDAHO 83705



MICROFILMED

APR 19 1993



PENALTY FOR PRIVATE
USE, \$300

42-1060

● **SENDER:** Complete items 1 and 2 when additional services are desired, and complete items 3 and 4.

Put your address in the "RETURN TO" Space on the reverse side. Failure to do this will prevent this card from being returned to you. The return receipt fee will provide you the name of the person delivered to and the date of delivery. For additional fees the following services are available. Consult postmaster for fees and check boxes for additional service(s) requested.

1. ☐ Show to whom delivered, date, and addressee's address. (Extra charge) 2. ☐ Restricted Delivery (Extra charge)

3. Article Addressed to:
 City of Boise
 Boise Park System
 1104 Royal Blvd
 Boise, ID 83706

4. Article Number
 P 397 135 325

Type of Service:
☐ Registered ☐ Insured
☒ Certified ☐ COD
☐ Express Mail ☐ Return Receipt for Merchandise

Always obtain signature of addressee or agent and DATE DELIVERED.

5. Signature - Address
 X *[Signature]*

8. Addressee's Address (ONLY if requested and fee paid)

6. Signature - Agent
 X

7. Date of Delivery
 6.14.89

**STICK POSTAGE STAMPS TO ARTICLE TO COVER FIRST CLASS POSTAGE,
CERTIFIED MAIL, REGISTERED MAIL, FOR ANY SELECTED OPTIONAL SERVICES. (see front)**

1 If you want this receipt posted to you, tear along the gummed strip on the left portion of the address side of the article leaving the certified mail, registered mail, or the article at a post office service window or hand it to you if you are mailing it at home.

2 If you do not want this receipt posted to you, tear the gummed strip on the left portion of the address side of the article, place this receipt in the article, and mail the article.

3 If you want a return receipt, make the certified mail number and your name and address on a return receipt card, Form 3811, and attach it to the front of the article by means of the gummed ends if space permits. Otherwise, attach it to the back of article, marked front of article: **RETURN RECEIPT REQUESTED** adjacent to certified mail number.

4 If you want delivery of article made by a person other than an authorized agent of the addressee, endorse **RESTRICTED DELIVERY** on the front of the article.

5 Enter your full name, address, and zip code on the space provided on the front of this receipt. If return receipt is requested, attach the return receipt to the item 1 of Form 3811.

6 Save this receipt and preserve it until delivery of article.

P 397 135 325

RECEIPT FOR CERTIFIED MAIL

NO INSURANCE COVERAGE PROVIDED—
NOT FOR INTERNATIONAL MAIL

(See Reverse)

Sent to <i>City Park System</i>	
Street and No. <i>1104 Royal Blvd</i>	
P.O., State and ZIP Code <i>Bone</i> <i>83706</i>	
Postage	\$ <i>25</i>
Certified Fee	<i>85</i>
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to whom and Date Delivered	
Return Receipt Showing to whom, Date, and Address of Delivery	<i>90</i>
TOTAL Postage and Fees	\$ <i>2.00</i>
Postmark or Date <i>APR 19 1983</i>	

P 397 135 327

RECEIPT FOR CERTIFIED MAIL

NO INSURANCE COVERAGE PROVIDED—
NOT FOR INTERNATIONAL MAIL

(See Reverse)

Sent to <i>Dan Brown</i>	
Street and No. <i>Boice Water</i> <i>Box 7480</i>	
P.O., State and ZIP Code <i>Boice</i> <i>83707</i>	
Postage	<i>\$2.50</i>
Certified Fee	<i>.85</i>
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to whom and Date Delivered	<i>.98</i>
Return Receipt Showing to whom, Date, and Address of Delivery	
TOTAL Postage and Fees	<i>\$2.00</i>

Postmark or Date

**STICK POSTAGE STAMPS TO ARTICLE TO COVER FIRST CLASS POSTAGE.
CERTIFIED MAIL FEE AND CHARGES FOR ANY SELECTED OPTIONAL SERVICES. (see front)**

1. If you want this receipt postmarked, stick the gummed stub on the left portion of the address side of the article leaving the receipt attached and present the article at a post office service window or hand it to your rural carrier. (no extra charge)

2. If you do not want this receipt postmarked, stick the gummed stub on the left portion of the address side of the article, date, do up and retain the receipt, and mail the article.

3. If you want a return receipt, write the certified-mail number and your name and address on a return receipt card, Form 3811, and attach it to the front of the article by means of the gummed ends if space permits. Otherwise affix to back of article. Endorse front of article **RETURN RECEIPT REQUESTED** adjacent to the number.

4. If you want delivery restricted to the addressee, or to an authorized agent of the addressee, endorse **RESTRICTED DELIVERY** on the front of the article.

5. Enter fees for the services requested in the appropriate spaces on the front of this receipt. If return receipt is requested, check the applicable blocks in Item 1 of Form 3811.

6. Save this receipt and present it if you make inquiry.

**STICK POSTAGE STAPLED TO ARTICLE TO COVER FIRST CLASS POSTAGE,
CERTIFIED MAIL FEE AND CHARGES FOR ANY SELECTED OPTIONAL SERVICES. (See front)**

1. If you want the return receipt, place the return receipt stub on the left portion of the address side of the article leaving the return receipt blank and present the article at a post office service window or hand it to your carrier. **ENTER POSTAGE**

2. If you do not want a return receipt, place the return receipt stub on the left portion of the address side of the article, detach the return receipt, and mail the article.

3. If you want a return receipt, place the return receipt number and your name and address on a return receipt card, wrap the card and attach it to front of the article by means of the gummed ends if space permits. Otherwise attach the return receipt to reverse front of article **RETURN RECEIPT REQUESTED** at each of the following:

4. If you want delivery restricted to the addressee, or an authorized agent of the addressee, endorse **RESTRICTED DELIVERY** on the front of the article.

5. Enter fees for the return receipt and for the additional postage on the front of this receipt. If return receipt is required, attach the return receipt to back of item 1 of Form 3811.

6. Save this receipt and present it to you carrier.

P 397 135 328

RECEIPT FOR CERTIFIED MAIL

NO INSURANCE COVERAGE PROVIDED—
NOT FOR INTERNATIONAL MAIL

(See Reverse)

Sent to <i>Scott Campbell</i>	
Street and No. <i>702 W 2d</i>	
P.O., State and ZIP Code <i>Bowie</i> <i>83701</i>	
Postage	\$ <i>25</i>
Certified Fee	<i>.85</i>
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to whom and Date Delivered	<i>.90</i>
Return Receipt Showing to whom, Date, and Address of Delivery	
TOTAL Postage and Fees	\$ <i>2.00</i>

Postmark or Date

IDAHO DEPARTMENT OF WATER RESOURCES
WESTERN REGION

2735 Airport Way
Boise, Idaho 83705

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF APPLICATION)
FOR PERMIT NO. 63-10760 IN THE)
NAME OF CITY OF BOISE, BOISE PARK)
SYSTEM)

NOTICE OF CONFERENCE

On January 31, 1989, the City of Boise, Boise Park System, filed with the Department of Water Resources an application for permit to appropriate the public waters of the State of Idaho. The application was protested by Benjamin Hepler, representing Boise Water Corporation, and Scott Campbell, Esq., representing Settlers Irrigation District.

The Department has set the matter of protest for a conference on Monday, June 19, 1989 at 10:00 a.m., in the First Floor Conference Room, Department of Water Resources, 1301 N. Orchard St., Boise, Idaho 83706. The conference will be held in accordance with provisions of Chapters 2 and 17, Title 42, and Chapter 52, Title 67, of the Idaho Code, the adopted Rules of Practice and Procedure of the Department of Water Resources, and Rules 4 and 5 of the adopted Rules and Regulations of Water Appropriation of the Department of Water Resources. Opportunity shall be afforded all parties to respond and present information and argument on all issues involved.

Dated this 12th day of June, 1989.

David R. Tuthill Jr.
DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

RECEIVED

APR 19 1993

I hereby certify that on the 12th day of June, 1989, I mailed a true and correct copy, postage prepaid, of this document to the applicant(s) and protestant(s) listed:

Sue Taylor
Sue Taylor
Secretary

Certified Mail

City of Boise
Boise Park System
1104 Royal Blvd.
Boise, ID 83706

Mr. Dan Brown (on behalf of Mr. Benjamin Hepler)
Boise Water Corporation
P.O. Box 7488
Boise, ID 83707

Scott L. Campbell, Esq.
Elam, Burke and Boyd
702 West Idaho
Boise, ID 83701

MAILED

APR 19 1993

CONFERENCE INFORMATION

IN THE MATTER OF APPROVAL OF AN APPLICATION FOR PERMIT

In accordance with Idaho Code, Section 42-203(A), the following issues are involved in the consideration of the application and protest(s):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use conflict with the local public interest?

The intent of the conference is to resolve any conflicts regarding the proposed water appropriation in light of these five factors. The conference will not be recorded in an effort to promote full discussion of the issues. Possible resolutions are: (1) clarification of the issues resulting in a determination by all parties that the application is acceptable, (2) modification of the application to make it acceptable to the protestant(s), or (3) addition of acceptable restrictions or conditions of approval. If a resolution is not attainable, then a hearing will be set by the Department.

APR 19 1961

CONVERSATION MEMORANDUM

DATE 6/8/89

FILE 63-10760

NAME OF PARTY Phil Yribar

EMPLOYEE Dave Tutthill

RE: Requests Expedited Conference

They would like to expedite the conference for this well.

Tues 13th or ^{10:00am} Mon 19th or Tues 20th.
S.O.

Scott Campbell - Secy. Iana says that he is available on all of the dates.

Ben Hepler (out of town for 30 days) (covered by ^{Wayne Booe} Mr. Buttar who will
return call).

6/12/89

Scott Campbell - confirmed

Dan Brown - Boise Water Corp confirmed

Phil Yribar

MICROFILMED

APR 19 1993

SPECIAL NOTE: _____

_____PROTEST INFORMATION SHEET

Protestant - Name(s)

Benjamin Hepler - Represented by Dan Brown
HelperScott CampbellAddress Boise Water Corp., Box 7488, Boise, ID 83707Elam, Burke, & Boyd, P.O. Box 1559, Boise, ID 83701Attorney - Name & Address _____
_____Date Filed March 6Protest Date March 6, 1989Issues _____

_____Applicant - Attorney - Name & Address _____

Dates: _____

Acknowledgement letters: _____

Hearing Notice: _____

Hearing Date: _____

_____Other: _____

APR 19 1993

MAY 10 1990

Department of Water Resources

Protest Information submitted in Computer (following hearing): _____



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

March 13, 1989

Boise Park System
City of Boise
1104 Royal Blvd.
Boise, ID 83706

Re: Application for Permit No. 63-10760

Dear Applicant:

Enclosed is a copy of a protest(s) filed against the issuance of a permit pursuant to the above-referenced application. The Department suggests that you contact the protestant(s) and attempt to resolve the protest(s).

If this office has not been advised within twenty (20) days that the protest(s) has been resolved, the matter will be scheduled for a conference. At such a conference, the following are the principle items the Department will review (per Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use under this permit conflict with the local public interest?

Please contact this office if you have questions regarding this procedure.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

Enclosure: Copy of protest(s)

RECORDED

APR 19 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

March 13, 1989

Scott L. Campbell, Esq.
Elam, Burke and Boyd
702 West Idaho
P.O. Box 1559
Boise, ID 83701

Re: Application for Permit No. 63-10760, in the Name of Boise Park System

Dear Protestant:

This office acknowledges receipt of your protest to the issuance of a permit pursuant to the above referenced application. The Department suggests you contact the applicant(s) directly in an effort to determine what is proposed by the application and to attempt to resolve the protest.

If this office has not been advised within twenty (20) days that the protest has been resolved, the matter will be scheduled for conference. At such a conference, the following are the principle items the Department can consider in either approving or denying an application or permit (Section 42-1203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use under this permit conflict with the local public interest?

If this office can be of further assistance, please contact us.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

*Scott - we have your telephonic OK for the well
but need a written OK for the
app to proceed.*

David

MAR 19 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

March 13, 1989

Mr. Benjamin M. Hepler:
Boise Water Corporation
P.O. Box 7488
Boise, ID 83707

Re: Application for Permit No. 63-10760, in the Name of Boise Park System

Dear Protestant:

This office acknowledges receipt of your protest to the issuance of a permit pursuant to the above referenced application. The Department suggests you contact the applicant(s) directly in an effort to determine what is proposed by the application and to attempt to resolve the protest.

If this office has not been advised within twenty (20) days that the protest has been resolved, the matter will be scheduled for conference. At such a conference, the following are the principle items the Department can consider in either approving or denying an application or permit (Section 42-1203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use under this permit conflict with the local public interest?

If this office can be of further assistance, please contact us.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

RECEIVED
APR 19 1989

APR 19 1989

BOISE WATER CORPORATION

March 6, 1989

RECEIVED

MAR 6 1989

HAND
DELIVERED -
SL

Department of Water Resources
Western Regional Office

Mr. David Tuthill, Manager
Department of Water Resources
Western Region
2735 Airport Way
Boise, ID 83705

RE: Permit #63-10760

Dear Mr. Tuthill:

Boise Water Corporation hereby protests the above application for water right. The diversion point is in the immediate vicinity of our existing 16th Street Well.

We are very concerned that this additional diversion of groundwater may have a detrimental effect on the production capacity of our well and thereby limit our ability to serve our customers.

Very truly yours,

BOISE WATER CORPORATION


B.M. Hepler

Benjamin M. Hepler
Manager

BMH:js

MAILED 11 1989

APR 19 1989



The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

Department of Water Resources
Western Regional Office

LEGAL ADVERTISING INVOICE

Amount Due

57.72

Account Name Idaho Department of Water Resources (Western)			Account Number #47628	
Address 2735 Airport Way		City/State Boise, ID		Zip 83705
Ordered By Judy Pense	P.O. Number	Rate NT	Run Dates 1989 February 16, 23	
Identification Applications for Water Rights			Estimated Inches	Real Inches
Number of Affidavits Requested 1				Legal Number #1864

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s)
have been filed to appropriate the
public waters of the State of
Idaho:

63-10760 ✓

City of Boise
Boise Park System
1104 Royal Blvd.
Boise, ID 83706

Source: Groundwater
Diversion Pt: Lot 8 (SENW)
Sec. 9 T 03N R 02E

Use: Irrigation (1,340 CFS)
Use: Wildlife Storage (10.00
AF)

Use: Diversion to Storage
(1,340 CFS)

Date Filed: 01/31/1989

In: T03N R02E S09 Lot 7
(SENE), Lot 8 (SENW),
NENW Lot 10 (NWNW)
SWNW

32.00 Acres Total

63-10761

Harrick, Gerald D.
2242 Whiteline Place
Boise, ID 83707

Source: Groundwater
Diversion Pt: Lot 4
(SWNESE) Sec. 24 T 03N R
02E

Use: Irrigation (180 CFS)
Date Filed: 1/31/1989

In: T03N R02E S24 Lot 4
(NESE)

9.0 Acres Total

The permit(s) will be subject to
all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, West-
ern Region, 2735 Airport Way,
Boise, Idaho 83705 on or before
March 6, 1989.

R. KEITH HIGGINSON
Director

Pub. Feb. 16, 23, 1989

1864

STATE OF IDAHO)

) ss.

COUNTY OF ADA)

Debbie Richards

, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for 2

☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of February 16, 19 89

and ending with the issue of February 23, 19 89

Debbie Richards

Subscribed and sworn to before me this 23rd

day of February, 19 89

APR 19 1989

[Signature]
Notary Public for Idaho, Residing at Boise, Idaho

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

FEBRUARY 8, 1989

The Idaho Statesman
P.O. Box 40
Boise, ID 83707

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 6, 1989.

Yours truly,

JUDY PENSE
Secretary

Encl.

APR 19 1989

63-10760

CITY OF BOISE
BOISE PARK SYSTEM

1104 ROYAL BLVD.
BOISE, ID 83706

Source: GROUNDWATER

Diversion Pt: LOT 8 (SEnw) Sec 9 T 03N R 02E

Use: IRRIGATION (1.340 CFS)
WILDLIFE STORAGE (10.00 AF)
DIVERSION TO STORAGE (1.340 CFS)

Date Filed: 1/31/1989

In: T03N R02E S09 Lot 7 (SENE) NENW Lot 10 (NWNW) SWNW
Lot 8 (SEnw)

32.0 ACRES TOTAL

APR 18 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

February 1, 1989

Phil Yribar, Project Coordinator
Kathryn Albertson Park
2528 N. Cloverdale Rd.
Boise, ID 83704

RE: Well Drilling Permit

Dear Phil:

Enclosed please find three copies of well drilling permit No. 63-89-W-013, for the well to be drilled in Kathryn Albertson Park. Note that there are seven general conditions of approval, and four special conditions of approval associated with the permit. One of the copies is for your file and two are for the well driller Mr. Phipps.

This permit was issued based on a telephone call from Scott Campbell, Esq., in which he indicated that his client, Settlers Irrigation District, would not object to the drilling of the well based on the inclusion of the conditions of approval. Mr. Campbell was hopeful that you would be working with him to solve any remaining concerns regarding the well, with the objective of resolving their protest in this matter.

As we discussed yesterday, the proximity of this well to the Boise River necessitates a review by this Department to determine whether pumping of the well will impact flows in the Boise River. In this vein I would request that a representative of the City of Boise, or of Kathryn Albertson Park, visit this office to discuss the locations of historic and future irrigated acres.

Copies of both this letter and the approved well drilling permit are being forwarded to Mr. Campbell, Mr. Olowinski and Mr. Cooper. I would welcome any further input in this matter from any of the interested parties.

Sincerely,

David R. Tuthill, Jr., P.E.
Manager, Western Regional Office

cc: Scott Campbell
Don Olowinski
Jack Cooper

APR 19 1989

(Kathryn Albertson Park)

Form 235-1
4/88

Drilling Permit No. 63-89-W-013
Water Permit No. 63-10760
Injection Permit No. -

State of Idaho
Department of Water Resources

DRILLING PERM

(Authorizing Construction of a

PHIL YRIBAR
PROJECT COORDINATOR
KATHRYN ALBERTSON PARK
(208) 338-1403



Cloverdale Nursery
& Turf Farm

2528 N. Cloverdale Rd.
Boise, Idaho 83704
(208) 375-5262

1. Applicant City of Boise
Boise Parks System

2. Address 1104 Royal Blvd

Boise Id 83706 Telephone 384-4240

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location SE 1/4 NW 1/4, or Gov't lot No. 8,
Sec. 9, Twp. 3N, Rge. 2E, County Ada,
Lot, block and subdivision _____

4. Proposed use of well: (Check all that apply)

() Domestic () Stockwater () Monitoring
☒ Irrigation () Industrial () Municipal
() Injection ☒ Other, Specify wildlife storage

5. Well construction information:

☒ New well () Deepen () Replace
Proposed surface diameter 8" Maximum depth 200'
Anticipated bottom hole temperature: _____

☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)

6. Anticipated construction start date A.S.A.P.

7. Well Driller (if known) Dennis Phipps # 332

Address 2008 Bently Ave. Meridian, Id 83642

8. Applicant's signature Phil Yribar

Title Project Coordinator for Kathryn Albertson Park

Date 1/31/89

* After other pre-requisite approvals have been obtained.

APR 19 1989

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

(X) Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Conditions Nos. 8 through 11 are attached.

Dated this 1st day of February, 19 89.

Signed David R. Tuttle Jr
Title Manager, Western Regional Office

Received by SL Fee \$100 Date 1/31/89

Receipt No. WOW 2135 Construction start extension to APR 1 8 1989

Extension approved by _____

Additional Conditions of Approval for Well Drilling Permit No. 63-89-W-013
February 1, 1989

8. The Boise Park System shall not divert or authorize the diversion of water from the well unless and until written authorization is received from the director of the Department of Water Resources in accordance with an approved water right permit, or transfer.

9. Any diversion of water from this well, other than for a pump test, is a violation of Section 42-351, Idaho Code, pending further action of the Department.

10. A permanent pump or diversion system shall not be installed in the well without approval of a water right permit or transfer which specifies the location of this well as an authorized point of diversion.

11. Evidence concerning the approval of this drilling permit and the existence and cost of construction of the well will not be given any weight in the Director's decision regarding the pending application for transfer.

David R. Tuthill Jr.

David R. Tuthill, Jr., P.E.
Manager, Western Regional Office

APR 19 1989

CONVERSATION MEMORANDUM

DATE 2/1/89FILE 63-10760NAME OF PARTY Scott CampbellEMPLOYEE Dave TurzillRE: Protest

Scott called to say that the protest in this matter would not apply to the well drilling permit. I stated that based on his call I was prepared to issue the well drilling permit, with conditions of approval.

I telephonically left a message for Phil Yribar of this approval.

Ans



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

Jan. 31, 1989

Mr. Scott Campbell
Elam, Burke, and Boyd
702 West Idaho
P.O. Box 1559
Boise, ID. 83701

Re: Kathryn Albertson Park

Dear Scott:

As requested in your 9/29/88 letter to Dave Tuthill, written notice is provided to you concerning a water right filing for the developing park across from Ann Morrison Park. The new park is the Kathryn Albertson Park referred to in your letter as the Joe Albertson site.

Phil Yribar, Project Coordinator, filed an application for a water right permit and an associated well drilling application today at the Western Region office. The water right application, 63-10760, covers 1.34 cfs for 32 acres of irrigation and 10 acre-feet of storage for wildlife ponds. Your previous letter serves as a protest letter and will be included in file 63-10760. Please contact this office for additional information.

Sincerely,

Steve Lester
Sr. Water Resource Agent

SL:sl

RECEIVED

APR 19 1989

ELAM, BURKE AND BOYD

ATTORNEYS AND COUNSELORS AT LAW

BOISE OFFICE

702 WEST IDAHO
POST OFFICE BOX 1559
BOISE, IDAHO 83701
TELEPHONE 208-343-5454

CANYON COUNTY OFFICE

1120 SIXTH STREET SOUTH
POST OFFICE DRAWER E
NAMPA, IDAHO 83653
TELEPHONE 208-466-9222

BOISE OFFICE

LAUREL E. ELAM (1888-1974) TODD J. WILCOX
CARL A. BURKE (1898-1961) PETER C. K. MARSHALL
CARL P. BURKE KENNETH M. SEBBY
PETER J. BOYD TRUDY HANSON FOUSSER
J. RAY DURTSCHI D. ALAN KOFOED
M. ALLYN DINGEL, JR. SCOTT L. CAMPBELL
JACK S. GJORDING BOBBI KILLIAN DOMINICK
JOHN MAGEL W. DALLAS BURKHALTER
DAVID B. LINCOLN ALAN CONILOGUE
RICHARD C. MELLON, JR. ELAINE D. HANSON
ROBERT M. TYLER, JR. JEFFERY J. VENTRELLA
JAMES D. LARUE BRENDA G. MEIER
RANDALL A. PETERMAN JOHN J. JANIS
WILLIAM J. RUSSELL WENDY E.D. SMITH
KAYE L. O'RIORDAN JAMES A. FORD
RYAN P. ARMBRUSTER STEVEN D. ERDAHL
DAVID E. COMSTOCK SCOTT W. DAVIDSON
MELVILLE W. FISHER II JEFFREY A. THOMSON
WILLIAM G. DRYDEN

CANYON COUNTY OFFICE

WILLIAM F. YOST

September 29, 1988

David R. Tuthill, Jr., P.E.
Regional Supervisor
Western Region Office
State of Idaho
Dept. of Water Resources
2735 Airport Way
Boise, Idaho 83705

Re: Joe Albertson Park

Dear David:

This correspondence will serve to document the position of Settlers Irrigation District and Ada County Drainage District No. 3 with regard to modification of the existing system of ditches and waterways on the property designated as the site for the development of the so-called "Joe Albertson Park" by the City of Boise. The development plan for this park was explained by Mr. Don Olowinski and others at the meeting, conducted on August 25, 1988, at 10 a.m., in your office.

The Settlers Irrigation District has communicated its concern to Mr. Olowinski that the park development not produce additional water discharge into the Settlers canal during the nonirrigation season (i.e., November 1 through April 1). Additionally, Settlers will be concerned if the development of the park diminishes or otherwise interferes with the delivery of water from the Drainage District No. 3 ditch into Settlers canal during the irrigation season.

Likewise, Drainage District No. 3 is concerned that the development of the park does not interfere with the present location or functioning of the drainage ditch which crosses the property.

RECEIVED
SEP 30 1988
10-10-1993

David R. Tuthill, Jr., P.E.
September 29, 1988
Page 2

At this point in time, neither the City of Boise nor Mr. Olowinski have provided Settlers Irrigation District or Drainage District No. 3 with sufficient documentation or information to alleviate their concerns. Until appropriate assurances are provided, both entities wish to go on record with the Department of Water Resources as opposing any water permit, stream channel modification permit, or other authorizations or approvals under the jurisdiction of the Idaho Department of Water Resources with regard to the development of Joe Albertson Park. In this regard, if any applications have already been filed regarding this property or if any are filed in the future, please direct written notice thereof to me.

I wish to emphasize that it is not the intent of either Settlers Irrigation District or Drainage District No. 3 to needlessly object or interfere with the development of this parcel of property into a City park. Instead, both entities merely desire to assure that their legal interests are properly protected in any such development.

I am providing a copy of this correspondence to Mr. Don Olowinski and Mr. Jack Cooper of the Boise City Department of Parks and Recreation. Hopefully, one of those individuals will be able to provide the written assurances and information which will permit both districts to withdraw their objections.

Very truly yours,

ELAM, BURKE & BOYD


Scott L. Campbell

SLC:jc
cc Don Olowinski
Jack Cooper
Settlers Board
DD #3 Board

APR 19 1993