


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

TIN-RIW

JUN 14 1989

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Mark V. Dyer
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 25 1992

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10744


1. Owner: Mark V a/o Mary A. Dyer Phone No. _____
Current Address: 6851 S. Robinson Rd. Kuna, ID 83634
2. Accompanied by: Mark Dyer EXAM. DATE: 4/14/89
Address: Same Phone No. 495-2728
Relationship to Permit Holder: owner
3. Source: Groundwater tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____ ☐ Copies Attached
2. Other water rights with same point of diversion: 63-3478
_____ ☒ Copies Attached ☒ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Refer to Orthophoto for details

Specs. on Relief Pond: $1320' \times 10' \times 24' = 7.3 \text{ ac Ft}$

Scale: $1'' = 1 \text{ mile}$

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

MICROFILMED
JUN 11 1992



630 000
FEET

Relift Pump - H 252 8" Discharge 8' Lift
 Berkley Pump 15 Hp GE motor
 Serial # FGJ 609396 Pumps 60-75"

Main well 160-180' Lift 12" discharge Theoretical on main pump -


Holbshaft Pump Motor
 125 Hp # 1300062
 1800 rpm

$$\frac{125 \times 8.8 \times .7}{220 \times (2.31 \times 60)} = 2.9?$$

Veriline pump
 # D02829

2200 gpm = 4.9 cfs

176 Ft @ 1770 rpm
 Wayne & Bowler pump Co.




↑
 N
 ↓
MICROFILMED
 JUN 11 1992

Ditch to P/U west of Robinson Rd.
P/U



Looking West
6" discharge to concrete ditch

MICROFILMED
JUN 11 1992



Looking East

MICROFILMED
JUN 11 1992

P / D



Relift Pump

1052

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10744

Priority: January 6, 1989

Maximum Diversion Rate: 0.30 CFS
Maximum Diversion Volume: 67.5 AF

This is to certify, that MARY A DYER
MARK V DYER

6851 S ROBINSON RD
KUNA ID 83634

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 20, 1988; and has submitted Proof of Beneficial Use on April 7, 1989. An examination indicates that the works have a diversion capacity of 3.500 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.30 CFS	67.5 AF

LOCATION OF POINT(S) OF DIVERSION: NENW , Sec. 16, Township 01N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01N	01W	18	SENE	15		15

Total number of acres irrigated: 15

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
7. The maximum combined diversion rate of this right and right

RECORDED

JUN 11 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10744

CONDITIONS/REMARKS:

63-03478 shall not exceed 3.50 cfs.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 5TH
day of JUNE, 1992


Acting for R. Keith Higginson, Director

JUN 11 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant MARK V. AND/OR MARY A. DYER Phone 495-2728

Post office address RT 1 ROBINSON RD. KUNA, ID 83634

2. Source of water supply GROUNDWATER which is a tributary of _____

3. Location of point of diversion is _____ $\frac{1}{4}$ of NE $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____

Sec. 16 Township 1N Range 1W B.M. ADA County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .30 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs ~~acre-feet per annum~~)

Amount .30 for DIVERSION TO STORAGE purposes from 3/15 to 11/15 (both dates inclusive) *

Amount .75 for IRRIGATION STORAGE purposes from 3/15 to 11/15 (both dates inclusive)
(cfs ~~acre-feet per annum~~)

Amount .75 for IRRIGATION FROM STORAGE purposes from 3/15 to 11/15 (both dates inclusive)
(cfs ~~acre-feet per annum~~)

5. Total quantity to be appropriated is (a) .30 and/or (b) .75 (SEE REMARKS)
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. PUMP FROM WELL INTO DITCH. DITCH
CARRIES WATER TO RELIFT PONDS. PUMP FROM PONDS INTO PIPELINES WHICH
CARRIES WATER TO PIU.

b. Height of storage dam N/A: EXCAVATED POND SITE feet; active reservoir capacity .75 acre-feet; total *
reservoir capacity .80 acre-feet; period of year when water will be diverted to storage:
3/15 to 11/15 inclusive.

c. Proposed well diameter is 18 inches; proposed depth of well is 375 feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

RECORDED

JUN 14 1989

* Storage factors added per phone conv. with applicant (Mark Dyer)
1/6/89.

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
1N	1W	18				15													15

Total number of acres to be irrigated 15

10. Describe any other water rights used for the same purposes as described above. _____

NONE

11. a. Who owns the property at the point of diversion? IRVIN BOEHLKE ESTATE

b. Who owns the land to be irrigated or place of use? APPLICANT


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. (SEE ATTACHED AGREEMENT)

12. Remarks: SEE ATTACHED AGREEMENT. EXISTING WELL COVERED UNDER WATER
RIGHT NO. 63-3478. WATER HAS BEEN USED ON APPLICANTS PROPERTY SINCE
1964. RELIFT POND LOCATED IN SW NW SEC 18 T1N-R1W

RECEIVED

JUN 14 1963

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

JUN 14 1989

x Mark V. Dyer
(Applicant)

Proposed Priority 1/6/89

Received by Am Date 12/20/88 Time 12:30 PM Preliminary check by SL

Fee \$ 45.00 Receipted by Am # 0001687 Date 12/20/88

Publication prepared by GG Date 1-11-89 Published in Idaho Statesman
1/19 & 1/26/89

Publication approved SL Date 2/6/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10744, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

The storage of water under this permit is contingent upon the certification of the dam and authorization of storage per the dam safety provisions of the Idaho Code.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 27th day of March 1989.

J. Glen Saxton

NOT RECORDED

JUN 14 1989

State of Idaho
Department of Water Administration

POOR QUALITY

LICENSE OF WATER RIGHT

License of Water Right No. 32014/03-3478 Priority Nov. 23, 1906 Amount 3.35 cfs

THIS IS TO CERTIFY, that IRVIN BOEHLKE
of Nampa, Idaho, has complied with the terms and conditions of Permit
No. 32014/03-3478 issued pursuant to Application for Permit dated November 23, 1968
and has submitted proof in the Department of Water Administration on November 26, 1970
that he has applied water to a beneficial use, an examination by the Department indicates that the
works have a capacity of 3.35 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from a ground water source
tributary of _____, is hereby confirmed in the following amounts:
Amount 3.35 cfs for Irrigation from March 15 to Nov. 15 (both dates inclusive)
Amount _____ for _____ from _____ to _____ (both dates inclusive)
Amount _____ for _____ from _____ to _____ (both dates inclusive)
Subject, however, to the condition that no more than 3.35 cfs of water be diverted at
any one time, said waters to be diverted within the _____

NE 1/4 Sec. 16, T2P, 1 N, R2E, 1 W, D. M.
in the county of Ada, and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 1,391.5 acre feet per year or
4.5 acre feet per acre.

Description and location of place of use:

TWP	RANGE	SEC	100%				50%				25%				12 1/2%				TOTAL
			100%	50%	25%	12 1/2%	100%	50%	25%	12 1/2%	100%	50%	25%	12 1/2%	100%	50%	25%	12 1/2%	
1 N	1 W	0											30	20					50
		10					40	40	39	39									158
		17	40			30													70

Total number of acres irrigated 247

The right to the use of the water hereby confirmed is reserved and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 3 day of
October 19 71

[Signature]
Director

103 3474

POOR QUALITY

CONTRACT FOR EXCHANGE OF PROPERTY

THIS AGREEMENT, Made and entered into this 18th day of January, 1964, by and between IRVIN BOEHLKE and DORIS JEAN BOEHLKE, husband and wife, of Canyon County, Idaho, parties of the first part, hereinafter referred to for convenience as Boehlke, and MARK V. DYER and MARY A. DYER, husband and wife, of Canyon County, Idaho, parties of the second part, hereinafter referred to for convenience as Dyer, WITNESSETH:

WHEREAS, Boehlke is the owner of the following described real property situated in the County of Ada, State of Idaho:

That part of the Northeast Quarter of the Northwest Quarter (NE $\frac{1}{4}$ NW $\frac{1}{4}$) lying North and West of the Waldvogel Canal in Section 17, Township 1 North, Range 1 West of the Boise Meridian, Ada County, Idaho, containing approximately 8.2 acres, more or less.

Together with all water, water rights, ditches and rights of way for ditches thereunto belonging or in anywise appertaining.

Together with all and singular the tenements, hereditaments and appurtenances thereunto belonging or in anywise appertaining.

and

WHEREAS, Dyer is the owner of the following described real property situated in the County of Ada, State of Idaho:

The Southwest Quarter of the Northwest Quarter (SW $\frac{1}{4}$ NW $\frac{1}{4}$) and all of the Northwest Quarter of the Northwest Quarter (NW $\frac{1}{4}$ NW $\frac{1}{4}$) lying South of the Waldvogel Canal in Section 17, Township 1 North, Range 1 West of the Boise Meridian, Ada County, Idaho.

Together with all water, water rights, ditches and rights of way for ditches thereunto belonging or in anywise appertaining.

Together with all and singular the tenements, hereditaments and appurtenances thereunto belonging or in anywise appertaining.

and

WHEREAS, The parties agree to exchange their lands above described;

NOW, THEREFORE, In consideration of the promises of each party to the other as hereinafter stated, the parties agree as follows:

RECORDED

JUN 14 1989

I.

Boehlke agrees as follows:

(a) To convey to Dyer by Warranty Deed the land owned by Boehlke as described above and the appurtenances thereupon free from all liens and encumbrances except State and County taxes, water assessments and construction charges.

(b) As a further consideration for the conveyance by Dyer to Boehlke of the lands above described, belonging to Dyer, Boehlke agrees to pay to Dyer the sum of Eleven Thousand and No/100 Dollars (\$11,000.00) as follows:

1. \$1,000.00 at the time of signing this agreement.

2. \$10,000.00 on or before April 1, 1964.

(c) Boehlke further agrees to deliver 5 acre feet of water per acre, per year, for 15 acres (or a total of 75 acre feet per year) from wells located on the Boehlke property, said water to be delivered at a constant rate, that is, not less than 550 gallons per minute nor more than 800 gallons per minute. Said water to be delivered at the high point, that is, the Southeast corner of the Southeast Quarter of the ~~South East~~ ^{North East} Quarter (SE¹/₄ SE¹/₄) of Section 18.

(d) It is further agreed that all pumping costs; that is, electrical expense, pump maintenance, repair and replacement shall be borne by Boehlke, it being the intention of the parties that Boehlke shall deliver the irrigation water, on demand, to Dyer, with no expense to Dyer.

(e) In the event of transfer of property by Dyer, the sum of \$1.40 per acre foot for 5 acre feet of water per year is to be paid to Boehlke for aforesaid water by the new owner. \$ 7.00/acre

II.

Dyer agrees as follows:

(a) To convey to Boehlke by Warranty Deed the land owned by Dyer as described above and the appurtenances thereupon free from all liens and encumbrances except State and County taxes, water assessments and construction charges.

III.

It is further mutually agreed between the parties as follows:

(a) Each party is to furnish the other, within a reasonable time from the date hereof, a Policy of Title Insurance or Abstract of Title showing a good

1 and sufficient title as of the date of this contract in the respective parties
2 hereto, to the property agreed to be conveyed by them. The party so receiving
3 the Policy of Title Insurance or Abstract of Title shall, within twenty days
4 after receiving said Policy of Title Insurance or Abstract of Title deliver to
5 the other party a note or memorandum signed by him or his attorney specifying
6 in detail the objections he makes to the title, if any. In case material defects
7 be found in said title, each party shall have a reasonable time in which to cure
8 the same.

9 (b) Each of the parties shall be entitled to possession of the pre-
10 mises hereby agreed to be conveyed to him on the 1st day of January, 1964.

11 (c) Each of the parties agrees to pay the State and County taxes,
12 water assessments and construction charges levied or assessed for the year 1964,
13 and all subsequent years, when they are due and before they become delinquent,
14 on the property to be conveyed to him, but that all other prior taxes and assess-
15 ments, if any, assessed or levied against said premises are to be paid by Boshlke
16 and Dyer on the property being conveyed.

17 (d) As to the fire insurance on the premises, the parties agree to
18 assign said policies, and the other party shall pay for the same on a prorata
19 basis.

20 (e) All agreements herein contained shall extend to and be obligatory
21 on the heirs, executors, administrators and assigns of the respective parties.

22 IN WITNESS WHEREOF, The parties hereto have hereunto set their hands
23 and seals the day and year first above written.

24
25 B Ivin Boshlke (SEAL)

26 Loris Jean Boshlke (SEAL)
27 Parties of the First

28 Mark W. Dyer (SEAL)
29

30 Mary A. Dyer (SEAL)
31 Parties of the Second Part


32
MICROFILMED

JUN 14 1989

1 STATE OF IDAHO)
2 County of Canyon) ss.

3 On this 18th day of January, 1964, before me, the undersigned, a
4 Notary Public in and for said State, personally appeared IRVIN BOEHLKE and
5 DORIS JEAN BOEHLKE, husband and wife, known to me to be the persons whose names
6 are subscribed to the within instrument and acknowledged to me that they executed
7 the same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal the day and year in this certificate first above written.



Notary Public for Idaho
Residing at Mulba, Idaho

13

14

15

16

17

18

19

20

21 STATE OF IDAHO)
22 County of Canyon) ss.

23 On this 18th day of January, 1964, before me, the undersigned, a
24 Notary Public in and for said State, personally appeared MARK V. DYER and MARY
25 A. DYER, husband and wife, known to me to be the persons whose names are subscribed
26 to the within instrument and acknowledged to me that they executed the same.

27 IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official
28 seal the day and year in this certificate first above written.

29

30

31

32



Notary Public for Idaho
Residing at _____, Idaho

RECORDED

JAN 14 1964

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10744

Dyer, Mark V.
Dyer, Mary A.
Rt. 1 Robinson Rd.
Kuna, ID 83634
Source: Groundwater
Diversion Pt: NENW Sec 16 T
01N R 01W

Use: Irrigation (.300 CFS)
Use: Irrigation Storage (75.00 AF)

Irrigation from Storage (75.00 AF)
Diversion to Storage (.300 CFS)

Date Filed: 12/20/1988
In: T01N R01W S18 SENE
15.0 ACRES TOTAL

63-10754

Ada County
650 Main St.
Boise, ID 83702
Source: Groundwater
Diversion Pt: Lot 3
(NWNWSW) Sec 7 T 04N R 02E

Use: Irrigation (.020 CFS)
Use: Domestic (.020 CFS)
Date Filed: 12/29/1988
In: T04N R02E S07 Lot 3
(NWSW)
1.0 ACRES TOTAL

63-10755

Ada County
650 Main St.
Boise, ID 83702
Source: Groundwater
Diversion Pt: Lot 3
(NWNWSW) Sec 7 T 04N R 02E

Use: Water Qual. Improvement (.010 CFS)
Date Filed: 12/29/1988
In: T04N R02E S07 Lot 3
(NWSW)

63-10756

Ada County
650 Main St.
Boise, ID 83702
Source: Spring
Tributary: Sinks
Diversion Pt: NWNESW Sec 7
T 04N R 02E

Use: Irrigation (.020 CFS)
Use: Stockwater (.020 CFS)
Date Filed: 12/29/1988
In: T04N R02E S07 NESW
1.0 ACRES TOTAL

63-10757

Ada County
650 Main St.
Boise, ID 83702
Source: Spring
Tributary: Sinks
Diversion Pt: Lot 3
(NWNWSW) Sec 7 T 04N R 02E

Use: Irrigation (.020 CFS)
Use: Heating (.020 CFS)
Use: Cooling (.020 CFS)
Use: Fire Protection (.020 CFS)
Use: Fire Protection Storage (.10 AF)
Use: Diversion to Storage (.020 CFS)

Date Filed: 12/29/1988
In: T04N R02E S07 Lot 3
(NWSW)
1.0 ACRES TOTAL

63-10758

Ada County
650 Main St.
Boise, ID 83702
Source: Groundwater
Diversion Pt: NWNWNE Sec
14 T 04N R 01E

Use: Irrigation (.050 CFS)
Use: Stockwater (.010 CFS)
Use: Domestic (.010 CFS)
Use: Fire Protection (.060 CFS)

Date Filed: 12/29/1988
In: T04N R01E S14 NWNE
2.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before FEBRUARY 6, 1989.

R. KEITH HIGGINSON
Director

Pub. Jan. 19, 26, 1989

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

129.72

Water Resources (Western)		Account Number #47628	
City/State Boise, ID		Zip 83705	
O. Number	Rate NT	Run Dates 1989 January 19, 26	
Water Rights		Estimated Inches	Real Inches
ts		Legal Number #1646	

STATE OF IDAHO)

) ss.

COUNTY OF ADA)

Debbie Richards

, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for 2 consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of January 19, 19 89

and ending with the issue of January 26, 19 89

Debbie Richards

Subscribed and sworn to before me this 26th

day of January, 19 89

Notary Public for Idaho, Residing at Boise, Idaho

RECORDED

JUN 14 1989

June 9, 1992

MARY A DYER
MARK V DYER
6851 S ROBINSON RD
KUNA ID 83634

RE: WATER RIGHT NO. 63-10744

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MAILED
JUN 11 1992

May 12, 1992

MARY A DYER
MARK V DYER
6851 S ROBINSON RD
KUNA ID 83634

RE: WATER RIGHT NO. 63-10744

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:cz

Enclosure

RECEIVED
JUN 11 1992

LICENSE REVIEW CHECKLIST

Date 05-04-92

Permit # 63-10744

28

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u> </u>
	<u> </u>	<u>✓</u>	Memo to Advance <u> </u>
	<u> </u>	<u>✓</u>	Order to Reinstatement Needed?
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u>NA</u>	<u> </u>	Disagree with Actual Measurement? <u>15 x .02 = .30 cfs</u>
	<u>✓</u>	<u> </u>	Disagree with Theoretical? <u>125 x 8.8 x .7 = 3.50</u>
	<u> </u>	<u>✓</u>	Limited by Capacity? <u>3.5 cfs 220 + (2.3 x 8)</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	<u> </u>	<u>✓</u>	Disagree with Examiner's Calculations?
	<u> </u>	<u>✓</u>	<u>15 x 4.5 = 67.5 AFA (IRR)</u>
	<u> </u>	<u>✓</u>	Limited by Flow? <u>.3 x 245 x 1.9835 = 145.8 > 67.5</u>
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u>✓</u>	<u>Intended</u> source <u> </u>
	<u> </u>	<u>✓</u>	Notice of Intent to Void.
P/D	<u> </u>	<u>✓</u>	Verify with Map
	<u>✓</u>	<u> </u>	Amendment Needed? <u> </u>
	<u> </u>	<u> </u>	Is Overlap Analysis a Consideration?
			<u>63-3478</u>
P/U	<u> </u>	<u>✓</u>	Verify with Map
	<u>✓</u>	<u> </u>	Amendment Needed? <u> </u>
	<u> </u>	<u> </u>	Is Overlap Analysis a Consideration?
			<u>No Overlap</u>
USES	<u>✓</u>	<u> </u>	Changes required to be compatible with
			Maps, Data Entry Standards, etc?
			<u>Drop Storage Uses/Not required</u>
	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u> </u>	<u>✓</u>	Non-Irrigation Uses <u> </u>
	<u> </u>	<u>✓</u>	Special Overlap Condition <u> </u>
	<u> </u>	<u>✓</u>	Other <u> </u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u>R32</u>	<u> </u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
			DATES/MISC
			<u> </u> <u>✓</u> Water Dist.
			<u>✓</u> <u> </u> App Rec'd
			<u>✓</u> <u> </u> Exam Made
COMMENTS/MEMOS NEEDED:	<u>Open Discharge = 8 psi in Theoretical</u>		
License <u> </u> 10-Day <u>✓</u> 15-Day <u> </u> Special Correspondence <u> </u>			

ok 

WR0749NP
No. L63-10744

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 05/04/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	MARK V DYER	01/06/1989	IRRIGATION	03-15 11-15	0.30 CFS	67.5 AFA
C	MARY A DYER					
	6851 S ROBINSON RD			TOTAL DIVERSION:	0.30 CFS	67.5 AFA
	KUNA ID 83634					
	(208) 495-2728					

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 3.50 CFS

Point(s) of Diversion: T01N R01W S16 NE NW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
01N	01W	18	:					15	:											:	15.0
																				TOTAL ACRES	15.0

Pou County: ADA

Other Water Rights with Same Point(s) of Diversion and Source:
63-03478 63-10744

Other Water Rights Listing Overlapping Place(s) of use:
63-10744

Conditions of Approval:

- 004 - The issuance of this right in no way grants any right-of-way or
- easement across the land of another.
R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: The maximum combined diversion rate of this right and right
63-03478 shall not exceed 3.50 cfs.

Dates: App. Received: 12/20/1988 Priority Date: 01/06/1989
Proof Due Date: 04/01/1990 Proof Made Date: 04/07/1989
Exam Made Date: 04/14/1989 Exam Sent to S.O.: 01/14/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 05/04/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 5 1989

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10744

1. Owner: Mark V a/o Mary A. Dyer Phone No. _____

Current Address: 6851 S. Robinson Rd. Kuna, ID 83634

2. Accompanied by: Mark Dyer EXAM. DATE: 4/14/89

Address: Same Phone No. 495-2728

Relationship to Permit Holder: owner

3. Source: Groundwater tributary to N/A


B. OVERLAP REVIEW

1. Other water rights with same place of use: _____ ☐ Copies Attached

2. Other water rights with same point of diversion: 63-3478
☒ Copies Attached ☒ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED
JUN 11 1992

Scale: 1" = 1/mile

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
- ☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

P/D in Section 16 has open discharge to concrete head box. Water Flows through buried pipe (16" dia) into drain ditch where water is collected and then pumped w/ 15hp Relift Pump. Water pumped from relift station through 6" pipe and discharged into concrete ditch (Photo attached) P/u irrigated from ditch on east side of field w/ gravity system. Capacity of Relift pond is ≈ 7.3 Ac Ft

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Main well Point of Diversion	Hollosht	125	1300062	Verli-Line	D02829/12" Discharge
Relift Pump	GE	15	FGJ609396	Berkley	H252/8" Discharge

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NW	16	1N	1W	Ada	Aerial Photo-Quad & USGS Quad

6. **Place(s) of Use:**

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1N	1W	16				15													15
																			15

3

Do not use this space

FILED
JAN 11 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

None made - See Remarks

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$\frac{15 \times 8.8 \times .7}{6 \text{ ft} + (2.31 \times 20)} = \frac{92.4}{52.2} = \underline{\underline{1.8 \text{ cfs}}}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: 20 psi $\times 2.31 =$ 46.2 ft (1); Dynamic pumping level: 6 ft (2)

Total Head: (1) + (2) = 52.2 (3)

; Flow rate: _____ cfs (4)

Water HP: (3) $\times$ (4) $\div 8.8 =$ _____ (5)

Meter Input KW: $3.6 \times$ _____ KH $\times$ _____ CTR or _____ MULT $\times$ _____ PTR $\times$ _____ N/ _____ T = _____ (6)

Meter Input HP: (6) $\times 1.34 =$ _____ (7)

Panel Input KW: _____ Ave PF $\times$ _____ Ave Volts $\times$ _____ Ave Amps $\times .001732 =$ _____ (6)

Panel Input HP: (6) $\times 1.34 =$ _____ (7) Efficiency: (5)/(7) $\times 100 =$ _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ 15 ac $\times$ 4.5 = 67.5 AFA

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ 0.3 cfs $\times$ 245 $\times$ 1.9835 = 145.8 AFA

$V =$ Smaller of $V_{I.R.}$ and $V_{D.R.} =$ 67.5 AFA

2. Volume Calculations for Other Uses:

MICROFILMED
JUN 11 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

P/D overlap w/well on licence # 63-3478 (3.35 cfs)
 There is an agreement between Mr. Dyer and Mr. Boehlke for use of the well. The relief pond is actually a waste drain that collects water that runs off of adjacent fields. This water is normally used, but needs to be supplemented by the well identified under this permit. Although the capacity of the drain ditch may be ≈ 7.3 AG Ft it is not used for storage, only as a collection sump. Therefore no storage rights are recommended for licensing. A theoretical calculation for the relief pump indicates that it may produce 1.8 cfs. Since the maximum flow rate for 1 sac is 0.30 cfs, recommend full amount.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	1.30	67.5
* see note to file (Hobbes) concerning recommendations NONE g4				
Totals:			1.30	67.5

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name RB Whitney
 Signature RB Whitney
 Certification Date 3-25-91
 Field Report Preparation Date 4-14-89



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED
 JUN 11 1992



4810

4809

4808

25

4806

4805

630 000
FEET

30

29

MICROFILMED
JUN 1 1984

Relift Pump - H252 8" Discharge 8' Lift
 Berkley Pump 15 Hp GE motor
 Serial # FGJ 609396 Pumps 60-75"


Main well 160-180' Lift 12" Discharge Theoretical on main pump -
 Halfshaft Pump Motor
 125 Hp # 1300062
 1800 rpm

$$\frac{125 \times 8.8 \times .7}{220 + (2.31 \times 60)} = 2.9?$$


Verilbne pump
 # D02829

2200 gpm = 4.9 cfs

176 ft @ 1770 rpm
 Wayne & Bowler pump Co.




ditch to P/n west of Robinson Rd.
P/n



Looking West
6" discharge to concrete ditch

MICROFILMED
JUN 11 1992



Looking East

RECORDED
JUN 11 1992

P / D



Relift Pump

Memo TO file

CONVERSATION MEMORANDUM

DATE

FILE 63-10744

NAME OF PARTY

EMPLOYEE Gene Gibson

RE: This Application uses A pit AT The End of their fields TO Collect WASTE WATER. This Application will use the pit AS A storage for WATER from the Well. The MEASUREMENTS for the Pit: NO DAM, 10' deep, 24' wide, & Approx 1/4 mile Long. The pit has been USED in conjunction with Lic 63-03478 SINCE 1964 by MR. Dyer & MR BOEHLKE.

$$1320 \times 10 \times 24 = 316,800 \text{ Ft}^3$$

$$\frac{316,800}{43,560} = 7.3 \text{ Ac Ft}$$

$$7.3 \times 325,650 = 2,378,705 \text{ gal}$$

$$.30 \text{ cfs} \rightarrow 193,895 \text{ gal/day} =$$

$$.6 \text{ Ac Ft/day}$$

RECEIVED

JUN 11 1992

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10744

Date: 4/17/89

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
Y Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A Priority Calculation:
Date proof received _____
Date proof due _____ - _____
No. of days late _____ = _____
Priority date _____ + _____
NEW PRIORITY DATE _____ = _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED
APR 07 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received 100.00
Date 4/4/89
Receipt # W002528
Receipt by RW
Reviewed by JB
Sent to region 26

Department of Water Resources **PROOF OF BENEFICIAL USE**

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10744-

Name(s) of Permit Holder: Mark V. or Mary A. Dyer

Post Office Address: 6851 So. Robinson Rd, Kuna ID 83634

Telephone No. 495-2728

Source of Water: Groundwater

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 15 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 30 cfs 75 acre-feet

Show the date water was first diverted and beneficially used under this permit: 1964

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ 100.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Mark V. Dyer
(Name)

495-2728
(Telephone Number)

6851 So. Robinson Rd, Kuna, Id. 83634
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

JUN 14 1989

Date

Signature of Permit Holder (and title, if appropriate)

Mark V. Dyer (owner)

Mary A. Dyer

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
March 29, 1989

MARK V. DYER
MARY A. DYER
RT. 1 ROBINSON RD.
KUNA, ID 83634

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10744

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

If the diversion dam is 10 feet or more in height, or has an impounding capacity of 50 acre-feet or more, certain dam safety requirements must be met. Please contact the regional office nearest you for details.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also

MICROFILMED
JUN 14 1989

enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED
WATER RIGHTS SECTION

JUN 14 1989

REPORT OF WELL DRILLER
State of Idaho

RECEIVED

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

June 22 1967
Department of Reclamation

WELL OWNER:
Name Ervin N. Boehlke
Address Melba Idaho

Owner's Permit No. 32614 11-23-65
NATURE OF WORK (check): Replacement well ☐
New well ☒ Deepened ☐ Abandoned ☐
Water is to be used for: Domestic
METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒
Dug ☐ Other ☐ (explain)

CASING SCHEDULE: Threaded ☐ Welded ☒
23 "Diam. from 0 ft. to 12 ft.
"Diam. from 12 ft. to 15 ft.
"Diam. from 15 ft. to 17 ft.
"Diam. from 17 ft. to 18 ft.
Thickness of casing: 250 Material:
Steel ☒ concrete ☐ wood ☐ other ☐

(explain)
PERFORATED? Yes ☐ No ☐ Type of
perforator used:


Size of perforations: " by "
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
WAS SCREEN INSTALLED? Yes ☐ No ☐
Manufacturer's name _____
Type _____ Model No. _____
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

CONSTRUCTION: Well gravel packed? Yes ☐
No ☒ size of gravel _____ Gravel
placed from ft. to ft. Surface seal
provided? Yes ☐ No ☐ To what depth?
ft. Material used in seal:

Did any strata contain unusable water? Yes ☐
No ☒ Type of water: _____
Depth of strata _____ ft. Method of sealing
strata off:

Surface casing used? Yes ☒ No ☐
Cemented in place? Yes ☒ No ☐

Locate well in section



LOCATION OF WELL: County Campana T. 7 S. 4
N. E N W Sec. 16 T. 1 N. W R. 1 S. 4

Use other side for additional remarks

Size of drilled hole: 20" Total
depth of well: 374 Standing water
level below ground: 212 Temp.
Fahr. _____ Test delivery: 2610 gpm
or _____ cfs Pump? ☐ Bail ☐
Size of pump and motor used to make test:

Length of time of test: 8 Hrs. 15 Min.
Drawdown: 220 ft. Artesian pressure: ft.
above land surface Give flow _____ cfs
or _____ gpm. Shutoff pressure:
Controlled by: Valve ☐ Cap ☐ Plug ☐
No control ☐ Does well leak around casing?
Yes ☐ No ☒

DEPTH FROM TO FEET FEET	MATERIAL	WATER YES OR NO
0 6	Soil	
6 14	Loam	
14 15	Gravel	
15 25	Loam	
25 64	Loam	
64 77	Loam broken up	
77 87	Red Loam	
87 155	Broken Loam	
155 170	Loam - broken	
170 178	Loam	
178 197	Hard Loam	
197 206	Red clinders	
2 230	Loam	
230 240	Broken Loam Red clay	
240 255	Loam	
255 261	Broken Loam Red clay	
261 325	Loam	
325 326	Broken Loam	
326 328	Loam	
328 335	Broken Loam	
335 374	Loam	

23 feet of 20" OD 250 w pps

212 to water

1 foot above ground

Work started: Dec 8, 1965
Work finished: Dec 11, 1966
Well Driller's Statement: This well was
drilled under my supervision and this report
is true to the best of my knowledge.
Name: A. J. Hosack
Address: Rt #5 Nampan Idaho 83651
Signed by: A. J. Hosack
License No. 27 Date: _____

USGS MICROFILMED

JUN 14 1989

Form No. 202a.

4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SL

DATE: 1/6/89

APPLICATION: 63-10744

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality title of signator is required)
☒ Fee:
☒ yes ☐ No* In form to receipt:

Gov't. Lots:

N P/D

N P/U

ADDITIONAL INFORMATION

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion:
☒ Field check required: Field check by: _____
☒ Field report attached:
☒ Critical groundwater area:
☒ Groundwater management area:
☒ Send dam safety information: NO DAM CONSTRUCTED BUT 75 A.F. STORED
☒ Send power requirement letter:
☒ Send fish farm requirement letter:
☒ Power residency affidavit:
☒ Power efficiency form:
☒ Within trust water boundry: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

☒ Additional information on reverse side:

RECEIVED

MAR 14 1989

Department of Water Resources

PROCESSING

YES NO

- ☒ In form for advertising:
☒ Statewide advertising:
☒ Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

- ☒ I.D. Health and Welfare
☒ I.D. Fish and Game
☒ I.D. Lands
☒ Adjudication Bureau

YES NO

- ☒ U.S. BLM
☒ U.S. Forest Svc.
☒ Water District # _____
☒ Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

- ☒ Affidavit of publication received:
☒ Application published correctly: If not, record action taken.

- ☒ Publication dates and paper recorded on application:
☒ Protests received, Final date for protest February 6, 1989
☒ Protests, dates, resolution of protest recorded on application:
☒ Recommendations attached: Approve DER
☒ Measuring device required:
☒ Measuring port required:
☒ Water delivered by water master? District # _____
☒ Special conditions of approval or cover letter: (see additional info. below)
☒ See Below For Additional Information
Recommended Date of Priority 1/6/1989 ☒ Date storage factors were added OK
Recommended by: DER Date 3/13/89

STATE OFFICE REVIEW

P23, P09, P16

46 18B 04

See below for additional information. By KW Date 3/20/89

ADDITIONAL INFORMATION

overlog

- P10 63-03478 is same well. See attached LICENSE. Note capacity upon licensing
was 3.35 cfs, fully appropriated under 63-03478.
Pln 63-02388 Boise River Irrig. Dist. Water shown throughout section but
applicant does not indicate use of such water.



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

13 March 1989

Mark V. &/or Mary A. Dyer
Rt. 1 Robinson Rd.
Kuna, ID 83634

RE: 63-10744

Dear Applicant:

The Department recently received an application for a water right permit, no. 63-10744. The application specifies a storage dam may be constructed which will come under the jurisdiction of the State of Idaho, Dam Safety Program. Dams which are 10 feet or more in height or store 50 acre-feet or more are large enough to come under the jurisdiction of the Department of Water Resources. Dams which are more than 20 feet in height or store 100 acre-feet or more require submittal of plans and specifications, prepared by a professional engineer, to the Department for review and approval prior to start of construction.

Enclosed is a copy of the Rules and Regulations for Safety of Dams for your information. Also find enclosed an application to construct the dam. The application must be filled out completely and returned along with the appropriate fee. The fee is based on the storage capacity of the reservoir and is explained on page 22 of the Rules and Regulations. Construction of the dam shall not proceed until the application is submitted to and approved by the Department.

Please contact me, phone 334-2190 if you have any questions.

Sincerely,

DAVID R. TUTHILL, JR.
Manager, Western Regional Office

RECEIVED

JUN 14 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

JANUARY 11, 1989

The Idaho Statesman
P.O. Box 40
Boise, ID 83707

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 6, 1989.

Yours truly,

JUDY PENSE
Secretary

Encl.

RECEIVED

JUN 14 1989

63-10744

DYER, MARK V.
DYER, MARY A.
RT. 1 ROBINSON RD.
KUNA, ID 83634

Source: GROUNDWATER

Diversion Pt: NENW Sec 16 T 01N R 01W

Use: IRRIGATION	(.300 CFS)	
IRRIGATION STORAGE		(75.00 AF)
IRRIGATION FROM STORAGE		(75.00 AF)
DIVERSION TO STORAGE	(.300 CFS)	

Date Filed: 12/20/1988

In: T01N R01W S18 SENE

15.0 ACRES TOTAL

RECORDED

JUN 14 1989