


UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

63-10719
3N 1E S. 9



FLUSH LINE



S 89° 35' 55" E 2,671.60' ORIG. FLUSH LINE LOCATION

PROPOSED LOCATION

WELL
PUMP HOUSE

APPROX

EASEMENT LINE

FUTURE PARKING

CLOVER DALE RD.

SLOPE 2
1/10 PER FT.

MICROFILMED

SEP 18 1997

2640 2639.5 2638.5 2638

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-10719 IN THE
NAME OF SEVENTH DAY ADVENTIST CHURCH

)
) ORDER OF REINSTATEMENT
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before May 1, 1990; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, on May 1, 1990 the permit lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on June 18, 1990;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-10719 be REINSTATED and the priority advanced to December 1, 1988.

Dated this 16th day of August, 1990.

MICROFILMED

SEP 16 1990

L. Glen Saxton
L. GLEN SAXTON, Chief
Water Allocation Bureau

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-10719

Proposed Priority: October 14, 1988 Amount: 0.18 CFS

This is to certify, that **SEVENTH DAY ADVENTIST CHURCH**
10552 GARVERDALE COURT
SUITE 908
BOISE, ID 83704

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.14 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.18 CFS

LOCATION OF POINT(S) OF DIVERSION: SENE Sec. 9, Township 03N, Range 01E
ADA County

PLACE OF USE: IRRIGATION


<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	01E	9	SENE	7		7
Total number of acres irrigated:						7

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **May 1, 1990**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 21st
day of April, 1989.

for 
R. Keith Higginson, Director

RECORDED

MAY 15 1989

AMENDED - ADDRESS change
per phone messages
11/8 & 11/9, 1988
.fl

Ident. No. 63-10719

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: SEVENTH DAY ADVENTIST CHURCH 208-377-8447
Address: 10552 GARVERDALE COURT
SUITE 908
BOISE, ID 83704

2. Source: GROUNDWATER Trib. to:

3. Location of point of diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
03N	01E	9	SE	NE			ADA

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AFA
IRRIGATION	03/15	11/15	0.140		
DOMESTIC	01/01	12/31	0.040		

5. Total quantity appropriated is:
0.180 CFS (and/or) AFA

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
WELL, PUMP, PIPELINE, AND SPRINKLERS
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is 16 inches; proposed depth of well is 250
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:

DOMESTIC USE IN THE CHURCH AND IRRIGATION OF 7 ACRES

MICROFILMED

MAY 15 1989

9. Description of place of use:

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
03N	01E	9	SE	NE	IRR	7.0
			SE	NE	DOMEST	

Total Section Acres 7.0

Total Acres 7.0

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?

SEVENTH-DAY ADVENTIST CHURCH

b. Who owns the land to be irrigated or place of use?

SEVENTH-DAY ADVENTIST CHURCH

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

ALSO THIS WELL IS INTENDED FOR FIRE PROTECTION, IF THE NEED
ARISES

13. Map of proposed point of diversion and place of use attached? [Y]

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

POISE S.D.A. Church
Applicant

Brent Jenkins
Brent Jenkins, Engineer for Project

MICROFILMED

MAY 15 1989


Ident. No. 63-10719
Page 3

Received by OK Date 10-14-88 Time 4:15 Preliminary check by SL
Fee \$ 30⁰⁰ Receipted by OK # W001119 Date 10-14-88
Publication prepared by GG Date 10-26-88 Published in ID Statesman
Publication approved OK Date 11-16-88 11/3 & 11/10/88

MICROFILMED

MAY 15 1989

63-10719
3N 1E 5



NOTICE OF APPLICATIONS FOR WATER RIGHT

The following application(s)
have been filed to appropriate the
public waters of the State of
Idaho:

63-10719 / JPK

Seventh Day Adventist
Church
1001 Cloverdale
Boise, ID 83709

Source: Groundwater
Diversion Pt: SENE Sec 9 T
03N R 01E

Use: Irrigation (.140 CFS)

Use: Domestic (.040 CFS)

Date Filed: 10/14/1988

In: T03N R01E S09 SENE

7.0 Acres Total

63-10723

Gilbert Western Corp.

Mayfield Stage

HC 34

Boise, ID 83706

Source: Groundwater

Diversion Pt: NWNWSE Sec
25 T 01N R 01E

Use: Diversion to Storage
(.560 CFS)

Use: Industrial Storage (1.50
AF)

Use: Industrial From Storage
(1.50 AF)

Use: Industrial (1.560 CFS)

Date Filed: 10/24/1988

In: T02S R02E S02 Lot 4
(NWNW)

The permit(s) will be subject to
all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, West-
ern Region, 2735 Airport Way,
Boise, Idaho 83705 on or before
November 21, 1988.

R. KEITH HIGGINSON
Director

Pub. Nov. 3, 10, 1988

1091

Department of Water Resources
Western Regional Office

STATE OF IDAHO)

) ss.

COUNTY OF ADA)

Debbie Richards, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho
Statesman, a daily newspaper printed and published at Boise, Ada
County, State of Idaho, and having a general circulation therein and
which said newspaper has been continuously and uninterruptedly
published in said County during a period of twelve consecutive months
prior to the first publication of the notice, a copy of which is attached
hereto; that said notice was published in The Idaho Statesman in
conformity with Section 60-108, Idaho Code as amended, for 2
☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of November 3, 19 88

and ending with the issue of November 10, 19 88

Debbie Richards

Subscribed and sworn to before me this 10th

day of November, 19 88

Frank Rice 12/93

Notary Public for Idaho, Residing at Boise, Idaho

MICROFILMED

EXPENDITURE VOUCHER

AUDITOR USE

STATE OF IDAHO
Office of State Auditor

AGENCY USE

2596
Date
08/23/90
Code
193002

VENDOR: If you require additional information regarding this payment, please contact the State agency listed below.

AGENCY NAME: DEPT. OF WATER RESOURCES

Document No.	
Pre-Audit	Date
Warrant No.	

PAY
TO

SEVENTH DAY ADVENTIST CHURCH
1115 N. CLOVERDALE
BOISE, ID 83704

CHECK ONE:

(1) MISCELLANEOUS EXPENDITURE

() STATE CONTRACT

() PURCHASE ORDER

() MISCELLANEOUS
ENCUMBRANCE REQUISITION

PAYMENT: () PARTIAL () FINAL

Encumbrance Reference No.

LINE No.	PROGRAM	FUND	ACCT.		DESCRIPTION	LINE AMOUNT	AGENCY USE
			Maj	Min			
1	05 20 350	1238	8831		REFUNDS PER RITA FLECK WR #63-10719 63-88-W-198 8/17/90 90.00	90.00	
TOTAL						90.00	

MICROFILMED

SEP 18 1990

NOTE: Final payment must be accompanied by a receiving copy

TO STATE AUDITOR

Request is hereby made that a warrant be authorized and drawn in payment of the item or items described above. I hereby certify that the items described were ordered by proper authority; that they are necessary in the public service, that the items have been received and accounted for, and that the account as stated is correct and just.

AUDITOR'S CERTIFICATE

I hereby certify that the above account is in proper form; that totals carried hereon are correct; that receipts when required by law or regulation of the State Board of Examiners covering items for which reimbursement is asked are submitted herewith; and that there are funds in the state treasury and balances in appropriation accounts out of which the same may be lawfully paid.

August 17, 1990

Seventh Day Adventist Church
1115 N. Cloverdale
Boise, ID 83704

Gentlemen:

Re: Permit No. 63-10719

This office acknowledges receipt of the proof of beneficial use form for the above referenced permit. Enclosed is a copy of the order reinstating the permit.

As one of the condition of the Well Drillers Program, a drilling permit was needed and since the water right application and drilling permit showed the diversion of water to be for irrigation as well as domestic use, a \$100 fee was required. However, the proof of beneficial use form is only for domestic use. Therefore, the department will refund \$90 of the drilling permit. The refund should come to you in several weeks.

The department received the proof of beneficial use form. The next step is for the department to conduct the field inspection to confirm and determine the extent of beneficial use. I cannot tell just when the representative from our Western Regional office will conduct the exam, but he will try to contact you prior to being in the area.

If you have questions concerning the field inspection, please contact the Western Regional office at 334-2190.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

c: W. Region
Fiscal Sec.

MAILED 10 1990

SEP 10 1990

MEMORANDUM

DATE: August 17, 1990

TO: FISCAL SECTION

FROM: Nina Shields or Rita Fleck

RE: REFUND - Permit No. 63-10719
Drilling Permit No. 63-88-W-198

Please prepare a refund of \$90.00 (receipt No. W001119). Attached is a copy of a letter which explains why the refund is necessary.

Also, please reference the identification number on any papers returned to me for the file. Thanks.

Attachments: letter
receipt

MICROFILMED

SEP 18 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10719

Date: 8-6-90

General Considerations:

☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change yes If yes, prepare a data entry
☒ Proof received timely no
_____ Reinstated

Source of Water:

☐ Surface water
☒ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

☒ Rate of diversion appropriate for uses
_____ ☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

need ~~to~~ ~~will~~ OK
refund on D.P.

Priority Calculation:

Date proof received	<u>June 18, 1990</u>	<u>169</u>
Date proof due	<u>May 1, 1990</u>	<u>- 121</u>
No. of days late		<u>= 48</u>
Priority date	<u>Oct 14, 1988</u>	<u>+ 287</u>
NEW PRIORITY DATE	<u>Dec 1, 1988</u>	<u>= 335</u>

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Access Charge

RECEIVED
JUN 18 1990

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10719 Telephone No. 377-8447

Name(s) of Permit Holder(s): Seventh Day Adventist Church

Post Office Address: 1115 N. Cloverdale Boise, ID 83704

Source of Water: groundwater

If ground water, well driller's name: Pete Cope Date drilled: 5/89

Extent of Use:
Domestic X (No. of households) Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Domestic use is for a church.

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 11/89

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes XNo Installed? Yes No

OR

Flow Measurement Port: Required? Yes XNo Installed? Yes No

Fee Enclosed: \$ n/a (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Don Driver 362-2328
Name Telephone No.

1115 N. Cloverdale Boise, ID 83704
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

SEP 18 1990

6-18-90
Date

Don Driver, Pastor
Signature (and title if on behalf of a company or organization)

FLUSH LINE



S 89° 35' 55" E 2,671.60' DRUG FLUSH LINE LOCATION

PROPOSED LOCATION

WELL PUMP HOUSE

APPROX

EASEMENT LINE

FUTURE PARKING


1st FLR. ELEV. 2640

1st FLR. ELEV. 2640

MICROFILMED

SEP 18 1990

CLOVER DALE RD.



1. WELL OWNER
Name Boise Central Seventh Day Adventist Church
Address 4712 Clearview Drive (c/o Brent Jennings)
Boise, ID 83703
Owner's Permit No 63-10719

7. WATER LEVEL
Static water level 10' feet below land surface
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ OF. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK
☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA
☒ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
1800	68'	9 1/2

3. PROPOSED USE
☐ Domestic ☒ Irrigation ☐ Test ☒ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection Regional Office
☐ Other _____ (specify type)

LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
28"	0	6	Brn. Silty Clay		
	6	7	Calechie & Gravel		
	7	30	Sand, Gravel & Rock		
	30	39	Sand, Gravel		
	39	43	Brn. & Gray Clay		
	43	44	Fine to Crse. Gray Sand		
	44	70	Fine to Crse. Sand & small gravel.		
	70	92	Brn. Gray Clay		
	92	95	Lt. Brn. Sand		
	95	128	Crse. Sand & Gravel		
	128	134	Brn. Clay, Sand & Gravel		
	134	144	Brn. Clay w/Sand @ end		
	144	181	Crse. Sand & Gravel		
	181	198	Fine Sand		
	198	200	Sandy Brn. Clay		
	200	212	Fine Sand w/ clay stks.		
	212	215	Fine Brn. Sand		
	215	224	Fine Blu Sand w/ round Sandstone pieces-Some Clay		
	224	234	Fine Blu Sand w/stks. of Clay (BLU)		
	234	239	Fine Blue Sand		
	239	254	Blue Clay		
	254	264	Very fine blue		
	264	274	Blue Clay w/ stks. of very fine sand.		
	274	349	Blue Clay		
	349	359	Med. Gray Sand		
	359	369	Brown Clay		
	369	374	Fine Brn. Sand		
	374	384	Med. Brn. Sand		
	384	411	Brn. Sand		
	411	415	Brn. Clay		
	415	436	Coarse Brn. Sand		
	436	444	Brown Sandy Clay		

4. METHOD DRILLED
☐ Rotary ☐ Air ☐ Hydraulic ☒ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION (SEE ATTACHED SHEET)
Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____


Thickness	Diameter	From	To
_____ inches	_____ inches + _____	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ No (SEE ATTACHED)
Manufacturer's name ROSCOE MOSS
Type STAINLESS STEEL Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☒ Yes ☐ No ☐ Size of gravel 3/8 -
Placed from 45 feet to BOTTOM (444) feet
Surface seal depth 35' Material used in seal: ☒ Cement grout
☐ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld
☐ Cemented between strata
Describe access port 2"

10. Work started 6/26/89 finished 7/3/89

6. LOCATION OF WELL
Sketch map location must agree with well location


Subdivision Name SEP 18 1990
Lot No. _____ Block No. _____
County Ada
SE 1/4 NE 1/4 Sec. 9 T. 3N N/S, R. 1E E/W.

11. DRILLERS CERTIFICATION
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.
PETE COPE DRILLING CO., INC.
Firm Name _____ Firm No. 213
6505 WEST CHINDEN BLVD.
Address MERIDIAN, ID 83640 date 7/5/89
Signed by (Firm Official) Pete Cope
and
(Operator) J. Cope

CASING SCHEDULE
SEVENTH DAY ADVENTIST CHURCH

+18"	-	145'	-	146' 16"	CASING
145'	-	195'	-	50' 10"	SCREENS
195'	-	374'	-	179' 10"	CASING
374'	-	414'	-	40' 10"	SCREENS
414'	-	434'	-	<u>20' 10"</u>	<u>CASING</u>

146' 16" Casing

199' 10" Casing

90' 10" Stainless Screens

6" Well

+18"	-	380'	-	381'	6" Casing
380'	-	400'	-	20'	6" Stainless Screens

MICROFILMED
SEP 18 1990

CASING SCHEDULE
SEVENTH DAY ADVENTIST CHURCH

+18"	-	145'	-	146' 16"	CASING
145'	-	195'	-	50' 10"	SCREENS
195'	-	374'	-	179' 10"	CASING
374'	-	414'	-	40' 10"	SCREENS
414'	-	434'	-	<u>20' 10"</u>	<u>CASING</u>

146' 16" Casing

199' 10" Casing

90' 10" Stainless Screens

6" Well

+18"	-	380'	-	381'	6" Casing
380'	-	400'	-	20'	6" Stainless Screens

MICROFILMED

SEP 18 1990

MEMORANDUM

TO: File 63-10719

FROM: Sharla *Sh*

DATE: June 18, 1990

RE: Proof of Beneficial Use

Kay's memo of 5/23 speaks of the church wanting to assign the permit to Boise Water Corp. When Mr. Driver came in on June 18 to file the assignment, we learned that Boise Water Corp. purchased a well from the church for use of numerous homes, however, the church still uses a well located right next to the one sold to Boise Water Corp.

Mr. Driver stated that the well they use is for domestic purposes in the church only. Although the permit was also originally filed for irrigation of 7 acres, he stated that they irrigate the 7 acres using irrigation district water and therefore only need the permit to cover the domestic use. This being the case, I told Mr. Driver to file the proof of beneficial use statement for this permit for the domestic purposes and he will inform Boise Water Corp. that they need to file their own application for permit to cover their domestic purposes from the other well.

MICROFILMED

SEP 18 1990

MEMORANDUM

TO: FILE 63-10719
FROM: KAY WALKER
RE: CHANGE IN OWNERSHIP
DATE: 23-MAY-1990

=====

The pastor of this church called the office this morning about the lapse notice that they received. He stated that this water use and permit had been sold to Boise Water Corp. I told him that the permit had to be assigned to change ownership. He said that when they received their proof due notice that they ignored it since they thought the permit was now in the name of Boise Water Corp. I sent an assignment form to the church to change ownership of this water right.

The pastor also gave me a change in address for the church. He said the well was also at this address.

1115 N. Cloverdale Rd.
Boise, ID 83704

MICROFILMED

SEP 18 1990

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

May 16, 1990

SEVENTH DAY ADVENTIST CHURCH
10552 GARVERDALE COURT
SUITE 908
BOISE, ID 83704

LAPSE NOTICE

RE: PERMIT NO. 63-10719

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated February 28, 1990. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

LGS:RF

MICROFILMED

SEP 18 1990

CERTIFICATION OF MAILING

I hereby certify that on 5-18-90
a ~~copy~~ original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

[Signature]

138241
~~138240~~
February 28, 1990

SEVENTH DAY ADVENTIST CHURCH
10552 GARVERDALE COURT
SUITE 908
BOISE, ID 83704

PROOF DUE NOTICE

RE: PERMIT NO. 63-10719

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

SEP 18 1990

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

RECEIVED

OCT 18 1988

Department of Water Resources

1. Applicant Boise Seventh-Day Adventist Church

2. Address 1001 Cloverdale Rd.

Boise, Idaho Telephone 337-8447

(X) Well Owner () Well Operator () Other, specify _____

3. Proposed well location S.E. 1/4 N.E. 1/4, or Gov't lot No. _____,

Sec. 9, Twp. 3N, Rge. 1E, County Ada,

Lot, block and subdivision _____

4. Proposed use of well: (Check all that apply)

(X) Domestic () Stockwater () Monitoring

(X) Irrigation () Industrial () Municipal

() Injection () Other, Specify _____

5. Well construction information:

(X) New well () Deepen () Replace

Proposed surface diameter 16 inch Maximum depth 250'

Anticipated bottom hole temperature: _____

(X) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)

6. Anticipated construction start date October 6, 1988

7. Well Driller (if known) Shelly Stateline Drilling 326

Address 323-7588

8. Applicant's signature Brant Jennings

Title Project Engineer SEP 18 1990

Date 10-3-1988

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

(X) Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

8. Water shall not be diverted under this permit until the water right permit, No. 63-10719, is approved.

Dated this 17th day of October, 19 88.

Signed David R. Tuttle
Title Mgr, Western Reg Office

Received by DK Fee 100⁰⁰ Date 10-14-88
Receipt No. WD 0 1119 Construction start extension to _____
Extension approved by _____

MICROFILMED

SEP 18 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
May 5, 1989

SEVENTH DAY ADVENTIST CHURCH
10552 GARVERDALE COURT
SUITE 908
BOISE, ID 83704

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. ~~2~~63-10719

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also

MICROFILMED

MAY 15 1989

enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

MAY 15 1988

Form No. 202a.
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SL DATE: 10/24/88 APPLICATION: 63-10719

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality title of signator is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

- ☒ ☐ Overlapping place of use: (Describe source & relationship to present application on the back.)
☐ ☒ Overlapping point of diversion:
☐ ☐ Field check required: Field check by: _____
☐ ☐ Field report attached:
☐ ☒ Critical groundwater area:
☐ ☒ Groundwater management area:
☐ ☒ Send dam safety information:
☐ ☒ Send power requirement letter:
☐ ☒ Send fish farm requirement letter:
☐ ☒ Power residency affidavit:
☐ ☒ Power efficiency form:
☐ ☒ Within trust water boundry: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐ ☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ ☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

RECEIVED

DATE REQUESTED: NOV 23 1988
☒ Additional information on reverse side:

Department of Water Resources

PROCESSING

YES NO

- ☒ In form for advertising:
☒ Statewide advertising:
☒ Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

- ☐ I.D. Health and Welfare
☐ I.D. Fish and Game
☐ I.D. Lands
☐ Adjudication Bureau

YES NO

- ☐ U.S. BLM
☐ U.S. Forest Svc.
☐ Water District # _____
☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

- ☒ Affidavit of publication received:
☒ Application published correctly: If not, record action taken.

- ☒ Publication dates and paper recorded on application:
☒ Protests received, Final date for protest November 21, 1988
☒ Protests, dates, resolution of protest recorded on application:
☒ Recommendations attached: Approval, DR
☒ Measuring device required:
☒ Measuring port required:
☐ Water delivered by water master? District # 603-P05
☒ Special conditions of approval or cover letter: (see additional info. below)
☒ See Below For Additional Information
Recommended Date of Priority 10/14/1988
Recommended by: DR Date 11/22/1988

STATE OFFICE REVIEW

P23, P05, P110 46 03A

See below for additional information. By KW Date 12/14/88

ADDITIONAL INFORMATION

OVERLAP:

P110 63-00164C Boise River for irrigation on other land.

Ident. No. 63-10719

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: SEVENTH DAY ADVENTIST CHURCH 208-337-8447
Address: 1001 CLOVERDALE
BOISE, ID 83709 - DATA ENTRY 10/24/88
SL

2. Source: GROUNDWATER Trib. to:

3. Location of point of diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
03N	01E	9	SE	NE			ADA

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AFA
IRRIGATION	03/15	11/15		0.140	
DOMESTIC	01/01	12/31		0.040	

5. Total quantity appropriated is:
0.180 CFS (and/or) AFA

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.
WELL, PUMP, PIPELINE, AND SPRINKLERS

b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.

c. Proposed well diameter is 16 inches; proposed depth of well is 250
feet.

d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:

DOMESTIC USE IN THE CHURCH AND IRRIGATION OF 7 ACRES

MICROFILMED

MAY 15 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

OCTOBER 26, 1988

The Idaho Statesman
P.O. Box 40
Boise, ID 83707

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before NOVEMBER 21, 1988.

Yours truly,

JUDY PENSE
Secretary

Encl.

MICROFILMED

MAY 15 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

MICROFILMED

MAY 15 1989

63-10719

SEVENTH DAY ADVENTIST CHURCH
1001 CLOVERDALE
BOISE, ID 83709

Source: GROUNDWATER

Diversion Pt: SENE Sec 9 T 03N R 01E

Use: IRRIGATION (.140 CFS)
DOMESTIC (.040 CFS)

Date Filed: 10/14/1988

In: T03N R01E S09 SENE

7.0 ACRES TOTAL

MICROFILMED

MAY 15 1989

The permit(s) will be subject to all prior water rights. Protests must be filled with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before NOVEMBER 21, 1988.

R. KEITH HIGGINSON, Director

Published 11/03/1988 & 11/10/1988

MICROFILMED

MAY 15 1989

WATER RIGHT
DATA ENTRY LOG

[illegible]