

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

33

3N

1W

P/D + U

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Richard E. Brown

(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 05 1991

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Richard G. Corn Permit No. 63-10711
Current Address: 6188 W. Lake Hazel Rd., Nampa, Id. 83651 Phone No. 888-7233
2. Accompanied by: Richard Corn - EXAM. DATE: 6-11-90
Address: Same Phone No. _____
Relationship to Permit Holder: Owner
3. Source: groundwater tributary to None

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-3356
_____ ☒ Copies Attached
2. Other water rights with same point of diversion: None
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 50'

MICROFILMED
APR 13 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

PERMIT 67-10711 INIT MTS
T. S. Q/Q
P/D 3N 1W 33 SWSW
SCALE _____
PHOTO ID. _____

BM 2696



63-10711



Picture #1

Pump and well located adjacent to place of use.



Picture #2

Place of use consisting of lawn and garden.

APPROVED
APR 13 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10711

Priority: September 23, 1988

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

0.9 AF

This is to certify, that RICHARD G CORN
6188 W LAKE HAZEL RD
NAMPA ID 83687

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 23, 1988; and has submitted Proof of Beneficial Use on May 2, 1989. An examination indicates that the works have a diversion capacity of .210 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	0.9 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 33, Township 03N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	01W	33	SWSW	0.2		0.2

Total number of acres irrigated:

0.2

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 26th day of March, 1992.

Boh D. Flemer for
R. Keith Higginson, Director

APR 13 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Richard G. Coen Phone 888-7233
Post office address Route 6 Nampa 83651

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of _____ $\frac{1}{4}$, Govt. Lot _____
Sec. 33 Township 3N Range 1W B.M. Ada County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.03 for irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.03 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. submerible pump into
gated pipe

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 8" inches; proposed depth of well is 150 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

MICROFILMED

DEC 23 1988

JAN 11 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	1W	33											1						1

Total number of acres to be irrigated 1

10. Describe any other water rights used for the same purposes as described above. Nampa

Meridian Irrigation District

11. a. Who owns the property at the point of diversion? Richard G. Corn

b. Who owns the land to be irrigated or place of use? Richard G. Corn

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____


MICROFILMED

JAN 11 1989

MICROFILMED

DEC 11 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

MICROFILMED

MICROFILMED

JAN 11 1989

DEC 20 1988

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Richard V. Coon

(Applicant)

Proposed Priority 9/23/88

Received by OK Date 9-23-88 Time 9:20 a.m. Preliminary check by RBW
Fee \$ 30.00 Receipted by OK # WR 000969 Date 9-23-88
Publication prepared by GG Date 9-28-88 Published in ID Statesman
Publication approved SR Date 10/14/88
10/6 & 10/13/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10711, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Witness my hand this 28th day of November, 1988.

A. Glen Saylor

RECORDED & INDEXED

JAN 13 1989

DEC 20 1988

FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10657

Church of Jesus Christ
Latter Day Saints
Meridian Idaho Stake
2591 Rebecca Way
Meridian, ID 83642
Source: Groundwater
Diversion Pt: NWNW Sec 11 T
03N R 01W
Use: Irrigation (.150 CFS)
Date Filed: 07/06/1988
In: T03N R01W S11 NWNW
5.0 ACRES TOTAL

63-10703

St. Alphonsus Regional
Medical Ctr.
1055 N. Curtis Rd.
Boise, ID 83706
Source: Groundwater
Diversion Pt: SENE Sec 7 T
03N R 02E
Use: Irrigation (.540 CFS)
Domestic (.180 CFS)
Date Filed: 09/13/1988
In: T03N R02E S07 SENE
10.0 ACRES TOTAL

63-10704

Boise Park System
1104 Royal Blvd.
Boise, ID 83706
Source: Groundwater
Diversion Pt: SENWSE Sec 7
T 03N R 02E
Use: Irrigation (.450 CFS)
Date Filed: 09/16/1988
In: T03N R02E S07 NWSE
8.0 ACRES TOTAL

63-10710

Hagdorn, William G.
Hagdorn, Sandra Y.
2641 Haven Dr.
Eagle, ID 83616
Source: Groundwater
Diversion Pt: SENW Sec 31 T
05N R 01E
Use: Irrigation (.110 CFS)
Domestic (.040 CFS)
Date Filed: 09/20/1988
In: T05N R01E S31 SWNW
SENW
5.5 ACRES TOTAL

63-10711

Corn, Richard G.
Rt. 6
Nampa, ID 83651
Source: Groundwater
Diversion Pt: SWSW Sec 33 T
03N R 01W
Use: Irrigation (.030 CFS)
Date Filed: 09/23/1988
In: T03N R01W S33 SWSW
1.0 ACRES TOTAL

63-10712

Church of Jesus Christ
Latter Day Saints
11443 Shamrock/McMillan
Rd.
Boise, ID 83704
Source: Groundwater
Diversion Pt: NENW Sec 34 T
04N R 01E
Use: Irrigation (.120 CFS)
Date Filed: 09/23/1988
In: T04N R01E S34 NENW
4.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before OCTOBER 24, 1988.

R. KEITH HIGGINSON
Director

Pub. Oct. 6, 13, 1988

9852

Department of Water Resources

) Western Regional Office

STATE OF IDAHO

) ss.

COUNTY OF ADA

Debbie Richards

, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for 2 consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of October 6, 19 88

and ending with the issue of October 13, 19 88

Debbie Richards

Subscribed and sworn to before me this 13th

day of October, 19 88

Wanda Rice 12/93

Notary Public for Idaho, Residing at Boise, Idaho

MICROFILMED

DEC 23 1988

MICROFILMED

JAN 1 1989

April 1, 1992

RICHARD G CORN
6188 W LAKE HAZEL RD
NAMPA ID 83687

RE: WATER RIGHT NO. 63-10711

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

ENCLOSURE
APR 19 1992

February 26, 1992

RICHARD G CORN
6188 W LAKE HAZEL RD
NAMPA ID 83687

RE: WATER RIGHT NO. 63-10711

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

RECEIVED

APR 13 1992

LICENSE REVIEW CHECKLIST

Date 02-25-92

Permit # 63-10711

	<u>Yes</u>	<u>No</u>	
NAME	☐	☒	Address Change? <i>Check Update</i>
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☒	☐	Disagree with Actual Measurement?
	☒	☐	Disagree with Theoretical?
	☐	☒	Limited by Capacity?
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA (Irrigation)
	☐	☒	Disagree with Examiner's Calculations?
	☐	☒	Limited by Flow?
SOURCE	☐	☒	Changes? Clarification of <u>Originally Intended</u> source is the only <u>Change</u> allowed. Any other change results in Notice of Intent to Void.
	☐	☒	
P/D			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
USES	☒	☐	Changes required in the <u>Period of Use</u> for each Use to be compatible with Maps, Data Entry Standards, etc?
	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☐	☒	Non-Irrigation Uses
	☐	☒	Special Overlap Condition
	☐	☒	Other _____
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	☐	☒	Overlap <u>1/4</u> ac
	☐	☒	Water Quality
	☐	☒	Other _____
			DATES/MISC
	☐	☒	Water Dist.
	☒	☐	App Rec'd
	☒	☐	Exam Made
	☐	☒	Other _____

COMMENTS/MEMOS NEEDED:

License 10-Day ☒ 15-Day ☐ Special Correspondence ☐

WR0749NP
No. L63-10711

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 02/25/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	RICHARD G CORN 6188 W LAKE HAZEL RD NAMPA ID 83687 (208) 888-7233	09/23/1988	IRRIGATION	03-15 11-15	0.03 CFS	0.9 AFA
TOTAL DIVERSION:					0.03 CFS	0.9 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.21 CFS

Point(s) of Diversion: T03N R01W S33 SW SW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
03N	01W	33	:																	:	0.2
TOTAL ACRES																				0.2	

Pou County: ADA

Other Water Rights with Same Point(s) of Diversion and Source:
63-10711

Other Water Rights Listing Overlapping Place(s) of use:
63-03356 63-10711

Dates:	App. Received:	09/23/1988	Priority Date:	09/23/1988
	Proof Due Date:	12/01/1989	Proof Made Date:	05/02/1989
	Exam Made Date:	06/11/1990	Exam Sent to S.O.:	
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 02/25/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

03-10711
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with conditions of approval
yes Well Inspection Form Needed

☒ Copy of U.S.G.S. Quad

no Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index MTS 5-24-90 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index MTS 5-24-90 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☒ Other: 03-03356 provides irrigation

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? done (Initial and date)

☒ Appointment made and telephone conversation memo attached
done

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☒ Photographs of Point of Diversion and Place of Use

C. Review and Processing:

Exam Completed MTS (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent CH 4-9-91 (Initial and date)

Exam Reviewed by Manager of Regional Office DM 4/19/91 (Initial and date)

Exam Date Entered in Computer ✓ (Initial and date)

Exam sent to State Office 4-25-91 (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 05 1991

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Richard G. Corn
Current Address: 6188 W. Lake Hazel Rd, Nampa, Id. 83651
2. Accompanied by: Richard Corn
Address: Same
Relationship to Permit Holder: Owner
3. Source: groundwater tributary to None


Permit No. 63-10711
Phone No. 888-7233
EXAM. DATE: 6-11-90
Phone No. _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-3356
_____ ☒ Copies Attached
2. Other water rights with same point of diversion: None
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 50'

MICROFILMED
APR 13 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

System consists of a 3Hp pump & motor that provides water from a 2" discharge to a plastic hose and an above ground sprinkler system to irrigate approx. 2 acres of garden and lawn.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
<i>Unknown</i>	<i>Bugge & Stoltz</i>	<i>3</i>	<i>Unknown</i>	<i>Jayne</i>	<i>2" - Unknown</i>

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			<i>SWSW</i>		<i>33</i>	<i>3N</i>	<i>1W</i>	<i>Ada</i>	<i>Ortho photo map</i>

6. Place(s) of Use:

Indicate Method of Determination *pacing during exam*

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
<i>3N</i>	<i>1W</i>	<i>33</i>											<i>.2</i>						<i>.2 Acres</i>

Do not use this space

MICROFILMED

APR 13 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

None required - see theoretical calculation attached to Field Exam. Check List.

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

See theoretical calculation attached to Field Exam Check List.
 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .2 \times 4.5 = .9$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 214 \times 1.9835 = 12.7$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = .9$

2. Volume Calculations for Other Uses:

MicroFILMED
APR 13 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Water rights in same Q² do not affect this permit.

Water for domestic use in home is supplied by another well not subject to this permit.

CFs rate based on Proof of Beneficial Use - of a rate based on irrigation requirements for 2 acres.

permit limit .03
OK for up to 1 AC

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-1	11-1	.04 .03	.9 afa
Totals:			.04 .03	.9 afa

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Melvin T. Schulte

Signature

Melvin T. Schulte

Certification Date


4-9-91

Field Report Preparation Date

6-15-90

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



MICROFILMED

APR 13 1992

IRRIGATION RIGHT FROM A GROUND WATER SOURCE

A theoretical calculation is necessary to determine if a measurement is required for irrigation from a groundwater source.

=====

1. Using the found acres (or an estimate by the permit holder) calculate the acre-foot per annum limit. This is the volume that the system must be able to theoretically produce to exclude a rate of flow measurement.
2. Next, given the pump hp and the estimated dynamic water level, calculate the theoretical rate of flow that the system can produce.
3. Using the rate found in step 2 and the days in the permitted irrigation season, calculate the theoretical AFA that the system could produce. This volume is then compared to the first AFA calculation. If the theoretical volume (step 3) is greater than the irrigation requirement volume (step 1) then no measurement is necessary. If it is less, then you must make a diversion rate measurement during the field examination.

1.
$$\frac{.2}{\text{Found Acres}} * \frac{4.5}{\text{Irr. Req.}} = \frac{.9}{\text{AFA}}$$
2.
$$\frac{(3) \text{ HP} * 8.8 * (.7) \text{ EFF}}{(20) \text{ Dyn Level} + (2.3 * 30) \text{ PSI}} = \frac{.21}{\text{Theor. Div. Rate}} \text{ CFS}$$
 18.48
86
3.
$$\frac{.21}{\text{Theoretical Div. Rate}} * \frac{214}{\text{Days in season}} * 1.9835 = \frac{89.14}{\text{AFA}}$$

Note: for electrical motors
EFF = 0.70
for diesel motors
EFF = 0.60

Data Requires Verification ☐
Measurement Required -- ☐
Measurement Not Required ☒


Calculation data sources:

Found acres = .2 per measurement during exam
 HP = 3 - per exam
 Dyn Level = 18 provided by owner during exam
 PSI = 30 - found on well during exam

APR 10 1971

PERMIT 67-10711 INIT MTS
T. 3N S. Q/Q
P/D 3N 1W 33 SWSW
SCALE _____
PHOTO ID. _____

BM 2696



WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

63-10711



Picture #1

Pump and well located adjacent to place of use.



Picture #2

Place of use consisting of lawn and garden.

APR 13 1992

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10711

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 3N, Rge 1W, Sec. 33, 1/4 1/4 or Lot .
2. Owner: Richard G. Corn
Address 6188 W. Lake Hazel, City Memph, St. Id.
3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐
4. Access Port: Yes ☐ No ☒ Static Water Level: 16'
Pressure Gauge: Yes ☐ No ☒ Casing Diameter: 8"
Flowing: Yes ☐ No ☒ Temperature:
5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: 45' deep

RECEIVED

APR 13 1992

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10711

Date: 5-16-1989

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
Y Groundwater
No 1. well log in file
Y 2. drilling permit
Y A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

X Is a measuring device or access port required?
X Has one been installed?
X Waiver or modification of measuring device requested

Remarks: Need a copy of the well log

Priority Calculation:

Date proof received _____

Date proof due _____ - _____

No. of days late _____ = _____

Priority date _____ + _____

NEW PRIORITY DATE _____ = _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

MAY 2 1989

No Fee

Department of Water Resources
Western Regional Office

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received No Fee Rpt.Date 5/2/89Receipt # No Fee RW

Receipt by _____

Reviewed by _____

Sent to region _____

Copy Retained @ Region
RW

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10711Name(s) of Permit Holder: Richard G. CornPost Office Address: 6188 W. Lake HazelNampa, Idaho 83687 Telephone No. 208-888-7233

Source of Water: _____

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation _____ (acres)

Other/Remark

Wright Garden and Lauer Garden 80' long 25' wide, Lauer 80' long 25' W.Total rate and/or volume for which proof is submitted 0.4 cfs _____ acre-feetShow the date water was first diverted and beneficially used under this permit: 4-30-89Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ NoFee enclosed \$ _____
(See License Examination Fee Schedule)Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Richard Corn
(Name)888-7233
(Telephone Number)6188 West Lake Hazel, Nampa, Idaho 83687
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

JUN 14 1989

5-1-89

Date

Richard G. Corn
Signature of Permit Holder (and title, if appropriate)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
December 12, 1988

RICHARD G. CORN
RT. 6
NAMPA, ID 83651

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10711

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Also enclosed is a copy of the approved drilling permit submitted in connection with this water right.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also

MICROFILMED

JAN 11 1989

MICROFILMED

DEC 20 1988

enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor
Water Rights Permits Section

GS: SC
Enclosures

RECEIVED

FILED

OCT 10 1988

JAN 11 1989

Drilling Permit No. 63-88-Z-239
Water Permit No. 63-10711
Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

1. Applicant Richard G. Conn
2. Address Route 6
Nampa Idaho 83651 Telephone 888-7233
☒ Well Owner ☐ Well Operator ☐ Other, specify _____
3. Proposed well location SW 1/4 SW 1/4, or Gov't lot No. _____,
Sec. 33, Twp. 3N, Rge. 1W, County Ada,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)
☐ Domestic ☐ Stockwater ☐ Monitoring
☒ Irrigation ☐ Industrial ☐ Municipal
☐ Injection ☐ Other, Specify _____
5. Well construction information:
☒ New well ☐ Deepen ☐ Replace
Proposed surface diameter 8" Maximum depth 150
Anticipated bottom hole temperature: _____
☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)
6. Anticipated construction start date _____ **MONITORING**
7. Well Driller (if known) _____ JAN 11 1989
Address _____
8. Applicant's signature Richard G. Conn
Title Owner
Date 9-23-88 **DEC 20 1988**

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

LESS THAN .04 CFS

ACTION OF IDWR

(☒) Approved

() Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Dated this 28th day of November, 1988.

RECORDED

JAN 11 1989

Signed

Title

J. Glen Saxton
Chief, Water Alloc. Bur.

RECORDED

Received by OK Fee \$10.00 Date 9-23-88 DEC 23 1988

Receipt No. WR000969 Construction start extension to _____

Extension approved by _____

APD 3 SW SW, 33, 3N, 1W
P/W

No. 202a

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

FINAL REVIEW BY RBW DATE 9/26/88 APPLICATION NUMBER 63-10711

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☒ Overlapping point of diversion ~
- ☐ Yes ☐ No Field check required
- ☐ Yes ☒ No Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☒ See reverse side for additional information

REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested

RECEIVED
NOV 01 1988

P/n - 63-033 For Blac Irr. in S. SW, S. 33

SSING ☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

REGIONAL PROCESSING REVIEW

es ☒ No Affidavit of publication received
es ☐ No Application published correctly. If not, record action taken.

es ☒ No Publication dates & paper, recorded on application
es ☒ No Protests received
Final date for protest October 24, 1988
es ☒ No Protests, dates, resolution of protest, recorded on application
es ☒ No Recommendations attached Approve, DM
es ☒ No Measuring device required
es ☒ No Access port required
es ☒ No Will water be delivered by watermaster? If yes, what Dist. 63-POS
es ☒ No Special conditions of approval or cover letter below.

Date of priority recommended 9/23/1988 ☐ See below for additional information
By DM Date 10/25/1988

TE OFFICE REVIEW P05, P23, P99, P16 46
Y kw ☐ See below for additional information
Date 11/25/88

ADDITIONAL INFORMATION

Please mail approval well drilling permit when mail approval permit. Applicant
called today to discuss the timing etc. of WR and well drilling applications.
8L 10/3/88.
Process drilling permit too...

63-10711

CORN, RICHARD G.
RT. 6
NAMPA, ID 83651

Source: GROUNDWATER

Diversion Pt: SWSW Sec 33 T 03N R 01W

Use: IRRIGATION (.030 CFS)

Date Filed: 9/23/1988

In: T03N R01W S33 SWSW

1.0 ACRES TOTAL

MICROFILMED

DEC 20 1988

MICROFILMED

JAN 11 1989