

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Eugene Barsky
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		15	submersible		12" → 6"
		1	"		6" → 1"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical

RECEIVED

AUG 05 1994



T2N
R2W
Sec 13



NAMPA, IDAHO
N4330—W11630/7.5


1981

RECEIVED
AUG 05 1994



Y STANDARDS
PARK, CALIF. 94025

n Be Obtained
Boise Idaho



GP = Gated
Pipe

AUG 05 1994
HARRIS MEX



canal, 16"
buried pipe,
East across in
background

MUSSEY 1777

AUG 05 1994

6"
stockwater well
w/ 1 HP
submersible
pump located
inside bldg
under lots
of spuds +
onions





12" well
15 HP submersible
pump
open discharge

RECEIVED
AUG 05 1994

culvert to
across East
of canal



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10696

Priority: September 6, 1988

Maximum Diversion Rate: 0.73 CFS
Maximum Diversion Volume: 162.3 AF

This is to certify, that EUGENE BARSBY
CAROL BARSBY

9742 SOUTHSIDE
NAMPA ID 83686

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 6, 1988; and has submitted Proof of Beneficial Use on May 4, 1989. An examination indicates that the works have a diversion capacity of 1.190 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.72 CFS	162.0 AF
STOCKWATER	01/01 to 12/31	0.01 CFS	0.3 AF
	Totals	0.73 CFS	162.3 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNW , Sec. 13, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	13	SWNW 26	SENEW 10		36

Total number of acres irrigated: 36

PLACE OF USE: STOCKWATER

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>
02N	02W	13

SWNW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

AUG 05 1994

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE
WATER RIGHT NO. 63-10696

CONDITIONS/REMARKS:

6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.
7. Two points of diversion are located within SWNW, S13, T02N, R02W.
8. Stockwater use is for 25 range cattle.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 29th day of July, 1994.

Acting for


R. Keith Higginson, Director

AUG 05 1994

RECEIVED
MAY 4 1989

RECEIVED
MAY 09 1989

For Office Use Only
Fee Received 5/4/89
Date 5/125
Receipt # 6003687
Receipt by CP
Reviewed by _____
Sent to region _____

Department of Water Resources
Western Regional Office

STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 103-10696

Name(s) of Permit Holder: EUGENE & /OR CAROL BARSBY

Post Office Address: RT 3, Box 9742 SOUTHSIDE,
NAMPA, ID 83686 Telephone No. 416-1246

Source of Water: GROUNDAWATER

Extent of Use:

Domestic _____ (number of households) Stockwater 60 HD. (number and type of stock)
Irrigation 80 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 1.64 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 9/6/88

Measuring Device: Required? ☒ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ 125
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☒ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

JANE AS ABOVE
(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above number has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED

JUN 14 1989

5/4/89
Date

Eugene Barsby
Signature of Permit Holder (and title, if appropriate)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho **APPROVED**

1. Name of applicant EUGENE AND/OR CAROL BARSBY Phone 466-1246
Post office address RT. 3, Box 3420 NAMPA, ID 83651
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of SW 1/4 of NW 1/4, Govt. Lot _____
Sec. 13 Township 2N Range 2W B.M. CANYON County; additional
points of diversion if any: (2 WELLS) * SEE REMARKS
4. Water will be used for the following purposes:
Amount 0.04 for STOCKWATER purposes from 1/1 to 12/31 (both dates inclusive)
(cfs)
Amount 1.60 for IRRIGATION purposes from 3/15 to 10/15 (both dates inclusive)
(cfs)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 1.64 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. WELL W/ 2 PUMPS INTO DITCHES
(GATED PIPE)
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. ~~Proposed~~ ^{EXISTING} well diameter is 12 inches; proposed depth of well is 110 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

DEC 08 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. 2 / 60 HEAD DAIRY CATTLE
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	2W	13							40	40									80

Total number of acres to be irrigated 80

10. Describe any other water rights used for the same purposes as described above. _____

NAMPA-MEXIDIAN IRRIGATION

11. a. Who owns the property at the point of diversion? APPLICANT

b. Who owns the land to be irrigated or place of use? APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: SECOND WELL IS DOMESTIC WELL WHICH WOULD BE USED AS

A BACKUP FOR IRRIGATION.

SUPPLEMENTAL TO SURFACE WATER


Original well in place since at least 1965. 1988 well covered
by permit 63-88-W-154.

RECORDED

9/6/88 per phone conv with Applicant

DEC 08 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Eugene Barsky
(Applicant)

Proposed Priority 9/6/88

See memo 9/6/88 about drilling permit
Received by Amo Date 9/6/88 Time 11:30 AM Preliminary check by SL
→ 90.00 DP W000833 9/7/88
Fee \$ 65.00 Receipted by Amo # W000824 Date 9/6/88
Publication prepared by GG Date 9-16-88 Published in Press-Tribune
Publication approved DK Date 10-14-88 9/21 & 9/28/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10696, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1989.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 28th day of November, 1988.

J. Glen Saxton

RECEIVED
FILMED

DEC 08 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 29, 1994

EUGENE BARSBY
CAROL BARSBY
9742 SOUTHSIDE
NAMPA ID 83686

RE: WATER RIGHT NO. 63-10696

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in black ink, appearing to be 'Jim Johnson', with a horizontal line extending to the right.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

MAILED

AUG 05 1994

WR0749NP
No. L63-10696

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 07/08/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME	
C	EUGENE BARSBY	09/06/1988	IRRIGATION	03-15 11-15	0.72 CFS	162.00 AFA	
C	CAROL BARSBY		STOCKWATER	01-01 12-31	0.01 CFS	0.30 AFA	
	9742 SOUTHSIDE						
	NAMPA ID 83686						
	(208) 466-1246			TOTAL DIVERSION:	0.73 CFS	162.30 AFA	

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity:

1.19 CFS

Point(s) of Diversion:

T02N R02W S13

SWNW

CANYON County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE				SUM
T	R	S		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
02N	02W	13	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	36.0
TOTAL ACRES																				36.0

Place of use Legal Description for: STOCKWATER

				NE				NW				SW				SE				
T	R	S		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
02N	02W	13	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	

Pou County: CANYON

Other Rights: NAMPA-MERIDIAN IRRIG. DIST.

Other Water Rights with Same Point(s) of Diversion and Source:
63-10696

Other Water Rights Listing Overlapping Place(s) of use:
63-10696

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

Remarks:

The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.
Two points of diversion are located within SWNW, S13, T02N, R02W.
Stockwater use is for 25 range cattle.


(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L6310696	T02N R02W S13 GROUNDWATER	:		:		:		26	10	:		:		:		:		36
		:		:		:		X		:		:		:		:		
6302388	BOISE RIVE :	:		:		:		:		:		:		:		:		
A6302388	BOISE RIVE :	:		:		:		:		:		:		:		:		
6310460	GROUNDWATE :	:		:		:		:		:		32		:		:		32
A6310460	GROUNDWATE :	:		:		:		:		:		32		:		:		32
~~6310696~~	~~GROUNDWATE :~~	~~:~~		~~:~~		~~:~~		~~40~~	~~40~~	~~:~~		~~:~~		~~:~~		~~:~~		~~80~~
6311472	GROUNDWATE :	:		:		:		:		:	16			:	16	:	17 26	75
6311595	GROUNDWATE :	:		:		:		:		:		26		:		:		26

POU COMPARISON

LICENS REVIEW CHECKLIST

PERMIT NO. 63-10696 DATE 7-7-94



NAME	Yes ☐ No ☒	Or Address Change? <u>Check</u>
PRIORITY DATE	☐ ☒	Advance? ☐ Advanced to: ☐ Order to reinstate needed? ☐ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐ ☒	Changes or just clarification of originally intended source? ☐ Notice of Intent to Void necessary? ☐
POINT OF DIV	☐ ☒	Amendment needed? ☐ Overlaps? ☐
PLACE OF USE	☐ ☒	Amendment needed? ☐ Overlaps? ☐
DIV RATE	☐ ☒	Measurement Q = ☐ Theoretical Q = <u>1.19</u> <u>36 acres @ .02 = .72</u> <u>25 cattle = .01</u> (Exhibit 15/Examiner HB) Capacity: <u>1.19</u> Combined rates exceed capacity ☐ Permit/fee limits: <u>1.64</u> Allowable: <u>.73</u>
ANNUAL VOLUME	☐ ☒	Season of use: <u>0/4.5 3-15 to 11-15</u> Calculations: <u>36 x 4.5 = 162</u> <u>25 cattle = .39F</u> Flow limit: ☐ cfs x ☐ x 1.9835 = ☐ Combined volumes exceed capacity/allowable ☐
USES	☐ ☒	Change in Nature of Use or additional uses? ☐ Amendment necessary? ☐
REMARKS	☒ <u>YES - W32</u> <u>WB3</u>	Multiple p/d(s) in 1/4 1/4? <u>(2 wells)</u> Other <u>Rampa Meridian In Dist</u>
CONDITIONS	☐ ☒ ☐ ☒ <u>R32</u> ☐ ☒ ☐ ☒ ☐ ☒	Measuring/Locking Devices Watermaster control - District ☐ Irrigation Overlap Water Quality Other ☐

COMMENTS: Reduce acres and rate. Supplemental water

RECOMMENDED	CFS	VOLUME	LICENSE ☒
<u>Irrigation</u>	<u>.72</u>	<u>162</u>	
<u>Stockwater</u>	<u>.01</u>	<u>.3</u>	1ST AMENDMENT LETTER ☐
<u>Total</u>	<u>.73</u>	<u>162.3</u>	FINAL AMENDMENT LETTER ☐

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 31 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10696

1. Owner: Eugene + Carol Barclay Phone No. 466-1246

Current Address: Rt 3 Box 3420 Nampa 83651

2. Accompanied by: Carol EXAM DATE: 11/17/93

Address: same Phone No. _____

Relationship to Permit Holder: owners

3. Source: Ground Water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-02388

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NW	13	02N	02W	Canyon	USGS Quad


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	2W	13							26	10									36
									6										

AUG 05 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____.

☒ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		15	submersible		12" → 6"
		1	"		6" → 1"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Theoretical

AUG 05 1994

E. NARRATIVE/REMARKS/COMMENTS

A 12" well with a 15HP submersible pump supplies water to 36 acres via ditch and gated pipe. Because of this well's location and gravity flow limitations, ground water can only reach the 36 acres recommended, even when mixed with Nampa - Meridian Irrigation water. The other 44 acres listed on the permit are irrigated with surface water only. No other water rights are used.

A 6" well with a 1HP submersible pump supplies water to ~25 range cattle via 1" line to two tanks equipped with auto waterers. This well also supplies water to a home.

Have conditions of permit approval been met? ☐ yes ☒ no

(meas. device not necessary for exam) AUG 05 1994

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$\frac{15 \times 8.8 \times .7}{80} = 1.15 \text{ cfs}$$

*pump set @ 90' per
owner*

$$\frac{1 \times 8.8 \times .7}{80 + 35 \times 2.31} = .04 \text{ cfs}$$

owner's estimator

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 36 \times 4.5 = 162$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .72 \times 246 \times 1.9835 = 351.3$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 162$$

2. Volume Calculations for Other Uses:

$$\begin{aligned} 25 \text{ head cattle} &= .02 \text{ cfs} \\ \frac{25 \times 126 \text{ ft} \times 365 \text{ days}}{325,850} &= .34 \text{ afa} \end{aligned}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Irrigation</i>	<i>3/15</i>	<i>11/15</i>	<i>.72</i>	<i>162</i>
<i>stockwater</i>	<i>1/1</i>	<i>12/31</i>	<i>.02</i>	<i>.3</i>
Totals:			<i>.74</i>	<i>162.3</i>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name *Lon Gummer* Date *11/26/93*

Reviewer _____ Date _____


SEAL

AUG 05 1994



GP = Gate Post

AUG 05 1994



IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

Irving well

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: 63-10696

2. OWNER: Eugene Barclay Phone: 466-1246
Address: _____

3. WELL LOCATION: Twp 2N, Rge. 2W, Sec. 13, SW 1/4 NW 1/4
County Canyon (Provide sketch map and photo on reverse.)

4. DRILLER: Johnston Lic. No. 92
When Drilled? 1988

5. WELL CONSTRUCTION:

Casing Diameter 12 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 19 ft. Method Drilled cable
Condition of Well Casing: ☐ Good ☒ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☐ Yes ☐ No
Condition of Piping and Valving OK
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water 75 ft. Water Temperature 56 °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

AUG 05 1994

POSSIBLE CONTAMINATION SOURCES.

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☒ Yes ☐ No

If yes, what Type? surface water

How far away from the well is this source? 10'

9. REMARKS:

for Gnamer
Signature of Dept. Representative & Title

11/17/93
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:


RECEIVED
AUG 05 1994




canal, 16"
buried pipe,
East across in
background

RECEIVED

AUG 05 1994



6"
stockwater well
w/ 1 HP
submersible
pump located
inside bldg
under lots
of spuds +
onions



12" well
15 HP submersible
pump
open discharge

1-2-3-4-5-6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-31-32-33-34-35-36-37-38-39-40-41-42-43-44-45-46-47-48-49-50-51-52-53-54-55-56-57-58-59-60-61-62-63-64-65-66-67-68-69-70-71-72-73-74-75-76-77-78-79-80-81-82-83-84-85-86-87-88-89-90-91-92-93-94-95-96-97-98-99-100

AUG 05 1994

culvert to
across East
of canal



* Revised 9/14/88 to include ~~drain~~ irrigation

Form 235-1
4/88

Drilling Permit No. 63-88-W-154
Water Permit No. N/A 63-10696 (application
Injection Permit No. N/A filed 9/6/88
for irrigation
and stockwater,
1.64 cfs)

State of Idaho
Department of Water Resources

RECEIVED

SEP 16 1988

DRILLING PERMIT

(Authorizing Construction of a Well)*

Department of Water Resources

1. Applicant Eugene or Carol Barsby
2. Address Rt. 3, Box 3420, Nampa 83651
Telephone 466-1246

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location SW ~~SE~~ 1/4 NW 1/4, or Gov't lot No. _____,
Sec. 13, Twp. 2N, Rge. 2W, County Canyon,
Lot, block and subdivision _____

4. Proposed use of well: (Check all that apply)

☒ Domestic ☒ Stockwater () Monitoring

* ☒ Irrigation () Industrial () Municipal

() Injection () Other, Specify * SK & Dom Less than 13,000 gpd.

5. Well construction information:

☒ New well () Deepen () Replace

Proposed surface diameter 12" Maximum depth 120'
Anticipated bottom hole temperature: _____

☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)

6. Anticipated construction start date 8-19-88

7. Well Driller (if known) Ralph Robertson (Johnston Drilling)

Address Rt 1 Box 830 Melba, Id 83641

8. Applicant's signature Eugene Barsby MICROFILMED

Title Owner
Date 8-19-88 JUN 14 1989

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

* see attached memo

ACTION OF IDWR

(X) Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Dated this 19th day of August, 1988.

Signed

Robert B. Whitney

For Western Regional
Mgr.

Title

Sr. Agent

RECEIVED

Received by RW

Fee

* 90 -
10 -

Date

8-19-88 JUN 14 1989

Receipt No. W000726

Construction start extension to

Extension approved by

* W000835 (9/7/88)

* 50 - H. leaf memo

INTER-DEPARTMENT MEMO — 1

FROM

Steve Lester

DATE

9/6/88

TO

File 63-10696 : 83-88-W-154

SUBJECT

Applicant must submit an additional \$90 to allow drilling permit to be mailed from dom/stock. to irrigators. I called Mr. Bursky & explained this, urging him to submit payment asap to allow approval of temp. water right.

SIGNATURE

Paid additional \$90 9/7/88, receipt W000835
SL 9/14/88

MICROFILMED

JUN 14 1989

WELL DRILLER'S REPORT

NOV 29 1988

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

NOV 15 1988

1. Department of Water Resources

Name Eugene Barsby
Address RT 3 Box 3420, Nampa, ID 83651
Owner's Permit No. 63-88-W-154

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☒ Stock ☐ Waste Disposal or Injection
☐ Other (specify type)

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other
Thickness 250 inches Diameter 12 1/4 inches + 1 feet 19 feet
inches inches feet feet
inches inches feet feet
inches inches feet feet

Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number From To
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal depth _____ Material used in seal: ☐ Cement grout
☐ Puddling clay ☒ Well cuttings

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld

☐ Cemented between strata

Describe access port plug in well seal

7. WATER LEVEL

Department of Water Resources

Static water level 75 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 56 °F. Quality Hard

8. WELL TEST DATA

☒ Pump ☐ Bailer ☐ Air ☐ Other
Discharge G.P.M. 20 Pumping Level 77 Hours Pumped 14

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
12	0	3	Dirt		☒
"	3	6	broken basalt		☒
"	6	85	Solid basalt		☒
"	85	110	Solid basalt		☒
"	68	85	broken basalt		☒
"	85	110	basalt with cracks		☒


Department of Water Resources
Western Regional Office

10.

Work started 8/22/88 finished 8/27/88

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name MICROT

Lot No. _____ Block No. JUN 14 1989

County Canyon

SW 1/4 NW 1/4 Sec. 13 T. 2 N. R. 2 E.W.

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Johnston Drilling Firm No. 92

Address Box 830 RT1 Date 10/10/88

Signed by (Firm Official) Elmer D Johnston

and
(Operator) Ralph Robinson

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
December 5, 1988

CAROL BARSBY
EUGENE BARSBY
RT. 3 BOX 3420
NAMPA, ID 83651

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10696

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

MICROFILMED

DEC 08 1988

Sincerely,

GS: SC
Enclosures

DECLASSIFIED

000000

Form No. 202a Temp
4/87

Ident. No. 63-10696

State of Idaho

Department of Water Resources

Temporary Approval Analysis Sheet

- ☒ Yes ☐ No Basin No. Correct?
- ☒ Yes ☐ No Source is Groundwater?
- ☒ Yes ☐ No Lands are irrigated with surface water rights?
- ☒ Yes ☐ No Lands are outside Critical Groundwater Area & Groundwater Management Area boundaries?
- ☒ Yes ☐ No County has been declared a drought emergency area by the Governor's Office?

Remarks: Surface water from Nampa-Meridian S. Dist.

Note that two wells exist. One was in place
in 1965 when applicant bought property; use was domestic.
Drilling permit 63-88-W-154 covers the newer well, see attached
memo before temp. approval is granted.

Application Initially Received Date 9/6/88 Time 11:30 a.m.

File Prepared By JP Date 9/7/88 Time 11:30

Staff Review By SL Date 9/6/88 Time 2:00 p.m.

Temporary Approval Prepared By JP Date 9/7/88 Time 1:55 p.m.

Temporary Approval Signed By DRT Date 9/7/88 Time 4:00

Temporary Approval Mailed By JP Date 9/8/88 Time 9:00

Index Updated By MM Date 9/9/88 Time 9:30 AM



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

September 7, 1988

Eugene &/or Carol Barsby
Rt. 3, Box 3420
Nampa, ID 83651

Re: Water Right No. 63-10696

Dear Water Right Applicant:

Enclosed is a temporary approval for diversion of groundwater during the 1988 irrigation season.

The copy of the application for permit to appropriate water attached to the interim approval defines the various components of your temporary approval. The inclusion of the copy of the application is only for the purpose of definition, and any terms contained therein are limited by the conditions of the temporary approval.

This office will continue to process the original application for permit, pursuant to Chapter 2, Title 42, Idaho Code, unless directed otherwise by you. This processing will include advertisement for two weeks in the county where the point of diversion is located.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

DRT:jp

Enclosures: Temporary Approval
Copy of Application for Permit

MICROFILMED

DEC 08 1988

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES
WITH RESPECT TO TEMPORARY APPROVAL OF
APPLICATION FOR PERMIT NO. 63-10696

This is to certify that I have examined Application for Permit to Appropriate the public waters of the State of Idaho No. 63-10696; and a temporary approval to divert groundwater is granted until 11/15/1988, subject to the following limitations and conditions:

- a. The water use approved herein is subject to all prior water rights.
- b. The water user acknowledges that the temporary approval does not convey a continuing right to divert water and does not convey and right to divert water except as specifically provided in the temporary approval.
- c. The water user assumes all risk that he or she will be successful in obtaining a permanent water right permit when the application is processed under the provisions of Chapter 2, Title 42, Idaho Code and the water Appropriation Rules and Regulations.
- d. Violation of temporary approval conditions, provisions of the Idaho Code, or the Water Appropriation Rules and Regulations is cause for cancellation of the temporary approval and denial of future requests.
- e. By commencing diversion of water under this temporary approval, the water user acknowledges and agrees that the Director of IDWR is authorized to disconnect the power supply from the pump motor used to divert water under the temporary approval or to take other reasonable steps to insure that water is not diverted during any period the temporary approval is suspended or revoked.
- f. The Director may impose additional conditions not a part of the original temporary approval conditions.
- g. The temporary approval applies only to uses and lands which normally have an adequate supply of water from surface water sources but are temporarily water short because of drought conditions.
- h. The temporary approval granted under the expedited procedure shall not be effective for more than the 1988 irrigation season and will expire upon termination of the declared drought emergency, or on the expiration of the term of the approval set herein, whichever is earlier.
- i. The Director will retain jurisdiction of any temporary approval given.
- j. By acceptance of the temporary approval and diversion of water under the temporary approval, the water user assumes all risk relative to interference with other water rights and acknowledges and agrees that the Director is authorized to take reasonable steps to insure that water is not diverted under the approval at any time the Director determines there is not water available for diversion.

DEC 08 1988

- k. Temporary approval granted will be of no force no effect from and after the 1988 irrigation season. The application for permit, however, will be processed by the Department under the provisions of Chapter 2, Title 42, Idaho Code, unless directed otherwise by the applicant.

Witness my hand this 7th day of September, 1988.

David R. Tuthill

DAVID R. TUTHILL, JR., P. E.
Manager Western Regional Office,

MICROFILMED

DEC 1988

FROM

Steve Lester

DATE


9/6/88

TO

File 63-10696 & 63-88-W-154

SUBJECT

Applicant must submit an additional \$90 to allow drilling permit to be modified from dom/stork. to irrigation. I called Mr. Bursky & explained this, urging him to submit payment asap. to allow approval of temp. water right.


SIGNATURE

Paid additional \$90 9/7/88, receipt W000835
SL 9/14/88

MICROFILMED

DEC 08 1988

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following applications have
been filed to appropriate the public
waters of the State of Idaho:

63-10696 *VDK*

BARSBY, CAROL
BARSBY, EUGENE
RT. 3 BOX 3420
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: SWNW Sec 13 T #2N
R.02W

Use: IRRIGATION (1.600 CFS)
STOCKWATER (.040 CFS)

Date Filed: 9/06/1988
In: T02N R02W S 13 SWNW SENW
80.0 ACRES TOTAL
63-10698

RODCO INC.
P.O. BOX 189
CALDWELL, ID 83606
Source: GROUNDWATER
Diversion Pt: SENWSE Sec 29 T
04N R 04W
Use: IRRIGATION (1.180 CFS)
Date Filed: 9/12/1988
In: T04N R04W S30 NESE SESE
59.0 ACRES TOTAL

The permits will be subject to all
prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Western Region,
2735 Airport Way, Boise, Idaho
83705 on or before OCTOBER 10,
1988.

R. KEITH HIGGINSON
Director

September 21, 28, 1988

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Debra Martin del Campo
of Nampa, Canyon County, Idaho, being first duly sworn, deposes
and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of eighteen years,
and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a
daily, (except Saturday) newspaper published in the City of Nampa
and Caldwell, in the County of Canyon, State of Idaho; that the said
newspaper is in general circulation in the said County of Canyon,
and in the vicinity of Nampa and Caldwell, and has been uninter-
ruptedly published in said County during a period of seventy-eight
consecutive weeks prior to the first publication of the notice, a copy
of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper

Two times

in the regular and entire issue of said paper, and was printed in
the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

September 21, 28, 1988

Debra Martin del Campo
Subscribed and sworn to before me this
21st day of September

19 88

Janice Lusk
Notary Public, Residing at Nampa, Idaho

MICROFILMED

DEC 08 1988

MY COMMISSION EXPIRES
JULY 12th, 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

SEPTEMBER 14, 1988

Press-Tribune
P.O. Box 9399
Nampa, ID 83652

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 10, 1988.

Yours truly,

JUDY PENSE
Secretary

Encl.

MicroFILMED

DEC 08 1988

63-10696

BARSBY, CAROL
BARSBY, EUGENE
RT. 3 BOX 3420
NAMPA, ID 83651

Source: GROUNDWATER

Diversion Pt: SWNW Sec 13 T 02N R 02W

Use: IRRIGATION (1.600 CFS)
 STOCKWATER (.040 CFS)

Date Filed: 9/06/1988

In: T02N R02W S13 SWNW SENW

80.0 ACRES TOTAL

MICROFILMED

DEC 08 1988