


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

DEC 08 1988

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Lois J. Morgan
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 63-10695
1. Owner: Robert G and/or Lou J. Morgan Phone No. 888-2482
Current Address: 2550 N. Morgan Lane Meridian, Ida 83642
2. Accompanied by: Robert Morgan EXAM. DATE: 8-19-91
Address: same Phone No. same
Relationship to Permit Holder: owner
3. Source: groundwater tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-04858 Langley 63-09430 Morgan ☐ Copies Attached
2. Other water rights with same point of diversion: 63-09430 Morgan ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED
JUN 11 1992


Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).



NOT TO scale

RAIDED
FILMED
JUN 17 1992



ed by the Geological Survey
otograph prepared from 1:80,000 scale aerial
ps taken July 4, 1981
n and 10,000-foot grid ticks: Idaho
te system, west zone
ise Mercator)

541 542

←
p/a
p/b

SCALE 1:24,000


545 546

0 1000 2000 3000 4000 5000 6000 7000 FEET
0 1 2 3 4 5 6 7 8 9 10 KILOMETER

Copies Of These Maps Can Be Obtained

UNPROCESSED
JAN 11 1992

3N 1W



63-10695



view to the
N/E of property



view to the East
field of property

MICROFILMED
JUN 11 1992

63-10695

view of well
@ south end of
property



Diesel Motor & Pump
@ well



view to the
west of property

REPRODUCED
JUN 11 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10695

Priority: September 1, 1988

Maximum Diversion Rate: 0.68 CFS
Maximum Diversion Volume: 153.0 AF

This is to certify, that ROBERT J MORGAN
LOIS J MORGAN

2550 N MORGAN GROVE LN
MERIDIAN ID 83642

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 1, 1988; and has submitted Proof of Beneficial Use on October 29, 1990. An examination indicates that the works have a diversion capacity of 3.350 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.68 CFS	153.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 4, Township 03N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	01W	4	Lot 2(NWNE) 5 SENE 10	SWNE 15	Lot 3(NENW) 4	34

Total number of acres irrigated: 34

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED

JUN 1 1 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10695

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 5TH
day of JUNE, 1992.

Acting for Norman C. Young
R. Keith Higginson, Director

RECEIVED
JUN 7 1992

MAY 19 1992

Department of Water Resources

Maximum Diversion Rate: 0.68 CFS
Maximum Diversion Volume: 153.0 AF

APPROVED

and represents to the Director of the

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-10695, and requests that the permit be changed as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.68 CFS	153.0 AF

LOCATION OF POINT(S) OF DIVERSION: SWNE , Sec. 4, Township 03N, Range 01W
ADA County

<u>PLACE OF USE:</u>			<u>IRRIGATION</u>		<u>ACRES</u>		<u>ACRES</u>		<u>ACRES</u>		<u>TOTAL</u>
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>									
03N	01W	4	Lot	2(NWNE)	5	SWNE	15	Lot	3(NENW)	4	
				SENE	10						34
Total number of acres irrigated:											34

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Lois J. Morgan, this 15 day of May, 1992.

Boise, Idaho
Meridian, Idaho
Ada County

Lois J. Morgan
(Signature)

(Signature)

JUN 1 1 1992

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10695

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$20.00 Received by _____ Date _____

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-10695 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

Witness my hand this 5TH day of JUNE, 1992.


Acting for R. Keith Higginson, Director



JUN 11 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received by C. Vong
Date 11/29/88
Receipt # 2013088

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use for a water right permit

RECEIVED

NOV 29 1989

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under Departmental provisions of Section 42-204, Idaho Code.

Permit No. 63-10695

Name(s) of Permit Holder: Robert J. Morgan Lois J. Morgan

Post Office Address: 2550 N. Morgan Grove Ln. Meridian, Idaho 83642

Telephone No. 888-2482 327-7309

Date Proof is Due: December 1, 1989

Describe what work has been completed toward the development of this water right: well drilled
(This must be filled out! If no work has been completed, show "none".)

and capped until summer on November 21, 1989

Costing \$ 4817.40

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Waiting for the well drilling company to start

Permit holder(s) request an extension to August 1, 1990.
(1 yr. minimum)

Lois J. Morgan
(Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

FEB 26 1990

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to December 1, 1990.

Signed this 29th day of December, 1989

J. Glen Sayton
Chief, Water Allocation Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 63-10695

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Robert J. and/or Lois J. Morgan Phone 888-2482
Post office address 4000 Morgan Grove Lane Meridian, Id. 83642
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of SW $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 4 Township 3N Range 1W B.M. Ada County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .80 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .80 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. pump for open discharge
into existing cement ditches for gravity irrigation.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 12 inches; proposed depth of well is 180 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed official use is
1 years (minimum 1 year).

MICROFILMED

DEC 08 1982

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	1W	4			40														40

Total number of acres to be irrigated 40

10. Describe any other water rights used for the same purposes as described above. Settlers and Nampa-Meridian Irrigation Districts.

11. a. Who owns the property at the point of diversion? Applicants

b. Who owns the land to be irrigated or place of use? Applicants


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Well will supplement surface water from irrigation district.
Drilling permit 63-88-W-170 approved and issued with water
right application.

RECEIVED

DEC 08 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

DEC 08 1988

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Lois J. Morgan
(Applicant)

Proposed priority 9/1/88

Received by SL Date 9/1/88 Time 12:00 Preliminary check by _____
Fee \$ 45.00 Received by SL # W000808 Date 9/1/88
Publication prepared by GG Date 9-14-88 Published in ID Statesman
Publication approved OK Date 10-28-88 9/22 & 9/29/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10695, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 28th day of November, 1988.

A. Glen Saxton

MICROFILMED

QEC 08 1988

1

Number of Affidavits
Requested

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

63-10694

WALDORF, WESLEY

6227 ETHAN

BOISE, IDAHO 83714

Source: Groundwater

Diversion Pt: SESW Sec 33 T 04N
R 01W

Use: Irrigation (.120 CFS)

Use: Domestic (.040 CFS)

Date Filed: 08/31/1988

In: T04N R01W S33 SESW

4.0 ACRES TOTAL

63-10695

MORGAN, ROBERT J.

MORGAN, LOUIS J.

4000 MORGAN GROVE LN.

MERIDIAN, ID 83642

Source: Groundwater

Diversion Pt: SWNE Sec 4 T 03N
R 01W

Use: Irrigation (.800 CFS)

Date Filed: 09/01/1988

In: T03N R01W S04 SWNE

40.0 ACRES TOTAL

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Water
Resources, Western Region, 2735 Air-
port Way, Boise, Idaho 83705 on or be-
fore OCTOBER 10, 1988.

R. KEITH HIGGINSON
Director

Pub. Sept. 22, 29, 1988

9714

STATE OF IDAHO)

SS.

COUNTY OF ADA)

RECEIVED
SEP 30 1988

Department of Water Resources
Western Regional Office

Debbie Richards

, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho
Statesman, a daily newspaper printed and published at Boise, Ada
County, State of Idaho, and having a general circulation therein and
which said newspaper has been continuously and uninterruptedly
published in said County during a period of twelve consecutive months
prior to the first publication of the notice, a copy of which is attached
hereto; that said notice was published in The Idaho Statesman in
conformity with Section 60-108, Idaho Code as amended, for 2

☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of September 22, 1988

and ending with the issue of September 29, 1988

Debbie Richards

Subscribed and sworn to before me this 29th

day of September, 1988

Paula Rice 12/43
Notary Public for Idaho, Residing at Boise, Idaho

MICROFILMED

DEC 08 1988

June 9, 1992

ROBERT J MORGAN
LOIS J MORGAN
2550 N MORGAN GROVE LN
MERIDIAN ID 83642

RE: WATER RIGHT NO. 63-10695

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
JUN 11 1992

May 12, 1992

ROBERT J MORGAN
LOIS J MORGAN
2550 N MORGAN GROVE LN
MERIDIAN ID 83642

RE: WATER RIGHT NO. 63-10695

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:cz

Enclosure

RECEIVED
JUN 11 1992

Date 05-04-92

	<u>Yes</u>	<u>No</u>	
NAME	_____	<u>✓</u>	Address Change?
PRIORITY DATE	_____	<u>✓</u>	Advance? _____
	_____	<u>✓</u>	Memo to Advance _____
	_____	<u>✓</u>	Order to Reinstate Needed? _____
TOTAL CFS	_____	<u>✓</u>	Incorrect Fee for rate recommended?
	<u>NA</u>	_____	Disagree with Actual Measurement? $34 \times .02 = .68 \text{ cfs}$
	<u>✓</u>	_____	Disagree with Theoretical? $28 \times 8.8 \times .7 = 3.35$
	_____	<u>✓</u>	Limited by Capacity? $3.35 \text{ cfs } 50 + (2.31 \times 0)$
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	_____	<u>✓</u>	Disagree with Examiner's Calculations?
	_____	<u>✓</u>	<u>$34 \times 4.5 = 153 \text{ AFA (ERR)}$</u>
	_____	<u>✓</u>	Limited by Flow? $.68 \times 245 \times 1.9835 = 330.5 > 153$
SOURCE	_____	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	_____	<u>✓</u>	<u>Intended</u> source _____
	_____	<u>✓</u>	Notice of Intent to Void.
P/D	_____		Verify with Map
	_____	<u>✓</u>	Amendment Needed? _____
	_____	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U	_____		Verify with Map
	<u>✓</u>	_____	Amendment Needed? <u>Add NWNE, NENW + SENW</u>
	<u>✓</u>	_____	Is Overlap Analysis a Consideration?
USES	_____	<u>✓</u>	Changes required to be compatible with
	_____	<u>✓</u>	Maps, Data Entry Standards, etc? _____
	_____	<u>✓</u>	<u>Change Acres</u>
	_____	<u>✓</u>	Change(s) in Nature of Use? _____
	_____	<u>✓</u>	Amendment Needed? _____
REMARKS	_____	<u>✓</u>	Multiple P/Ds in 1/4 1/4? _____
	_____	<u>✓</u>	Non-Irrigation Uses _____
	_____	<u>✓</u>	Special Overlap Condition _____
	_____	<u>✓</u>	Other _____
CONDITIONS	_____	<u>✓</u>	Measuring Device <u>not needed</u>
	_____	<u>✓</u>	W/Master Control _____
	<u>R32</u>	_____	Overlap _____
	_____	<u>✓</u>	Water Quality _____
			DATES/MISC
			_____ <u>✓</u> Water Dist.
			_____ <u>✓</u> App Rec'd
			_____ <u>✓</u> Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduce Rates, Acres</u>		
License	_____	10-Day	_____
	_____	15-Day	<u>✓</u>
	_____	Special Correspondence	_____

COMMENTS/MEMOS NEEDED:

License 10-Day 15-Day ✓ Special Correspondence

W. J. H. J.

WR0749NP
No. L63-10695

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 05/29/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	ROBERT J MORGAN	09/01/1988	IRRIGATION	03-15 11-15	0.68 CFS	153.0 AFA
C	LOIS J MORGAN					
	2550 N MORGAN GROVE LN			TOTAL DIVERSION:	0.68 CFS	153.0 AFA
	MERIDIAN ID 83642					
	(208) 888-2482					

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 3.35 CFS

Point(s) of Diversion: T03N R01W S04 SW NE

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
03N	01W	4	:			02-05		15			03-04		10							:	34.0
																				TOTAL ACRES	34.0

Pou County: ADA

Other Water Rights with Same Point(s) of Diversion and Source:
63-09430 63-10695

Other Water Rights Listing Overlapping Place(s) of use:
63-04858 63-10695 63-11095

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Dates:	App. Received:	09/01/1988	Priority Date:	09/01/1988
	Proof Due Date:	12/01/1990	Proof Made Date:	10/29/1990
	Exam Made Date:	08/19/0091	Exam Sent to S.O.:	02/07/1992
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 05/29/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Robert G. and/or Lois J. Morgan Permit No. 63-10695
Current Address: 2550 N. Morgan Lane Phone No. 888-2482
Meridian, Ida 83642
2. Accompanied by: Robert Morgan EXAM. DATE: 8-19-91
Address: same Phone No. same
Relationship to Permit Holder: owner
3. Source: groundwater tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-04858 Langley 63-09430 Morgan ☐ Copies Attached
2. Other water rights with same point of diversion: 63-09430 Morgan ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED
JUN 11 1992

Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This system made use of a 28hp diesel motor to push water up a 10" casing into a concrete ditch. The static water level is 20' and the drawdown is 30'. (both are farmers est.) The 6" discharge puts water into a ditch that waters 2 fields. This water is a supplement to canal water.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Deutz	28	F21511	Johnson	7206

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			sw	ne	4	3n	16	Ada	Quads / Aerial / Verification

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3n	16	4		5	5		4			10									34 acres
				L. 2			L. 3												

REPRODUCED

JUN 11 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Theoretical: $\frac{28 \text{ hp} \times 8.8 \times .60}{50 + (2.3 \times 0)} = \frac{147.8}{52.3} = 2.83 \text{ cfs}$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Theoretical = 2.83 cfs

allow $34 \times .02 = .68 \text{ cfs}$

2. Alternate Method for Checking Purposes:

50 ft of Ditch took

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 34 \times 4.5 = 153 \text{ af}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .68 \times 245 \times 1.9835 = 329.8 \text{ af}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 153 \text{ af}$

2. Volume Calculations for Other Uses:

MICROFILMED
JUN 11 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

There are no overlaps where the well is used for the neighbors property. Also, none of the neighbors wells are used on this property.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	.68 cfs .68	153 afa
Totals:			.68 cfs	153 afa

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION


Field Examiner's Name

DAVID GRAY
Signature

Certification Date

Field Report Preparation Date


12-15-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


MICROFILMED

JUN 11 1992



Copies Of These Maps Can Be Obtained

Township No 3 North Range No 1 West Boise 3N 1W



Form 238-I
05/90

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10685

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 3n, Rge 1W, Sec. 4, SW 1/4 ne 1/4 or Lot _____.

2. Owner: Robert J. and/or Lois J. Morgan

Address 4000 Morgan Shore Lane, City Meridian, St. Ida

3. Casing $\geq$ 12 inches above ground: Yes X No _____

4. Access Port:	Yes <u>X</u> No _____	Static Water Level:	<u>20'</u>
Pressure Gauge:	Yes _____ No <u>X</u>	Casing Diameter:	<u>10"</u>
Flowing:	Yes <u>X</u> No _____	Temperature:	<u>NA</u>

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No X


If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____


Well was in fine cond.

REPROFILMED
JUN 11 1992

63-10695




view to the
N/E of property



view to the East
field of property

MICROFILMED
JUN 11 1992




63-10695

view of well
@ south end of
property



Diesel Motor & Pump
well



view to the
west of property

REPROFILMED
JUN 11 1992

CONVERSATION MEMORANDUM

DATE 4-1-91
FILE 63-10695

NAME OF PARTY Lois Morgan
EMPLOYEE Steve Lester

RE: For future reference:

* Street # change to: 2550 North Morgan
grave Lane

CONTACT FOR EXAM: Lois M.
at work phone 334-7309

NOT REFILED

JUN 11 1992

* As shown on proof of b.u., a change
from permit

January 3, 1991

ROBERT J. MORGAN
LOIS J. MORGAN
4000 MORGAN GROVE LN.
MERIDIAN, ID 83642

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10695

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

FEB 07 1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10695

Date: 12-3-90

General Considerations:

y Name same as permit
y Signature the same as permit holder
y Address change _____ If yes, prepare a data entry
y Proof received timely
_____ Reinstated

Source of Water:

y Surface water
y Groundwater
 y 1. well log in file
 y 2. drilling permit
 y A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
y Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

y Is a measuring device or access port required?
y Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks: Flow meas. port
Proof acceptable

NP Priority Calculation:
Date proof received _____

Date proof due _____ - _____

No. of days late _____ = _____

Priority date _____ + _____

NEW PRIORITY DATE _____ = _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM B

- Check address in computer

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10695 Telephone No. 888-2481
327-7309
Name(s) of Permit Holder(s): Robert J. & Lois J. Morgan
Post Office Address: 2550 N Morgan Dr Ln Meridian, Ida.
Source of Water: ada county groundwater
If ground water, well driller's name: Dennis Phipps Date drilled: 11-1989
Extent of Use:
Domestic _____ (No. of households) Irrigation 40 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted .80 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: _____

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? ☒ Yes No Installed? Yes No

Fee Enclosed: \$ 100.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

SAME AS ABOVE
Name Telephone No.
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED

FEB 17 1991

10-26-90 Date Robert J. Morgan Lois J. Morgan Signature (and title if on behalf of a company or organization)

ROBERT OR LOIS MORGAN
2550 N. MORGAN GROVE LN.
MERIDIAN, ID 83642

138452
September 30, 1990

PROOF DUE NOTICE

RE: PERMIT NO. 63-10695

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

FEB 4 1991

January 4, 1990

Robert or Lois Morgan
2550 N. Morgan Grove Ln.
Meridian, ID 83642

Dear Mr. and Mrs. Morgan:

Re: Permit No. 63-10695

Enclosed is a copy of the approved request for extension of time. The time within which to submit the proofs of beneficial use is extended to December 1, 1990.

Note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

If you have any questions concerning this permit, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

NOTED

FEB 26 1990

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 63-10695

Reviewed by JF

Date 12-29-1989

BASIC INFORMATION

Y Date stamp received
Y Extension received timely (not too early not too late)
Y Fee received and receipted
Y Name and signature same as permit
J Address change

BASIS FOR EXTENSION REQUEST

Y Has adequate work been completed to demonstrate due diligence?
J Has the cost incurred been adequate to demonstrate an intent to complete the project?
N/A Has the permit been involved in litigation?
 a. Swan Falls _____ Dismissed from Swan Falls _____
 Other _____ Identify _____
 b. Is supporting documentation needed to complete the file? _____
 Requested _____
 c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

N/A Is delay by a government agency?
 Is supporting documentation needed to complete the file? _____
 Requested? _____

ACTION TAKEN

Recommend approval for one year (42-204) based on due diligence

JF Reinstate Date extension received _____ = _____
 Proof due date _____ = -
 No. of days late _____ = _____
 Priority date _____ = +
 ADJUSTED PRIORITY DATE _____ = _____

DATE ENTRY

X Change proof due date X Address change
 _____ Priority date change

83 Morgan
2550 N Morgan Ave
Meridian
83642



FEB 26 1990

FILED

Rita Fleck

State of Idaho
Dept. of Water Resources
1301 N. Orchard
Statehouse Mail
Boise, Idaho
83720

138675
September 30, 1989

ROBERT J. MORGAN
LOIS J. MORGAN
4000 MORGAN GROVE LN.
MERIDIAN, ID 83642

PROOF DUE NOTICE

RE: PERMIT NO. 63-10695

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

FEB 26 1990

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

1. Applicant Robert J. & Lois J. Morgan
2. Address 4000 Morgan Grove Ln.
Meridian, Id. 83642 Telephone 888-2482
- ☒ Well Owner () Well Operator () Other, specify _____
3. Proposed well location SW 1/4 NE 1/4, or Gov't lot No. _____,
Sec. 4, Twp. 3N, Rge. 1W, County Ada,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)
() Domestic () Stockwater () Monitoring
☒ Irrigation () Industrial () Municipal
() Injection () Other, Specify _____
5. Well construction information:
☒ New well () Deepen () Replace
Proposed surface diameter 12" Maximum depth 180'
Anticipated bottom hole temperature: _____
☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Anticipated construction start date A. S. A. P.
7. Well Driller (if known) UNKNOWN (Probably Pete Cope)
Address _____
8. Applicant's signature Lois J. Morgan **MICROFILMED**
Title owner
Date 9/1/88 FEB 26 1990

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

☒ Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Dated this 13th day of September, 1988.

Signed

D. R. Fulk

Title

Mgr Western Region IDWR

Received by

SL

Fee

4.00

Date

9/11/88**MICROFILMED**

Receipt No.

W000808

Construction start extension to

FEB 26 1990

Extension approved by _____

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
December 5, 1988

ROBERT J. MORGAN
LOIS J. MORGAN
4000 MORGAN GROVE LN.
MERIDIAN, ID 83642

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 63-10695

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

MICROFILMED

DEC 08 1988

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor
Water Rights Permits Section

GS: SC
Enclosures

RECEIVED

DEC 15 1961

P/D
P/U

2N, 1W, S. 4 SW NE

Form No. 202a
/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY RBW DATE 9-20-88 APPLICATION NUMBER 63-10695

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☒ Overlapping point of diversion
 - ☐ Yes ☒ No Field check required
 - Field check by _____
 - ☐ Yes ☒ No Field report attached
 - ☐ Yes ☒ No Critical groundwater area
 - ☐ Yes ☒ No Groundwater management area
 - ☐ Yes ☒ No Send dam safety information
 - ☐ Yes ☒ No Send power requirement letter
 - ☐ Yes ☒ No Send fish farm requirement letter
 - ☐ Yes ☒ No Power residency affidavit
 - ☐ Yes ☒ No Power efficiency form
 - ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☐ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☒ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested NOV 02 1988

Department of Water Resources

PROCESSING

☒ Yes
☐ Yes
☒ Yes

☐ No
☒ No
☐ No

In form for advertising
Statewide advertising
Fee amount, receipt date & No. recorded on application

SEND COPIES TO

☐ Idaho Dept. of Health & Welfare
☐ Idaho Dept. of Fish & Game
☐ Idaho Dept. of Lands
☐ Adjudication Bureau Unit

☐ U.S. BLM
☐ U.S. Forest Service
☐ Water District
☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest October 10, 1988
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☒ Yes ☐ No Access port required
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. 63
☐ Yes ☒ No Special conditions of approval or cover letter below.

oic

☐ See below for additional information

Date of priority recommended 9/1/1988

By DM Date 10/31/1988

STATE OFFICE REVIEW

P05, P23, P116 46 016
P03

By KW

☐ See below for additional information
Date 11/25/88

ADDITIONAL INFORMATION

Form No. 202a Temp
4/87

Ident. No. 63-10695

State of Idaho

Department of Water Resources

Temporary Approval Analysis Sheet

- ☒ Yes ☐ No Basin No. Correct?
- ☒ Yes ☐ No Source is Groundwater?
- ☒ Yes ☐ No Lands are irrigated with surface water rights?
- ☒ Yes ☐ No Lands are outside Critical Groundwater Area & Groundwater Management Area boundaries?
- ☒ Yes ☐ No County has been declared a drought emergency area by the Governor's Office?

Remarks: Surface water via Lettler's & Nampa-Meridian
Augate District.

Application Initially Received JK Date 9/1/88 Time 12:00

File Prepared By JP Date 9/1/88 Time 2:30 PM

Staff Review By JK Date 9/1/88 Time 12:30

Temporary Approval Prepared By JP Date 9/1/88 Time 2:45 PM

Temporary Approval Signed By DNT Date 9/1/88 Time 3:30 PM

Temporary Approval Mailed By JP Date 9/2/88 Time 10:30 PM

Index Updated By JK Date 9/3/88 Time 9:00 AM



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

September 1, 1988

Robert J. &/or Lois J. Morgan
4000 Morgan Grove Ln.
Meridian, ID 83642

Re: Water Right No. 63-10695

Dear Water Right Applicant:

Enclosed is a temporary approval for diversion of groundwater during the 1988 irrigation season.

The copy of the application for permit to appropriate water attached to the interim approval defines the various components of your temporary approval. The inclusion of the copy of the application is only for the purpose of definition, and any terms contained therein are limited by the conditions of the temporary approval.

This office will continue to process the original application for permit, pursuant to Chapter 2, Title 42, Idaho Code, unless directed otherwise by you. This processing will include advertisement for two weeks in the county where the point of diversion is located.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

DRT:jp

Enclosures: Temporary Approval
Copy of Application for Permit

MICROFILMED

DEC 08 1988

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES
WITH RESPECT TO TEMPORARY APPROVAL OF
APPLICATION FOR PERMIT NO. 63-10695


This is to certify that I have examined Application for Permit to Appropriate the public waters of the State of Idaho No. 63-10695; and a temporary approval to divert groundwater is granted until 11/15/1988, subject to the following limitations and conditions:

- a. The water use approved herein is subject to all prior water rights.
- b. The water user acknowledges that the temporary approval does not convey a continuing right to divert water and does not convey and right to divert water except as specifically provided in the temporary approval.
- c. The water user assumes all risk that he or she will be successful in obtaining a permanent water right permit when the application is processed under the provisions of Chapter 2, Title 42, Idaho Code and the water Appropriation Rules and Regulations.
- d. Violation of temporary approval conditions, provisions of the Idaho Code, or the Water Appropriation Rules and Regulations is cause for cancellation of the temporary approval and denial of future requests.
- e. By commencing diversion of water under this temporary approval, the water user acknowledges and agrees that the Director of IDWR is authorized to disconnect the power supply from the pump motor used to divert water under the temporary approval or to take other reasonable steps to insure that water is not diverted during any period the temporary approval is suspended or revoked.
- f. The Director may impose additional conditions not a part of the original temporary approval conditions.
- g. The temporary approval applies only to uses and lands which normally have an adequate supply of water from surface water sources but are temporarily water short because of drought conditions.
- h. The temporary approval granted under the expedited procedure shall not be effective for more than the 1988 irrigation season and will expire upon termination of the declared drought emergency, or on the expiration of the term of the approval set herein, whichever is earlier.
- i. The Director will retain jurisdiction of any temporary approval given.
- j. By acceptance of the temporary approval and diversion of water under the temporary approval, the water user assumes all risk relative to interference with other water rights and acknowledges and agrees that the Director is authorized to take reasonable steps to insure that water is not diverted under the approval at any time the Director determines there is not water available for diversion.

DEC 08 1988

- k. Temporary approval granted will be of no force no effect from and after the 1988 irrigation season. The application for permit, however, will be processed by the Department under the provisions of Chapter 2, Title 42, Idaho Code, unless directed otherwise by the applicant.

Witness my hand this 1st day of September, 1988.



DAVID R. TUTHILL, JR., P.E.
Manager Western Regional Office,

63-10695

MORGAN, ROBERT J.
MORGAN, LOIS J.
4000 MORGAN GROVE LN.
MERIDIAN, ID 83642

Source: GROUNDWATER

Diversion Pt: SWNE Sec 4 T 03N R 01W

Use: IRRIGATION (.800 CFS)

Date Filed: 9/01/1988

In: T03N R01W S04 SWNE

40.0 ACRES TOTAL

MICROFILMED
DEC 08 1988