


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X

(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 63-10693

1. Owner: SIMON AND/OR MARY VANDERKOOY Phone No. 888-5170*

Current Address: 8190 S. TEN MILE RD MERIDIAN ID 83642

2. Accompanied by: SIMON VANDERKOOY EXAM. DATE: 12-19-89

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to _____


B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE 63-10474 ☐ Copies Attached

2. Other water rights with same point of diversion: NONE 63-10474 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

MICROFILMED
OCT 27 1992

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.




Inspected by _____ Date _____

PROCESSED

OCT 27 1992

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



Inspected by

Billy K. Christensen

Date

12-19-89

MICROFILMED

OCT 27 1992



CATTLE PENS & WATERERS

PICTURE # 1, 2
LOCATION & 3

PICTURE # 5
LOCATION
TRAILER
HOUSES

PICTURE # 4 LOCATION

P/D

TEN MILE

OCT 27 1992

<----- PICTURE # 1

This is the inside view of the well house shown below. This shows the 3 pressure tanks the original well (4 in casing) and a portion of the plumbing involved. The horizontal line shown is a part of the incoming line from the other well. Note the check to isolate the two wells.

CHECK

PICTURE # 2

This picture shows the primary well, the well house and the roof of one of the domestic uses. The picture is looking southwest.

DOMESTIC USE



RECEIVED
OCT 27 1992


PICTURE # 3

This picture was taken at the well house and is looking east northeast toward a portion of the cattle pens and the two trailer homes that are included in the domestic use. The pens are to the left and beyond the storage shelters shown in the upper left portion of this picture.



PICTURE # 4

This picture shows the style of cattle waterers used with this permit. All are float operated and are heated in the winter. This picture is looking east.



OCT 27 1992

FILED

MIDDOTVED

OCT 27 1992

PICTURE SET # 5

This picture set was taken from the corner of Columbia and Ten Mile and is looking east through looking south. Shown is the overview of the P/U. The trailers (2) on the left and the home on the right (1) is the domestic use. The dairy operation basically lays between those two extremes. The P/D lays just to the left of the house but is hidden from view by the milking parlor.

TRAILERS

LIVESTOCK USE

MILKING PARLOR

P/D

HOME




Snake River Basin Adjudication (SRBA)

From Map Inside SRBA / Outside SRBA

SRBA Claims -		
Adjudication claim required for domestic and livestock *	YES	NO
Claim required for non-domestic/livestock	YES	NO
42-243 Claims -		
Claim required for domestic/livestock *	NO	NO
Claim required for non-domestic/livestock	NO	YES <i>But can wait</i>

* meaning single household domestic OR stockwater up to 13,000 gallons/day. Three homes and 400 head of dairy livestock would exceed this number.

 Inside SRBA
 Outside SRBA



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10693

Priority: August 30, 1988

Maximum Diversion Rate: 0.12 CFS
Maximum Diversion Volume: 23.2 AF

This is to certify, that MARY VANDERKOOY
SIMON VANDERKOOY

8190 S TEN MILE RD
MERIDIAN ID 83642

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 30, 1988; and has submitted Proof of Beneficial Use on October 2, 1989. An examination indicates that the works have a diversion capacity of .120 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.12 CFS	19.6 AF
DOMESTIC	01/01 to 12/31	0.08 CFS	3.6 AF
	Totals	0.12 CFS	23.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 11, Township 02N, Range 01W
ADA County

PLACE OF USE: STOCKWATER
TWN RGE SEC

02N 01W 11 NWNW

PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:


1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Two points of diversion are located within NWNW, S11, T02N, R01W. Domestic use is for 3 homes.
6. Stockwater use is for 500 dairy cattle.

OCT 27 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10693

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 8TH
day of OCTOBER, 1992.


Acting for R. Keith Higginson, Director


RECEIVED
OCT 27 1992

State of Idaho
Department of Water Resources

APPROVED
RECEIVED

SEP 29 1992

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10693

Department of Water Resources

Date of Priority: August 30, 1988

Maximum Diversion Rate:

0.12 CFS

Maximum Diversion Volume:

23.2 AF

Comes now

MARY VANDERKOOY
SIMON VANDERKOOY

8190 S TEN MILE RD
MERIDIAN ID 83642

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 63-10693, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.12 CFS	19.6 AF
DOMESTIC	01/01 to 12/31	0.08 CFS	3.6 AF
	Totals	0.12 CFS	23.2 AF

ADA County

PLACE OF USE: STOCKWATER
TWN RGE SEC

02N 01W 11 NWNW

PLACE OF USE: DOMESTIC, same as STOCKWATER use

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Meridian, this 28 day of September 1992.

MICROFILMED

OCT 27 1992

(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10693

FOR DEPARTMENT USE ONLY

Preliminary check by CS Fee = \$20.00 Receipted by [Signature] # 025618 Date 9-30-92

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-10693 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Two points of diversion are located within NWNW, S11, T02N, R01W. Domestic use is for 3 homes.
6. Stockwater use is for 500 dairy cattle.

Witness my hand this 8TH day of OCTOBER, 1992.

[Signature]
Acting for R. Keith Higginson, Director

OCT 27 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant SIMON AND/OR MARY VANDERKOOY Phone 888-7074
Post office address 8190 S. TEN MILE RD. MERIDIAN, ID 83642
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of NW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 11 Township 2N Range 1W B.M. ADA County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .12 for DOMESTIC purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .33 for STOCKWATER purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .45 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. WELL W/ PUMP TO WATER
SUPPLY LINES & TROUGHS
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. ~~Proposed~~ ^{EXISTING} well diameter is 6 inches; proposed depth of well is 200 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

DEC 08 1983

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 500 DAIRY CATTLE & CALVES
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. D/3 HOMES
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	1W	11						S											
								D											

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? APPLICANT


b. Who owns the land to be irrigated or place of use? APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Existing well (prior to 1987) does not require drilling permit (per previous discussion with applicant, 8/31/88)

DEC 08 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X

(Applicant)

Proposed Priority 8/30/88

Received by AMS Date 8/30/88 Time 1:00 P.M. Preliminary check by JS

Fee \$ 45⁰⁰ Received by AMS # 12000793 Date 8/30/88

Publication prepared by GG Date 8-31-88 Published in Idaho Statesman

Publication approved _____ Date _____
9/8 & 9/15/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10693, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Witness my hand this 28th day of November, 1988.

A. Glen Saylor

RECORDED

DEC 08 1988

The following applications have been filed to appropriate the public waters of the State of Idaho:

63-10677

WHITAKER, CINDY L.
WHITAKER, STEVEN M.
Rt. 2, Box 2332
Nampa, ID 83651

Source: Groundwater

Date Filed: 08/12/1988

Diversion Pt.: SWNW Sec. 16 T 03N
R 01W

Use: Irrigation (2,360 CFS)

In: T03N R01W S16 NWNW
SWNW, S17 NENE NWNE SWNE
SENE

118.0 Acres Total

63-10682

SAUNDERS, LORIN

7190 N. Meridian Rd.

P.O. Box 835

Meridian, ID 83642

Source: Groundwater

Date Filed: 08/04/1988

Diversion Pt.: NESW Sec 19 T 04N
R 01E

Use: Irrigation (1,520 CFS)

In: T04N R01E S19 NESW Lot 5
(NWSW)

76.0 Acres Total

63-10685

ALUMAX BUILDING PRODUCTS

555 Boelng

Boise, ID 83705

Source: Groundwater

Date Filed: 08/10/1988

Diversion Pt.: SESE Sec 26 T 03N
R 02E

Use: Domestic (.040 CFS)

In: T03N R02E S26 SESE

63-10686

BROWNING, JOHN

6901 Emerald

Boise, ID 83704

Source: Groundwater

Date Filed: 08/10/1988

Diversion Pt.: SENE Sec 23 T 03N
R 02E

Use: Domestic (.100 CFS)

In: T03N R02E S23 SENE

63-10688

BOISE WATER CORPORATION

P.O. Box 7488

Boise, ID 83707

Source: Groundwater

Date Filed: 08/15/1988

Diversion Pt.: SWSE Sec 30 T 03N
R 02E

Use: Municipal (2,230 CFS)

In: P/U within the city limits of
Boise.

63-10689

STONEHOUSE, EVANGELICAL

CHURCH

8121 Brynwood

Boise, ID 83704

Source: Groundwater

Date Filed: 08/15/1988

Diversion Pt.: NWNW Sec 10 T
03N R 01W

Use: Irrigation (.160 CFS)

Use: Domestic (.180 CFS)

In: T03N R01W S10 NWNW

8.0 Acres Total

63-10690

DAVIS, TOM E.

2740 Uslick Rd.

Meridian, ID 83642

Source: Groundwater

Date Filed: 08/22/1988

Diversion Pt.: SWSE Sec 32 T 04N
R 01E

Use: Irrigation (1,080 CFS)

In: T04N R01E S32 NESW SESW
NWSE SWSE

104.0 Acres Total

63-10691

CALNON, TERRY

2075 W. Franklin

Meridian, ID 83642

Source: Groundwater

Date Filed: 08/23/1988

Diversion Pt.: NWNE Sec 14 T 03N
R 01W

Use: Domestic (.040 CFS)

In: T03N R01W S14 NWNE

63-10693

VANDERKOOY, SIMON

VANDERKOOY, MARY

8190 S. Ten Mile Rd.

Meridian, ID 83642

Source: Groundwater

Date Filed: 08/30/1988

Diversion Pt.: NWNW Sec 11 T
02N R 01W

Use: Stockwater (.330 CFS)

Use: Domestic (.120 CFS)

In: T02N R01W S11 NWNW

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before SEPTEMBER 26, 1988.

R. KEITH HIGGINSON

Director

STATE OF IDAHO)

) ss.

COUNTY OF ADA)

Debbie Richards

, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for 2 ☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of September 8, 19 88

and ending with the issue of September 15, 19 88

Debbie Richards

Subscribed and sworn to before me this 15th

day of September, 19 88

John E. Plow
Notary Public for Idaho, Residing at Boise, Idaho

RECORDED

DEC 08 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 13, 1992

MARY VANDERKOOY
SIMON VANDERKOOY
8190 S TEN MILE RD
MERIDIAN ID 83642

RE: WATER RIGHT NO. 63-10693

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
OCT 27 1992

August 25, 1992

MARY VANDERKOOY
SIMON VANDERKOOY
8190 S TEN MILE RD
MERIDIAN ID 83642

RE: WATER RIGHT NO. 63-10693

Dear Water Right Holder(s):

We previously forwarded to you an Amendment for Water Permit so that you could amend your permit to correspond with the findings of the Department's field examiner.

As of this date, we have not received this amendment. If we do not receive the amendment within fifteen (15) days, we will issue a Water Right License which reduces the amount that could have been allowable to you. Enclosed for your convenience is another amendment form in the event the first one was misplaced.

If you have any questions, please contact us.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

OCT 27 1992

July 24, 1992

MARY VANDERKOOY
SIMON VANDERKOOY
8190 S TEN MILE RD
MERIDIAN ID 83642

RE: WATER RIGHT NO. 63-10693

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

7/27/92

LICENSE REVIEW CHECKLIST

Permit # 63-10693

Date 7-22-92
28

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☒	☐	Disagree with Actual Measurement? <u>.08</u>
			<u>.08 cfs (DOM) 500 x .00065 = .33 / 12 cfs (STOCK)</u>
	☐	☒	Disagree with Theoretical? <u>.08 + .04</u> per capacity
	☒	☐	Limited by Capacity? <u>12 cfs .08</u>
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u>
			<u> </u> Standard Irr. Season
			<u> </u> Season Recommended
	☒	☐	Disagree with Examiner's Calculations?
			<u>3.6 afa (DOM) 500 x .0391 = 19.55 ≈ 19.6 afa (STOCK)</u>
	☐	☒	Limited by Flow? <u>12 x 365 x 1.9835 = 86.9 > 19.6</u>
			<u>.08 = 57.9 > 19.6</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D	☒	☐	Verify with Map
	☒	☐	Amendment Needed? <u>Add 2nd P/D in NW 1/4</u>
	☐	☒	Is Overlap Analysis a Consideration?
P/U	☐	☒	Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☒	☒	Multiple P/Ds in 1/4 1/4? <u>2/4 NW 1/4</u>
	☒	☐	Non-Irr. Uses <u>Dom/3 Homes STOCK/500 dairy cattle</u>
	☐	☒	Special Overlap Condition
	☐	☒	Other
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	☐	☒	Overlap
	☐	☒	Water Quality
			DATES/MISC
			☒ Water Dist.
			☒ App Rec'd
			☒ Exam Made

COMMENTS/MEMOS NEEDED: Reduced Rate Amend/Add P/D
2nd well drilled as a replacement, but used in
conjunction with original well per F.E.

License 10-Day 15-Day ☒ Special Correspondence

Application identifies existing 6" well/without the licensing amendment the 2nd 4" well is removed & calculations adjusted to match. 28
 9-18-92 Amendment received 9-30-92
 Issue License at higher rate. 28

Audit: 07/22/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

63-10693
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with conditions of approval

Yes Well Inspection Form Needed

- ☒ Copy of U.S.G.S. Quad

NO Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index 12-18-89/KKC (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☒ Other: Diff system & use of property.

Check of P/U index 12-18-89/KKC (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

- ☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☒ Photographs of Point of Diversion and Place of Use

C. Review and Processing:

Exam Completed 4-13-90 Kelly K. Kristman (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent JH 2-22-91 (Initial and date)

Exam Reviewed by Manager of Regional Office DW 2/22/91 (Initial and date)

Exam Date Entered in Computer ✓ (Initial and date)

Exam sent to State Office 2-26-91 st (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 63-10693

1. Owner: SIMON AND/OR MARY VANDERKODY Phone No. 888-5170*
Current Address: 8190 S. TEN MILE RD MERIDIAN ID 83642
2. Accompanied by: SIMON VANDERKODY EXAM. DATE: 12-19-89
Address: _____ Phone No. _____

Relationship to Permit Holder: _____


3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE 63-10474 ☐ Copies Attached
2. Other water rights with same point of diversion: NONE 63-10474 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

Microfilm
OCT 27 1992

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

THE SYSTEM IS TWO WELLS ABOUT 10' APART TIED INTO A PRESSURE TANK SYSTEM. 3100 GALLON PRESSURE TANKS ARE JOINED TOGETHER. THE PUMP INSIDE THE WELL HOUSE (4" CASING) WAS DOWN. VALVES ARE INSTALLED TO ISOLATE EACH WELL IF NEEDED. THE SYSTEM HAS 3 LINES (1, 1" AND 2 3/4") SUPPLYING THE HOMES AND THE BARN & COWS. 10 FLOAT OPERATED WATERERS ARE PLUMBED INTO THE SYSTEM. DOMESTIC USE INCLUDES 1 HOME AT THE WELL SITE & 2 TRAILER HOUSES EAST

Note: the 4" well is down but has been used in the past. See Remarks on page 4 for continuation. last 5 yrs & will be used again as soon as a new pump can be installed. Per conv. w/ applicant 2-24-91

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
1- 6" well	UNKNOWN	2	UNKNOWN	UNKNOWN	1"
2- 4" well	"	1	"	"	UNKNOWN

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NW	11	2N	1W	ADA	ORTHO PHOTOGRAPHIC QUAD MAP (2 points of diversion)

6. Place(s) of Use:

Indicate Method of Determination ORTHO - PHOTO

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	1W	11						D/S											

Do not use this space

REGISTERED

OCT 27 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

PRESSURE TANK SYSTEM NO MEASUREMENT POSSIBLE

Per conversation w/
applicant:
2-21-91

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Shallower well,
assume 90' dynamic
9 30 psi

2. Alternate Method for Checking Purposes:

80' is static level. Total depth
200'. Assume 100 ft dynamic
$$\frac{2 \times 8.8 \times .7}{80' + (2.31 \times 200)} = 0.112 \text{ CFS}$$

4" well -
$$\frac{1 \times 8.8 \times .7}{90' + (2.31 \times 30)} = .04$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses: 0.11 * 365 * 1.9835 = 79.63 AFA

DOMESTIC

3 HOMES @ 0.04 CFS PER HOME

1.2

* 3

3.6 AFA

DAIRY FACILITIES
SAME AS DOMESTIC

= .6 AFA

STOCK WATER (500 HEAD)

FROM CHART FOR

401 to 500 HEAD; AFA = 6.7 AFA

4.2 AFA Not on permit

6.7 AFA Dairy

OCT 27 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

OF THE CORRALS PERMIT HOLDER OWNS ALL THE HOMES

PERMIT DOMESTIC 3 HOMES @ 0.12 CFS

STOCKWATER 0.33

FOUND 3 HOMES & MELKING PARLOR

500 DAIRY COWS AND 0.112 CFS

FEES PAID FOR

0.120 CFS MAX

NO. NOT ON PERMIT SO CAN'T CONSIDER AS EXTRA DOMESTIC USE.

LEGAL LIMIT 3 HOMES & PARLOR

1.3 CFS .12 CFS

500 DAIRY COWS = 1.2 CFS .33 AFA

OVERLAP W/ 10474 IS INSIGNIFICANT. SAME OWNERS HAVE IRRIGATION WELL FOR 189 ACRES.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
DOMESTIC	1-1	12-31	0.11 CFS .12 CFS	4.2 3.2
STOCK WATER	1-1	12-31	0.11 CFS .12 CFS	6.7 20.0

Totals: 0.11 CFS .12 CFS 10.9 AFA 23.2 AFA

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

- ☐ None
- ☐ Other

J. AUTHENTICATION

Field Examiner's Name

KELLY K. CHRISTENSEN


Signature

Kelly K. Christensen

Certification Date

Field Report Preparation Date

4-13-90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

OCT 27 1992

State of Idaho
Department of Water Resources

WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.


1. Legal Description of well location. Twp. 2N, Rge. 1W,
Sec. 11, Qtr./Qtr. NW/NW or Lot _____
2. Owner SIMON VANDERKOOY
Address 8190 So. TENMILE RD., City MERIDIAN, State ID.
3. Approx. date of well construction _____
Well Driller _____
4. Casing: Diameter 4" Condition GOOD
5. Casing length above land surface 10' ABOVE CEMENT FLOOR. FLOOR HIGHER
THAN GROUND,
6. Well depth (ft) _____ Flowing _____ Temp. _____
Access port REMOVABLE TOP.
7. Condition of piping and valving GOOD
8. Evidence of well seal —
9. Shut in pressure or static water level 79'
10. Evidence of leakage around the casing _____
11. Does well need repair No
12. Comments _____

(OVER)

OCT 27 1992

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



Inspected by _____ Date _____

PROCESSED

OCT 27 1992

State of Idaho

Department of Water Resources

WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.


1. Legal Description of well location. Twp. 2N, Rge. 1W,
Sec. 11, Qtr./Qtr. NW/NW or Lot _____
2. Owner SIMON VANDERKODY
Address 8190 S. TENNILE RD, City MERIDIAN, State ID.
3. Approx. date of well construction MAY 88
Well Driller DAVE ADAMSON
4. Casing: Diameter 6" Condition NEW
5. Casing length above land surface 20
6. Well depth (ft) 180+20' Flowing NO Temp. _____
Access port REMOVABLE CAP
7. Condition of piping and valving NEW
8. Evidence of well seal -
9. Shut in pressure or static water level 79'
10. Evidence of leakage around the casing NO
11. Does well need repair NO
12. Comments _____

(OVER)

OCT 27 1988

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



Inspected by


Billy K. Christensen

Date

12-19-89

MICROFILMED

OCT 27 1992



<----- PICTURE # 1

This is the inside view of the well house shown below. This shows the 3 pressure tanks the original well (4 in casing) and a portion of the plumbing involved. The horizontal line shown is a part of the incoming line from the other well. Note the check to isolate the two wells.

CHECK

PICTURE # 2


This picture shows the primary well, the well house and the roof of one of the domestic uses. The picture is looking southwest.

DOMESTIC USE




PICTURE # 3

This picture was taken at the well house and is looking east northeast toward a portion of the cattle pens and the two trailer homes that are included in the domestic use. The pens are to the left and beyond the storage shelters shown in the upper left portion of this picture.



PICTURE # 4

This picture shows the style of cattle waterers used with this permit. All are float operated and are heated in the winter. This picture is looking east.



OCT 27 1992

W100054-1000

OCT 27 1962

PICTURE SET # 5

This picture set was taken from the corner of Columbia and Ten Mile and is looking east through looking south. Shown is the overview of the P/U. The trailers (2) on the left and the home on the right (1) is the domestic use. The dairy operation basically lays between those two extremes. The P/D lays just to the left of the house but is hidden from view by the milking parlor.


TRAILERS

LIVESTOCK USE

MILKING PARLOR

P/D

HOME



December 1, 1989

MARY VANDERKOOY
SIMON VANDERKOOY
8190 S. TEN MILE RD.
MERIDIAN, ID 83642

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10693

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

DEC 19 1989

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10693

Date: 11/9/89

General Considerations:

☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change NO If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

☐ Surface water
☒ Groundwater
1. well log in file prior to 1987
NA 2. drilling permit
NA A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

☒ NO Is a measuring device or access port required?
☐ Has one been installed?
☐ Waiver or modification of measuring device requested

Remarks:

Proof Acceptable

Priority Calculation:

Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

NA

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

03/86

RECEIVED
OCT 02 1989

STATE OF IDAHO

OCT 05 1989

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Fee Received \$50

Date 10/2/89

Receipt # W006114

Receipt by SL for 99

Reviewed by 11-15-89

Sent to region

Department of Water Resources
Western Regional Office

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10693Name(s) of Permit Holder: SIMON AND/OR MARY VANDERKOOYPost Office Address: 8190 S. TEN MILE RD MERIDIAN, ID 83642Telephone No. 888-7074Source of Water: GROUND WATER

Extent of Use:

Domestic 3 (number of households) Stockwater 500 DAIRY (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.20 cfs _____ acre-feetShow the date water was first diverted and beneficially used under this permit: 8-30-88

Measuring Device: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

SAME AS ABOVE

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been completed and I relinquish any undeveloped portion of the permit to the state of Idaho.

DEC 17 1989

10/2/89
Date

[Signature]
Signature of Permit Holder (and title, if appropriate)

138694
September 30, 1989

MARY VANDERKOOY
SIMON VANDERKOOY
8190 S. TEN MILE RD.
MERIDIAN, ID 83642

PROOF DUE NOTICE

RE: PERMIT NO. 63-10693

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

DEC 19 1989

RECEIVED
JUL 18 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

JUL 18 1988

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

Resources **USE TYPEWRITER OR BALLPOINT PEN** JUN 28 1988

1988

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

other rights
63-10474

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

RECEIVED
MAY 10 1988

Department of Water Resources

1. Applicant Simon Vanierkecoy
2. Address 8190 SOUTH TEN MILE ROAD MERIDIAN ID 83642
888-5170 or 7074

☒ Well Owner ☐ Well Operator ☐ Other, specify _____

3. Water right permit no. see letter; Injection well permit no. N/A

4. Proposed well location 1/4 NW 1/4 NW 1/4, or Gov't lot No. _____,
Sec. 11, Twp. 2N, Rge. 1W, County ADA,
Lot, block and subdivision _____

5. Proposed use of well: (Check all that apply) PAR 300 OF NW 4
☒ Domestic (3) ☒ Stockwater (DAIRY) ☐ Monitoring SEC 11 2N 1W
☐ Irrigation ☐ Industrial ☐ Municipal COLUMBIA + 10 MILE
☐ Injection ☐ Other, Specify _____

6. Well construction information:

☒ New well ☐ Deepen ☒ Replace 5.6 5/4/88
Proposed surface diameter 6" Proposed depth 200 FT

Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)

7. Anticipated construction start date 4 5-88
8. Well Driller (if known) ADAMSON PUMP CO & WELL DRILLING #457
Address 1320 SMITH AVE NAUPOA
Date 5-2-88 Applicant's signature _____
Title OWNER

DEC 16 1988

* After other pre-requisite approvals have been obtained.

~~Water right application for permit required and filed~~ see attached letter
#100 too

ACTION OF IDWR

(X) Approved

() Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

7. Approved contingent on proper water right recording being made within 6 months after the Idaho Supreme Court rules on whether the Boise River Basin will be included in the Snake River Adjudication. (See letter attached)

Dated this 6th day of May, 1988.

Signed

David R. Tuttle

Title

Mgr Western Region IDWR

Received by SL Fee \$100 Date 5/4/88 Appl. ; Received check 5/10/88

Receipt No. W000157 - 5/10/88 Construction start date 5/1/88

Construction start extension to DEC 19 1989

Extension approved by _____



State of Idaho
DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

Mr. Simon Vanderkooy
8190 S. Ten Mile Road
Meridian, ID. 83642

May 6, 1988

Re: Drilling Permit 63-88-W-075

Dear Mr. Vanderkooy:

Upon receipt of the \$100.00 fee, an approved well drilling permit with the above number will be issued to allow a replacement well to be drilled. From our phone conversation several days ago, I understand that the current four-inch (?) well provides water for three homes and up to 400 dairy cows. Such use falls beyond the single family domestic or livestock use for up to 13,000 gallons per day, an amount that does not require a recorded water right. Thus, your use does need a recorded right.

For groundwater used prior to 1963, as in your case, Idaho Code 42-243 allows a claim to be established, and the priority date is that of the first beneficial use of the well. The ongoing Snake River Basin Adjudication (SRBA) requires all water uses to be recorded with adjudication claims, which are separate from the 42-243 claims. However, the Boise River drainage is currently exempted from the adjudication (see map). The Idaho Supreme Court will determine if exempted areas will be included. The court should hear the case in the very near future. This Department advises users in your situation to wait until these legal questions are settled before filing either a 42-243 or adjudication claim. Ample time and notice will be provided after the court makes its ruling.

Meanwhile, you can obtain the permit, drill the well, and continue to legally use the water. Your well drilling permit will state that you must properly record your water right within six months of the Idaho Supreme Court decision. Please submit the drilling fee and I will mail the permit to you. Please direct your response to me to insure a quick response from our office. I will be glad to help in any way possible.


Sincerely,

Steve Lester
Sr. Water Resource Agent

MICROFILMED

DEC 19 1989

Snake River Basin Adjudication (SRBA)



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
December 5, 1988

MARY VANDERKOOY
SIMON VANDERKOOY
8190 S. TEN MILE RD.
MERIDIAN, ID 83642

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10693

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also

MICROFILMED

DEC 08 1988

enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor
Water Rights Permits Section

GS: SC
Enclosures

RECEIVED
DEC 11 1963

DEC 11 1963

PO + Pu 2N 1W S. 11 NW NW

Form No. 202a
7

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY SL DATE 8/31/88 APPLICATION NUMBER 63-10693

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.) yes
- ☒ Overlapping point of diversion yes
- ☐ Yes ☒ No Field check required
- ☐ Yes ☒ No Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☒ See reverse side for additional information

RECEIVED
OCT 24 1988

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____

Department of Water Resources

P/O

63-10474 different well on adjacent property.

P/O

AS ABOVE, irrigation

63-2388, Boise River, Irrig. District

PROCESSING

☒ Yes ☐ No Inform for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO

☐ Idaho Dept. of Health & Welfare
☐ Idaho Dept. of Fish & Game
☐ Idaho Dept. of Lands
☐ Adjudication Bureau Unit

☐ U.S. BLM
☐ U.S. Forest Service
☐ Water District
☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest September 26, 1988
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached Approve, Dnr
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. 63
☐ Yes ☐ No Special conditions of approval or cover letter below.

☐ See below for additional information
Date of priority recommended 8/30/1988 ✓
By De Date 10/18/1988

STATE OFFICE REVIEW

P05P110

☐ See below for additional information
By KW Date 11/23/88

ADDITIONAL INFORMATION

App describes an existing well - condition
4/6 N/A

63-10693

VANDERKOOY, SIMON
VANDERKOOY, MARY
8190 S. TEN MILE RD.
MERIDIAN, ID 83642

Source: GROUNDWATER

Diversion Pt: NWNW Sec 11 T 02N R 01W

Use: STOCKWATER (.330 CFS)
 DOMESTIC (.120 CFS)

Date Filed: 8/30/1988

In: T02N R01W S11 NWNW

REFILMED
DEC 08 1988