


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

DEC 08 1988

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Kenneth C. Hunt
(Applicant)
CUSTODIAN

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	ND TAG	1 1/2	K86-31-DB85	Gould	T030274

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - Pressurized System

RECEIVED

OCT 22 1993



001 2 2 1993



PHOTO ONE-

View southeast of well house, Located near southwest property corner.



PHOTO TWO-

Well and pressure Tank in well house.

OCT 22 1993



PHOTO THREE- View southeast of front of church.



PHOTO FOUR- Underground sprinkling system in operation, south side of church.

RECEIVED

2 1993



PHOTO FIVE- View northeast of pastor's house and maintenance building.

>

PROCESSED
OCT 22 1993

PHOTO SIX-

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10689

Priority: August 15, 1988

Maximum Diversion Rate:

0.11 CFS

Maximum Diversion Volume:

5.7 AF

This is to certify, that STONEHOUSE EVANGELICAL CHURCH
1450 N TEN MILE RD
MERIDIAN ID 83642

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated August 15, 1988; and
has submitted Proof of Beneficial Use on November 19, 1992. An examination indicates
that the works have a diversion capacity of .160 cfs of water from a **GROUNDWATER**
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	4.5 AF
DOMESTIC	01/01 to 12/31	0.08 CFS	1.2 AF
	Totals	0.11 CFS	5.7 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 11, Township 03N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	01W	11	NWNW	1		1

Total number of acres irrigated: 1

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The right holder shall use the full allotment of his surface water right, to the extent it is available, in conjunction with groundwater diverted pursuant to this right.
6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

RECORDED

OCT 22 1993

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 63-10689

CONDITIONS/REMARKS:

7. Domestic use is for a church building, 1 home, and a maintenance shop.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 21st
day of OCTOBER, 1993.

Acting for  R. Keith Higginson, Director

RECORDED

OCT 22 1993

09/30/93

APPROVED

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10689

RECEIVED
OCT 15 1993
Department of Water Resources

Date of Priority: August 15, 1988 Maximum Diversion Rate: 0.11 CFS
Maximum Diversion Volume: 5.7 AF

Comes now **STONEHOUSE EVANGELICAL CHURCH**
1450 N TEN MILE RD
MERIDIAN ID 83642 and represents to the Director of the
Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the
State of Idaho No. 63-10689, and requests that the permit be changed as follows:

Source: **GROUNDWATER**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	4.5 AF
DOMESTIC	01/01 to 12/31	0.08 CFS	1.2 AF
	Totals	0.11 CFS	5.7 AF

LOCATION OF POINT(S) OF DIVERSION: NWNW , Sec. 11, Township 03N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	01W	11	NWNW	1		1

Total number of acres irrigated: 1

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

Permit holder asserts that no one will be injured by such change and that such change
will be made at permit holder's own risk.

Signed at Meridian, this 13TH day of October, 1993.

RECEIVED

OCT 22 1993

Boyd J. Jett
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10689

FOR DEPARTMENT USE ONLY

Preliminary check by gwb Fee = 20.00 Receipted by gwb # C028790 Date 10-15-93 ✓

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 63-10689 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The right holder shall use the full allotment of his surface water right, to the extent it is available, in conjunction with groundwater diverted pursuant to this right.
6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.
7. Domestic use is for a church building, 1 home, and a maintenance shop.

Witness my hand this 21ST day of OCTOBER, 1993.


Acting for R. Keith Higginson, Director

OCT 22 1993

RECEIVED

NOV 19 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-10689 Telephone No. 888-6455

2. Name(s) of Permit Holder(s): Stonehouse Evangelical Church

3. Mailing Address: 1450 N. Ten Mile Rd Meridian, ID 83642

4. Source of Water: groundwater

* If GROUNDWATER, Well Driller's Name: Dennis Phipps Date Drilled: 5/4/87

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 9 (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 8 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .34 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ✓ No _____ Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? _____ Yes _____ No Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 100.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Roy Galetti 467-6343 (Home)
Name Telephone No.

3104 E. Railroad, Nampa, Id. 83687 (Home)
Address


10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

NOT RECORDED

DEC 09 1992

11/16/92
Date

Rev. Roy Galetti Pastor
Signature (and title, if on behalf of a company or organization)



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

OCT 29 1990

To provide additional time in which to submit proof
of beneficial use for a water right permit

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 63-10689

Name(s) of Permit Holder: Stone House Evangelical Church

Post Office Address: 1450 N. 10 Mile, Meridian, ID 83642

Telephone No. 375-4598

Date Proof is Due: 12-1-90

Describe what work has been completed toward the development of this water right: a parsonage
(This must be filled out! If no work has been completed, show "none".)

has been built along with church building & shop.
The inside of the church has not been completed. Drilled
a well. Will establish an irrigation system

Costing \$ _____

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Haven't had enough time. The church people are
volunteering their time.

Permit holder(s) request an extension to 12-1, 1992. Peta Huil - Secretary
(1 yr. minimum) (Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY REQUIRED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

JAN 29 1991

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to December 1, 1992.

Signed this 16th day of January, 1991.

J. Glen Saylor
Chief, Water Allocation Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Stonehouse Evangelical Church Phone 375-4598 ^(message)
Post office address 8121 Brynwood Boise, Id. 83704
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of NW 1/4 of NW 1/4, Govt. Lot _____
Sec. 10 Township 3N Range 1W B.M. Ada County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .16 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .18 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .34 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. well, pump, pipeline to church, nine homes, and irrigated grounds and playing fields. Sprinkler irrigation and domestic use occurs.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 - c. Proposed well diameter is 8 inches; proposed depth of well is 272 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year).

MICROFILMED

DEC 08 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 9 homes associated with church (.14 cfs)
- e. Other; describe fully. Church building (.04 cfs)

internal
use

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	1W	10					8												8
							D												

Total number of acres to be irrigated 8

10. Describe any other water rights used for the same purposes as described above. Nampa Meridian Irrig Dist. for irrigated land only
11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: well installed in after 7/1/87. sz 8/19/88


Church Board of Directors:

C.F. Huit, Leroy Flety, Gary Hicks, Mark Kadle

MICROFILMED

DEC 08 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

DEC 08 1988

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Kenneth C. Huitt
(Applicant)
CUSTODIAN

Proposed Priority 8/15/88

Received by SL Date 8/15/88 Time 12:15 pm Preliminary check by SL
Fee \$ 45⁰⁰ Receipted by SL # W000697 Date 8/15/88
Publication prepared by GG Date 8-31-88 Published in ID Statesman
Publication approved OK Date 10-14-88 9/8 & 9/15/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10689, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 90.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Witness my hand this 28th day of November, 1988.

A. Glen Saylor

RECEIVED

DEC 08 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 21, 1993

STONEHOUSE EVANGELICAL CHURCH
1450 N TEN MILE RD
MERIDIAN ID 83642

RE: WATER RIGHT NO. 63-10689

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact this office.

Sincerely,

A handwritten signature in black ink, appearing to be 'Jim Johnson'.

fw JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

MAILED
OCT 22 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 30, 1993

STONEHOUSE EVANGELICAL CHURCH
1450 N TEN MILE RD
MERIDIAN ID 83642

RE: WATER RIGHT NO. 63-10689

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 14 days.

If you do not concur with these findings or if you have any questions, please contact me within the 14-day period.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a long horizontal flourish extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED
OCT 22 1993

WR0749NP
No. L63-10689

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 09/29/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	STONEHOUSE EVANGELICAL CHURCH 1450 N TEN MILE RD MERIDIAN ID 83642 (208) 375-4598	08/15/1988	IRRIGATION DOMESTIC	03-15 11-15 01-01 12-31	0.03 CFS 0.08 CFS	4.5 AFA 1.2 AFA
TOTAL DIVERSION:					0.11 CFS	5.7 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.16 CFS

Point(s) of Diversion: T03N R01W S11 NW NW

Place of use Legal Description for: IRRIGATION

NE												NW				SW				SE						
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM		
---	---	---	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	---
03N	01W	11	:					:			01		:					:							:	1.0
TOTAL ACRES																							:	1.0		

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: ADA

~~Non-irrigation Uses: 0/9 HOMES~~

Other Rights: NAMPA-MERIDIAN IRRIGATION DIST.

Other Water Rights with Same Point(s) of Diversion and Source:
63-10657

Other Water Rights Listing Overlapping Place(s) of use:
63-10657

Conditions of Approval:

- 803 - The right holder shall use the full allotment of his surface
- water right, to the extent it is available, in conjunction with
- groundwater diverted pursuant to this right.
- R52 - This right when combined with all other rights shall provide no
- more than .03 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: Domestic use is for a church building, 1 home, and a maintenance shop.

Dates: App. Received: 08/15/1988 Priority Date: 08/15/1988
Proof Due Date: 12/01/1992 Proof Made Date: 11/19/1992
Exam Made Date: 08/02/1993 Exam Sent to S.O.: 09/21/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

WR0749NP
No. L63-10689

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 09/29/93
PAGE: 2

=====
Comments: Date: 11/20/1992 User-ID: ANDREGG Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 09/29/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 63-10684 Date 9-29-93 Brenda Chapman

NAME	Yes ☐ No ☒	Or Address Change?
PRIORITY DATE	☐ ☒ ☐ ☒ ☐ ☒	Advance? <u> </u> Memo to Advance <u> </u> Order to Reinstate Needed? Incorrect Fee for rate recommended?
SOURCE	☐ ☒ ☐ ☒	Changes? Clarification of Originally Intended source Notice of Intent to Void - Source change.
P/D	☒ ☐ ☐ ☒	Amendment Needed? <u>CHANGE TO NW NW SEC 11</u> Overlap(s) <u> </u>
P/U	☒ ☐ ☐ ☒	Amendment Needed? <u>CHANGE TO NW NW SEC 11</u> Overlap(s) <u> </u>
TOTAL CFS	<u>-NA-</u> ☐ ☐	Disagree/Measurement <u>THEORETICAL ONLY</u>
@ 11'	☐ ☒	
<u>20 PSI = .10 CFS</u>	☐ ☒	Theoretical $(8.8 \times .70 \times 1.5) = .08$ $20 + 2.31 \times 40 = .08$ Capacity $(12 \times 11 + 231 \times 30) = .12 \text{ CFS}$ Allowable Amount: <u>3 dom = .08 IRR = 1 acre = .02</u>
TOTAL VOLUME	☒ ☐	Disagree with Examiner's Calculations? <u>1 acre = 4.5</u> <u>3 dom = 1.2</u>
	☐ ☒	Flow limit: <u>.02 x 246 x 1.9835 = 9.75</u> Season <u>0/4.5 3-15 to 11-15</u>
USES	☐ ☒ ☐ ☒	Change(s) in Nature of Use? Amendment Needed?
REMARKS	☐ ☒	Multiple P/Ds in 1/4 1/4? Special Overlap <u>Dumpy Meridian</u> Other <u> </u>
CONDITIONS	☐ ☒ ☐ ☒ ☐ ☒	Measuring/Locking Devices Misc/Dates W/Master Control ☒ Water Dist <u>R52</u> Irrigation Overlap ☒ App Rec'd Water Quality ☒ Exam Made
COMMENTS:	<u>Reduce rate (acres/homes)</u>	

RECOMMENDED	CFS	DIV VOL
<u>Irrigation</u>	<u>.02</u>	<u>4.5</u>
<u>Domestic</u>	<u>.08</u>	<u>1.2</u>
<u>TOTAL</u>	<u>.10</u>	<u>5.7</u>

LICENSE

AMEND ☒

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 22 1993
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10689

1. Owner: STONEHOUSE EVANGELICAL Church Phone No. 375-4598

Current Address: 1450 N. Ten Mile Road, MERIDIAN, ID 83642

2. Accompanied by: MARK GALLIVAN EXAM DATE: 8/2/93

Address: _____ Phone No. 887-7991

Relationship to Permit Holder: Groundskeeper

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-02388, 63-03421

2. Other water rights with the same point of diversion: 63-03421

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NW	11	3N	1W	Ada	Aerial Map

2. Place(s) of Use:


Indicate Method of Determination Same as AD

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	1W	11						1.0											1.0

NOT RECORDED

OCT 22 1993

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadmap Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	ND TAG	1 1/2	K86-31-DBS	Gould	T030274

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

N/A

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - Pressurized System

UNRECORDED

001 2-2 1992

RECORDED

E. NARRATIVE/REMARKS/COMMENTS

OVERLAPS - P/D - Same RQ, different source.

P/U - Same RQ, different areas of use.

Well is used to supply water to church, pastor's house, ~~and~~ maintenance building, and irrigation of lawn areas around these structures.

At this time, only the church and ~~house~~ 1 home have been constructed. Also, only 1 acre is presently developed and irrigated by system.

Home - 0.02 CFS

Church - 17 fixtures $Q = 17 \times 20 \text{ gpm} \approx 0.8 \text{ CFS} \approx 20 \text{ gpm} = 0.045$

Since the systems capacity is only 0.16 CFS, and only 1 home and church ~~are~~ exist, the requested allocation cannot be granted.

Recommend Licensing for 0.02 CFS for irrigation, ^{of 1 acre} and ~~0.08~~ ^{0.08} CFS domestic for (1) home, ~~and~~ church, and maintenance building.

$$Q(\text{Theoretical}) = \frac{(8.8)(0.7)(1.5)}{(2.31 \times 20) + 11} \approx 0.16 \text{ CFS}$$

Have conditions of permit approval been met? ☒ yes ☐ no

MAINTAINED

OCT 22 1993

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: NON-PRESSURIZED SYSTEM.**G. VOLUME CALCULATIONS****1. Volume Calculations for Irrigation:**

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \times 4.5 = 4.5 \text{ AFA}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.02 \times 246 \times 1.9835 = 9.8 \text{ AFA}$$

$$V = \text{Smaller of } V_{LR} \text{ and } V_{DR} = 4.5 \text{ AFA}$$

2. Volume Calculations for Other Uses:

$$V_{\text{(INTERNAL HOME)}} = 0.6 \text{ AFA}$$

$$V_R = \frac{100 \times 365 \times 15}{325,850} \approx 1.7 \text{ AFA}$$

$$V_R < V_D, \text{ use } V_R = 1.7 \text{ AFA}$$

$$V_C = 0.18 \times 365 \times 1.9835 = 130.3 \text{ AFA}$$

$$V_{\text{TOTAL}} = 2.3$$

H. RECOMMENDATIONS**1. Recommended Amounts**

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>IRRIGATION</u>	<u>3/15</u>	<u>11/15</u>	<u>0.02</u>	<u>4.5</u>
<u>DOMESTIC</u>	<u>1/1</u>	<u>12/31</u>	<u>0.08</u>	<u>2.3</u>
Totals:			<u>0.10</u> <u>0.08</u>	<u>6.8</u>

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


I. AUTHENTICATIONField Examiner's Name Rick Collingwood Date 8/17/93

Reviewer _____ Date _____

SEAL

MICROFILMED

OCT 22 1993



PERMIT 63-10689 INIT PC
T. R. S. Q/Q
P/D 3N 1W 11 1/4 NW
SCALE _____
PHOTO ID. X-57 MERIDIAN

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: 63-10689
2. OWNER: Stonehouse Evangelical Church Phone: 375-4598
Address: 1450 N. Ten Mile, Meridian, ID 83642
3. WELL LOCATION: Twp 3N, Rge. 1W, Sec. 11, NW 1/4 NW 1/4
County Ada (Provide sketch map and photo on reverse.)
4. DRILLER: Dennis Phipps Lic. No. 332
When Drilled? 4/28/87
5. WELL CONSTRUCTION:
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☒ No
Casing $\geq$ 12 inches above ground? ☐ Yes ☒ No - Describe Appx. 8'-10"
Depth of Casing 249 ft. Method Drilled Cable
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☒ Yes ☐ No (not separating)
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 1 ft. Water Temperature N/A °F
Flowing Artesian ☐ Yes ☒ No Pressure: N/A (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☒ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

OCT 22 1993

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS: _____

Rick Collingwood, Water Rights Examiner
Signature of Dept. Representative & Title

8/2/93
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

MICROFILMED

OCT 22 1993

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER
Name C. F. Hult
Address _____
Owner's Permit No. _____

2. NATURE OF WORK
☒ New well
☐ Deepened
☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE
☒ Domestic
☐ Irrigation
☐ Test
☐ Municipal
☐ Industrial
☐ Stock
☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED
☐ Rotary
☐ Air
☐ Hydraulic
☐ Reverse rotary
☒ Cable
☐ Dug
☐ Other _____

5. WELL CONSTRUCTION
Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness _____ Diameter _____ From _____ To _____
250 inches 6 inches 1 feet 249 feet
Inches _____ inches _____ feet _____ feet
Inches _____ inches _____ feet _____ feet
Inches _____ inches _____ feet _____ feet
Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☒ Yes ☐ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☒ Yes ☐ No
Manufacturer's name Book's
Type 304 Model No. _____
Diameter 5 Slot size 0.20 Set from 252 feet to 262 feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 18 Material used in seal: ☐ Cement grout
☒ Bentonite ☒ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
Weld _____
☐ Cemented between strata
Describe access port _____

6. LOCATION OF WELL
Sketch map location must agree with written location.
Subdivision Name _____
Lot No. 00 Block No. 2
County Adams

7. WATER LEVEL
Static water level 71 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below: _____

8. WELL TEST DATA
☐ Pump ☐ Bailer ☒ Air ☐ Other _____
Discharge G.P.M. 60 Pumping Level _____ Hours Pumped 1

9. LITHOLOGIC LOG

Bore Diam.	Depth From	To	Material	Water Yes	No
<u>6</u>	<u>0</u>	<u>2</u>	<u>Top Soil</u>	☐	☒
	<u>2</u>	<u>14</u>	<u>Clay</u>	☐	☒
	<u>14</u>	<u>43</u>	<u>Gravel</u>	☐	☒
	<u>43</u>	<u>202</u>	<u>Sand & Clay</u>	☐	☒
	<u>202</u>	<u>252</u>	<u>Sandy clay</u>	☐	☒
	<u>252</u>	<u>262</u>	<u>Coarse Sand</u>	☐	☒

10. Work started 20 April 87 finished 28 April 87

11. DRILLERS CERTIFICATION
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.
Firm Name Dennis Phipps Firm No. 332
Address 2068 Bentley Date 10 May 87
Signed by (Firm Official) Dennis Phipps
and _____
(Operator) _____



PHOTO ONE- View southeast of well house, Located near southwest property corner.



PHOTO TWO- Well and pressure Tank in well house. OCT 22 1993



PHOTO THREE- View southeast of front of church.



PHOTO FOUR- Underground sprinkling system in operation, 2 1993
south side of church.



PHOTO FIVE- View northeast of pastor's house and maintenance building.

>

PROCESSED
OCT 22 1993

PHOTO SIX-

November 25, 1992

STONEHOUSE EVANGELICAL CHURCH
1450 N. TEN MILE RD.
MERIDIAN ID 83642

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10689

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

DEC 09 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 63-10689

Reviewed by KG

Date 11/20/92

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

domestic - 9
irrigate - 8
Correct Uses? yes

SOURCE OF WATER

 Surface water source

✓ Ground water source

NA Drilling permit required?

5/4/87 / Copy in the file? Drilling Permit No.

/ Amount paid for permit Correct?

/ Well log in the file?

LICENSE EXAMINATION FEE

yes Required?

100 Amount Submitted

yes Correct?

MEASURING DEVICE

NA Required?

/ Installed?

/ Waiver requested?

PRIORITY CALCULATION

Date proof received NA

Date proof due / -

No. of days late / =

Priority Date / +

New Priority Date /

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address

Proof Made 11/19/92

STONEHOUSE

1400 N. TEN MILE, MERIDIAN, IDAHO 83642 • (208) 889-841

Evangelical Church & School

Pastor
C.F. Hull
888-7220

School
Roy Fallett, Principal
3104 E. Railroad
Nampa, Idaho 83857
987-4343

RECEIVED

NOV 19 1992

Department of Water Resources

11/16/92

Karen:

I'm sorry for the delay in
returning this form to you. As you can
tell from the date on the check, I
had a check written the same day
I returned from your office. We had
some difficulty finding the well drillers
name in our past records, which
caused the delay. Thank you very
much for your help during the brief
meeting with you. It was a great help!
Please contact me if any further
information is needed.

Roy Fallett

RECEIVED

DEC 09 1992

September 30, 1992

STONEHOUSE EVANGELICAL CHURCH
1450 N. TEN MILE RD.
MERIDIAN ID 83642

PROOF DUE NOTICE

RE: PERMIT NO. 63-10689

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



MICROFILMED

DEC 09 1992

January 17, 1991

STONEHOUSE EVANGELICAL CHURCH
1450 N TEN MILE
MERIDIAN ID 83642

Gentlemen:

Re: Permit No. 63-10689

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to December 1, 1992.

Note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

If you have any questions concerning this matter, please contact the department.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

JAN 29 1991

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 63-10689

Reviewed by

Date 1-16-91

BASIC INFORMATION

4 Date stamp received
3 Extension received timely (not too early not too late)
5 Fee received and receipted
5 Name and signature same as permit
5 Address change

BASIS FOR EXTENSION REQUEST

4 Has adequate work been completed to demonstrate due diligence?
4 Has the cost incurred been adequate to demonstrate an intent to complete the project?
 _____ Has the permit been involved in litigation?
 a. Swan Falls _____ Dismissed from Swan Falls _____
 Other _____ Identify _____
 b. Is supporting documentation needed to complete the file? _____
 Requested _____
 c. Calculate the period of delay _____

Date litigation completed

Date litigation began -

Total period of delay = _____

Present proof due date +

NEW PROOF DUE DATE =

Is delay by a government agency?

Is supporting documentation needed to complete the file?

Requested? _____

ACTION TAKEN

- address change

- Recommend approval based on due
use for 2 years

[illegible]

Proof due date = -

No. of days late "

Priority date _____ = + _____

ADJUSTED PRIORITY DATE/ =

DATE ENTRY

Change proof due date
Priority date change

Address change

STONEHOUSE EVANGELICAL CHURCH
8121 BRYNWOOD
BOISE, ID 83704

138450
September 30, 1990

RE: PERMIT NO. 63-10689 PROOF DUE NOTICE

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED
JAN 29 1991


1/9/89
Phipps says this is the log for
this well. JB.

Form 236 7
9-82

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Cliff Hunt</u> Address _____ Owner's Permit No. <u>63-106897</u>		7. WATER LEVEL Static water level <u>1</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ of. Quality _____ Describe artesian or temperature zones below																																																
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Baller ☒ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>60</u></td><td></td><td><u>1</u></td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>60</u>		<u>1</u>																																									
Discharge G.P.M.	Pumping Level	Hours Pumped																																																
<u>60</u>		<u>1</u>																																																
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th rowspan="2">Water Yield</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>6</u></td><td><u>0</u></td><td><u>1</u></td><td><u>Top Soil</u></td><td><u>X</u></td></tr><tr><td></td><td><u>1</u></td><td><u>2</u></td><td><u>Clay</u></td><td><u>X</u></td></tr><tr><td></td><td><u>2</u></td><td><u>4</u></td><td><u>Gravel</u></td><td><u>X</u></td></tr><tr><td></td><td><u>4</u></td><td><u>19</u></td><td><u>Shale & Clay</u></td><td><u>X</u></td></tr><tr><td></td><td><u>19</u></td><td><u>20</u></td><td><u>Shale & Clay</u></td><td><u>X</u></td></tr><tr><td></td><td><u>20</u></td><td><u>25</u></td><td><u>Shale & Clay</u></td><td><u>X</u></td></tr><tr><td></td><td><u>25</u></td><td><u>26</u></td><td><u>Gravel & Sand</u></td><td><u>X</u></td></tr><tr><td></td><td><u>26</u></td><td><u>27</u></td><td><u>Gravel & Sand</u></td><td><u>X</u></td></tr></tbody></table>		Bore Diam.	Depth		Material	Water Yield	From	To	<u>6</u>	<u>0</u>	<u>1</u>	<u>Top Soil</u>	<u>X</u>		<u>1</u>	<u>2</u>	<u>Clay</u>	<u>X</u>		<u>2</u>	<u>4</u>	<u>Gravel</u>	<u>X</u>		<u>4</u>	<u>19</u>	<u>Shale & Clay</u>	<u>X</u>		<u>19</u>	<u>20</u>	<u>Shale & Clay</u>	<u>X</u>		<u>20</u>	<u>25</u>	<u>Shale & Clay</u>	<u>X</u>		<u>25</u>	<u>26</u>	<u>Gravel & Sand</u>	<u>X</u>		<u>26</u>	<u>27</u>	<u>Gravel & Sand</u>	<u>X</u>
Bore Diam.	Depth		Material		Water Yield																																													
	From	To																																																
<u>6</u>	<u>0</u>	<u>1</u>	<u>Top Soil</u>	<u>X</u>																																														
	<u>1</u>	<u>2</u>	<u>Clay</u>	<u>X</u>																																														
	<u>2</u>	<u>4</u>	<u>Gravel</u>	<u>X</u>																																														
	<u>4</u>	<u>19</u>	<u>Shale & Clay</u>	<u>X</u>																																														
	<u>19</u>	<u>20</u>	<u>Shale & Clay</u>	<u>X</u>																																														
	<u>20</u>	<u>25</u>	<u>Shale & Clay</u>	<u>X</u>																																														
	<u>25</u>	<u>26</u>	<u>Gravel & Sand</u>	<u>X</u>																																														
	<u>26</u>	<u>27</u>	<u>Gravel & Sand</u>	<u>X</u>																																														
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____		RECEIVED JAN 20 1987 DEPARTMENT OF WATER RESOURCES WATER RESOURCES DIVISION RECEIVED JUL 18 1987 DEPARTMENT OF WATER RESOURCES WATER RESOURCES DIVISION																																																
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>.250</u> inches</td><td><u>6</u> inches</td><td><u>1</u> feet</td><td><u>249</u> feet</td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☒ Yes ☐ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table> Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>Book</u> Type <u>304</u> Model No. _____ Diameter <u>5</u> Slot size <u>0.075</u> Set from <u>252</u> feet to <u>262</u> feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>19</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Riddling clay ☐ _____ Sealing procedure used: ☐ Shurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between struts Describe access port _____				Thickness	Diameter	From	To	<u>.250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>249</u> feet													Number	From	To																								
Thickness	Diameter	From	To																																															
<u>.250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>249</u> feet																																															
Number	From	To																																																
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Blaine</u> <u>75 N. 11 W. Sec. 11, T. 2 N. R. 1 W.</u>		11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Desire's Phipps</u> Firm No. <u>332</u> Address <u>2068 Bentley</u> Date <u>10 May 87</u> Signed by (Firm Official) <u>Desire's Phipps</u> and _____ (Operator)																																																

NNNN 10 3N 1W



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS
GOVERNOR
R. KETH HIGGINSON
DIRECTOR

December 19, 1988

Dennis Phipps
Dennis Phipps Well Drilling
2068 Bently Ave.
Meridian, ID 83642

RE: Ewing Well
Evangelical Church Well
Busett Well

Dear Mr. Phipps:

Thank you for your recently submitted well logs. Your quick response was appreciated.

I did not find the Ewing log or Evangelical Church log in the group; please submit them immediately.

Also, please provide a legal description and mailing address for Russ Busett. I am not able to find a drilling permit for this well.

Sincerely,

JOHN E. BEAL
Groundwater Protection Section

JEB:ldt(GP14-1.68)

Enclosures

63-10687

MICROFILMED

JAN 29 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

November 28, 1988

Dennis Phipps
Dennis Phipps Well Drilling
2068 Bently Ave.
Meridian, ID 83642

RE: Well Log NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 10, T3N, R1W

Dear Mr. Phipps:

Please submit the log for the well you drilled for the Stonehouse Evangelical Church in 1987 at the referenced location. Please submit the log to my attention as soon as you can.

Sincerely,

A handwritten signature in cursive script that reads "John E. Beal".

JOHN E. BEAL
Groundwater Protection Section

JEB:ldt(GP14-1.32)

CC: 63-10689

RECEIVED

JAN 29 1989

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
December 5, 1988

STONEHOUSE EVANGELICAL CHURCH
8121 BRYNWOOD
BOISE, ID 83704

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 63-10689

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water.

MICROFILMED

DEC 08 1988

Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

GARY SPACKMAN, Supervisor
Water Rights Permits Section

GS: SC
Enclosures

Microfilm

DEC 18 1988

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10677

WHITAKER, CINDY L.
WHITAKER, STEVEN M.
Rt. 2, Box: 2332
Nampa, ID 83651

Source: Groundwater
Date Filed: 08/12/1988

Diversion Pt.: SWNW Sec. 16 T 03N
R 01W

Use: Irrigation (2.360 CFS)

In: T03N R01W S16 NWNW
SWNW, S17 NENE, NWNE SWNE
SENE

118.0 Acres Total

63-10682

SAUNDERS, LORIN
7190 N. Meridian Rd.
P.O. Box: 835

Meridian, ID 83642

Source: Groundwater

Date Filed: 08/04/1988

Diversion Pt.: NESW Sec 19 T 04N
R 01E

Use: Irrigation (1.520 CFS)

In: T04N R01E S19 NESW Lot 5
(NWSW)

76.0 Acres Total

63-10685

ALUMAX BUILDING PRODUCTS
555 Boeing
Boise, ID 83705

Source: Groundwater

Date Filed: 08/10/1988

Diversion Pt.: SESE Sec 26 T 03N
R 02E

Use: Domestic (.040 CFS)

In: T03N R02E S26 SESE

63-10686

BROWNING, JOHN
6901 Emerald
Boise, ID 83704

Source: Groundwater

Date Filed: 08/10/1988

Diversion Pt.: SENE Sec 23 T 03N
R 02E

Use: Domestic (.100 CFS)

In: T03N R02E S23 SENE

63-10688

BOISE WATER CORPORATION
P.O. Box 7488
Boise, ID 83707

Source: Groundwater

Date Filed: 08/15/1988

Diversion Pt.: SWSE Sec 30 T 03N
R 02E

Use: Municipal (2.230 CFS)

In: P/U within the city limits of
Boise.

63-10689

STONEHOUSE, EVANGELICAL
CHURCH

8121 Brynwood

Boise, ID 83704

Source: Groundwater

Date Filed: 08/15/1988

Diversion Pt.: NWNW Sec 10 T
03N R 01W

Use: Irrigation (.160 CFS)

Use: Domestic (.180 CFS)

In: T03N R01W S10 NWNW

8.0 Acres Total

63-10690

DAVIS, TOM E.

2740 Ustick Rd.

Meridian, ID 83642

Source: Groundwater

Date Filed: 08/22/1988

Diversion Pt.: SWSE Sec 32 T 04N
R 01E

Use: Irrigation (1.080 CFS)

In: T04N R01E S32 NESW SESW
NWSE SWSE

104.0 Acres Total

63-10691

CALNON, TERRY

2075 W. Franklin

Meridian, ID 83642

Source: Groundwater

Date Filed: 08/23/1988

Diversion Pt.: NWNE Sec 14 T 03N
R 01W

Use: Domestic (.040 CFS)

In: T03N R01W S14 NWNE

63-10693

VANDERKOOY, SIMON

VANDERKOOY, MARY

8190 S. Ten Mile Rd.

Meridian, ID 83642

Source: Groundwater

Date Filed: 08/30/1988

Diversion Pt.: NWNW Sec 11 T
02N R 01W

Use: Stockwater (.330 CFS)

Use: Domestic (.120 CFS)

In: T02N R01W S11 NWNW

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before SEPTEMBER 26, 1988.

R. KEITH HIGGINSON
Director

STATE OF IDAHO)

ss.

COUNTY OF ADA)

Debbie Richards

, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for 2 consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of September 8, 1988

and ending with the issue of September 15, 1988

Debbie Richards

Subscribed and sworn to before me this 15th

day of September, 1988

And E. Plow
Notary Public for Idaho, Residing at Boise, Idaho

INDEXED

DEC 08 1988

63-10689

STONEHOUSE EVANGELICAL CHURCH
8121 BRYNWOOD
BOISE, ID 83704

Source: GROUNDWATER

Diversion Pt: NWNW Sec 10 T 03N R 01W

Use: IRRIGATION (.160 CFS)
 DOMESTIC (.180 CFS)

Date Filed: 8/15/1988

In: T03N R01W S10 NWNW

8.0 ACRES TOTAL

MICROFILMED

DEC 08 1988