


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

McKellip Farns, Inc.
Lewis McKellip President
 (Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Mc Kellip Farms, Inc. Permit No. 03-10684
Current Address: Rt Box 2117,ampa, Idaho 83651 Phone No. 466-6819
2. Accompanied by: Lewis Mc Kellip EXAM. DATE: 7-2-91
Address: same Phone No. same
Relationship to Permit Holder: owner
3. Source: groundwater tributary to none

E. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached




Scale: 1" = _____

DEC 09 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☒ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

63-10684
System Diagram



PERMIT 6310684 INIT LW.
T. R. S. Q/Q
P/D 4N 2W 25 SWNE
SCALE
PHOTO ID. X-6

P/U

25

P/D

RECEIVED
DEC 09 1932

Lone Tree
School

ADA CO
CANYON CO

T. 4 N.

T. 3 N.

63-10684



#1

Point of diversion
Mint field
behind motor
is part of place
of use.



#2.

Discharge pipe
and delivery ditch.
Field on right
is part of place
of use.

MICROFILMED

DEC 09 1992

63-10684



#3.

Owners weir.

Weir is improperly constructed because weir blade is not on a right angle to flow. A measurement was taken but not used with exam. Field to left is part of place of use.

MICROFILMED

DEC 09 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10684

Priority: August 23, 1988

Maximum Diversion Rate: 3.00 CFS
Maximum Diversion Volume: 675.0 AF

This is to certify, that MC KELLIP FARMS INC
18120 DEAN LANE
NAMPA ID 83687

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 23, 1988; and has submitted Proof of Beneficial Use on May 24, 1990. An examination indicates that the works have a diversion capacity of 9.240 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	3.00 CFS	675.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 25, Township 04N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	02W	25	SWNE 39	SENE 40	NESW 38	150
			NWSE 33			

Total number of acres irrigated: 150

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

NOTED

DEC 09 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10684

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 25TH
day of NOVEMBER, 1992.

Acting for  R. Keith Higginson, Director

DEC 09 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant M^c KELLIP FARMS, INC Phone 466-6819

Post office address RT 2 Box 2117 NAMPA IDAHO 83651

2. Source of water supply GROUND WATER which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of SW 1/4 of NE 1/4, Govt. Lot _____

Sec. 25 Township 4 N Range 2 W B.M. CANYON County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 3.2 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 3.2 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL, PUMP, OPEN DITCH

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 16" inches; proposed depth of well is 200' feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is

5 years (minimum 1 year).

MICROFILMED

DEC 08 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	2W	25			40					40	40					40			160

Total number of acres to be irrigated 160


10. Describe any other water rights used for the same purposes as described above. PIONEER IRRIGATION DISTRICT
11. a. Who owns the property at the point of diversion? APPLICANT
- b. Who owns the land to be irrigated or place of use? APPLICANT
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: well drilling permit 63-88-Z-161 approval 8/23/88. (SL 8/29/88)

RECEIVED

DEC 08 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

DEC 06 1966

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

McKellip Farms, Inc.
Lewis McKellip President
 (Applicant)

Proposed Priority 8/23/88

8-23-88

12:00

Received by Jim

Date 8-23-88

Time 9:00AM

Preliminary check by SL

Fee \$ 105.00

Receipted by SL

W000769

Date 8/29/88

NOTE: Check
Receipt with
Appl. at S.O.
8/23/88

Publication prepared by GG

Date 8-31-88

Published in Press-Tribune

Publication approved SL

Date 9/20/1988

9/7 & 9/14/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10684, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

December 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 14th day of November, 1988.

A. Glen Saylor

MICROFILMED

DEC 08 1988



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

October 7, 1988

RECEIVED

OCT 12 1988

RE: Application for Permit No. 63-10684

Department of Water Resources

McKellip Farms, Inc.
Rt. 2, Box 2117
Nampa, ID 83651

Gentlemen:

Dear Mr. McKellip:

We have received your application for permit, for irrigation purposes, from our Western Regional Office for final review. However, prior to final action being taken on the application we need to have a list of the names and addresses of all partners, directors and officers within the corporation. This is a requirement of the Department's Water Appropriation Rules and Regulations.

Please submit this information within the next thirty days so we can continue with the processing of your application.

Sincerely,

Kay

KAY WALKER
Technical Records Specialist

KW:sc

Kay:

McKellip Farms Inc officers are;

Lewis McKellip, Pres.

Anne McKellip, Sec.

Address

*Rt 2 Box 2117
Nampa, Id 83651*

*Lewis
McKellip*

MICROFILMED
DEC 08 1988

RECEIVED
SEP 14 1988

Department of Water Resources
Western Regional Office

NOTICE OF APPLICATION
FOR WATER RIGHT

The following applications have
been filed to appropriate the public
waters of the State of Idaho:

63-10667
BAUM, JERRY R. 9839 CHERRY LN.
NAMPA, ID 83651

Source: GROUNDWATER
Diversion Pt: SENE Sec 5 T 03N R
01W

Use: IRRIGATION (1,600 CFS)

Date Filed: 8/01/1988

In: T03N R01W S05 Lot 3 (NENE)

SENE

80.0 ACRES TOTAL

63-10678
ESKEW, GARY 5315 S. 10TH AVE.

CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: SWSW Sec 3 T 03N R

03W

Use: DOMESTIC (.020 CFS)

IRRIGATION (.150 CFS)

Date Filed: 8/15/1988

In: T03N R03W S03 SWSW

5.0 ACRES TOTAL

63-10679
ESKEW, E.E. 4812 S. INDIANA

CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: NESE Sec 3 T 03N R

03W

Use: IRRIGATION (.400 CFS)

Date Filed: 8/15/1988

In: T03N R03W S03 NESE

20.0 ACRES TOTAL

63-10680
BURRILANE FARMS INC. 3824 E. POWERLINE RD.

NAMPA, ID 83651

Source: GROUNDWATER

Diversion Pt: SWSE Sec 24 T 03N R

R 02W

Use: IRRIGATION (.380 CFS)

STOCKWATER (.020 CFS)

Date Filed: 7/07/1988

In: T03N R02W S24 SWSE SESE

19.0 ACRES TOTAL

63-10681
TIDWELL, JOSEPH R. RT. 2 BOX 2204

NAMPA, ID 83651

Source: GROUNDWATER

Diversion Pt: LOT 3 (NENW) Sec

6 T 03N R 01W

Use: IRRIGATION (1,600 CFS)

Date Filed: 8/11/1988

In: T03N R01W S06 Lot 3 (NENW)

Lot 4 (NWNW)

80.0 ACRES TOTAL

63-10683
HERMAN, ERNEST

HERMAN, RUSSELL

RT. 1

MELBA, ID 83641

Source: GROUNDWATER

Diversion Pt: NWNWNE Sec 24 T

01N R 02W

Use: IRRIGATION (2,420 CFS)

Date Filed: 8/10/1988

In: T01N R02W S14 SENE NESE

S24 NENE NWNW

NWNW

240.0 ACRES TOTAL

63-10684
MC KELLIP FARMS INC. RT. 2 BOX 2117

NAMPA, ID 83651

Source: GROUNDWATER

Diversion Pt: SWNE Sec 25 T 04N

R 02W

Use: IRRIGATION (3,200 CFS)

Date Filed: 8/23/1988

In: T04N R02W S25 SWNE SENW

NESW NWSW

160.0 ACRES TOTAL

63-10687
ESKEW, GARY 5315 S. 10TH AVE.

CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: SENW Sec 2 T 03N R

03W

Use: IRRIGATION (.400 CFS)

Date Filed: 8/15/1988

In: T03N R03W S02 SENW

20.0 ACRES TOTAL

The permits will be subject to all
prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Western Region,
2735 Airport Way, Boise, Idaho
83705 on or before SEPTEMBER
26, 1988.

R. KEITH HIGGINSON
Director

September 7, 14, 1988

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Debra Martin del Campo
of Nampa, Canyon County, Idaho, being first duly sworn, deposes
and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of eighteen years,
and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a
daily, (except Saturday) newspaper published in the City of Nampa
and Caldwell, in the County of Canyon, State of Idaho; that the said
newspaper is in general circulation in the said County of Canyon,
and in the vicinity of Nampa and Caldwell, and has been uninter-
ruptedly published in said County during a period of seventy-eight
consecutive weeks prior to the first publication of the notice, a copy
of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper

Two times
in the regular and entire issue of said paper, and was printed in
the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:
September 7, 14, 1988

Debra Martin del Campo
Subscribed and sworn to before me this
14th day of September
1988

James S. Cook
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1991

MICROFILMED

DEC 08 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 2, 1992

MC KELLIP FARMS INC
18120 DEAN LANE
NAMPA ID 83687

RE: WATER RIGHT NO. 63-10684

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

DEC 9 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 9, 1992

MC KELLIP FARMS INC
18120 DEAN LANE
NAMPA ID 83687

RE: WATER RIGHT NO. 63-10684

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

DEC 09 1992

LICENSE REVIEW CHECKLIST

Permit # 63-10684

Date 11-02-92
CS

	Yes	No	
NAME	—	✓	Address Change?
PRIORITY DATE	—	✓	Advance? _____
	—	✓	Memo to Advance _____
	—	✓	Order to Reinstate Needed? _____
TOTAL CFS	—	✓	Incorrect Fee for rate recommended? _____
	—	NA	Disagree with Actual Measurement? _____
			150 x .02 = 3.0 cfs (IRR) _____
	—	✓	Disagree with Theoretical? _____
	—	✓	Limited by Capacity? 9.24 cfs _____
TOTAL VOLUME			Rate/ac 4.5 AFA Irr. Season D _____
			3-15 to 11-15 Standard Irr. Season _____
			Same Per Permit Season Recommended _____
	—	✓	Disagree with Examiner's Calculations? _____
			150 x 4.5 = 675 _____
	—	✓	Limited by Flow? _____
SOURCE	—	✓	Changes? Clarification of <u>Originally</u> _____
			<u>Intended</u> source _____
	—	✓	Notice of Intent to Void. _____
P/D			Verify with Map _____
	—	✓	Amendment Needed? _____
	—	✓	Is Overlap Analysis a Consideration? _____
P/U			Verify with Map _____
	—	✓	Amendment Needed? _____
	—	✓	Is Overlap Analysis a Consideration? _____
USES	—	✓	Change(s) in Nature of Use? _____
	—	✓	Amendment Needed? _____
REMARKS	—	✓	Multiple P/Ds in 1/4 1/4? _____
	—	✓	Non-Irr. Uses _____
	—	✓	Special Overlap Condition _____
	—	✓	Other _____
CONDITIONS	—	✓	Measuring Device _____
	—	✓	W/Master Control _____
	R32	—	Overlap _____
	—	✓	Water Quality _____
			DATES/MISC _____
		✓	Water Dist. _____
		—	App Rec'd _____
		—	Exam Made _____
COMMENTS/MEMOS NEEDED:			Reduced Acres rate _____

License 10-Day 15-Day Special Correspondence

DATE: 11/01/92
PAGE: 1

Audit: 11/01/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Mc Kellip Farms, Inc. Permit No. 03-10684
Current Address: Rt Box 2117;ampa, Idaho 83651 Phone No. 466-6819
2. Accompanied by: Lewis Mc Kellip EXAM. DATE: 7-2-91
Address: same Phone No. same
Relationship to Permit Holder: owner
3. Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: None
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



See Attached diagram.

MICROFILMED

Scale: 1" = _____

DEC 09 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Consists of a well with 16" diameter casing and 10" discharge pipe into an open concrete ditch. The concrete ditch flows into several other concrete ditches at headgates and irrigation is provided by siphon tubes. A 30 Hp submersible pump is used to draw water from the well. A headgate adjacent to well site allows Pioneer Irrigation Dist. water to also be used with this permit water.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	45	30	3648335	Layne	~~10~~ 10" Unknown

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NE	25	4N	2W	Canyon	Ortho photo good map

6. **Place(s) of Use:**

Indicate Method of Determination

serial map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
					39					40	38						33		150

REGISTERED

DEC 09 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

None were acceptable. A measurement was taken on the owner's weir but because it was improperly constructed (weir blade on 45° angle) it was not used.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes: $\frac{30 \times 8.8 \times 7}{20 + (2.3 \times 0)} = \frac{8.3 \text{ cfs}}{9.24}$ allow 1"/acre
3.0 cfs

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 150 \times 4.5 = 675 \text{ afa}^-$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 3.0 \times 246 \times 1.9835 = 1,463.8^-$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 675 \text{ afa}^-$

2. Volume Calculations for Other Uses:

None

MICROFILMED

DEC 09 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

No overlaps

Combination of this permit and Pioneer Irrigation water should not exceed .02 cfs and 4.5 afa

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	3.0 cfs	675 afa

Totals: 3.0 cfs - 675 afa -

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Melvin T. Schulte


Signature

Melvin T. Schulte

Certification Date

Field Report Preparation Date


7-19-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED
DEC 09 1992

Numero 13



Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10684
Otherwise provide legal description and a sketch map and/or address
so that the well can be located easily.

1. Legal Description: TWP 4N, Rge 2W, Sec. 25, SW 1/4 SE 1/4
or Lot _____.
2. Owner: McKellip Farms, Inc.
Address Rt 2, City Thompson, St Del.
3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐
4. Access Port: Yes ☒ No ☐ Static Water Level: 10'
Pressure Gauge: Yes ☐ No ☒ Casing Diameter: 10"
Flowing: Yes ☐ No ☒ Temperature: _____
5. Are there any obvious construction problems that may be a
source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach
photo.

Remarks: _____


MICROFILMED
DEC 09 1992

63-10684



#1

Point of diversion
Mint field
behind motor
is part of place
of use.




#2.

Discharge pipe
and delivery ditch.
Field on right
is part of place
of use.

RECEIVED

DEC 9 1952

63-10684



#3.

Owners weir.

Weir is improperly constructed because weir blade is not on a right angle to flow. A measurement was taken but not used with exam. Field to left is part of place of use.

MICROFILMED

DEC 09 1992

MC KELLIP FARMS, INC.
18129 Dean Lane
Nampa, ID 83687

July 17, 1990

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10684

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED
JUL 24 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10684

Date: 7-13-90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change yes If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

- ☐ Surface water
☒ Groundwater
☒ 1. well log in file
☒ 2. drilling permit
☒ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Very acceptable

Priority Calculation:

Date proof received	<u>NT</u>	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Address Change

Form 217
03/86

RECEIVED
MAY 24 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received 175.00
Date 5-24-1990
Receipt # 2016973
Receipt by EWS
Reviewed by 21-713-20
Sent to region

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10684
Name(s) of Permit Holder: McKellip Farms, Inc.
Post Office Address: 18120 Dean Lane, Nampa, ID 83687
Telephone No. 466-6819

Source of Water: groundwater

Extent of Use:
Domestic (number of households) Stockwater (number and type of stock)
Irrigation 157 (acres) Other/Remark

Total rate and/or volume for which proof is submitted 3.14 cfs acre-foot

Show the date water was first diverted and beneficially used under this permit: April 1, 1990

Measuring Device: Required? Yes ☒ No ☒
Installed? Yes ☒ No ☒

Fee enclosed \$ 175.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ☒ No ☒
Installed? Yes ☒ No ☒

Person to contact to accompany the Department representative during the field examination:

Lewis McKellip 466-6819
(Name) (Telephone Number)

same as above
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

5-24-1990
Date

Lewis McKellip
Signature of Permit Holder (and title, if appropriate)

(STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES ()
COMMENCEMENT OF WORKS

Permit No. 63-10684

Name(s) of Permit Holder(s): McKellip Farms, Inc

Post Office Address: Rt 2 Box 2117

Nampa, Id. 83651 Tel. No. 666-817

☒ I hereby certify that construction of diversion works on the above referenced permit began on 9-9-88 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.

12-20-88
Date

Lewis McKellip
Signature of Permit Holder

PLACE
STAMP
HERE

WATER UTILIZED
JUL 24 1990



RECEIVED

DEC 22 1988

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

RECEIVED
USE TYPEWRITER OR
BALLPOINT PEN

OCT 07 1988

Department of Water Resources

1. WELL OWNER

Name McKellip Farms Inc.

Address Rt. #2 - Box 2117

Nampa, ID 83651

Owner's Permit No. 63-10684

7. WATER LEVEL

Static water level 12 feet below land surface.

Flowing? ☐ Yes ☐ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

Describe artesian or temperature zones below.

2. NATURE OF WORK

63-88-2-161

- ☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.

Pumping Level

Hours Pumped

3. PROPOSED USE

- ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☐ Rotary ☐ Air ☐ Hydraulic ☒ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
.250 inches	16 inches	+2 feet	28 feet
.250 inches	16 inches	38 feet	68 feet
.250 inches	16 inches	78 feet	118 feet
.250 inches	16 inches	158 feet	198 feet
.250 inches	16 inches	208 feet	213 feet

Was casing drive shoe used? ☐ Yes ☒ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ No

Manufacturer's name Roscoe Moss

Type Heavy Wirewrap Model No. _____

Diameter 16 Slot size 0.048 Set from 28 feet to 38 feet

Diameter 16 Slot size 0.048 Set from 198 feet to 208 feet

Gravel packed? ☒ Yes ☐ No ☐ Size of gravel 3/8-

Placed from 18 feet to 223 feet

Surface seal depth 18 Material used in seal: ☐ Cement grout

☐ Bentonite ☒ Pudding clay ☐ _____

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing

☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld

☐ Cemented between strata

Describe access port 2"

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
28"	0	2	Topsoil		
	2	6	Hard Pan		
	6	37	Sand, Gravel, Boulders		
	37	44	Coarse Sand		
	44	53	Brown Clay		
	53	58	Coarse Gray Sand		
	58	67	Brown Clay		
	67	80	Fine Gray Sand		
	80	94	Lt. Brown Clay		
	94	95	Sand		
	95	109	Tan Clay		
	109	110	Sand		
	110	112	Clay		
	112	113	Sand		
	113	117	Brown Sand		
	117	120	Lt. Tan Clay (Somewhat sandy)		
	120	153	Gray Sand (Some Brown)		
	153	166	Sand - Med. Fine		
	166	173	Dark Brn. Clay		
	173	197	Lt. Brn. Clay		
	197	208	Fine Sand		
	208	213	Med. Coarse Sand		
	213	217	Lt. Brn. Med. Coarse Sand		
	217	223	Lt. Grey Clay		

RECEIVED
OCT 10 1988


Department of Water Resources
Western Regional Office

10.

Work started 9/9/88 finished 9/11/88

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block DEC 08 1988

County Canyon

SW ¼ NE ¼ Sec. 25, T. 4N N/S, R. 2W E/W.

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

Pete Cope Drilling Co., Inc.

Firm Name _____ Firm No. 213

6505 West Chinden Blvd.

Address Meridian, ID Date Sept. 12, 1988

Signed by (Firm Official) [Signature]

and

(Operator) Frank Cractain

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
November 25, 1988

MC KELLIP FARMS INC.
RT. 2 BOX 2117
NAMPA, ID 83651

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 63-10684

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

NOT RECORDED

DEC 08 1988

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

Gary Spackman
Supervisor, Water Allocation Section

GS: SC
Enclosures


Microfilm

DEC 08 1988

RECEIVED

AUG 30 1988

State of Idaho
Department of Water Resources
DRILLING PERMIT



Department of Water Resources

(Authorizing Construction of a Well)*

Department of Water Resources
Western Regional Office

1. Applicant McKELLIP FARMS INC.
2. Address RT 2 Box 2117 Nampa, IDAHO 83651
Telephone 466-6819
(X) Well Owner () Well Operator () Other, specify _____
3. Proposed well location SW 1/4 NE 1/4, or Gov't lot No. _____,
Sec. 25, Twp. 4N, Rge. 2W, County CANYON,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)
() Domestic () Stockwater () Monitoring
(X) Irrigation () Industrial () Municipal
() Injection () Other, Specify _____
5. Well construction information:
(X) New well () Deepen () Replace
Proposed surface diameter 16" Maximum depth 300'
Anticipated bottom hole temperature: _____
(X) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Anticipated construction start date WITHIN 10 DAYS 9-1-88
7. Well Driller (if known) PETE COPE 213
Address Lewis McKellip
8. Applicant's signature McKellip Farms, Inc. Lewis McKellip
Title Lewis McKellip
Date 8-23-88

RECORDED

DEC 08 1988

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

(X) Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Dated this 23rd day of August, 1988.

Signed Bary Spackman
Title Water Allocation Section Manager

Received by Jim Fee 100⁰⁰ Date 8-23-88

Receipt No. W000769 Construction start extension to

Extension approved by

MICROFILMED

DEC 08 1988

67
52
8/29/88
check received with appl. at S.O. 8/23/88

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

PO 4N 2W 5.25 SWNE
PW " SWNE
SENN
NESW
NWSE

INITIAL REVIEW BY

SL

DATE

8/29/88

APPLICATION NUMBER

63-10684

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources) *drilling permit issued 8/23/88*
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.) *yes*
☒ Overlapping point of diversion *no*
☐ Yes ☒ No Field check required
Field check by _____
☐ Yes ☒ No Field report attached
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit
☐ Yes ☒ No Power efficiency form
☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
☒ See reverse side for additional information

REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested

OCT 04 1988

Department of Water Resources

RECEIVED

P/W

Review Irrig District for lands in this section:

63-2891 Wilson Slough Drain or

unrecorded (in database) right using Boise River for irrig.
district water.

PROCESSING

☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO

None

☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest September 26, 1988
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached Approve, DET
☐ Yes ☒ No Measuring device required
☒ Yes ☐ No Access port required
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. 63
☐ Yes ☒ No Special conditions of approval or cover letter below.

OIC, 26A Recommend that 2 years be allowed for completion of this project.

Date of priority recommended 8/23/1988 ☐ See below for additional information
By DR Date 10/3/1988

P05

STATE OFFICE REVIEW

P23, P05, P03, P17 46 26 OIG

By KW ☐ See below for additional information
Date 10/14/88

ADDITIONAL INFORMATION



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

October 7, 1988

RE: Application for Permit No. 63-10684

McKellip Farms, Inc.
Rt. 2, Box 2117
Nampa, ID 83651

Gentlemen:

We have received your application for permit, for irrigation purposes, from our Western Regional Office for final review. However, prior to final action being taken on the application we need to have a list of the names and addresses of all partners, directors and officers within the corporation. This is a requirement of the Department's Water Appropriation Rules and Regulations.

Please submit this information within the next thirty days so we can continue with the processing of your application.

Sincerely,

KAY WALKER
Technical Records Specialist

KW:sc

MICROFILMED

DEC 08 1988

Form No. 202a Temp
4/87

Ident. No. 63 - 10684

State of Idaho
Department of Water Resources
Temporary Approval Analysis Sheet

<u>X</u>	Yes	<u> </u>	No	Basin No. Correct?
<u>X</u>	Yes	<u> </u>	No	Source is Groundwater?
<u>X</u>	Yes	<u> </u>	No	Lands are irrigated with surface water rights?
<u>X</u>	Yes	<u> </u>	No	Lands are outside Critical Groundwater Area & Groundwater Management Area boundaries?

Remarks: _____

Application Initially Received	Date	<u>8-23-88</u>	Time	<u>9:00 AM</u>
File Prepared	By	<u>Jim</u>	Date	<u>8-23-88</u>
Staff Review	By	<u>Jim</u>	Date	<u>8-23-88</u>
Temporary Approval Prepared	By	<u>Jim</u>	Date	<u>8-23-88</u>
Temporary Approval Signed	By	<u>GARY</u>	Date	<u>8-23-88</u>
Temporary Approval Mailed*	By	<u>GSJ</u>	Date	<u>8-23-88</u>
Index Updated	By	<u>LL</u>	Date	<u>8/30/88</u>

* HAND DELIVERED DURING APPL. PROCESS

Time 9:10 AM

Time 9:10 AM

Time 9:15 AM

Time 9:35 AM

Time A.M.

Time 1:00 pm

* well drilling permit also issued.

TEMPORARY APPROVAL OF APPLICATION NO. 63-10684

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10684; and a temporary approval to divert groundwater is granted for 70 days until November 1, 1988, subject to the following limitations and conditions:


- a. The water use approved herein is subject to all prior water rights.
- b. By accepting the temporary approval and diversion of water under the temporary approval, the water user assumes all risk relative to interference with other water rights and acknowledges and agrees that the Director is authorized to take reasonable steps to insure that water is not diverted under the approval at any time the Director determines there is not water available for diversion.
- c. The water user acknowledges that the temporary approval does not establish a right to divert water except as specifically provided in the temporary approval.
- d. The water user assumes all risk that he or she will be successful in obtaining a permanent water right permit when the application is processed under the provisions of Chapter 2, Title 42, Idaho Code and the Water Appropriation Rules and Regulations. Following expiration of the temporary approval, diversion of water shall cease and the well shall be capped unless a permit is issued under Chapter 2, Title 42, Idaho Code.
- e. Violation of temporary approval conditions, provisions of the Idaho Code, or the Water Appropriation Rules and Regulations is cause for cancellation of the temporary approval and denial of future requests.
- f. By accepting this temporary approval, the water user acknowledges and agrees that the Director of IDWR is authorized to disconnect the power supply from the pump motor used to divert water under the temporary approval or to take other reasonable steps to insure that water is not diverted during any period the temporary approval is suspended or revoked, or has expired.
- g. The Director retains jurisdiction of this temporary approval, and may cancel or modify the approval, or impose additional conditions not a part of the original temporary approval conditions.

MICROFILMED

DEC 08 1988

- h. The temporary approval applies only to uses and lands which normally have an adequate supply of water from surface water sources but are temporarily water short because of drought conditions.

Witness my hand this 23rd day of August, 1988.


GARY SPACKMAN, Manager
Water Allocation Section

MICROFILMED

DEC 08 1988

August 23, 1988

McKellip Farms, Inc.
Rt. 2 Box 2117
Nampa, ID 83651

Dear Water Right Applicant:

Enclosed is a temporary approval for diversion of groundwater during the 1988 irrigation season.

The copy of the application for permit to appropriate water attached to the interim approval defines the various components of your temporary approval. The inclusion of the copy of the application is only for the purpose of definition, and any terms contained therein are limited by the conditions of the temporary approval. Note that the authority to use water from the well is limited to the 1988 irrigation season. Use of water from the well after that date is not authorized.

This office will continue to process the original application for permit, pursuant to Chapter 2, Title 42, Idaho Code, unless directed otherwise by you. This processing will include advertisement for two weeks in the county where the point of diversion is located.

Sincerely,



GARY SPACKMAN, Manager
Water Allocation Section

MICROFILMED

DEC 08 1988

63-10684

MC KELLIP FARMS INC.
RT. 2 BOX 2117
NAMPA, ID 83651

Source: GROUNDWATER

Diversion Pt: SWNE Sec 25 T 04N R 02W

Use: IRRIGATION (3.200 CFS)

Date Filed: 8/23/1988

In: T04N R02W S25 SWNE SENW NESW NWSE

160.0 ACRES TOTAL

MICROFILMED

DEC 08 1988