


1944-1945



DEC 08 1988

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)



INSPECTED BY:
Kelly K. Christensen

DATE:
11-21-89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 25 1990

A. GENERAL INFORMATION

1. Owner: GARY ESKEW
Current Address: 5315 SO. 10TH AVE CALDWELL, ID 83605
2. Accompanied by: GARY ESKEW
Address: _____
Relationship to Permit Holder: OWNER
3. Source: GROUND WATER tributary to _____


Department of Water Resources
Permit No. 63-410678
Phone No. 459-3535
EXAM. DATE: 11/21/89
Phone No. _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: DITCH CO. WATER (WILDER DITCH CO.)
☐ Copies Attached
2. Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).



PICTURE # 1

This picture is looking north and shows the well and the discharge point. The house for domestic use is shown in the background.



PICTURE # 2

This picture shows the end of the ditch running from the diversion point and the point where the second section of the ditch begins. The two ditches are connected by a buried pvc pipe. Shown is the permit holder running a sewer tape down the line to dislodge a clump of leaves that was blocking the pipe and causing the ditch to overflow. The plug was removed before I left. This picture is looking east across the P/U.



RECORDED
SEP 18 1991

PICTURE # 3

This picture looking east shows the house and yard. The house is the domestic use location.



MICROFILMED
SEP 18 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10678

Priority: August 31, 1988

Maximum Diversion Rate: 0.15 CFS
Maximum Diversion Volume:¹ 20.4 AF

This is to certify, that GARY ESKEW
5315 S. 10TH AVE.
CALDWELL, ID 83605

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 15, 1988; and has submitted Proof of Beneficial Use on November 17, 1989. An examination indicates that the works have a diversion capacity of .220 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.13 CFS	19.8 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.15 CFS	20.4 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 3, Township 03N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	03W	3	SWSW	4.4		4.4
Total number of acres irrigated:						4.4

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

SEP 18 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 63-10678

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.
6. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 29TH day of AUGUST, 1990.

Acting for


R. Keith Higginson, Director

MICROFILMED

SEP 18 1990

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-10678 IN THE)
NAME OF GARY ESKEW) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before November 1, 1989; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,


WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on November 17, 1989;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-10678 be REINSTATED and the priority advanced to August 31, 1988.

Dated this 9th day of February, 1990.

MICROFILMED

MAR 14 1990


L. GLEN SAXTON, Chief
Water Allocation Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Gary Eskew Phone 459-3535
Post office address 5315 South 10th Ave Caldwell, Id. 83605
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of SW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 3 Township 3N Range 3W B.M. Canyon County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .02 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .15 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .17 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well, pump, piped to home, and
open discharge to cement ditch for gravity irrigation.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 8 to 10 inches; proposed depth of well is 150 feet.
d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5¹/₂ years (minimum 1 year).

MicroFILMED

DEC 08 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. 1 home, internal use
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	3W	3											5						5
													D						

Total number of acres to be irrigated 5

10. Describe any other water rights used for the same purposes as described above. Wilder Irrigation District water (63-2388) from Boise River


- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: P/U is N½ NW¼ SW¼ SW¼. This well will replace a 1919 well (4") that is failing.
Drilling permit 63-88-W-152 obtained.

INDEXED

DEC 08 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)

Received by SL Date 8/15/88 Time 4:00 Proposed Priority 8/15/88
Preliminary check by SL
Fee \$ 30⁰⁰ Receipted by SL # W00696 Date 8/15/88
Publication prepared by GG Date 8-31-88 Published in Press-Tribune
9/7 & 9/14/88
Publication approved JA Date 9/22/1988

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10678, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 1989.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Witness my hand this 11th day of October, 1988.

A. Glen Saylor

MICROFILMED

DEC 08 1988

RECEIVED

SEP 14 1988

Department of Water Resources
Western Regional Office

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following applications have been filed to appropriate the public waters of the State of Idaho:

63-10667, JERRY BAUM, JR.
9839 CHERRY LN.
NAMPA, ID 83651
Source: GROUNDWATER
Diversión Pt: SENE Sec 5 T 03N R 01W

Use: IRRIGATION (1,600 CFS)
Date Filed: 8/01/1988
In: T03N R01W S05 Lot 3 (NENE) SENE
80.0 ACRES TOTAL

63-10678, GARY ESKEW
5315 S. 10TH AVE.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt: SWSW Sec 3 T 03N R 03W

Use: DOMESTIC (.020 CFS)
IRRIGATION (.150 CFS)
Date Filed: 8/15/1988
In: T03N R03W S03 SWSW
5.0 ACRES TOTAL

63-10679, E.E. ESKEW, JR.
4812 S. INDIANA
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt: NESE Sec 3 T 03N R 03W

Use: IRRIGATION (.400 CFS)
Date Filed: 8/15/1988
In: T03N R03W S03 NESE
20.0 ACRES TOTAL

63-10680, BURRILANE FARMS INC.
3824 E. POWERLINE RD.
NAMPA, ID 83651
Source: GROUNDWATER
Diversión Pt: SWSE Sec 24 T 03N R 02W

Use: IRRIGATION (.380 CFS)
STOCKWATER (.020 CFS)
Date Filed: 7/07/1988
In: T03N R02W S24 SWSE SESE
19.0 ACRES TOTAL

63-10681, JOSEPH R. TIDWELL
RT. 2 BOX 2204
NAMPA, ID 83651
Source: GROUNDWATER
Diversión Pt: LOT 3 (NENW) Sec 6 T 03N R 01W

Use: IRRIGATION (1,600 CFS)
Date Filed: 8/11/1988
In: T03N R01W S06 Lot 3 (NENW) Lot 4 (NWNW)
80.0 ACRES TOTAL

63-10683, ERNEST HERMAN
HERMAN, RUSSELL
RT. 1
MELBA, ID 83641
Source: GROUNDWATER
Diversión Pt: NWNWNE Sec 24 T 01N R 02W

Use: IRRIGATION (2,420 CFS)
Date Filed: 8/10/1988
In: T01N R02W S14 SENE NESE S24 NENE NWNW NENW
240.0 ACRES TOTAL

63-10684, MC KELLIP FARMS INC.
RT. 2 BOX 2117
NAMPA, ID 83651
Source: GROUNDWATER
Diversión Pt: SWNE Sec 25 T 04N R 02W

Use: IRRIGATION (3,200 CFS)
Date Filed: 8/23/1988
In: T04N R02W S25 SWNE SENW NESW NWSE
160.0 ACRES TOTAL

63-10687, GARY ESKEW
5315 S. 10TH AVE.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt: SENW Sec 2 T 03N R 03W

Use: IRRIGATION (.400 CFS)
Date Filed: 8/15/1988
In: T03N R03W S02 SENW
20.0 ACRES TOTAL

The permits will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before SEPTEMBER 26, 1988.

R. KEITH HIGGINSON
Director
September 7, 14, 1988

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)

) ss.

County of Canyon)

Debra Martin del Campo
of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two times
in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

September 7, 14, 1988

Debra Martin del Campo
Subscribed and sworn to before me this

14th day of September

19 88

Jeanne Lusk
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1991

MICROFILMED

DEC 08 1988

August 30, 1990

GARY ESKEW
5315 S. 10TH AVE.
CALDWELL, ID 83605

RE: PERMIT NO. 63-10678

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 18 1990

August 8, 1990

GARY ESKEW
5315 S. 10TH AVE.
CALDWELL, ID 83605

RE: PERMIT NO. 63-10678

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
SEP 18 1990

WR-NUMBER	NAME	STG	SOURCE	T	R	S	NE				NW				SW				SE				SUM
							NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
L6310678																							
6302388	U.S. DEPT. OF INTERIOR	L	BOISE RIVER	03N	03W	3					:				:				:				
6302529	PIONEER IRRIGATION DIS	L	GROUNDWATER	03N	03W	3					:				:				:				
6302891	PIONEER IRRIGATION DIS	L	WILSON SLOUGH DRAIN	03N	03W	3					:				:				:				
6302935	HARRIS	L	GROUNDWATER	03N	03W	3	30				:				:				:			30	
6302936	KORN	L	GROUNDWATER	03N	03W	3					:				:				:		40	40	
6303412	WIEMERS	L	GROUNDWATER	03N	03W	3				37	:				:				:			37	
6303507	B. D. M. PARTNERSHIP	L	GROUNDWATER	03N	03W	3					:				:				:	20		20	
6304249	HART	S	GROUNDWATER	03N	03W	3					:	40	40		:	20	40	20	:			180	
6308568	HOLDEN	L	GROUNDWATER	03N	03W	3					:			35	:	18			:			53	
6309892	PALARANG WATER CORP.	P	GROUNDWATER	03N	03W	3					:				:				:				
6310061	BARTAK	L	GROUNDWATER	03N	03W	3					:				:		4		:			4	
6310678	ESKEW	P	GROUNDWATER	03N	03W	3					:				:		5		:			5	
6310679	ESKEW	P	GROUNDWATER	03N	03W	3					:				:				:	20		20	
6310778	HOPPER	P	GROUNDWATER	03N	03W	3					:				:				:	20		20	
L6309892	PALARANG WATER CORP.	L	GROUNDWATER	03N	03W	3					:				:				:				
L6310678	ESKEW	L	GROUNDWATER	03N	03W	3					:				:		4		:			4	
	1986 MAPPING DATA ---	-	COUNTY 27 QUAD X	5	03N	03W	3				37	38	:		18	38	:	38	27	28	24	38 38 39 29	392

ok

MICROFILMED

SEP 18 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

63-10678
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with conditions of approval

Yes Well Inspection Form Needed

☐ Copy of U.S.G.S. Quad

none Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index 10-2-89 KKC (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☒ Other: 63-10061 DIFF WELL & SYSTEM IN SAME Q Q

Check of P/U index 11-2-89 KKC (Initial and date)

Overlap? ☐ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☒ Other: SAME

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☐ Photographs of Point of Diversion and Place of Use

C. Review and Processing:

Exam Completed 11-28-89 Kelly K. Christensen (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent _____ (Initial and date)


Exam Reviewed by Manager of Regional Office Dnr 5/17/90 (Initial and date)

Exam Date Entered in Computer ✓ (Initial and date)

Exam sent to State Office 5-25-90 st (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

Form 238-I
04/88




State of Idaho
Department of Water Resources
WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. 3N, Rge. 3W,
Sec. 3, Qtr./Qtr. SW/SW or Lot _____
2. Owner GARY ESKEW
Address 5315 S. 10th AVE, City CALDWELL, State ID
3. Approx. date of well construction 10-27-88
Well Driller SCOTT DRILLING
4. Casing: Diameter 8" Condition NEW
5. Casing length above land surface 17"
6. Well depth (ft) 155 Flowing NO Temp. 58°
Access port NO
7. Condition of piping and valving NEW
8. Evidence of well seal -
9. Shut in pressure or static water level FROM WELL LOG 60'
10. Evidence of leakage around the casing NO
11. Does well need repair NO
12. Comments WELL WAS PRODUCING A LOT OF SAND AT EXAM
TIME.

(OVER)



INSPECTED BY:
Kelly K. Christensen

DATE:
11-21-89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 25 1990

A. GENERAL INFORMATION

Department 3140678
Permit No. 63-140678

1. Owner: GARY ESKEW Phone No. 459-3535
Current Address: 5315 SO. 10TH AVE CALDWELL, ID 83605
2. Accompanied by: GARY ESKEW EXAM. DATE: 11/21/89
Address: _____ Phone No. _____
Relationship to Permit Holder: OWNER
3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: DITCH CO. WATER (WILDER DITCH CO.)

☐ Copies Attached
2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED
SEP 18 1990

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

THE SYSTEM IS A WELL WITH 2 PUMPS, ONE FOR DOMESTIC AND THE SECOND FOR IRRIGATION OF 4.2 ACRES FIELD AND 0.2 ACRES OF YARD. THE SYSTEM WAS PUMPING LOTS OF SAND AT EXAM TIME. FOR IRRIGATION THE PERMIT HOLDER INSTALLED A CEMENT DITCH ALONG THE WEST BORDER OF THE P/U. THE DITCH IS IN TWO SECTIONS THAT ARE JOINED WITH A BURIED PLASTIC PIPE. THIS WATER IS USED TO SUPPLEMENT DITCH CO. WATER. NO OTHER OVERLAP FOUND

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
PUMP #1 (HOUSE)	RED JACKET	1 1/2		RED JACKET	1 1/2
PUMP #2 (IRRIG)	RED JACKET	5		RED JACKET	3"

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	SW		3	3N	3W	CANYON	ORTHO PHOTOGRAPHIC QUAD MAP.

6. **Place(s) of Use:**

Indicate Method of Determination ORTHO PHOTO

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	3W	3											4.4						4.4
													ED						

MICROFILMED

Do not use this space

SEP 18 1990

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
15 GAL DRUM						
STOP WATCH						

2. Measurements:

MEASURED 15 GAL IN 9 SEC

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$15/9_{\text{sec}} \times 60 = 100 \text{ GAL/MIN} / 448.8 = 0.223 \text{ CFS}$$

2. Alternate Method for Checking Purposes: $\text{No Access Port} \rightarrow \frac{5 \times 8.8 \times .8}{65 + (2.3 \times 0)} = 0.54 \text{ CFS}$

F. PUMP EFFICIENCY DATA (Optional)

$$\text{DIM} \rightarrow \frac{1.5 \times 8.8 \times .8}{65 + (2.3 \times 40)} = 0.067 \text{ CFS}$$

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 4.4 \times 4.5 = 19.8$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.13 \times 245 \times 1.9835 = 63.17$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 19.8$$

2. Volume Calculations for Other Uses:

MICROFILMED

SEP 18 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

PERMIT IS FOR 5 ACRES @ 0.15 CFS
 DOMESTIC @ 0.02 CFS
 FEES PAID FOR 0.20 CFS MAX
 FOUND 4.4 ACRES AND 0.23 CFS
 DOMESTIC (1 HOME)
 LEGAL LIMIT 4.4 ACRES @ 0.03 CFS/ACRE = 0.132
 DOMESTIC @ 0.02 CFS = 0.02
 TOTAL DIVERSION = 0.152 CFS

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
IRRIGATION	3-15	11-15	0.13 CFS	19.8
DOMESTIC	1-1	12-31	0.02 CFS	0.60 AFA
Totals:				0.15 CFS 20.4 AFA

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name KELLY K. CHRISTENSEN
 Signature Kelly K. Christensen
 Certification Date _____
 Field Report Preparation Date 11-28-89




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

SEP 18 1990

PICTURE # 1

This picture is looking north and shows the well and the discharge point. The house for domestic use is shown in the background.



PICTURE # 2

This picture shows the end of the ditch running from the diversion point and the point where the second section of the ditch begins. The two ditches are connected by a buried pvc pipe. Shown is the permit holder running a sewer tape down the line to dislodge a clump of leaves that was blocking the pipe and causing the ditch to overflow. The plug was removed before I left. This picture is looking east across the P/U.



SEP 18 1990

MICROFILMED

MICROFILMED

SEP 18 1990

PICTURE # 3

This picture looking east shows the house and yard. The house is the domestic use location.



MICROFILMED

SEP 18 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10678

Date: 2-18-90

General Considerations:

y Name same as permit
y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Proof Proof received timely
_____ Reinstated

Source of Water:

y Surface water
y Groundwater
y 1. well log in file
y 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
y Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks: Proof acceptable

y Priority Calculation:
Date proof received Nov. 17 *
Date proof due Nov. 1 -
No. of days late = 16
Priority date Aug. 15, 88 + 227
NEW PRIORITY DATE Aug. 31, 88 = 243

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

* This is the date Western wrote the receipt.



NOV 20 1989

For Office Use Only
 Amt. of Fee \$ 50.00
 Date 11-17-89
 Receipt No. W006728
 Received by RW

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10678 Telephone No. 459-3535

Name(s) of Permit Holder(s): Gary Eskew

Post Office Address: 5315 S 10th Ave Caldwell 83605

Source of Water: Groundwater

If ground water, well driller's name: Jim Scott Date drilled: 10/27/88

Extent of Use:
 Domestic 1 (No. of households) Irrigation 5 (No. of acres)
 Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 0.17 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 12/1/88

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Gary Eskew 459-3535
 Name Telephone No.

Same as above
 Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MAR 14 1990

11-17-89 Gary Eskew
 Date Signature (and title if on behalf of a company or organization)

MICROFILMED

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

November 14, 1989

GARY ESKEW
5315 S. 10TH AVE.
CALDWELL, ID 83605

LAPSE NOTICE

RE: PERMIT NO. 63-10678

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced water permit has lapsed. This office did not receive either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time. You were provided the proper form in our proof due notice to you dated August 31, 1989.

Your permit cannot be reinstated unless you submit proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal (including the examination fee or a completed field examination report) or the extension request form together with the \$15 fee must be received by this department within sixty days of the date of mailing of this lapse notice or the permit will no longer be of any force or effect.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which might bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

LGS:RF

UNRECORDED

MAR 14 1990

CERTIFICATION OF MAILING

I hereby certify that on 11-15-89
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

138573
August 31, 1989

GARY ESKEW
5315 S. 10TH AVE.
CALDWELL, ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 63-10678

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

NOT FILMED

MAR 14 1990

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCE

WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

NOV 29 1988

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

NOV 18 1988

93

1. WELL OWNER

Name GARY ESKEN
Address 5315 South 10th Ave
CHAMBERLAIN
Owner's Permit No. 63-88-W-152

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

- ☒ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION


Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness 250 inches Diameter 8 inches + 1 feet 140 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 20 Material used in seal: ☐ Cement grout
☒ Bentonite ☒ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
Weld _____
☐ Cemented between strata
Describe access port SANITARY WELL CAP

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____
Lot No. _____ Block No. _____

County CANYON
SW 1/4 SW 1/4 Sec. 3 T. 3 N. R. 3 W.

7. WATER LEVEL

Static water level 60 feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>300</u>	<u>120</u>	<u>2</u>

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
<u>8</u>	<u>0</u>	<u>1</u>	<u>TOP SOIL</u>		☒
	<u>1</u>	<u>15</u>	<u>Brown clay</u>		☒
	<u>15</u>	<u>21</u>	<u>Brown sandy clay</u>		☒
	<u>21</u>	<u>45</u>	<u>Sand & gravel</u>		☒
	<u>45</u>	<u>60</u>	<u>Sandy brown clay</u>		☒
	<u>60</u>	<u>67</u>	<u>Brown sand - clay</u>	☒	
	<u>67</u>	<u>80</u>	<u>Brown clay</u>		☒
	<u>80</u>	<u>100</u>	<u>Yellow sandy clay</u>		☒
	<u>100</u>	<u>120</u>	<u>Fine Brown sand</u>	☒	
	<u>120</u>	<u>135</u>	<u>Sandy clay</u>	☒	
	<u>135</u>	<u>140</u>	<u>Brown clay</u>		☒
	<u>140</u>	<u>155</u>	<u>White sand</u>	☒	

10.

Work started 10-26-88 finished 10-27-88

DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

Firm Name SCOTT DRILLING CO. Firm No. 327
5412 LAKE AVE.
Address CALDWELL, ID 83605 Date _____
(208) 459-6686

Signed by (Firm Official) James A. Scott
and
(Operator) James A. Scott

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
October 17, 1988

GARY ESKEW
5315 S. 10TH AVE.
CALDWELL, ID 83605

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 63-10678

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also

Unmailed

DEC 08 1988

enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

Gary Spackman
Supervisor, Water Allocation Section

GS: SC
Enclosures

RECEIVED
DEC 27 1967

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

RECEIVED
AUG 18 1988

Department of Water Resources

1. Applicant Gary Eskew
2. Address 5315 South 10th Ave.
Caldwell Id. 83605 Telephone 459-3535
- ☒ Well Owner ☐ Well Operator ☐ Other, specify _____
3. Proposed well location SW 1/4 SW 1/4, or Gov't lot No. _____,
Sec. 3, Twp. 3N, Rge. 3W, County Canyon,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)
☒ Domestic ☐ Stockwater ☐ Monitoring
☒ Irrigation ☐ Industrial ☐ Municipal
☐ Injection ☐ Other, Specify _____
5. Well construction information:
☐ New well ☐ Deepen ☒ Replace
Proposed surface diameter 8-10" Maximum depth 150'
Anticipated bottom hole temperature: _____
☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)
6. Anticipated construction start date ASAP
7. Well Driller (if known) Scott Drilling 327
Address _____
8. Applicant's signature Gary Eskew
Title owner
Date 8/15/88

INDEXED

DEC 08 1988

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

(X) Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Dated this 16th day of August, 19 88.

Signed

David R. Tuttle

Title

Mgr., Western Reg. Off.

Received by

SL

Fee

\$100

Date

8/15/88

Receipt No.

W000696

Construction start extension to

Extension approved by

DEC

Form No. 202a
'87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY SL DATE 8/17/88 APPLICATION NUMBER 63-10678

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources) *drilling permit issued*
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.) *yes*
☒ Overlapping point of diversion *yes*
☐ Yes ☒ No Field check required
Field check by _____
☐ Yes ☒ No Field report attached
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit
☐ Yes ☒ No Power efficiency form
☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
☒ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested OCT 04 1988

Department of Water Resources

P/W

63-10061 - different well (Bartak's well).

P/W

63-2388 - Boise River, Irrigation District right to irrigate
same land as in application.

63-10061 - (abuse) irrigates 4 other acres.

63-4249 - another well irrigating a different 20 acres.

PROCESSING

☒ Yes ☐ No I. form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

END COPIES TO

☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

None

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest September 26, 1988
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached Approve, OK
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. 63
☐ Yes ☒ No Special conditions of approval or cover letter below.

P05

☐ See below for additional information
Date of priority recommended 8/15/1988
By DM Date 10/3/1988

STATE OFFICE REVIEW P23 P05 P16 46

☐ See below for additional information
By KW Date 10/6/88

ADDITIONAL INFORMATION

63-10678

ESKEW, GARY
5315 S. 10TH AVE.
CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: SWSW Sec 3 T 03N R 03W

Use: DOMESTIC (.020 CFS)
IRRIGATION (.150 CFS)

Date Filed: 8/15/1988

In: T03N R03W S03 SWSW

5.0 ACRES TOTAL

INDEXED

DEC 08 1988

State of Idaho
Department of Water Resources
Temporary Approval Analysis Sheet

- ☒ Yes ☐ No Basin No. Correct?
- ☒ Yes ☐ No Source is Groundwater?
- ☒ Yes ☐ No Lands are irrigated with surface water rights?
- ☒ Yes ☐ No Lands are outside Critical Groundwater Area & Groundwater Management Area boundaries?
- ☒ Yes ☐ No County has been declared a drought emergency area by the Governor's Office?

Remarks: Wildan Irrigation District water from Boise River
is surface water on land

Application Initially Received Date 8/15/88 Time 4:00 by SL

File Prepared By BP Date 8/16/88 Time 10:00 AM

Staff Review By SL Date 8/15/88 Time 5:00

Temporary Approval Prepared By BP Date 8/16/88 Time 10:15 AM

Temporary Approval Signed By BP Date 8/16/88 Time 4:30

Temporary Approval Mailed By SL Date 8/16/88 Time 4:35

Index Updated By SL Date 8/30/88 Time 1:00 PM

NOT FILMED

DEC 08 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

August 16, 1988

Gary Eskew
5315 South 10th Ave.
Caldwell, ID 83605

Re: Water Right No. 63-10678

Dear Water Right Applicant:

Enclosed is a temporary approval for diversion of groundwater during the 1988 irrigation season.

The copy of the application for permit to appropriate water attached to the interim approval defines the various components of your temporary approval. The inclusion of the copy of the application is only for the purpose of definition, and any terms contained therein are limited by the conditions of the temporary approval.

This office will continue to process the original application for permit, pursuant to Chapter 2, Title 42, Idaho Code, unless directed otherwise by you. This processing will include advertisement for two weeks in the county where the point of diversion is located.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

DRT:jp

Enclosures: Temporary Approval
Copy of Application for Permit

MICROFILMED

DEC 08 1988

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES
WITH RESPECT TO TEMPORARY APPROVAL OF
APPLICATIONS FOR PERMIT NO. 63-10678

This is to certify that I have examined Application for Permit to Appropriate the public waters of the State of Idaho No. 63-10678 ; and a temporary approval to divert groundwater is granted until 11/15/1988, subject to the following limitations and conditions:


- a. The water use approved herein is subject to all prior water rights.
- b. By accepting the temporary approval and diversion of water under the temporary approval, the water user assumes all risk relative to interference with other water rights and acknowledges and agrees that the Director is authorized to take reasonable steps to insure that water is not diverted under the approval at any time the Director determines there is not water available for diversion.
- c. The water user acknowledges that the temporary approval does not establish a right to divert water except as specifically provided in the temporary approval.
- d. The water user assumes all risk that he or she will be successful in obtaining a permanent water right permit when the application is processed under the provisions of Chapter 2, Title 42, Idaho Code and the Water Appropriation Rules and Regulations. Following expiration of the temporary approval, diversion of water shall cease and the well shall be capped unless a permit is issued under Chapter 2, Title 42, Idaho Code.
- e. Violation of temporary approval conditions, provisions of the Idaho Code, or the Water Appropriation Rules and Regulations is cause for cancellation of the temporary approval and denial of future requests.
- f. By accepting this temporary approval, the water user acknowledges and agrees that the Director of IDWR is authorized to disconnect the power supply from the pump motor used to divert water under the temporary approval or to take other reasonable steps to insure that water is not diverted during any period the temporary approval is suspended or revoked, or has expired.
- g. The Director retains jurisdiction of this temporary approval, and may cancel or modify the approval, or impose additional conditions not a part of the original temporary approval conditions.

MICROFILMED

DEC 08 1988

- h. The temporary approval applies only to uses and lands which normally have an adequate supply of water from surface water sources but are temporarily water short because of drought conditions.

Witness my hand this 16th day of Aug, 1988.



DAVID R. TUTHILL, JR., P. E.
Manager Western Regional Office,

RECEIVED

DEC 08 1988

