


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Steven M. Whitaker
(Applicant)

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10677

WHITAKER, CINDY L.
WHITAKER, STEVEN M.
Rt. 2, Box 2332
Nampa, ID 83651
Source: Groundwater
Date Filed: 08/12/1988
Diversion Pt.: SWNW Sec. 16 T 03N R 01W
Use: Irrigation (2.360 CFS)
In: T03N R01W S16 NWNW SWNW, S17 NENE NWNE SWNE SENE
118.0 Acres Total

63-10682

SAUNDERS, LORIN
7190 N. Meridian Rd.
P.O. Box 835
Meridian, ID 83642
Source: Groundwater
Date Filed: 08/04/1988
Diversion Pt.: NESW Sec 19 T 04N R 01E
Use: Irrigation (1.520 CFS)
In: T04N R01E S19 NESW Lot 5 (NWSW)
76.0 Acres Total

63-10685

ALUMAX BUILDING PRODUCTS
555 Boelng
Boise, ID 83705
Source: Groundwater
Date Filed: 08/10/1988
Diversion Pt.: SESE Sec 26 T 03N R 02E
Use: Domestic (.040 CFS)
In: T03N R02E S26 SESE

63-10686

BROWNING, JOHN
6901 Emerald
Boise, ID 83704
Source: Groundwater
Date Filed: 08/10/1988
Diversion Pt.: SENE Sec 23 T 03N R 02E
Use: Domestic (.100 CFS)
In: T03N R02E S23 SENE

63-10688

BOISE WATER CORPORATION
P.O. Box 7488
Boise, ID 83707
Source: Groundwater
Date Filed: 08/15/1988
Diversion Pt.: SWSE Sec 30 T 03N R 02E
Use: Municipal (2.230 CFS)
In: P/U within the city limits of Boise.

63-10689

STONEHOUSE EVANGELICAL CHURCH
8121 Erynwood
Boise, ID 83704
Source: Groundwater
Date Filed: 08/15/1988
Diversion Pt.: NWNW Sec 10 T 03N R 01W
Use: Irrigation (.160 CFS)
Use: Domestic (.180 CFS)
In: T03N R01W S10 NWNW
8.0 Acres Total

63-10690

DAVIS, TOM E.
2740 Ustick Rd.
Meridian, ID 83642
Source: Groundwater
Date Filed: 08/22/1988
Diversion Pt.: SWSE Sec 32 T 04N R 01E
Use: Irrigation (1.080 CFS)
In: T04N R01E S32 NESW SESW NWSE SWSE
104.0 Acres Total

63-10691

CALNON, TERRY
2075 W. Franklin
Meridian, ID 83642
Source: Groundwater
Date Filed: 08/23/1988
Diversion Pt.: NWNE Sec 14 T 03N R 01W
Use: Domestic (.040 CFS)
In: T03N R01W S14 NWNE

63-10693

VANDERKOOY, SIMON
VANDERKOOY, MARY
8190 S. Ten Mile Rd.
Meridian, ID 83642
Source: Groundwater
Date Filed: 08/30/1988
Diversion Pt.: NWNW Sec 11 T 02N R 01W
Use: Stockwater (.330 CFS)
Use: Domestic (.120 CFS)
In: T02N R01W S11 NWNW

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before SEPTEMBER 26, 1988.

R. KEITH HIGGINSON
Director

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Debbie Richards

, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for 2 consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of September 8, 1988

and ending with the issue of September 15, 1988

DEC 08 1988

Debbie Richards

Subscribed and sworn to before me this 15th

September 88
day of , 19

Notary Public for Idaho, Residing at Boise, Idaho

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 63-10677

1. Owner: Steven for Andy L. Whitaker Phone No. 466-7967

Current Address: Rt. 2 Box 2332 Nampa Ida 83681

2. Accompanied by: Steven EXAM. DATE: 8-13-91

Address: same Phone No. 466-2987

Relationship to Permit Holder: owner

3. Source: groundwater tributary to NA

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = _____


2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

- ☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

- ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).







P/u
Pd.

PERMIT 63-101677 INIT Dave
T. R. S. Q/Q
P/D 3n 1w 16 SWNW
SCALE _____
PHOTO ID. _____

63-10677



view of
west field

Note; here the
well & ditch water
come under the
road to water
field West.



Looking East from
well.



looking East.
down corn field.

63-16677



well with 2
7½ hp pumps, South
portion of property.
Note: Access Port



well flows into
concrete ditch;
water joins
ditch rights that
lie on the south
of property

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	CFS
Original Application	63-10677	Steven M. Whitaker Cindy L. Whitaker	2.36
Full Assignment	63-10677	Steven M. Whitaker Cindy L. Whitaker Northwest Farm Credit Services	2.36

RECEIVED

JUN 14 1993

State of Idaho

Department of Water Resources

Department of Water Resources

ASSIGNMENT OF PERMIT

I, Steven M. Whitaker and
Cindy L. Whitaker, h & w, hereby assign to NORTHWEST FARM CREDIT SERVICES, ACA and
Steven M. and Cindy L. Whitaker
of 411 Blaine St., Caldwell, ID 83605 and 15861 McDermott Road, Nampa, Idaho 83687
Address

All my right, title, and interest in and to Permit No. 63-10677
to appropriate the public waters of the State of Idaho.

The following described portion of my right, title, and interest in and
to Permit No. _____ to appropriate the public waters of
the State of Idaho. (Describe that portion of the permit being
assigned by listing the acreage within each 40 acre subdivision, the
point of diversion and the amount of water in cubic feet per second for
direct diversion, or acre feet for storage)

Made this 9th day of June, 1993.

x Steven M. Whitaker
Permit Holder

+ Cindy L. Whitaker
Spouse of Permit Holder

State of Idaho)
County of Canyon) ss

On this 9th day of June, 1993, personally appeared before
me the signer(s) of the above instrument, who duly acknowledged to me that
he (she) (they) executed the same.

Virginia B. Conger

Notary Public residing at

Nampa Id

s e a l

My commission expires:

12-31-98

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Steven M. and/or Cindy L. Whitaker Phone 466-2987
Post office address Rt. 2. Box 2332 Nampa Id 83651
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of SW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 16 Township 3N Range 1W B.M. Ada County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 2.36 cfs for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 2.36 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Well, pump, gravity flow irrigation system
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 16 inches; proposed depth of well is ≈ 140 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

MICROFILMED

DEC 08 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	1W	16						27	35										62
		17	38	8	1	9													56

Total number of acres to be irrigated 118

10. Describe any other water rights used for the same purposes as described above. Nampa-Meridian Irr Dist


- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? Applicant / Applicant rents some of the land
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

RECEIVED

DEC 08 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Stevens M. Whitaker
(Applicant)

Proposed Priority 8/12/88

Received by DRT Date 8/12/88 Time 2:20 Preliminary check by DRT/SL
Fee \$ 85.00 Receipted by DRT # W000689 Date 8/12/88
Publication prepared by GG Date 8-31-88 Published in ID Statesman
Publication approved OK Date 10-14-88 9/8 & 9/15/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10677, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 28th day of November, 1988.

J. Glen Saylor

MICROFILMED

DEC 08 1988

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10677

WHITAKER, CINDY L.
WHITAKER, STEVEN M.
Rt. 2, Box 2332
Nampa, ID 83651
Source: Groundwater
Date Filed: 08/12/1988
Diversion Pt.: SWNW Sec. 16 T 03N R 01W
Use: Irrigation (2.360 CFS)
In: T03N R01W S16 NWNW SWNW, S17 NENE NWNE SWNE SENE
118.0 Acres Total

63-10682

SAUNDERS, LORIN
7190 N. Meridian Rd.
P.O. Box 835
Meridian, ID 83642
Source: Groundwater
Date Filed: 08/04/1988
Diversion Pt.: NESW Sec 19 T 04N R 01E
Use: Irrigation (1.520 CFS)
In: T04N R01E S19 NESW Lot 5 (NWSEW)
76.0 Acres Total

63-10685

ALUMAX BUILDING PRODUCTS
555 Boelng
Boise, ID 83705
Source: Groundwater
Date Filed: 08/10/1988
Diversion Pt.: SESE Sec 26 T 03N R 02E
Use: Domestic (.040 CFS)
In: T03N R02E S26 SESE

63-10686

BROWNING, JOHN
6901 Emerald
Boise, ID 83704
Source: Groundwater
Date Filed: 08/10/1988
Diversion Pt.: SENE Sec 23 T 03N R 02E
Use: Domestic (.100 CFS)
In: T03N R02E S23 SENE

63-10688

BOISE WATER CORPORATION
P.O. Box 7488
Boise, ID 83707
Source: Groundwater
Date Filed: 08/15/1988
Diversion Pt.: SWSE Sec 30 T 03N R 02E
Use: Municipal (2.230 CFS)
In: P/U within the city limits of Boise.

63-10689

STONEHOUSE EVANGELICAL CHURCH
8121 Brynwood
Boise, ID 83704
Source: Groundwater
Date Filed: 08/15/1988
Diversion Pt.: NWNW Sec 10 T 03N R 01W
Use: Irrigation (.160 CFS)
Use: Domestic (.180 CFS)
In: T03N R01W S10 NWNW
8.0 Acres Total

63-10690

DAVIS, TOM E.
2740 Jstick Rd.
Meridian, ID 83642
Source: Groundwater
Date Filed: 08/22/1988
Diversion Pt.: SWSE Sec 32 T 04N R 01E
Use: Irrigation (1.080 CFS)
In: T04N R01E S32 NESW SESW NWSE SWSE
104.0 Acres Total

63-10691

CALNON, TERRY
2075 W. Franklin
Meridian, ID 83642
Source: Groundwater
Date Filed: 08/23/1988
Diversion Pt.: NWNE Sec 14 T 03N R 01W
Use: Domestic (.040 CFS)
In: T03N R01W S14 NWNE

63-10693

VANDERKOOY, SIMON
VANDERKOOY, MARY
8190 S. Ten Mile Rd.
Meridian, ID 83642
Source: Groundwater
Date Filed: 08/30/1988
Diversion Pt.: NWNW Sec 11 T 02N R 01W
Use: Stockwater (.330 CFS)
Use: Domestic (.120 CFS)
In: T02N R01W S11 NWNW

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before SEPTEMBER 26, 1988.

R. KEITH HIGGINSON
Director

STATE OF IDAHO)
) SS.
COUNTY OF ADA)

Debbie Richards, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for 2 consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of September 8, 19 88

ending with the issue of September 15, 19 88

DEC 08 1988

Subscribed and sworn to before me this 15th

day of September, 19 88

Notary Public for Idaho, Residing at Boise, Idaho

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resource

Receipt No: 005447


Date: 01/07/2000
Time: 11:30:48

Received
From: BENTLEY, STEVEN

Type of Payment	Program A cct	Amount
WATER, FERTILIZER, PESTICIDE, ETC	028 01 1187	20.00

Total

\$20.00



State of Idaho
Department of Water Resources

RECEIVED

NOV 25 1992

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10677

Date of Priority: August 12, 1988

Maximum Diversion Rate: 2.36 CFS
Maximum Diversion Volume: 531.0 AF

Comes now

STEVEN M WHITAKER
CINDY L WHITAKER

15861 MCDERMOTT RD
NAMPA ID 83687

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 63-10677, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	2.36 CFS	531.0 AF

LOCATION OF POINT(S) OF DIVERSION: SWNW , Sec. 16, Township 03N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	01W	16	NENW 13	NWNW 27	SWNW 37	87
			SESW 10			31
		17	NENE 31			

Total number of acres irrigated: 118

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at 15861 McDermott Rd, this 23 day of Nov, 1992.

Steven Whitaker
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10677

FOR DEPARTMENT USE ONLY

Preliminary check by CS Fee = \$20.00 Received by JJ # 020131 Date 11-27-92

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-10677 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

Witness my hand this _____ day of _____, 19____.

R. Keith Higginson, Director

From: DWR80::LESTER 12-APR-1993 08:32:47.86
To: DWR03::CHAPMAN
CC:
Subj: FIELD EXAM FOR 63-10661

741

Hi Branda - am replying to your 4/8/93 memo concerning exam report for this file. Since the issue in this right involves overlap and we have a concern about the accuracy of overlap understanding and analysis by temp. examiners, the original exam report will be held at region for temp. examiner to correct when he returns in late May or early June. I will have him correct the report asap upon his return and then forward file to you. Let me know if you have any questions or comments.

Thanks, ...Steve

6-27-94

Returned file to vault. On hold until recheck of overlapping right's (63-10661) exam done.

Steve Lester to follow up.
Call up in 6 months.

BC

MEMORANDUM

TO: Steve Lester
FROM: Brenda Chapman
DATE: April 8, 1993
RE: Field Exam for 63-10661

=====

Steve,

Since I am beginning to work on licensing review, Pam has given me a few files she has had on hold for various reasons. I understand the above referenced field exam was returned to you for a follow-up on the ownership and overlap situation with Right 63-10677 (the owner has already signed and paid for an amendment on this right). Pam said you would return the exam with your recommendation so I could complete the licensing process for both permits.

I just wanted to touch base with you to let you know I have both files now.

Thanks for your help!



Farm Credit Services

June 11, 1993

RECEIVED
JUN 14 1993
Department of Water Resources

411 Blaine Street
P.O. Box 730
Caldwell, Idaho 83606-0730
208/459-0871 208/454-9201
FAX 208/459-4858

State of Idaho
Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720-9000

Re: Assignment of Permit #63-10677/Steven M. Whitaker

Dear Sirs:

Enclosed is an Assignment of Permit executed by Steven M. and Cindy L. Whitaker, husband and wife, dated June 9, 1993.

Northwest Farm Credit Services, ACA is taking an Assignment of Permit No. 63-10677 as security for a loan to Steven and Cindy Whitaker. Therefore, we are requesting that copies of all notices and correspondence be sent to our office.

Please acknowledge that you have received the above referenced assignment by returning the enclosed acknowledgment form. We have enclosed a stamped, self-addressed envelope for your convenience in returning the acknowledgment form.

Sincerely,

FARM CREDIT SERVICES
Caldwell

Mitch Davis
Credit Officer

MD:jc

Enclosures

From: DWR80::LESTER 12-APR-1993 08:32:47.86
To: DWR03::CHAPMAN
CC:
Subj: FIELD EXAM FOR 63-10661

Hi Branda - am replying to your 4/8/93 memo concerning exam report for this file. Since the issue in this right involves overlap and we have a concern about the accuracy of overlap understanding and analysis by temp. examiners, the original exam report will be held at region for temp. examiner to correct when he returns in late May or early June. I will have him correct the report asap upon his return and then forward file to you. Let me know if you have any questions or comments.

Thanks, ...Steve

MEMORANDUM

TO: Steve Lester
FROM: Brenda Chapman
DATE: April 8, 1993
RE: Field Exam for 63-10661

=====

Steve,

Since I am beginning to work on licensing review, Pam has given me a few files she has had on hold for various reasons. I understand the above referenced field exam was returned to you for a follow-up on the ownership and overlap situation with Right 63-10677 (the owner has already signed and paid for an amendment on this right). Pam said you would return the exam with your recommendation so I could complete the licensing process for both permits.

I just wanted to touch base with you to let you know I have both files now.

Thanks for your help!



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 15, 1992

STEVEN M WHITAKER
CINDY L WHITAKER
15861 MCDERMOTT RD
NAMPA ID 83687

RE: WATER RIGHT NO. 63-10677

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Steven for Andy L. Whitaker Permit No. 63-12477
 Current Address: Rt. 2 Box 2332 Pampa Ida 83451 Phone No. 466-2987
 2. Accompanied by: Steven EXAM. DATE: 8-13-91
 Address: same Phone No. 466-2987
 Relationship to Permit Holder: owner
 3. Source: groundwater tributary to NA

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
 2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This well is 173' deep, has a static water level of 18" deep; a pumping level of 25' deep. The casing is 16" and makes use of two 7½ hp motor with pumps. The discharge is 6" on both motors. The system pumps either into a concrete ditch to water fields or supplements canal water to water other fields.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible	NA (2 motors)	7½ hp	NA	NA	16" on both

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			sw	nw	16	3n	1w	Ada	Quads/Verification/Aerial

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3n	1w	16					13	27	37	10									87
		17	31																31
																			118

(max per permit)

Note: from the map/photo it appears that the acreage irrigated in these tracts > 37. However, the total acreage allowed under this permit = 118, so the acreage shown for these tracts cannot be increased. Do not use this space

Dec 1/27/92

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
<i>None</i>						

2. Measurements:

$$\text{Theoretical; } \frac{7\frac{1}{2} \cdot 8.8 \cdot 70}{25 + (2.3 \cdot 0)} = \frac{46.2}{25} \quad \overset{2 \text{ motor}}{1.86 \times 2 = 3.7 \text{ cfs}}$$

Theoretical is the only measurement device available!

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Theoretical 3.7 cfs

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{118}{125} \cdot 4.5 \cdot \overset{531}{562.5} \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 2.36 \times 245 \times 1.9835 = 1146.9 \text{ cfs}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \frac{562.5 \text{ AFA}}{531.0}$$

2. Volume Calculations for Other Uses:

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Both wells flow out of the same line down two different PVC pipes to supplement canal water. It is impossible to measure them any other way than Theoretical.

Actual acres = 123. Permit Unit = 118

Acres omitted are in NENW Sec 16.

4 NWNW

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	2.36 cfs	562.5 afa
				531
				531
Totals:			2.36 cfs	562.5 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name

DAVID T. GRAFF


Signature

David T. Graff

Certification Date

Field Report Preparation Date

12-15-91



CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

R

8 9
7 16

T2701

T2702

T2703

T2688

2.9

11.0

NENE

TRANS
TO
ADA

T2663

TRANS
TO ADA

9.9

8.1

4.3

2
5.8

3
13.6

2
19.8

3
19.1

4
41.4

T270

8.7

8.5

T2708

6.8

3
13.7

5.9

2
3.2



P/u
Pd.

PERMIT 63-10677 INIT DAVE
T. R. S. Q/Q
P/D 3n 1w 16 SW NW
SCALE _____
PHOTO ID. _____

BM 2696

Form 238-I
05/90

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10677
Otherwise provide legal description and a sketch map and/or address
so that the well can be located easily.

1. Legal Description: TWP 3n, Rge 1w, Sec. 16, sw 1/4 nw 1/4
or Lot _____.
2. Owner: Steven Whitaker
Address Rt. 2 Box 2332, city Pampa, st Ida
3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐
4. Access Port: Yes ☒ No ☒ Static Water Level: 15'
Pressure Gauge: Yes ☐ No ☒ Casing Diameter: 6"
Flowing: Yes ☒ No ☐ Temperature: NA
5. Are there any obvious construction problems that may be a
source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach
photo.

Remarks: Well is in fine condition

63-10677

view of
west field


Note: here the
well ditch water
come under the
road to water
field West.




Looking East from
well.




looking East.
down corn field.



63-16677



well with 2
7 1/2 hp pumps. South
portion of property.
Note: Access lost



well flows into
concrete ditch;
water joins
ditch rights that
lie on the south
of property

December 14, 1990

CINDY L. WHITAKER
STEVEN M. WHITAKER
RT. 2 BOX 2332
NAMPA, ID 83651

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10677

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JAN 10 1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10677

Date: 12-3-90

General Considerations:

- 5 Name same as permit
5 Signature the same as permit holder
5 Address change _____ If yes, prepare a data entry
5 Proof received timely
_____ Reinstated

Source of Water:

- 5 Surface water
5 Groundwater
 5 1. well log in file
 5 2. drilling permit
 _____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- 5 Rate of diversion appropriate for uses
 5 Is rate or volume and fee appropriate?
5 Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- 5 Is a measuring device or access port required?
 _____ Has one been installed?
no Waiver or modification of measuring device requested


Remarks: *Flow meas. port required*
Proof acceptable

NA Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

- address change



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10677 Telephone No. 444-2987

Name(s) of Permit Holder(s): Steven M. & Cindy L. Whitaker

Post Office Address: 15861 McDermott Rd. Nampa, Id 83687

Source of Water: Ground water

If ground water, well driller's name: Pete Cope Date drilled: 9-28-88

Extent of Use:
Domestic _____ (No. of households) Irrigation 118 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 2.36 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 5-1-90

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

Fee Enclosed: \$ 150 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Steven Whitaker 444-2987; (345-4343 Cindy)
Name Telephone No. WORK.
15861 McDermott Rd Nampa, Id 83687
Address

The above information is my true statement of the extent to which the above numbered permit has been used and I relinquish any undeveloped portion of the permit to the state of Idaho.

10-28-90 Steven Whitaker
Date Signature (and title if on behalf of a company or organization)

MICROFILMED

JAN 10 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street
Boise, Idaho 83706-2237

Claim Check
No.

233656

☐ Hold

Date

10-2-90


OCT 11 1990

Notice

OCT 17 1990

Delivery from
PS Form 3845-A,
Oct. 1988

*Account reg. mail
10.11.90*




UNCLAIMED

MICROFILMED
JAN 10 1991

RECEIVED
OCT 19 1990

Department of Water Resources



138447
September 30, 1990

CINDY L. WHITAKER
STEVEN M. WHITAKER
RT. 2 BOX 2332
NAMPA, ID 83651

PROOF DUE NOTICE

RE: PERMIT NO. 63-10677

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MAILED

JAN 10 1991

Drilling Permit No. 63-88-W-179
Water Permit No. 63-10677
Injection Permit No. NA

State of Idaho
Department of Water Resources

DRILLING PERMIT

SEP 2 1988

(Authorizing Construction of a Well)*

Department of Water Resources

1. Applicant Steven M. &/or Cindy L. Whitaker
2. Address Rt. 2, Box 2332 Nampa, Id 83651
Telephone 466-2987

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location SW 1/4 NW 1/4, or Gov't lot No. _____,
Sec. 16, Twp. 3N, Rge. 1W, County Ada,
Lot, block and subdivision _____

4. Proposed use of well: (Check all that apply)
() Domestic () Stockwater () Monitoring
(☒ Irrigation () Industrial () Municipal
() Injection () Other, Specify _____

5. Well construction information:
(☒ New well () Deepen () Replace
Proposed surface diameter 16 Maximum depth ≈ 140
Anticipated bottom hole temperature:
(☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)

6. Anticipated construction start date September, 1988

7. Well Driller (if known) Pete Cope 213

Address 6505 W. CHANDLER BLVD. MERIDIAN.

8. Applicant's signature Steven M. Whitaker

Title Well Owner

Date 2-24-88

JAN 10 1991

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be ~~\$100~~ \$50 or \$10

ACTION OF IDWR

(X) Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Dated this 20th day of September, 19 88.

Signed David R. Tuttle
Title Mgr. Western Region

Received by DWR Fee 100⁰⁰ Date 8/12/88 JUN 16 1991
Receipt No. W000689 Construction start extension to _____
Extension approved by _____

**USE TYPEWRITER OR
BALLPOINT PEN**

PH

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL & WATER RESOURCES				7. WATER LEVEL																																																																																																																																																	
Name <u>Steven M. Whitaker</u> Rt. #2, Box 2332 Address <u>Nampa, ID 83651</u> Owner's Permit No. <u>63-10677</u>				Static water level <u>18</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF. Quality _____ <i>Describe artesian or temperature zones below.</i>																																																																																																																																																	
2. NATURE OF WORK <u>63-88-W-179</u> ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)				8. WELL TEST DATA ☐ Pump ☐ Bailer ☐ Air ☐ Other _____																																																																																																																																																	
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)				9. LITHOLOGIC LOG																																																																																																																																																	
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☒ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____				<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr><td>28"</td><td>0</td><td>8</td><td>Silty Soil</td><td></td><td></td></tr> <tr><td></td><td>8</td><td>14</td><td>Calechie</td><td></td><td></td></tr> <tr><td></td><td>14</td><td>24</td><td>Sand & Gravel (Peb. 1½")</td><td></td><td></td></tr> <tr><td></td><td>24</td><td>30</td><td>Coarse Sand & Pebbles-1½"</td><td></td><td></td></tr> <tr><td></td><td>30</td><td>41</td><td>Sand, Gravel, River Boulders</td><td></td><td></td></tr> <tr><td></td><td>41</td><td>43</td><td>Coarse Sand</td><td>X</td><td></td></tr> <tr><td></td><td>43</td><td>60</td><td>Coarse Sand & Boulders</td><td>X</td><td></td></tr> <tr><td></td><td>60</td><td>69</td><td>Brown Clay</td><td></td><td></td></tr> <tr><td></td><td>69</td><td>73</td><td>Sand & Clay (turning to sand at end of run)</td><td>X</td><td></td></tr> <tr><td></td><td>73</td><td>80</td><td>Fine to Med. Sand</td><td>X</td><td></td></tr> <tr><td></td><td>80</td><td>93</td><td>Brn. Clay(Sm.Stk.Sand at 91')</td><td></td><td></td></tr> <tr><td></td><td>93</td><td>95</td><td>Sandy Clay</td><td></td><td></td></tr> <tr><td></td><td>95</td><td>103</td><td>Lt. Brn. Clay</td><td></td><td></td></tr> <tr><td></td><td>103</td><td>116</td><td>Fine to Med. Sand</td><td>X</td><td></td></tr> <tr><td></td><td>116</td><td>123</td><td>Brn. Clay</td><td></td><td></td></tr> <tr><td></td><td>123</td><td>125</td><td>Sandy Brn. Clay</td><td></td><td></td></tr> <tr><td></td><td>125</td><td>129</td><td>Khaki Colored Clay</td><td></td><td></td></tr> <tr><td></td><td>129</td><td>130</td><td>Sandy Clay</td><td></td><td></td></tr> <tr><td></td><td>130</td><td>134</td><td>Coarse Sand</td><td>X</td><td></td></tr> <tr><td></td><td>134</td><td>138</td><td>Clay</td><td></td><td></td></tr> <tr><td></td><td>138</td><td>170</td><td>Sand</td><td>X</td><td></td></tr> <tr><td></td><td>170</td><td>173</td><td>Clay</td><td></td><td></td></tr> </tbody> </table>				Bore Diam.	Depth		Material	Water		From	To	Yes	No	28"	0	8	Silty Soil				8	14	Calechie				14	24	Sand & Gravel (Peb. 1½")				24	30	Coarse Sand & Pebbles-1½"				30	41	Sand, Gravel, River Boulders				41	43	Coarse Sand	X			43	60	Coarse Sand & Boulders	X			60	69	Brown Clay				69	73	Sand & Clay (turning to sand at end of run)	X			73	80	Fine to Med. Sand	X			80	93	Brn. Clay(Sm.Stk.Sand at 91')				93	95	Sandy Clay				95	103	Lt. Brn. Clay				103	116	Fine to Med. Sand	X			116	123	Brn. Clay				123	125	Sandy Brn. Clay				125	129	Khaki Colored Clay				129	130	Sandy Clay				130	134	Coarse Sand	X			134	138	Clay				138	170	Sand	X			170	173	Clay		
Bore Diam.	Depth		Material	Water																																																																																																																																																	
	From	To		Yes	No																																																																																																																																																
28"	0	8	Silty Soil																																																																																																																																																		
	8	14	Calechie																																																																																																																																																		
	14	24	Sand & Gravel (Peb. 1½")																																																																																																																																																		
	24	30	Coarse Sand & Pebbles-1½"																																																																																																																																																		
	30	41	Sand, Gravel, River Boulders																																																																																																																																																		
	41	43	Coarse Sand	X																																																																																																																																																	
	43	60	Coarse Sand & Boulders	X																																																																																																																																																	
	60	69	Brown Clay																																																																																																																																																		
	69	73	Sand & Clay (turning to sand at end of run)	X																																																																																																																																																	
	73	80	Fine to Med. Sand	X																																																																																																																																																	
	80	93	Brn. Clay(Sm.Stk.Sand at 91')																																																																																																																																																		
	93	95	Sandy Clay																																																																																																																																																		
	95	103	Lt. Brn. Clay																																																																																																																																																		
	103	116	Fine to Med. Sand	X																																																																																																																																																	
	116	123	Brn. Clay																																																																																																																																																		
	123	125	Sandy Brn. Clay																																																																																																																																																		
	125	129	Khaki Colored Clay																																																																																																																																																		
	129	130	Sandy Clay																																																																																																																																																		
	130	134	Coarse Sand	X																																																																																																																																																	
	134	138	Clay																																																																																																																																																		
	138	170	Sand	X																																																																																																																																																	
	170	173	Clay																																																																																																																																																		
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table style="width: 100%;"> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> <tr> <td>.250 inches</td> <td>16 inches +</td> <td>+2 feet</td> <td>40 feet</td> </tr> <tr> <td>.250 inches</td> <td>16 inches</td> <td>60 feet</td> <td>100 feet</td> </tr> <tr> <td>.250 inches</td> <td>16 inches</td> <td>110 feet</td> <td>130 feet</td> </tr> <tr> <td>.250 inches</td> <td>16 inches</td> <td>170 feet</td> <td>173 feet</td> </tr> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>Roscoe Moss</u> Type <u>Wirewrap</u> Model No. _____ Diameter <u>16</u> Slot size <u>0.40</u> Set from <u>40</u> feet to <u>60</u> feet Diameter <u>16</u> Slot size <u>0.40</u> Set from <u>100</u> feet to <u>110</u> feet Diameter <u>16</u> Slot size <u>0.40</u> Set from <u>130</u> feet to <u>170</u> feet Gravel packed? ☒ Yes ☐ No Size of gravel <u>3/8-</u> Placed from <u>18</u> feet to <u>173</u> feet Surface seal depth <u>18'</u> Material used in seal: ☐ Cement grout ☐ Bentonite ☒ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>2"</u>				Thickness	Diameter	From	To	.250 inches	16 inches +	+2 feet	40 feet	.250 inches	16 inches	60 feet	100 feet	.250 inches	16 inches	110 feet	130 feet	.250 inches	16 inches	170 feet	173 feet	 Department of Water Resources Western Regional Office																																																																																																																													
Thickness	Diameter	From	To																																																																																																																																																		
.250 inches	16 inches +	+2 feet	40 feet																																																																																																																																																		
.250 inches	16 inches	60 feet	100 feet																																																																																																																																																		
.250 inches	16 inches	110 feet	130 feet																																																																																																																																																		
.250 inches	16 inches	170 feet	173 feet																																																																																																																																																		
LOCATION OF WELL Sketch map location must agree with written location Subdivision Name _____ Lot No. _____ Block No. _____ Inty _____ Ada MICROFILMED JAN 10 1991				10. Work started <u>9/25/88</u> finished <u>9/27/88</u>																																																																																																																																																	
				11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. <u>Pete Cope Drilling Co., Inc.</u> Firm Name _____ Firm No. <u>213</u> <u>6505 West Chinden Blvd.</u> Address <u>Meridian, ID 83642</u> Date <u>9/28/88</u> Signed by (Firm Official) <u>[Signature]</u> and (Operator) <u>[Signature]</u>																																																																																																																																																	

USE ADDITIONAL SHEETS IF NECESSARY -- FORWARD THE WHITE COPY TO THE DEPARTMENT

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 63-10677
Name(s) of Permit Holder(s): STEVEN M OR CINDY L WHITAKER
Post Office Address: 15861 McDermott Road, Nampa
Idaho 83687 Tel. No. 466-2787

- ☒ I hereby certify that construction of diversion work for the above referenced permit began on 9/25/88 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

12-18-88
Date

Steven Whitaker
Signature of Permit Holder



MICROFILMED
JAN 10 1991



Department of Water Resources
DEC 20 1988

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
December 5, 1988

CINDY L. WHITAKER
STEVEN M. WHITAKER
RT. 2 BOX 2332
NAMPA, ID 83651

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 63-10677

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

MAIL ROOM

DEC 08 1988

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Rights Permits Section

GS: SC
Enclosures

RECEIVED

DEC 98 1988

Form No. 202a
'87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY SL DATE 8/19/88 APPLICATION NUMBER 63-10677

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.) yes
- ☒ Overlapping point of diversion no
- ☐ Yes ☐ No Field check required
- ☐ Yes ☐ No Field report attached
- ☐ Yes ☐ No Critical groundwater area
- ☐ Yes ☐ No Groundwater management area
- ☐ Yes ☐ No Send dam safety information
- ☐ Yes ☐ No Send power requirement letter
- ☐ Yes ☐ No Send fish farm requirement letter
- ☐ Yes ☐ No Power residency affidavit
- ☐ Yes ☐ No Power efficiency form
- ☐ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☐ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☒ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested OCT 24 1988

Department of Water Resources

p/r

63-2388 Berro River, Nangasmarichan Irrig. Descri on lands in both sections.

63-4762 Different well for stockwater use on other lands in NWNE S. 17.

PROCESSING

☒ Yes ☒ No ... form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

END COPIES TO

None
☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest September 26, 1988
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached Approve, DAR
☐ Yes ☒ No Measuring device required
☒ Yes ☒ No Access port required
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. 63
☐ Yes ☒ No Special conditions of approval or cover letter below.

AC, 24A Recommend that 2 years be allowed for completion of this project.
☐ See below for additional information

Date of priority recommended 8/12/1988
By DAR Date 10/18/1988

STATE OFFICE REVIEW

P05, P23, P03, P17 46 26 04 01G

By KW ☐ See below for additional information
Date 11/23/88

ADDITIONAL INFORMATION

Form No. 202a Temp
8/88

Ident. No. 63-10677

State of Idaho
Department of Water Resources
Temporary Approval Analysis Sheet

☒ Yes ☐ No Basin No. Correct?
☒ Yes ☐ No Source is Groundwater?
☒ Yes ☐ No Lands are irrigated with surface water rights?
☒ Yes ☐ No Lands are outside Critical Groundwater Area & Groundwater
Management Area boundaries?

Remarks: No other gw rights

Application Initially Received Date 8/12/88 Time 2:20 p.m.
File Prepared By JP Date 8/12/88 Time 3:00 p.m.
Staff Review By Dnr Date 8/12/88 Time 5:00 pm
Temporary Approval Prepared By JP Date 8/12/88 Time 3:00 pm
Temporary Approval Signed By Dnr Date 8/12/88 Time 5:00 pm
Temporary Approval Mailed By LR Date 8/15/88 Time 10:30 am
Index Updated By LR Date 8/20/88 Time 1:00 p.m.

MICROFILMED

DEC 08 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

August 15, 1988

Steven M. &/or Cindy L. Whitaker
Rt. 2 Box 2332
Nampa, ID 83651

Re: Water Right No. 63-10677

Dear Water Right Applicant:

Enclosed is a temporary approval for diversion of groundwater during the 1988 irrigation season.

The copy of the application for permit to appropriate water attached to the interim approval defines the various components of your temporary approval. The inclusion of the copy of the application is only for the purpose of definition, and any terms contained therein are limited by the conditions of the temporary approval.

This office will continue to process the original application for permit, pursuant to Chapter 2, Title 42, Idaho Code, unless directed otherwise by you. This processing will include advertisement for two weeks in the county where the point of diversion is located.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

DRT:jp

Enclosures: Temporary Approval
Copy of Application for Permit

DEC 08 1988

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES
WITH RESPECT TO TEMPORARY APPROVAL OF
APPLICATIONS FOR PERMIT NO. 63-10677

This is to certify that I have examined Application for Permit to Appropriate the public waters of the State of Idaho No. 63-10677 ; and a temporary approval to divert groundwater is granted until 11/15/1988, subject to the following limitations and conditions:

- a. The water use approved herein is subject to all prior water rights.
- b. By accepting the temporary approval and diversion of water under the temporary approval, the water user assumes all risk relative to interference with other water rights and acknowledges and agrees that the Director is authorized to take reasonable steps to insure that water is not diverted under the approval at any time the Director determines there is not water available for diversion.
- c. The water user acknowledges that the temporary approval does not establish a right to divert water except as specifically provided in the temporary approval.
- d. The water user assumes all risk that he or she will be successful in obtaining a permanent water right permit when the application is processed under the provisions of Chapter 2, Title 42, Idaho Code and the Water Appropriation Rules and Regulations. Following expiration of the temporary approval, diversion of water shall cease and the well shall be capped unless a permit is issued under Chapter 2, Title 42, Idaho Code.
- e. Violation of temporary approval conditions, provisions of the Idaho Code, or the Water Appropriation Rules and Regulations is cause for cancellation of the temporary approval and denial of future requests.
- f. By accepting this temporary approval, the water user acknowledges and agrees that the Director of IDWR is authorized to disconnect the power supply from the pump motor used to divert water under the temporary approval or to take other reasonable steps to insure that water is not diverted during any period the temporary approval is suspended or revoked, or has expired.
- g. The Director retains jurisdiction of this temporary approval, and may cancel or modify the approval, or impose additional conditions not a part of the original temporary approval conditions.

DEC 08 1988

- h. The temporary approval applies only to uses and lands which normally have an adequate supply of water from surface water sources but are temporarily water short because of drought conditions.

Witness my hand this 12th day of August, 1988.

David R. Tuthill
DAVID R. TUTHILL, JR., R. E.
Manager Western Regional Office,

INDEXED

DEC 08 1988

63-10677

WHITAKER, CINDY L.
WHITAKER, STEVEN M.
RT. 2 BOX 2332
NAMPA, ID 83651

Source: GROUNDWATER

Diversion Pt: SWNW Sec 16 T 03N R 01W

Use: IRRIGATION (2.360 CFS)

Date Filed: 8/12/1988

In: T03N R01W S16	NWNW	SWNW		
S17	NENE	NWNE	SWNE	SENE

118.0 ACRES TOTAL

MICROFILMED
DEC 08 1988