

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

DEC 08 1988

PROHIBITED

RZE

P/D's & P/u

T4N

34

MICROFILMED

DEC 08 1988


Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

application for permit to appropriate the public waters of



(Applicant)
Project Superintendent

PROJECT 63-10672 INIT CWS
T. R. S. Q/Q
P/D 4N 2E 34 NENW
SCALE _____
PHOTO ID. X-9



563 12' 30" 565 566 567

SCALE 1:24 000



coordinate

NORTH

MICROFILMED

JUL 28 1992

PERMIT 63-10672

PHOTO #1

8-INCH WELL EQUIPPED WITH $7\frac{1}{2}$ HP SUBMERSIBLE PUMP SUPPLYING WATER FOR LAWN AND LAND-SCAPING. 2-INCH DISCHARGE PIPE, BESIDE CLUBHOUSE,



PHOTO #2

VIEW FROM NEAR WELL LOOKING NORTHWEST TOWARD BOBUS BASIN ROAD. P/L LAWN AND SHRUBS,



MICROFILMED
JUL 28 1992

PERMIT 63-10672

PHOTO #3

VIEW LOOKING SOUTHEAST FROM CLUBHOUSE,
P/U SWIMMING POOL AND APARTMENTS.



PHOTO #4

VIEW LOOKING NORTH WEST ALONG PARKHILL DRIVE ON LEFT.
HIGHLAND VIEW DRIVE IN FRONT OF APARTMENTS IN FOREGROUND.



MICROFILMED
JUL 28 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10672

Priority: August 9, 1988

Maximum Diversion Rate:

0.11 CFS

Maximum Diversion Volume:

17.1 AF

This is to certify, that H S A LTD PARTNERSHIP
64 E 6400 S #220
MURRAY UT 84107

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated August 9, 1988; and
has submitted Proof of Beneficial Use on October 30, 1989. An examination indicates
that the works have a diversion capacity of .300 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.11 CFS	17.1 AF

LOCATION OF POINT(S) OF DIVERSION:

NE1W , Sec. 34, Township 04N, Range 02E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	02E	34	NE1W 2	SE1W 1.8		3.8

Total number of acres irrigated: 3.8

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED

JUL 28 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10672

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 10TH
day of July, 1992.

Acting for  R. Keith Higginson, Director

RECEIVED

JUL 28 1992

WATER RIGHT SUMMARY

<u>ACTION</u>	<u>RIGHT NO.</u>	<u>NAME</u>	<u>AMOUNT CFS</u>
Original Permit	63-10672	Perry Construction Inc.	0.12
Full Assignment	63-10672	H.S.A. Ltd. Partnership	0.12

MICROFILMED

FEB 26 1990

State of Idaho
Department of Water Resources

RECEIVED
OCT 30 1989

ASSIGNMENT OF PERMIT

Department of Water Resources

I, PERRY CONSTRUCTION, INC., hereby assign to H.S.A., LIMITED PARTNERSHIP

of 64 EAST 6400 SOUTH #220, MURRAY, UTAH 84107
Address

All my right, title, and interest in and to Permit No. 63-10672
to appropriate the public waters of the State of Idaho.

The following described portion of my right, title, and interest in and
to Permit No. _____ to appropriate the public waters of the
State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage
within each 40 acre subdivision, the point of diversion and the amount of
water in cubic feet per second for direct diversion, or acre feet for storage)


Made this 24th day of October, 1989.

PERRY CONSTRUCTION, INC.

Secretary

State of Idaho)
County of Sanit Lake) ss

On this 24th day of October, 1989, personally
appeared before me the signor(s) of the above instrument, who duly acknowledged
to me that he (she) (they) executed the same.



seal

Notary Public residing at
SLC UT.

RECEIVED

My commission expires 8-10-91

FEB 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

322-5155 local, w:
801-264-8808
801-642-1800
-8U
8/11

1. Name of applicant Perry Construction Inc. Phone 801-642-1800
Post office address 64 E. 6400 S. Suite 220 Murray UT 84107
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of NE 1/4 of NW 1/4, Govt. Lot _____
Sec. 34 Township 4N Range 2E B.M. Ada County; additional
points of diversion if any: (or) SE 1/4 NW 1/4 Sec 34 T 4N R 2E, B.M. (one point)
4. Water will be used for the following purposes:
Amount 0.12 cfs for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.12 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Well, Pump, Sprinkler system
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 8 inches; proposed depth of well is 200 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MONITORING

DEC 08 1988

a. Hydropower; show total feet of head and proposed capacity in KW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality. _____

d. Domestic; show number of households. _____

e. Other; describe fully. _____

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

ponding place of use below. See instructions for standard symbols.

4 Total number of acres to be irrigated

No

Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing.

Per phone con. 8/9/88

Options

~~DEC 08 1988~~

Overn/President - William O. Perry
Vice-President - Dan Gorman
Secretary - Thomas Perry
Treasurer - 322-5155

20-

RZE

34

T4N

P/D's & P/u

MICROFILMED

DEC 08 1988

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)
Project Superintendent

* Fee paid at time of Application

8/9/88

Received by *NO* Date *8-9-88* Time *9:15 am*

Preliminary check by *SL*

Received by *SL* # *W000611* Date *8/9/88*

Publication prepared by *GC* Date *8/10/88* Published in *ID Statesman* 8/18 & 8/25/88

Publication approved *SL* Date *9/2/88*

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

Idaho No. *63-10672* , and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

November 1, 19 89

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code. This permit authorizes the use of groundwater with a bottom hole temperature of less than 85 degrees Fahrenheit. The Director retains jurisdiction of this permit if water with a bottom hole temperature of 85 degrees Fahrenheit or more is encountered.

Witness my hand this *6th* day of *October*, 1988.

Director

A. Min Saylor

RECORDED

DEC 08 1988

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

135.91

Account Name Idaho Department of Water Resources (Western)			Account Number #47628	
Address 2735 Airport Way		City/State Boise, ID		Zip 83705
Ordered By Judy Pense	P.O. Number	Rate NT	Run Dates 1988 August 18, 25	
Identification Applications for Water Rights			Estimated Inches	Real Inches
Number of Affidavits Requested 1				Legal Number #9392

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10669

Jennings, Donald K.
P.O. Box 2663
Elko, NV 89801

Source: Groundwater

Diversion Pt:

NESE Sec 28 T 05N R 01W

Use: Irrigation (2,600 CFS)

Date Filed: 08/08/1988

In: T05N R01W S27

NESE NWSW SWSW

S28 SESE

130.0 acres total

63-10671

S & H Farms

P.O. Box 6640

Boise, ID 83707

Source: Groundwater

Diversion Pt:

NESE Sec 4 T 04N R 01E

Use: Irrigation (4,320 CFS)

Domestic (600 CFS)

Fire Protection (4,000 CFS)

Date Filed: 07/29/1988

In: T04N R01E S04

NESE SWSW SESE NESE

NWSE SESE

214.0 acres total

63-10672

Perry Construction, Inc.

64 E. 6400 S, Suite 220

Murray, UT 84107

Source: Groundwater

Diversion Pt:

NESE Sec 34 T 04N R 02E

SESE Sec 34 T 04N R 02E

Use: Irrigation (1,120 CFS)

Date Filed: 08/09/1988

In: T04N R02E S34 NESE SENW

4.0 acres total

63-10676

Offer, John V.

906 Houston RD.

Boise, ID 83706

Source: Groundwater

Diversion Pt:

SESE Sec 34 T 04N R 01W

Use: Irrigation (1,160 CFS)

Date Filed: 07/27/1988

In: T04N R01W S36 SWSE SESE

58.0 acres total

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705, on or before September 6, 1988.

R. KEITH HIGGINSON

Director

Pub. Aug. 18, 25, 1988

9392

STATE OF IDAHO)

) ss.

COUNTY OF ADA)

Department of Water Resources
Western Regional Office

Debbie Richards, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for 2

☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of August 18, 19 88

and ending with the issue of August 25, 19 88

Debbie Richards

Subscribed and sworn to before me this 25th

day of August, 19 88

Notary Public for Idaho, Residing at Boise, Idaho

MICROFILMED

DEC 08 1988

July 13, 1992

H S A LTD PARTNERSHIP
64 E 6400 S #220
MURRAY UT 84107

RE: WATER RIGHT NO. 63-10672

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

JUL 28 1992

June 4, 1992

H S A LTD PARTNERSHIP
64 E 6400 S #220
MURRAY UT 84107

RE: WATER RIGHT NO. 63-10672

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
JUL 28 1992

LICENSE REVIEW CHECKLIST

Permit # 103-10672

Date 05-22-92
38

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☒	☐	Disagree with Actual Measurement?
			<u>3.8 x .03 = .11 cfs (IRR)</u>
	☐	☒	Disagree with Theoretical?
	☐	☒	Limited by Capacity? <u>30 cfs</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	☐	☒	Disagree with Examiner's Calculations?
			<u>3.8 x 4.5 = 17.1 AFA (IRR)</u>
	☐	☒	Limited by Flow? <u>11 x 245 x 1.9835 = 53.5 > 17.1</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D			Verify with Map
	☐	☒	Amendment Needed? <u>Drop SENW</u>
	☐	☒	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☐	☒	Non-Irr. Uses
	☐	☒	Special Overlap Condition
	☐	☒	Other
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>R52</u>	☐	Overlap
	☐	☒	Water Quality
		☒	DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduced Acres, Rate</u>		
	<u>Geothermal Conditions: No comment on F.E.</u>		
	<u>Shallow well 70' / Assume Cold Water Shallow Aquifer</u>		
	<u>< 300' per Mark Slitka</u>		
License	☐	☒	10-Day
	☐	☒	15-Day
	☐	☒	Special Correspondence

WR0749NP
No. L63-10672

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 05/22/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	H S A LTD PARTNERSHIP 64 E 6400 S #220 MURRAY UT 84107	08/09/1988	IRRIGATION	03-15 11-15	0.11 CFS	17.1 AFA
TOTAL DIVERSION:					0.11 CFS	17.1 AFA

O PERRY CONSTRUCTION INC.
64 E. 6400 S.
SUITE 220
MURRAY UT 84107
(208) 322-5155

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.30 CFS

Point(s) of Diversion: T04N R02E S34 NE NW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
04N	02E	34	:							02				01						:	3.8
TOTAL ACRES																				3.8	

Pou County: ADA

Other Water Rights with Same Point(s) of Diversion and Source:
63-10672

Other Water Rights Listing Overlapping Place(s) of use:
63-02362 63-02836 63-10229 63-10672 63-11345 L63-10229

Conditions of Approval:

R52 - This right when combined with all other rights shall provide no
- more than .03 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Dates:	App. Received:	08/09/1988	Priority Date:	08/09/1988
	Proof Due Date:	11/01/1989	Proof Made Date:	10/30/1989
	Exam Made Date:	09/11/1990	Exam Sent to S.O.:	
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 05/22/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT Department of Water Resources

RECEIVED
DEC 07 1990

A. GENERAL INFORMATION

1. Owner: H.S.A. LIMITED PARTNERSHIP Permit No. 63-10672
Current Address: 64 EAST 6400 SOUTH #220, MURRAY, UTAH 84107 Phone No. 801-264-8800
2. Accompanied by: STEVE RYALS EXAM. DATE: SEPT. 11, 1990
Address: 2401 APPLE STREET, BOISE, ID Phone No. 345-7660
Relationship to Permit Holder: LANDSCAPING MANAGER
3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-02362, 63-02836, 63-10229
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: 63-02836 not in NEW
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

MICROFILMED
JUL 28 1992

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

AN 8-INCH WELL EQUIPPED WITH A $7\frac{1}{2}$ HP SUBMERSIBLE PUMP SUPPLIES WATER FOR LAWN, TREE AND SHRUB IRRIGATION BY A VARIETY OF SPRINKLER HEADS. MAIN LINE IS 2-INCH, PRESSURE 30-50 PSI. MUCH OF THE IRRIGATED AREA IS NARROW STRIPS AND ISLANDS AROUND BUILDINGS, PARKING LOTS AND ROADWAYS.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.	WEL L	UNKNOWN	7 1/2	UNKNOWN	FED JACKET DISCHARGE 2 INCH
Motor Make			Hp	Pump Make	Pump Serial No. or Discharge Size

***Code to correspond with No. on map and aerial photo**

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination PLANNETER SITE MAP

[illegible]

JUL 8 1962

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements:

NONE

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes: *DRILLER REPORT: PUMPING LEVEL = 60 FT.*

WATERPOWER EQUATION: $\frac{7.5 \times 8.8 \times .7}{60 + (2.31 \times 40)} = 0.30 \text{ CFS}$ PERMIT .12 CFS

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: *LIMIT ON FLOW RATE: $3.8 \text{ A} \times .03 = 0.11 \text{ CFS}$*

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3.8 \times 4.5 = 17.1 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.11 \times 245 \times 1.9835 = 53.4 \text{ AFA}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 17.1 \text{ AFA}$

2. Volume Calculations for Other Uses:

MICROFILMED
JUL 28 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

THE WELL UNDER PERMIT 63-10672 IS THE ONLY SOURCE OF WATER ON THESE LANDS. CRANE CREEK RUNS THROUGH THE PROPERTY BUT NO DIVERSION IS MADE FROM IT AS UNDER 63-02362. 63-02836 AND 63-10229 ARE NEARBY PROPERTIES IRRIGATED FROM OTHER WELLS.

NOTE: only one P.D. was found during exam. There are two listed on permit. *gff*

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
	From To	Q (cfs)	V (afa)
IRRIGATION	3/15 11/15	✓ 0.11	17.1

Totals:

✓ 0.11 17.1

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Add P.D. as reflected above
☒ None
☐ Other


J. AUTHENTICATION

Field Examiner's Name CLIFTON W. JOHNSON
 Signature *Clifton W. Johnson*
 Certification Date SEPT 11, 1990
 Field Report Preparation Date SEPT 11, 1990

CONSULTANT SEAL

gff 12-04-90

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



MICROFILMED

JUL 28 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with Conditions of Approval
- ☒ Well Inspection Form (If Needed)
- ☒ Aerial Photo Required? yes ☒ no If yes: copy attached
- ☒ SRBA Attachment A Submitted to Adjudication Section
SRBA Claim Check Received (initial & date)
☒ N/A Applicable, See Attachment A
- ☒ Copy of U.S.G.S. Quad
- NOTE Check for Government Lots. If so, make a copy of government plat
- ☒ Check of P/D index 9/10/90 (initial & date)
Overlap ☒ yes no If yes: copy of exam(s) attached?
Type of Overlap? Add acres or uses to existing system
 Increase rate of flow or volume
☒ Other: WELL
- ☒ Check of P/U index 9/10/90 (initial & date)
Overlap? ☒ yes no If yes: copy of water right(s) attached?
Type of Overlap? Increase rate of flow or volume
 Add P/D's
 Increase number of acres within tracts
☒ Other: OTHER IRRIGATION
- Scheduling Letter Sent? (initial & date)
- ☒ Appointment Made and Telephone Conversation Memo Attached


B. After Conducting the Exam, the File Contains:

- ☒ Fully Completed and Signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- N/A Copy of SRBA Claim Verification Sheet / Original Returned to
Adjudication Section

C. Review and Processing:


- Exam Completed Shifton W. Johnson 9/11/90 (signature of examiner & date)
- Exam Reviewed by Senior Water Resource Agent CyH 12-05-90 (initial & date)
- Exam Reviewed by Manager of Regional Office DER 12/5/90 (initial & date)
- Exam Sent to State Office 12-5-90 at (initial & date)

P. AIT _____ INIT _____
 T. R. S. Q/Q _____
 P/D _____
 SCALE _____
 PHOTO ID. _____



'63 12 30" '55 '66 '67

SCALE 1:24 000



A
 NORTH

coordinate

JUL 28 1992

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10672

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP____, Rge____, Sec.____, ____1/4____1/4
or Lot____.

2. Owner: _____

Address_____, City_____, St_____

3. Casing $\geq$ 12 inches above ground: Yes_____ No_____

4. Access Port: Yes_____ No ☒

Static Water Level: 8 FT (DRILL RECORD)

Pressure Gauge: Yes_____ No ☒

Casing Diameter: 8-INCH

Flowing: Yes_____ No ☒

Temperature: _____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes_____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

JUL 20

ATTACHMENT A

SRBA CLAIM CHECK PER BENEFICIAL USE EXAM

EXAMINER CLIFTON JOHNSON DATE SUBMITTED 9/10/90
ADJUDICATION AGENT RON RESPONSE DUE DATE 9/12/90
COUNTY ADA OWNER'S NAME HSA LIMITED PARTNERSHIP NAME
FERRY CONSTRUCTION INC.

PERMIT DATA	T	R	S	Q/Q	T	R	S	Q/Q
P/D	<u>4N</u>	<u>2E</u>	<u>34</u>	<u>NE NW</u>				
P/U	<u>4N</u>	<u>2E</u>	<u>34</u>	<u>SE NW</u>				

PROOF SUBMITTED DATE 10/23/89

ADJUDICATION DATA RELATING TO THIS PERMIT NUMBER

A. Check Permit Number for Adjudication Claim Filing:

- ☐ Claim required for permit but not filed
(examiner needs to notify permit holder during exam)
☐ Claim filed for permit and copy attached *
☐ Claim filed although not required (proof filed after 11-19-87)
☒ No claim filed or required.

B. Check Adjudication Claims Relating to the Permit Holder but are Different Claims (new number - different right)

- ☒ Name index search
☐ Legal description search
☒ Non-data entry claims search
☐ Claim found but large system no exam required *

Claims found requiring exam	Date field exam conducted	Exam data is in, Permit file	Attached	Exam not Conducted
<u>NONE</u> Adj No. _____		☐	☐	☐
_____ Adj No. _____		☐	☐	☐
_____ Adj No. _____		☐	☐	☐

☐ Exam completed date(s) data entered _____ (initial & date)

* copies included only if pertinent to permit field exam

JUL 28 1992

PERMIT 63-10672

PHOTO #1

8-INCH WELL EQUIPPED WITH 7½ HP SUBMERSIBLE
PUMP SUPPLYING WATER FOR LAWN AND LAND-
SCAPING. 2-INCH DISCHARGE PIPE, BESIDE CLUBHOUSE.



PHOTO #2

VIEW FROM NEAR WELL LOOKING NORTHWEST TOWARD
BOGUS BASIN ROAD. PLU LAWN AND SHRUBS,



REPRODUCTION

JUL 28 1992

PERMIT 63-10672

PHOTO #3

VIEW LOOKING SOUTHEAST FROM CLUBHOUSE.
P/U SWIMMING POOL AND APARTMENTS.



PHOTO #4

VIEW LOOKING NORTH WEST ALONG PARKHILL DRIVE ON LEFT.
HIGHLAND VIEW DRIVE IN FRONT OF APARTMENTS IN FOREGROUND.



JUL 28

January 26, 1990

Perry Construction, Inc.
64 East 6400 South Suite #220
Murray, Utah 84107

RE: Permit No. 63-10672

Dear Permit Holder:

This office acknowledges receipt of the assignment conveying the above referenced permit to you. The assignment has been entered into the department's records. Enclosed is a copy of the permit for your records.

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

C: Region

RECEIVED
FEB 26 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10672

Date: 12/29/89

General Considerations:

NO Name same as permit
✓ Signature the same as permit holder
NO Address change If yes, prepare a data entry
✓ Proof received timely
Reinstated

Source of Water:

✓ Surface water
✓ Groundwater
1. well log in file
2. drilling permit
A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

✓ Rate of diversion appropriate for uses
✓ Is rate or volume and fee appropriate?
✓ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

NO Is a measuring device or access port required?
+ Has one been installed?
+ Waiver or modification of measuring device requested

Remarks:

Priority Calculation:

Date proof received	<u>NA</u>	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Handwritten signature
Name change

Form 217
03/86

RECEIVED

OCT 30 1989

STATE OF IDAHO

Department of Water Resources
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received 50.00
Date 10-30-89
Receipt # 012517
Receipt by OK
Reviewed by 10-1-22-90
Sent to region

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10672

Name(s) of Permit Holder: PERRY CONSTRUCTION, INC.

Post Office Address: 64 EAST 6400 SOUTH SUITE #220, MURRAY, UTAH 84107

Telephone No. (801) 264-8800

Source of Water: GROUND WATER, WELL

Extent of Use:

Domestic (number of households) Stockwater (number and type of stock)

Irrigation APPROXIMATELY 7 ACRES (acres) Other/Remark

Total rate and/or volume for which proof is submitted .12 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: 4-25-89

Measuring Device: Required? Yes X No
Installed? Yes No
Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes X No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

SCOTT ELLERBECK (208) 345-7660
(Name) (Telephone Number)

2401 APPLE STREET BOISE, IDAHO
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

FEB 26 1990

10/23/89
Date

[Signature]
Signature of Permit Holder (and title, if appropriate)

138569
August 31, 1989

PERRY CONSTRUCTION INC.
64 E. 6400 S.
SUITE 220
MURRAY, UT 84107

PROOF DUE NOTICE

RE: PERMIT NO. 63-10672

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

FEB 26 1990

RECEIVED

NOV 08 1988

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

Department of Water Resources

1. Applicant Perry Construction
2. Address 2350 Hill Rd.
Boise 83702 Telephone 343-2545
- ☒ Well Owner () Well Operator () Other, specify _____
3. Proposed well location NE 1/4 NW 1/4, or Gov't lot No. _____,
Sec. 34, Twp. 4N, Rge. 2E, County Ada,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)
() Domestic () Stockwater () Monitoring
☒ Irrigation () Industrial () Municipal
() Injection () Other, Specify _____
5. Well construction information:
☒ New well () Deepen () Replace
Proposed surface diameter 8" Maximum depth 180'
Anticipated bottom hole temperature: _____
☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Anticipated construction start date 11/10/88
7. Well Driller (if known) Wes Phillips (#311)
Address 7015 McGLOUGHLIN ST. Boise 83709
8. Applicant's signature [Signature] Title Contractor
Date 11/7/88

RECEIVED

FEB 26 1990

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

* Approved 10/11/88

ACTION OF IDWR

(X) Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

8. If the depth of the well to be drilled under this permit is anticipated to exceed 200 feet, specific approval is required from this office.

RECEIVED

FEB 26 1990

Dated this 7th day of November, 1988.

Signed D. R. Tuttle Jr.

Title Western Region Manager

Received by SL Fee \$100 Date 11/7/88

Receipt No. W 001309 Construction start extension to _____

Extension approved by _____

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
October 11, 1988

PERRY CONSTRUCTION INC.
64 E. 6400 S. SUITE 220
MURRAY, UT 84107

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 63-10672

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also

MEMORIALIZED

DEC 08 1988

enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

Gary Spackman
Supervisor, Water Allocation Section

GS: SC
Enclosures

UNRECORDED

DEC 08 1988

P/u

63-2362 Crane Creek water for different areas in NE1/4 & SE1/4.

63-10229 } different wells for unique areas in SE1/4.

63-2836

PO + pu

4N 2E S. 34 NENW
SENN

rm No. 202a
87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY SL DATE 8/9/88 APPLICATION NUMBER 63-I0672

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.) *yes*
- ☒ Overlapping point of diversion *No*
- ☐ Yes ☒ No Field check required
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☒ Yes ☐ No Groundwater management area *Borje Front, but anticipate cold water well & 300' deep. OK (Cold water sought)*
- ☐ Yes ☐ No Send dam safety information
- ☐ Yes ☐ No Send power requirement letter
- ☐ Yes ☐ No Send fish farm requirement letter
- ☐ Yes ☐ No Power residency affidavit
- ☐ Yes ☐ No Power efficiency form
- ☐ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☐ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☒ See reverse side for additional information

REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested

SEP 22 1988

Department of Water Resources

RECEIVED

PROCESSING

☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO

none
☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest September 6, 1988
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached Approve, DM
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. 63
☒ Yes ☒ No Special conditions of approval or cover letter below.

Add standard conditions re: shallow wells in the Boise Front Geothermal G.W.M.A.

☐ See below for additional information
Date of priority recommended 9/19/88
By DM Date 9/19/1988

STATE OFFICE REVIEW P05, P23 P116 46 ★★ (below)

☐ See below for additional information
By KW Date 9/27/88

ADDITIONAL INFORMATION

★★ This permit authorizes the use of groundwater with a bottom hole temperature of less than 85°F.

The Director retains jurisdiction of this permit if water with a bottom hole temperature of 85°F or more is encountered.

63-10672

PERRY CONSTRUCTION INC.
64 E. 6400 S. SUITE 220
MURRAY, UT 84107

Source: GROUNDWATER

Diversion Pt:	NENW	Sec 34 T 04N R 02E
	SEnw	Sec 34 T 04N R 02E

Use: IRRIGATION (.120 CFS)

Date Filed: 8/09/1988

In: T04N R02E S34 NENW SENW

4.0 ACRES TOTAL

MICROFILMED

DEC 08 1988