


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



MICROFILMED

DEC 08 1988

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Jerry R. Bann
(Applicant)

NOTICE OF APPLICATION
FOR WATER RIGHT

The following applications have
been filed to appropriate the public
waters of the State of Idaho:

63-10667

BAUM, JERRY R.
9839 CHERRY LN.
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: SENE Sec 5 T 03N R
01W

Use: IRRIGATION (1.600 CFS)
Date Filed: 8/01/1988
In: T03N R01W S05 Lot 1 (NENE)
SENE

80.0 ACRES TOTAL

63-10678

ESKEW, GARY
5315 S. 10TH AVE.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt: SWSW Sec 3 T 03N R
03W

Use: DOMESTIC (.020 CFS)
IRRIGATION (.150 CFS)
Date Filed: 8/15/1988

In: T03N R03W S03 SWSW

5.0 ACRES TOTAL

63-10679

ESKEW, E.E.
ESKEW, JESSIE
4812 S. INDIANA
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt: NESE Sec 3 T 03N R
03W

Use: IRRIGATION (.400 CFS)
Date Filed: 8/15/1988

In: T03N R03W S03 NESE

20.0 ACRES TOTAL

63-10680

BURRILANE FARMS INC.
3824 E. POWERLINE RD.
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: SWSE Sec 24 T 03N
R 02W

Use: IRRIGATION (.380 CFS)
STOCKWATER (.020 CFS)
Date Filed: 7/07/1988

In: T03N R02W S24 SWSE SESE

19.0 ACRES TOTAL

63-10681

TIDWELL, JOSEPH R.
TIDWELL, SYLVIA
RT. 2 BOX 2204
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: LOT 3 (NENW) Sec
6 T 03N R 01W

Use: IRRIGATION (1.600 CFS)
Date Filed: 8/11/1988

In: T03N R01W S06 Lot 3 (NENW)

Lot 4 (NWNW)

80.0 ACRES TOTAL

63-10683

HERMAN, ERNEST
HERMAN, RUSSELL
RT. 1
MELBA, ID 83641
Source: GROUNDWATER
Diversion Pt: NWNWNE Sec 24 T
01N R 02W

Use: IRRIGATION (2.420 CFS)
Date Filed: 8/10/1988

In: T01N R02W S14 SENE NESE

S24 NENE NWNW NENW

NWNW

240.0 ACRES TOTAL

63-10684

MC KELLIP FARMS INC.
RT. 2 BOX 2117
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: SWNE Sec 25 T 04N
R 02W

Use: IRRIGATION (3.200 CFS)
Date Filed: 8/23/1988

In: T04N R02W S25 SWNE SENW

NESW NWSE

160.0 ACRES TOTAL

63-10687

ESKEW, GARY
5315 S. 10TH AVE.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt: SENW Sec 2 T 03N R
03W

Use: IRRIGATION (.400 CFS)
Date Filed: 8/15/1988

In: T03N R03W S02 SENW

20.0 ACRES TOTAL

The permits will be subject to all
prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Western Region,
2735 Airport Way, Boise, Idaho
83705 on or before SEPTEMBER
26, 1988.

R. KEITH HIGGINSON

Director

September 7, 14, 1988

RECEIVED
SEP 14 1988

Department of Water Resources
Western Regional Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Debra Martin del Campo
of Nampa, Canyon County, Idaho, being first duly sworn, deposes
and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of eighteen years,
and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a
daily, (except Saturday) newspaper published in the City of Nampa
and Caldwell, in the County of Canyon, State of Idaho; that the said
newspaper is in general circulation in the said County of Canyon,
and in the vicinity of Nampa and Caldwell, and has been uninter-
ruptedly published in said County during a period of seventy-eight
consecutive weeks prior to the first publication of the notice, a copy
of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper
Two times
in the regular and entire issue of said paper, and was printed in
the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:
September 7, 14, 1988

Debra Martin del Campo
Subscribed and sworn to before me this
14th day of September
19 88


MICROFILMED

DEC 08 1988

Janet Lusk
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1991

Township No. 3 North Range No. 1 West



NOTE: James Griffin is landowner. Jerry Baum is lessor & permit holder. Whose name on license?

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 13 1991

A. GENERAL INFORMATION

Permit No. 63-10667
Department of Water Resources


- Owner: JAMES F GRIFFIN Phone No. _____
Current Address: 705 No. 9th Street, Boise, ID 83702
- Accompanied by: JERRY R BAUM EXAM. DATE: 7-27-89
Address: 9839 CHERRY LANE, NAMPA ID. Phone No. 467-3534
Relationship to Permit Holder: LESSOR
- Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

- Other water rights with same place of use: DITCH CO. WATER ONLY
63-05075 see back. ☐ Copies Attached
- Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

- Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = _____

- ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
 ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
- ☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

SCHEMATIC


Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



Inspected by KELLY K. CHRISTENSEN Date 7-27-89

MICROFILMED

OCT 27 1992



Produced by the Geological Survey

Orthophotograph prepared from 1:80,000-scale aerial photographs taken July 4, 1981

Projection and 10,000-foot grid ticks: Idaho coordinate system, west zone (Transverse Mercator)

1000-meter Universal Transverse Mercator grid, zone 11 1927 North American Datum

To place on the predicted North American Datum 1983 move the projection lines 15 meters north and 77 meters east as shown by dashed corner ticks

Photoimagery rectified by optical scanning
Where double or mismatched image occur use the mean of image position for map point

Land lines from Star, Idaho

1:24,000-scale topographic map dated 1971


There may be discrepancies between positions on land lines and photoimagery

RECEIVED
OCT 27 1992

**Copies Of These
At Bonneville E**

THIS MAP COMPLIES WITH
FOR SALE BY U. S. GEOLOGIC

This map has been prepared by the Idaho Department of Water Resources pursuant to Idaho Code §42-1410 to assist claimants in filing notices of claims and objections in the Snake River Basin Adjudication. No warranty, either express or implied, is made and no legal responsibility is assumed by IDWR, its employees, its agents, contractors, and reproduction firms particularly Bonneville Blueprint Supply Co. Inc. or its employees for the accuracy, completeness, or usefulness of any information set forth on this map.




Township and North Range No. 1


4	3	2	1
41.8	41.7	41.6	41.5

6

5

MICROFILMED
OCT 27 1992





FILL TIME = 24 SEC

APPROVED
OCT 27 1992

AREA FOR:

$$\frac{\text{Sec A} \times \text{Hic}}{(2 * \frac{1}{2} BH)} = \frac{1.15}{2} \text{ SA Fe}$$

$$\frac{\text{Sec B}}{\text{TOTAL}} = \frac{1.35}{2.5} \text{ SA Fe}$$

$$2.5 \times 30^{\text{ft}} = 75 \text{ Cubic ft.}$$

$$75 \text{ ft}^3 / 24 \text{ sec} = 3.13 \text{ ft}^3 / \text{sec}$$

P/4

PICTURES 1 & 2

LOOKING EAST



LOOKING SOUTHEAST

THIS SHOWS THAT THE BUILDINGS INDICATED ON THE AERIAL
PHOTO & ORTHO PHOTO ARE NOW GONE

MICROFILMED
OCT 27 1992

P/D _____

LOOKING NORTH WEST

Picture # 3




Picture # _____

MICROFILMED
OCT 27 1992

63-10667

81
21
08



$$\begin{array}{r} 40.5 \\ - 15 \\ \hline 25.5 \end{array}$$

Area of A + C = 1.15 sq ft
B = 1.354 sq ft

24 sec

3.13 CF²

TOTAL 2.5 sq ft

75.125 cubic ft

RECORDED
OCT 27 1892

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10667

Priority: August 1, 1988

Maximum Diversion Rate: 1.58 CFS
Maximum Diversion Volume: 355.5 AF

This is to certify, that JERRY R BAUM
9839 CHERRY LN
NAMPA ID 83651

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated August 1, 1988; and
has submitted Proof of Beneficial Use on November 17, 1988. An examination indicates
that the works have a diversion capacity of 3.130 cfs of water from a **GROUNDWATER**
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.58 CFS	355.5 AF

LOCATION OF POINT(S) OF DIVERSION: SENE , Sec. 5, Township 03N, Range 01W
CANYON County

<u>PLACE OF USE:</u>	<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
IRRIGATION	03N	01W	5	Lot 1(NENE) 40	SENE 39		79
Total number of acres irrigated:							79

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

RECORDED

OCT 27 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10667

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 16TH
day of OCTOBER, 1992.

Acting for R. Keith Higginson Director

RECORDED
INDEXED

OCT 27 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Jerry R. Baum Phone 467-3534
Post office address 9839 Cherry Lane Nampa, Id 83651
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 5 Township 3N Range 1W B.M. Canyon County; additional
points of diversion if any: _____
4. Water will be used for the following purposes: OK
Amount 1.60 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 1.60 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. well, pump, open discharge to concrete ditch.
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
- c. Proposed well diameter is 16 inches; proposed depth of well is 125 feet.
- d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

DEC 08 1988

UNITED STATES DEPARTMENT OF JUSTICE
FEDERAL BUREAU OF INVESTIGATION

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. Applicant rents the farm.

b. Who owns the land to be irrigated or place of use? JAMES GARFIELD

11. a. Who owns the property at the point of diversion?
James Saffin

10. Describe any other water rights used for the same purposes as described above.

Nampa - McManan IRRIGATIONAL DISTRICT SURFACE WATER.

Total number of acres to be irrigated.

[illegible]

ponding place of use below. See instructions for standard symbols.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding

9. Description of place of use:

a. Hydropower; show total feet of head and proposed capacity in KW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality. _____

d. Domestic; show number of households. _____

e. Other; describe fully. _____

8. Description of proposed uses (if irrigation only, go to item 9):

Now



Jerry R. Bann
(Applicant)

Received by SC Date 8-11-88 Time 4:00 pm
 Received by SC Date 8-1-88 Time 10:50
 Received by SC Date 8-1-88
 Fee \$ 65.00
 Received by SC Date 8-1-88
 # C002092
 Published in Press-Tribune Date 9/7 & 9/14/88
 Publication approved SC Date 9/21/1988

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10667, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 89

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code. The issuance of this permit in no way grants any right-of-way or easement across the land of another. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department. The period of use for this water right is limited to the period from 3/15 to 11/15 annually.

Witness my hand this 11th day of October, 1988.

D. Alan Sauter

UNRECORDED

DEC 08 1988

THE FOLLOWING WATER RIGHTS have been filed to support this water right of the State of Idaho:

BAUM, JERRY A.
909 CHERRY LN.
NAMPA, ID 83402
Source: GROUNDWATER
Diversion Pt: SENE Sec 3 T 03N R 01W
Use: IRRIGATION (1,400 CFS)
Date Filed: 8/01/1988
In: T03N R01W S05 Lot 1 (NENE) SENE
80.0 ACRES TOTAL
43-10678
ESKEW, GARY
155 S. 10TH AVE.
CALDWELL, ID 83405
Source: GROUNDWATER
Diversion Pt: SENE Sec 3 T 03N R 01W
Use: DOMESTIC (200 CFS)
Date Filed: 8/15/1988
In: T03N R03W S05 S15W
80.0 ACRES TOTAL
43-10679
ESKEW, E.E.
ESKEW, JESSIE
INDIANA
CALDWELL, ID 83405
Source: GROUNDWATER
Diversion Pt: NESE Sec 3 T 03N R 03W
Use: IRRIGATION (200 CFS)
Date Filed: 8/15/1988
In: T03N R03W S03 NESE
80.0 ACRES TOTAL
43-10680
HURRILANE FARMS INC.
324 E. POWERLINE RD.
NAMPA, ID 83451
Source: GROUNDWATER
Diversion Pt: SWSE Sec 24 T 03N R 02W
Use: IRRIGATION (300 CFS)
Stockwater (1,020 CFS)
Date Filed: 7/07/1988
In: T03N R02W S24 SWSE SESE
80.0 ACRES TOTAL
43-10681
FIDWELL, JOSEPH R.
FIDWELL, SYLVIA
RT. 2 BOX 2204
NAMPA, ID 83451
Source: GROUNDWATER
Diversion Pt: LOT 3 (NENW) Sec 3 T 03N R 01W
Use: IRRIGATION (1,400 CFS)
Date Filed: 8/11/1988
In: T03N R01W S04 Lot 3 (NENW) Lot 4 (NENW)
80.0 ACRES TOTAL
43-10682
HERMAN, ERNEST
HERMAN, RUSSELL
RT. 1
MELBA, ID 83441
Source: GROUNDWATER
Diversion Pt: NWNWNE Sec 24 T 01N R 02W
Use: IRRIGATION (2,420 CFS)
Date Filed: 8/10/1988
In: T01N R02W S14 SENE NESE S24 NENE NWNW NENW
240.0 ACRES TOTAL
43-10684
MCKELLIP FARMS INC.
RT. 2 BOX 2117
NAMPA, ID 83451
Source: GROUNDWATER
Diversion Pt: SWNE Sec 25 T 04N R 01W
Use: IRRIGATION (2,300 CFS)
Date Filed: 8/23/1988
In: T04N R01W S05 SWNE SENW NESW NWSE
40.0 ACRES TOTAL
43-10685
ESKEW, GARY
155 S. 10TH AVE.
CALDWELL, ID 83405
Source: GROUNDWATER
Diversion Pt: SENE Sec 3 T 03N R 01W
Use: IRRIGATION (1,400 CFS)
Date Filed: 8/15/1988
In: T03N R01W S05 Lot 1 (NENE) SENE
80.0 ACRES TOTAL
43-10678

THE FOLLOWING WATER RIGHTS have been filed to support this water right of the State of Idaho:

ESKEW, GARY
155 S. 10TH AVE.
CALDWELL, ID 83405
Source: GROUNDWATER
Diversion Pt: SENE Sec 3 T 03N R 01W
Use: DOMESTIC (200 CFS)
Date Filed: 8/15/1988
In: T03N R03W S05 S15W
80.0 ACRES TOTAL
43-10679

SEP 15 1988

Debra Martin del Campo
Notary Public, Residing at Nampa, Idaho

AFFIDAVIT OF PUBLICATION
STATE OF IDAHO)
County of Canyon) ss.
County of Canyon)

Debra Martin del Campo
of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.
2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper
Two times
—in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:
September 7, 14, 1988

Debra Martin del Campo
Subscribed and sworn to before me this
14th day of September
1988

Joanne Lusk
Notary Public, Residing at Nampa, Idaho

MicroFILMED

DEC 08 1988

MY COMMISSION EXPIRES
JULY 12th, 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 21, 1992

JERRY R BAUM
9839 CHERRY LN
NAMPA ID 83651

RE: WATER RIGHT NO. 63-10667

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

A faint, rectangular stamp, possibly a "RECEIVED" or "FILED" stamp, with illegible text inside.

OCT 27 1992

September 21, 1992

JERRY R BAUM
9839 CHERRY LN
NAMPA ID 83651

RE: WATER RIGHT NO. 63-10667

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

UNRECORDED

OCT 27 1992

LICENSE REVIEW CHECKLIST

Permit # 63-10667

Date 9-18-92 *CS*

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u> </u>
	<u> </u>	<u>✓</u>	Memo to Advance <u> </u>
	<u> </u>	<u>✓</u>	Order to Reinstate Needed? <u> </u>
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u> </u>	<u>✓</u>	Disagree with Actual Measurement?
	<u> </u>	<u> </u>	<u>79 x .02 = 1.58 cfs (IRR)</u>
	<u>✓</u>	<u> </u>	Disagree with Theoretical? <u>@ 30' = 6.16 @ 50' = 4.20</u>
	<u> </u>	<u>✓</u>	Limited by Capacity? <u>3.13 cfs</u>
			<u>(measured)</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	<u> </u>	<u>✓</u>	Disagree with Examiner's Calculations?
	<u> </u>	<u> </u>	<u>79 x 4.5 = 355.5 ac (IRR)</u>
	<u> </u>	<u>✓</u>	Limited by Flow? <u> </u>
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u> </u>	<u>Intended</u> source <u> </u>
	<u> </u>	<u>✓</u>	Notice of Intent to Void. <u> </u>
P/D	<u> </u>		Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration? <u> </u>
P/U	<u> </u>		Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration? <u> </u>
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u> </u>	<u>✓</u>	Non-Irr. Uses <u> </u>
	<u> </u>	<u>✓</u>	Special Overlap Condition <u> </u>
	<u> </u>	<u>✓</u>	Other <u> </u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u>R32</u>	<u> </u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
			DATES/MISC
		<u>✓</u>	Water Dist.
		<u>✓</u>	App Rec'd
		<u>✓</u>	Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduced Acre, rate</u>		
	<u>Permit Holder (Baum) leases land / No assignment to</u>		
	<u>land owner (Griffen)</u>		
License	<u>10-Day</u>	<u>✓</u>	15-Day
			Special Correspondence

WR0749NP
No. L63-10667

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 09/18/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	JERRY R BAUM 9839 CHERRY LN Nampa ID 83651 (208) 467-3534	08/01/1988	IRRIGATION	03-15 11-15	1.58 CFS	355.5 AFA
TOTAL DIVERSION:					1.58 CFS	355.5 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 3.13 CFS

Point(s) of Diversion: T03N R01W S05 SE NE

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE														
T	R	S		NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM		
				Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	
03N	01W	5	:	01-40			39	:					:					:							:	79.0
TOTAL ACRES																							:	79.0		

Pou County: CANYON

Other Water Rights with Same Point(s) of Diversion and Source:
63-10667

Other Water Rights Listing Overlapping Place(s) of use:
63-10667


Conditions of Approval:

- 004 - The issuance of this right in no way grants any right-of-way
- or easement across the land of another.
R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Dates:	App. Received:	08/01/1988	Priority Date:	08/01/1988
	Proof Due Date:	11/01/1989	Proof Made Date:	11/17/1988
	Exam Made Date:	07/27/1989	Exam Sent to S.O.:	03/13/1991
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 09/18/92 SKAGGS



1000

1000

1000

1000

1000

1000

1000

1000

1000

1000



1000

1000

1000

1000

1000


1000

1000

1000

1000

1000



1000

1000

1000

1000

1000


1000

1000

1000

1000

1000



1000

1000

1000

1000

1000

1000

1000

1000

1000

1000



1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

63-10667
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with conditions of approval
yes Well Inspection Form Needed
☒ Copy of U.S.G.S. Quad

found Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index 7-20-89 KKC (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index 7-20-89 KKC (Initial and date)

Overlap? ☒ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☒ Other: 43-5075 Adiff use Diva Claim

Aerial Photo

Required? ☒ yes ☐ no If yes: ☒ copy attached?

Scheduling Letter sent? 7-19-89 KKC (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☒ Photographs of Point of Diversion and Place of Use

C. Review and Processing:

Exam Completed 8-7-89 Kelly K. Christensen (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent CHL 1-4-90 (Initial and date)
Exam Reviewed by Manager of Regional Office Dnr 1/17/99 (Initial and date)
Exam Date Entered in Computer ✓ at (Initial and date)
Exam sent to State Office 3-8-91 at (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

NOTE: James Griffin is landowner. Jerry Baum is lessor
& permit holder. Whose name is _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 13 1991

A. GENERAL INFORMATION

Permit No. 63-10667
Department of Water Resources


1. Owner: JAMES F GRIFFIN Phone No. _____
Current Address: 705 No. 9TH STREET, BOISE, ID 83702
2. Accompanied by: JERRY R. BAUM EXAM. DATE: 7-27-89
Address: 9839 CHERRY LANE, NAMPA ID. Phone No. 467-3534
Relationship to Permit Holder: LESSOR
3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: DITCH Co. WATER ONLY
63-05075 see back. ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

THIS SYSTEM IS A WELL WITH OPEN DISCHARGE INTO A CEMENT DITCH SYSTEM AND TUBE IRRIGATION IS USED ON THE P/U. THIS RIGHT SUPPLEMENTS NAHPA-MERIDIAN IRRIGATION DISTRICT WATER ONLY

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	GE	30	DDJ424511	LANE	8" FLARED TO 10"
Motor Make					
Hp					
Motor Serial No.					
Pump Make					
Pump Serial No. or Discharge Size					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination.

[illegible]

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
TIMED VOLUME						

2. Measurements:

TIMED FILL RATE 24 SEC
 FOR VOLUME CALC. SEE ATTACHMENT.
 75 cu ft IN 24 SEC = 3.13 CFS

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

* EST. (SEE WELL INSP. FORM)

Limited by Permit & Acreage

$$\frac{30 \text{ HP} \times 8.8 \times .8}{15' + (2.3 \times 0)} = 14.08 \text{ CFS}$$

F. PUMP EFFICIENCY DATA (Optional)

USING DITCH CO WATER / ALSO

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2) ACCESS PORT
 Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4) BLOCKED

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N / _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5) / (7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 79 \times 4.5 = 355.5$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.58 \times 245 \times 1.9835 = 768.$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 355.5 \text{ AFA}$

2. Volume Calculations for Other Uses:

NOT RECORDED

OCT 27 1992
 * Static level is 15'. Doubt they are pumping that shallow in a 143' well.
 At an assumed 50' dynamic level, theoretical is $\frac{30 \times 8.8 \times .8}{50 + (2.3 \times 0)} = 4.22 \text{ CFS}$
 Which is more reasonable in comparison. Limited by Permit irregardless.

H. REMARKS AND OVERLAP REVIEW ANALYSIS

PERMIT FOR 80 ACRES \$ 1.60 CFS
 FEES PAID (MAX) 2.00 CFS
 FOUND 79 ACRES \$ 3.13 CFS
 THEREFORE RECOMMEND 79 ACRES @ 0.02 CFS = 1.58 CFS

held by James Griffin, landowner
 03-05075 is a statutory claim for domestic & stock used in NENE
 Sec 5. lot 1 comprises 41.5 total acres in the NENE quarter.
 so it is reasonable for there to be 40 ac. irrigated.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use From To	Rate of Division Q (cfs)	Annual Volume V (afa)
IRRIGATION	3-15 11-15	1.58 CFS	355.5 AFA

Totals:

1.58 CFS
 355.5 AFA

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☒ None
- ☐ Other

J. AUTHENTICATION

Field Examiner's Name Kelly K. Christensen
 Signature Kelly K. Christensen
 Certification Date 8-7-89
 Field Report Preparation Date 8-7-89

CONSULTANT SEAL



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

OCT 27 1992

State of Idaho
Department of Water Resources
WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.


1. Legal Description of well location. Twp. 3N, Rge. 1W,
Sec. 5, Qtr./Qtr. SE/NE or Lot _____
2. Owner JAMES GRIFFON
Address 705 N. 9TH ST. Bldg, City BOISE, State ID
3. Approx. date of well construction 8-9-88
Well Driller PETE COPE
4. Casing: Diameter 16" Condition GOOD
5. Casing length above land surface 6"
6. Well depth (ft) 143 Flowing NO Temp. _____
Access port YES BUT PUMP SETS ON TOP OF IT
7. Condition of piping and valving NEW
8. Evidence of well seal —
9. Shut in pressure or static water level SEE 6 EST 12' - WELL LOG
STARTS 12'
10. Evidence of leakage around the casing NO
11. Does well need repair NO
12. Comments _____

(OVER)


RECEIVED
OCT 27 1992

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



Inspected by KELLY K. CHRISTENSEN Date 7-27-89



Produced by the Geological Survey

Orthophotograph prepared from 1:80,000-scale aerial photographs taken July 4, 1981

Projection and 10,000-foot grid ticks: Idaho coordinate system, west zone (Transverse Mercator)

1030-meter Universal Transverse Mercator grid, zone 11 1927 North American Datum

To place on the predicted North American Datum 1983 move the projection lines 15 meters north and 77 meters east as shown by dashed corner ticks

Photoimagery rectified by optical scanning

Where double or mismatched image occur use the mean of image position for map point

Land lines from Star, Idaho

1:24,000-scale topographic map dated 1971

There may be discrepancies between positions on land lines and photoimagery

CEMENT DITCH

This map has been prepared by the Idaho Department of Water Resources pursuant to Idaho Code §42-1410 to assist claimants in filing notices of claims and objections in the Snake River Basin Adjudication. No warranty, either express or implied, is made and no legal responsibility is assumed by IDWR, its employees, its agents, contractors, and reproduction firms, particularly Bonneville Blueprint Supply Co. Inc. or its employees for the accuracy, completeness, or usefulness of any information set forth on this map.

Copies Of These
At Bonneville

THIS MAP COMPLIES WITH
FOR SALE BY U. S. GEOLOGIC

32.1

C121
T226

A
18.9

C
5.2

C120
T226 T2272

C
14.5

B
4.2

A
31.6

C116
T226 T2268

B
6.8

B
7.5

C104
T226 T2284

A
14.9

C132
T226 T2290

A
35.4

B
36.7

PICTURE
LOCATION

C
18.9

E
13.8

B
15.4

D
45.0


3N 1W Sec

FORMED

7 1992

P/4
ALL
IRRIGATED
#3
PICTURE
LOCATION

LEVERED
OUT



FILL TIME = 24 sec

OCT 27 1992

AREA FOR:

$$\frac{\text{Sec Aic}}{(2 * \{1/2 BH\})} = \frac{1.15}{2} \text{ SA Fe}$$

$$\frac{\text{Sec B}}{2} = \frac{1.35}{2} \text{ SA Fe}$$

$$\frac{\text{TOTAL}}{2.5 * 30 \text{ ft}} = \frac{2.5}{2.5} \text{ SA Fe}$$

$$2.5 * 30 \text{ ft} = 75 \text{ Cubic ft.}$$

$$75 \text{ ft}^3 / 24 \text{ sec} = 3.13 \text{ ft}^3 / \text{sec}$$

PICTURES 1 & 2

P/4

LOOKING EAST

LOOKING SOUTH EAST



THIS SHOWS THAT THE BUILDINGS INDICATED ON THE AERIAL
PHOTO & ORTHO PHOTO ARE NOW GONE

MICROFILMED

OCT 27 1992

P/D _____

LOOKING NORTH WEST


Picture # 3



Picture # _____

RECORDED
OCT 27 1992

63-10667



$$\begin{array}{r} 40.5 \\ - 15 \\ \hline 25.5 \end{array}$$

$$\begin{aligned} \text{Area of A+C} &= 1.15 \text{ sq ft} \\ B &= 1.35 \text{ sq ft} \end{aligned}$$

24 sec

3.13 cfs

TOTAL 2.5 sq ft

75,125 cubic ft

OCT 27 1992
FBI - NEW YORK

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 123-10667

Date: 11-21-88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
? Has one been installed?
N Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority date	_____	_____
NEW PRIORITY DATE	_____	_____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

DEC 08 1988

RECEIVED
NOV 17 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received 125.00
Date 11-17-1988
Receipt # C003437
Receipt by KW
Reviewed by JS
Sent to region 2

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10667

Name(s) of Permit Holder: Jerry R. Baum

Post Office Address: 9839 Cherry Lane, Nampa, ID 83651

Telephone No. 467-3534 or 466-7327

Source of Water: groundwater

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 80 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 1.6 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: Aug. 20, 1988

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☒ Yes ☐ No

Fee enclosed \$ 125.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☒ No

Cement ditch installed - portable weir used for measurement previously

Person to contact to accompany the Department representative during the field examination:

Same as above
(Name) (Telephone Number)

Same as above
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

DEC 08 1988

11-17-88
Date

Jerry R. Baum
Signature of Permit Holder (and title, if appropriate)

Drilling Permit No. 63-88-2-146
~~Water Permit No.~~ 63-10667
Injection Permit No. _____
Temporary Approval

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

1. Applicant Jerry R. Baum
2. Address 9839 Cherry Ln.
Nampa Id 83651 Telephone 467-3534 or
466-7327
☒ Well Owner ☐ Well Operator ☐ Other, specify _____
3. Proposed well location SE 1/4 NE 1/4, or Gov't lot No. _____,
Sec. 5, Twp. 3N, Rge. 1W, County Canyon,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)
☐ Domestic ☐ Stockwater ☐ Monitoring
☒ Irrigation ☐ Industrial ☐ Municipal
☐ Injection ☐ Other, Specify _____
5. Well construction information:
☒ New well ☐ Deepen ☐ Replace
Proposed surface diameter _____ Maximum depth _____
Anticipated bottom hole temperature: _____
☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)
6. Anticipated construction start date 8/20/88
7. Well Driller (if known) Pete Cope 213
Address Meridian Id
8. Applicant's signature Jerry R. Baum
Title Restor Operator
Date 8-8-88

MICROFILMED

DEC 08 1988

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

☒ Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Dated this 8th day of August, 1988.

Signed Gary Spackman
Title Water Allocation Section Manager

MICROFILMED

Received by SC Fee \$100.00 Date 8/1/88

Receipt No. C002092 Construction start extension to _____

Extension approved by _____

(Corrected Copy)

See well

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name James F. Griffin
705 No. 9th St.
Address Boise, ID 83702
Owner's Permit No. 63-10667

7. WATER LEVEL

Static water level 12' feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

63-88-2-146
☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as
materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.

Pumping Level

Hours Pumped

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☒ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>.250</u> inches	<u>16</u> inches	<u>+18"</u> feet	<u>50½</u> feet
<u>.250</u> inches	<u>16</u> inches	<u>90½</u> feet	<u>105½</u> feet
<u>.250</u> inches	<u>16</u> inches	<u>135½</u> feet	<u>140½</u> feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches


Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ NoManufacturer's name Roscoe MossType Wirewrap Model No. _____Diameter 16" Slot size 0.40 Set from 50½ feet to 90½ feetDiameter 16" Slot size 0.40 Set from 105½ feet to 135½ feetGravel packed? ☒ Yes ☐ No ☐ Size of gravel 3/8-Placed from 18 feet to 143 feetSurface seal depth 18' Material used in seal: ☐ Cement grout☐ Bentonite ☒ Puddling clay ☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld

☐ Cemented between strataDescribe access port 2"

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name _____

Lot No. _____ Block No. _____

County _____ Canyon _____

SE ¼ NE ¼ Sec. 5, T. 3N N/S, R. 1W E/W.

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
28"	0	9	Overburden		
	9	11	Caleche		
	11	20	Coarse Sand & Sma. Gravel		
	20	32	Lt. Brn. Sand & Gravel		
	32	34	Gray Clay		
	34	40	Sand & Gray Clay		
	40	50	Gray Clay		
	50	82	Fine to Med. Gray Sand	x	
	82	86	Gray Clay		
	86	93	Fine Med. Gray Sand	x	
	93	112	Fine to Coarse Gray Sand	x	
	112	115	Gray Clay		
	115	123	Coarse Gray Sand	x	
	123	137	Fine Gray Sand	x	
	137	142	Gray Clay		
	142	143	Gray Sand		

Department of Water Resources
Western Regional Office

RECEIVED

OCT 07 1988

Department of Water Resources

10.

Work started 8/8/88 finished 8/9/88

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

Pete Cope Drilling Co., Inc.

Firm Name _____ Firm No. 213

6505 West Chinden

Address _____ Meridian, ID Date 8/10/88

Signed by (Firm Official) _____

and

(Operator) _____

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
October 17, 1988

JERRY R. BAUM
9839 CHERRY LN.
NAMPA, ID 83651

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 63-10667

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

MICROFILMED

DEC 08 1988

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

Gary Spackman
Supervisor, Water Allocation Section

GS: SC
Enclosures

MICROFILMED

DEC 08 1988

Form No. 202a
'87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY SL DATE 8/18/88 APPLICATION NUMBER 63-10667

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources) *drilling permit issued 8/8/88*
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back. *yes*)
☒ Overlapping point of diversion *NO*
☐ Yes ☐ No Field check required
Field check by _____
☐ Yes ☒ No Field report attached
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit
☐ Yes ☒ No Power efficiency form
☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested

Department of Water Resources

RECEIVED
OCT 04 1988

1/11

63-2308 Bar. Run, 2nd, District water throughout section, including applicant's land.
63-5075 Different well for stockwater & domestic use in lot 1.

(Note
Baum has another well in SWNE, S. 5 for irrigation in lot 2 NWNE & SWNE.)

p/m

63-2388 Boro River, Irrig. District water throughput section, including applicant's panel.

63-5075 Different well for stockwater & domestic use in lot 1.

(Note
Baum has another well in SWNE, S. 5 for irrigation in lot 2 N. 1/2 & SWNE.)

PROCESSING

☒ Yes ☐ No In. form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

END COPIES TO

None
☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest September 26, 1988
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☐ No Recommendations attached
☐ Yes ☒ No Measuring device required
☒ Yes ☐ No Access port required
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. 63
☐ Yes ☒ No Special conditions of approval or cover letter below.

04, OIC The irrigation period of use for this water right is limited to the period from 3/15 to 11/15 annually.
Date of priority recommended 8/1/1988 ☐ See below for additional information
By DW Date 10/3/1988

STATE OFFICE REVIEW P03, P05, P2.3, P16 46 K(above) 04 01G

By KW ☐ See below for additional information
Date 10/6/88

ADDITIONAL INFORMATION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

AUGUST 31, 1988

Press-Tribune
P.O. Box 9399
Nampa, ID 83652

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 26, 1988.

Yours truly,

JUDY PENSE
Secretary

Encl.

MICROFILMED

DEC 08 1988

63-10667

BAUM, JERRY R.
9839 CHERRY LN.
NAMPA, ID 83651

Source: GROUNDWATER

Diversion Pt: SENE Sec 5 T 03N R 01W

Use: IRRIGATION (1.600 CFS)

Date Filed: 8/01/1988

In: T03N R01W S05 Lot 1 (NENE) SENE

80.0 ACRES TOTAL

RECORDED

DEC 08 1988

Form No. 202a Temp
4/87

Ident. No. 63-10667

State of Idaho
Department of Water Resources
Temporary Approval Analysis Sheet

<u>✓</u>	Yes	<u> </u>	No	Basin No. Correct?
<u>✓</u>	Yes	<u> </u>	No	Source is Groundwater?
<u>✓</u>	Yes	<u> </u>	No	Lands are irrigated with surface water rights?
<u>✓</u>	Yes	<u> </u>	No	Lands are outside Critical Groundwater Area & Groundwater Management Area boundaries?

Remarks: Initial review by Gary Spackman

Application Initially Received	Date	<u>8-1-88</u>	Time	<u>10:50 A.M.</u>
File Prepared	By	<u>GG</u>	Date	<u>8/16/88</u>
Staff Review	By	<u>SL</u>	Date	<u>8/18/88</u>
Temporary Approval Prepared	By	<u>GS</u>	Date	<u>8/8</u>
Temporary Approval Signed	By	<u>GS</u>	Date	<u>8/8</u>
Temporary Approval Mailed	By	<u>GS</u>	Date	<u>8/8</u>
Index Updated	By	<u>W.H. HED</u>	Date	<u>8/30/88</u>

DEC 08 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

August 8, 1988

Jerry R. Baum
9839 Cherry Lane
Nampa, ID 83651

Dear Water Right Applicant:

Enclosed is a temporary approval for diversion of groundwater during the 1988 irrigation season.

The copy of the application for permit to appropriate water attached to the interim approval defines the various components of your temporary approval. The inclusion of the copy of the application is only for the purpose of definition, and any terms contained therein are limited by the conditions of the temporary approval. Note that the authority to use water from the well is limited to the 1988 irrigation season. Use of water from the well after that date is not authorized.

This office will continue to process the original application for permit, pursuant to Chapter 2, Title 42, Idaho Code, unless directed otherwise by you. This processing will include advertisement for two weeks in the county where the point of diversion is located.

Sincerely,

GARY SPACKMAN, Supervisor
Water Allocation Section

MAILED

DEC 08 1988

RECEIVED
AUG 11 1988

Department of Water Resources
Boise Regional Office

TEMPORARY APPROVAL OF APPLICATION NO. 63-10667

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10667; and a temporary approval to divert groundwater is granted for 110 days until November 1, 1988, subject to the following limitations and conditions:

- a. The water use approved herein is subject to all prior water rights.
- b. By accepting the temporary approval and diversion of water under the temporary approval, the water user assumes all risk relative to interference with other water rights and acknowledges and agrees that the Director is authorized to take reasonable steps to insure that water is not diverted under the approval at any time the Director determines there is not water available for diversion.
- c. The water user acknowledges that the temporary approval does not establish a right to divert water except as specifically provided in the temporary approval.
- d. The water user assumes all risk that he or she will be successful in obtaining a permanent water right permit when the application is processed under the provisions of Chapter 2, Title 42, Idaho Code and the Water Appropriation Rules and Regulations. Following expiration of the temporary approval, diversion of water shall cease and the well shall be capped unless a permit is issued under Chapter 2, Title 42, Idaho Code.
- e. Violation of temporary approval conditions, provisions of the Idaho Code, or the Water Appropriation Rules and Regulations is cause for cancellation of the temporary approval and denial of future requests.
- f. By accepting this temporary approval, the water user acknowledges and agrees that the Director of IDWR is authorized to disconnect the power supply from the pump motor used to divert water under the temporary approval or to take other reasonable steps to insure that water is not diverted during any period the temporary approval is suspended or revoked, or has expired.
- g. The Director retains jurisdiction of this temporary approval, and may cancel or modify the approval, or impose additional conditions not a part of the original temporary approval conditions.

DEC 08 1988

- h. The temporary approval applies only to uses and lands which normally have an adequate supply of water from surface water sources but are temporarily water short because of drought conditions.

Witness my hand this 8th day of August, 1988.

Gary Spackman
Water Allocation Section
Manager

MICROFILMED

DEC 08 1988