


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Kenneth C. Pitte
 Rosa A. Pitte
 (Applicant)

ne
AUG 29 1988

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following applications have
been filed to appropriate the public
waters of the State of Idaho:

02-07427 and 63-10664

PITTS, KENNETH C.
PITTS, ROSA A.
RT. 1 BOX 1382
WILDER, ID 83676
Source: SNAKE RIVER SPRINGS
Tributary: COLUMBIA RIVER
SNAKE RIVER
Diversion Pt: LOT 6 (NESESW)
Sec 3 T 03N R 05W
Use: IRRIGATION (.030 CFS)
Date Filed: July 8, 1988
In: T03N R05W S03 Lot 6 (SESW)
1.0 ACRES TOTAL

63-10670

BAUNE, JAMES
BAUNE, ARLENE
RT. 2 BOX 2350A
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: NESW Sec 8 T 03N R
01W
Use: IRRIGATION (1.000 CFS)
Date Filed: August 1, 1988
In: T03N R01W S08 NESW NWSW
NWSE
50.0 ACRES TOTAL

63-10673

HUKILL, FRED C.
HUKILL, RUBY L.
RT. 2 BOX 2090
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: SENW Sec 11 T 05N
R 03W
Use: IRRIGATION (.740 CFS)
Date Filed: August 5, 1988
In: T05N R03W S11 SWNE NENW
SENW
37.0 ACRES TOTAL

63-10674

CITY OF CALDWELL
P.O. BOX 1177
CALDWELL, ID 83606-1177
Source: GROUNDWATER
Diversion Pt: SESE Sec 28 T 05N R
03W
Use: DOMESTIC (.070 CFS)
Date Filed: July 27, 1988
In: T05N R03W S28 SESE

The permits will be subject to all
water rights. Protests must be
filed with the Director, Dept. of
Water Resources, Western Region,
2735 Airport Way, Boise Idaho
83705 on or before SEPTEMBER 6,
1988.

R. KEITH HIGGINSON
Director
August 17, 24, 1988

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Debra Kalousek
of Nampa, Canyon County, Idaho, being first duly sworn, deposes
and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of eighteen years,
and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a
daily, (except Saturday) newspaper published in the City of Nampa
and Caldwell, in the County of Canyon, State of Idaho; that the said
newspaper is in general circulation in the said County of Canyon,
and in the vicinity of Nampa and Caldwell, and has been uninter-
ruptedly published in said County during a period of seventy-eight
consecutive weeks prior to the first publication of the notice, a copy
of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper

Two times
in the regular and entire issue of said paper, and was printed in
the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:
August 17, 24, 1988

Debra Kalousek
Subscribed and sworn to before me this
24th day of August
19 88

James Lusk
Notary Public, Residing at Nampa, Idaho

MICROFILMED

DEC 08 1988

MY COMMISSION EXPIRES
JULY 12th, 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 10 1992

A. GENERAL INFORMATION

Permit No. 63-10664

1. Owner: Kenneth or Rosa Pitts Phone No. 337-4860
Current Address: Rt. 1 Box 1382, Wilder, Idaho 83676

2. Accompanied by: _____ EXAM. DATE: 7-15-91

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: springs tributary to Snake River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 02-07433

☐ Copies Attached


2. Other water rights with same point of diversion: none

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = N.T.S.

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

APR 12 1992







→ seepage

→ storage pond

PHOTO ONE--




pump
(this is across
the road from
pond, $\approx 6'$.)

PHOTO TWO--


MICROFILMED

APR 13 1992



*pump + main
line pipe*

PHOTO THREE-



→ all underground after this point

PHOTO FOUR-

MICROFILMED
APR 13 1992



→ P/U
• = underground
sprinklers

PHOTO FIVE-



P/U

PHOTO SIX-

MICROFILMED
APR 13 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10664

Priority: July 8, 1988

Maximum Diversion Rate: 0.03 CFS
Maximum Diversion Volume: 4.5 AF

This is to certify, that KENNETH C PITTS
ROSA A PITTS

26683 MORRIS PLACE

WILDER ID 83676

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 8, 1988; and has submitted Proof of Beneficial Use on November 14, 1989. An examination indicates that the works have a diversion capacity of .030 cfs of water from:

SPRINGS

tributary to SNAKE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	4.5 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 6(NESESW), Sec. 3, Township 03N, Range 05W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	05W	3	Lot 6(SESW)	1		1

Total number of acres irrigated: 1

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED

APR 13 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10664


CONDITIONS/REMARKS:

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 16TH
day of MARCH, 1992.

Acting for R. Keith Higginson, Director

MICROFILMED

APR 13 1992



JUL - 8 1988

Form 202
6/85

Department of Water Resources

STATE OF IDAHO

Ident. No. 02-07427

63-10664 ✓

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant KENNETH C. or ROSA A. PITTS Phone 337-4860
Post office address RT. 1 Box 1382, WILDER, IDAHO 83676
Columbia River s. 8/5/88, map interpret
2. Source of water supply SNAKE RIVER SPRINGS which is a tributary of SNAKE RIVER
3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot 6
Sec. 3 Township 3N Range 5W B.M. CANYON County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .03 for IRRIGATION purposes from MAR. 15 to NOV. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.03 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. CUT CHANNEL FROM SPRINGS
TO THE RIVER. PUMP FROM CHANNEL.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water for proposed beneficial use is
one years (minimum 1 year).

MICROFILMED

DEC 08 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW: _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. FOR ALL 1988

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	5W	3												1					1
														LOT 6					

Total number of acres to be irrigated 1

10. Describe any other water rights used for the same purposes as described above. _____

WILDER IRRIGATION DISTRICT WATER

11. a. Who owns the property at the point of diversion? APPLICANTS

b. Who owns the land to be irrigated or place of use? APPLICANTS

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____


12. Remarks: SPRING WATER COMMINGLES WITH SNAKE RIVER

WATER IN CONNECTING CHANNEL. BOTH ARE LISTED AS
SOURCES ON THIS APPLICATION.

MICROFILMED

DEC 08 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Kenneth C. Pitte
Rosa A. Pitte
 (Applicant)

Proposed Priority 7/8/88

Received by Gary S. Date 7/8/88 Time 4:00 P.M. Preliminary check by SL
Fee \$ 30.00 Receipted by CP # 0001778 Date 7/8/88
Publication prepared by GG Date 8/10/88 Published in Press-Tribune
Publication approved SL Date 9/30/88
8/17 & 8/24/88

ORIGINAL COPY -

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10664, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 89.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

Witness my hand this 28th day of November, 1988.

A. Glen Saylor

MICROFILMED

DEC 08 1988

DEC 08 1988

June 12, 1992

DONALD W. HOLADAY
23425 HOWE ROAD
CALDWELL ID 83605

RE: Water Right No. 63-10730

Dear Water Right Holder(s):

On June 8, 1992, the department sent you a letter which directed you to immediately cease diverting water under the above referenced water right, since the minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second (cfs) measured near Weiser was not being satisfied.

The flow of the Snake River at Weiser is now above 4,750 cfs. You are, therefore, authorized to again divert water under your water right. If the minimum stream flow is not met later this year, however, the department will again notify you to temporarily cease diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

June 8, 1992

DONALD W. HOLADAY
23425 HOWE ROAD
CALDWELL ID 83605

RE: Water Right No. 63-10730

Dear Water Right Holder(s):

On May 19, 1992, the department sent you a letter advising that you might be required to temporarily cease diverting water from the Snake River or its tributaries if the established minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second measured near Weiser is not satisfied or likely will not be satisfied.

The flow of the Snake River at Weiser is now less than 4,750 cfs. You are, therefore, directed to immediately cease diverting water under the above referenced water right and to not resume use until authorized by the department.

Past flow records show that the duration of seasonal low flow periods typically last several days to a week. Since your use of water is extremely important to you and since mail notification includes a delay associated with mail delivery time, feel free to call the toll-free telephone number 1-800-451-4129 to determine when you are again authorized to divert and use water under your water right. Please use this phone number only in connection with resumption of use.

You need to be aware that Section 42-351, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

May 19, 1992

KENNETH C PITTS
ROSA A PITTS
26683 MORRIS PLACE
WILDER ID 83676

RE: Water Right No. 63-10664

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement

purposes. This type of coordination could minimize the impact on existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

March 19, 1992

KENNETH C PITTS
ROSA A PITTS
26683 MORRIS PLACE
WILDER ID 83676

RE: WATER RIGHT NO. 63-10664

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

RECORDED

APR 13 1992

Dear Sirs,
Please mail to us the permanent
Water Right document as soon as possible.
WATER RIGHT NO. 63-10664 Thanks! Mrs Pitts

Priority: July 8, 1988

Maximum Diversion Rate: 0.03 CFS
Maximum Diversion Volume: 4.5 AF

This is to certify, that ~~ROSA A PITTS~~ Kenneth C. Pitts
~~KENNETH C PITTS~~ Rosa A. Pitts
~~RT-1 BOX 1382~~ 26683 Morris Pl.

WILDER ID 83676 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated July 8, 1988; and
has submitted Proof of Beneficial Use on November 14, 1989. An examination indicates
that the works have a diversion capacity of .030 cfs of water from:

SPRINGS

tributary to SNAKE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	4.5 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 6(NESESW), Sec. 3, Township 03N, Range 05W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	05W	3	Lot 6(SESW)	1		1

Total number of acres irrigated: 1

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.

MICHAEL J. PETERSON

APR 13 1992

RECEIVED
MAR 9 1992

Department of Water Resources

February 26, 1992

ROSA A PITTS
KENNETH C PITTS
RT 1 BOX 1382
WILDER ID 83676

RE: WATER RIGHT NO. 63-10664

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

APR 13 1992

LICENSE REVIEW CHECKLIST

Date 02-24-92

Permit # 63-10664 *28*

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance?
	<u> </u>	<u>✓</u>	Memo to Advance
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFE	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u> </u>	<u>✓</u>	Disagree with Actual Measurement?
	<u> </u>	<u>✓</u>	Disagree with Theoretical?
	<u> </u>	<u>✓</u>	Limited by Capacity?
TOTAL VOLUME	<u> </u>	<u>✓</u>	Rate/ac <u>4.5</u> AFA (Irrigation)
	<u> </u>	<u>✓</u>	Disagree with Examiner's Calculations?
	<u> </u>	<u>✓</u>	Limited by Flow?
SOURCE	<u>✓</u>	<u> </u>	Changes? Clarification of <u>Originally</u>
<i>Drop Snake River as a source.</i>	<u> </u>	<u>✓</u>	<u>Intended</u> source is the only <u>Change</u>
	<u> </u>	<u>✓</u>	allowed. Any other change results in
	<u> </u>	<u>✓</u>	Notice of Intent to Void.
P/D	<u> </u>	<u>✓</u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed?
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U	<u> </u>	<u>✓</u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed?
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u>✓</u>	Changes required in the Period of Use for
	<u> </u>	<u>✓</u>	each Use to be compatible with Maps, Data
	<u> </u>	<u>✓</u>	Entry Standards, etc?
	<u> </u>	<u>✓</u>	Change(s) in Nature of Use?
	<u> </u>	<u>✓</u>	Amendment Needed?
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4?
	<u> </u>	<u>✓</u>	Non-Irrigation Uses
	<u> </u>	<u>✓</u>	Special Overlap Condition
	<u> </u>	<u>✓</u>	Other _____
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u>R27</u>	<u> </u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
	<u> </u>	<u>✓</u>	Other
			DATES/MISC
		<u>✓</u>	Water Dist.
	<u> </u>	<u>✓</u>	App Rec'd
	<u> </u>	<u>✓</u>	Exam Made
	<u> </u>	<u>✓</u>	Other

COMMENTS/MEMOS NEEDED:

License 10-Day ✓ 15-Day Special Correspondence

WR0749NP
No. L63-1U664

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 02/25/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	ROSA A PITTS	07/08/1988	IRRIGATION	03-15 11-15	0.03 CFS	4.5 AFA
C	KENNETH C PITTS					
	RT 1 BOX 1382					
	WILDER ID 83676					
	(208) 337-4860					
				TOTAL DIVERSION:	0.03 CFS	4.5 AFA

Water Source: SPRINGS

Tributary to: SNAKE RIVER

Stage: LICENSE

Point(s) of Diversion Capacity: 0.03 CFS

Point(s) of Diversion: T03N R05W S03 Lot 6(NE SE SW)

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
03N	05W	3	:																	:	1.0
																			TOTAL ACRES	1.0	

Pou County: CANYON

Other Water Rights with Same Point(s) of Diversion and Source:
63-10664

Other Water Rights Listing Overlapping Place(s) of use:
63-10664

Conditions of Approval:

R27 - This right when combined with all other rights shall provide no
- more than 4.5 afa per acre for the lands above.

Dates: App. Received: 07/08/1988 Priority Date: 07/08/1988
Proof Due Date: 12/01/1989 Proof Made Date: 11/14/1989
Exam Made Date: 07/15/1991 Exam Sent to S.O.: 02/03/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 02/25/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 10 1992

A. GENERAL INFORMATION

Permit No. 63-10064 Department of Water Resources

1. Owner: Kenneth or Rosa Pitts Phone No. 337-4860
Current Address: Rt. 1 Box 1382, Wilder, Idaho 83676

2. Accompanied by: _____ EXAM. DATE: 7-15-91
Address: _____ Phone No. _____

Relationship to Permit Holder: _____


3. Source: springs tributary to Snake River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 02-07433
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: none
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = N.T.S.

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
- ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

APR 12 1992

RECEIVED

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

System consists of springs seeping into a .09 acre-foot reservoir. There is a 4'x1" ~~inlet~~ ^{exposed} perforated pipe (capped on end) ^{placed in the reservoir} which goes under the ^(curbway) road to the pump. From the pump, the water is piped to P/U's via a 300'x2" line to the main road. There are 6 laterals of the mainline. Everything is irrigated via underground sprinklers. There are 4 risers per lateral.

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Oermotor	2	RA557701-15	Mueller	

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	6	NE	SE	SW	3	3N	5W	Canyon	7.5' USGS topo

6. Place(s) of Use:

Indicate Method of Determination exam

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	5W	03												1					1
														1+					
														6					

APR 13 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

$$POND = \frac{20 \times 50 \times 4}{43560} = .09 \text{ AF/24 hrs} = A$$

$$.03 \times 1.9835 = .06 \text{ AF/24 hrs} = B$$

$A > B$, storage component required at .03 cfs, however HP equation supports no storage component necessary.

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{2 \times 8.8 \times .7}{4' + 2.31 \times 42} = .12 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

HP Eq. supports

$$.03 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (8)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (1)(4.5) = 4.5$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (.03)(246)(1.9835) = 14.6$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 4.5$$

2. Volume Calculations for Other Uses:

APR 13 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

measured pressure on sprinklers was 42 psi. owner indicated they weren't pumping from the Snake River - only springs.

Note: overflow from reservoir goes into the Snake River.

The storage component was not implemented due to the minor amount used. lw (.09 A.F.)

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
irrigation	3/15	11/15	.03	4.5
Totals:			.03 cfs	4.5 afa

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

SARA West

lw 1/16/92


Signature

S.Y. West

Certification Date


Field Report Preparation Date

8/15/91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

APR 13 1992





Permit 63-10664

Photos taken 7/15/91

Pg 1 of 3



PHOTO ONE--




PHOTO TWO--

pump
(this is across
the road from
pond, $\approx 6'$.)

UNRECORDED

APR 13 1992



*pump + main
line pipe*


PHOTO THREE-



→ all underground after this point


PHOTO FOUR-

APR 13 1992



→ P/U
• = underground
sprinklers

PHOTO FIVE-



P/U

PHOTO SIX-

APR 13 1992

January 24, 1990

ROSA A. PITTS
KENNETH C. PITTS
RT. 1 BOX 1382
WILDER, ID 83676

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10664

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED
FEB 26 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10664

Date: 1/3/90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change _____ If yes, prepare a data entry
☒ Proof received timely _____
_____ Reinstated

Source of Water:

- ☒ Surface water
_____ Groundwater
_____ NA 1. well log in file NA
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
_____ ☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- NO Is a measuring device or access port required?
_____ Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received	<u>NA</u>	_____
Date proof due	_____	_____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

address change



NOV 14 1989

For Office Use Only
Amt. of Fee \$ _____
Date _____
Receipt No. _____
Received by _____

AS 1-4-89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 02-7427/63-10664 Telephone No. 337-4860

Name(s) of Permit Holder(s): Kenneth C. or Rosa A. Pitts

Post Office Address: 26683 Morris Place, Wilder, ID 83676

Source of Water: Snake River and springs

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:
Domestic _____ (No. of households) Irrigation 1 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 0.03 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: July 1988

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

same as above
Name Telephone No.

Address

RECORDED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

FEB 26 1990

November 14, 1989
Date

Kenneth C. Pitts
Signature (and title if on behalf of a company or organization)

138672
September 30, 1989

ROSA A. PITTS
KENNETH C. PITTS
RT. 1 BOX 1382
WILDER, ID 83676

PROOF DUE NOTICE

RE: PERMIT NO. 63-10664

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECORDED

FEB 26 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
December 5, 1988

ROSA A. PITTS
KENNETH C. PITTS
RT. 1 BOX 1382
WILDER, ID 83676

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 63-10664

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor
Water Rights Permits Section

GS: SC
Enclosures

MICROFILMED

DEC 08 1988

3N SW 5.3 NESESW L. 6
SESW L. 6

No. 202a

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

FIELD REVIEW BY SL DATE 8/5/88 APPLICATION NUMBER 63-10664 and 02-07427

REQUIRED INFORMATION

- Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- Address
- Source (See USGS Quad for names of water sources)
- Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- County
- Quantity (flow and/or volume)
- Period of Use
- Nature of proposed use (Include description of use.)
- Description of diverting works
- Time required for beneficial use of water
- Place of use or acres irrigated
- Map
- Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- Fee
- Yes ☒ No ☐ In form to receipt

ADDITIONAL INFORMATION

- Overlapping place of use (Describe source & relationship to present application on the back.) yes
- Overlapping point of diversion
- Yes ☐ No ☒ Field check required
- Field check by _____
- Yes ☐ No ☒ Field report attached
- Yes ☐ No ☒ Critical groundwater area
- Yes ☐ No ☒ Groundwater management area
- Yes ☐ No ☒ Send dam safety information
- Yes ☐ No ☒ Send power requirement letter
- Yes ☐ No ☒ Send fish farm requirement letter
- Yes ☐ No ☒ Power residency affidavit
- Yes ☐ No ☒ Power efficiency form
- Yes ☐ No ☒ Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- Yes ☐ No ☒ Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- See reverse side for additional information

REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

RECEIVED
OCT 24 1988

Date Requested

Department of Water Resources

Mu

63-2388 Boise River water, irrigation district.

☒ Yes ☐ No 1.. form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
 Final date for protest September 6, 1988
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached Approve, DLR
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. _____
☐ Yes ☒ No Special conditions of approval or cover letter below.

☐ See below for additional information
 Date of priority recommended 7/8/1988
 By DM Date 9/30/1988

By KW ☐ See below for additional information
Date 11/33/88

ADDITIONAL INFORMATION

02-07427

and
63-10664 ✓

PITTS, KENNETH C.
PITTS, ROSA A.
RT. 1 BOX 1382
WILDER, ID 83676

Source: SNAKE RIVER
SPRINGS

Tributary: COLUMBIA RIVER
SNAKE RIVER

Diversion Pt: LOT 6 (NESESW) Sec 3 T 03N R 05W

Use: IRRIGATION (.030 CFS)

Date Filed: 7/08/1988

In: T03N R05W S03 Lot 6 (SESW)

1.0 ACRES TOTAL

NOT RECORDED

DEC 08 1988