


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

DEC 08 1988

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wayne Nangle
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		15	submersible		16" → 2"

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gal bucket						

2. Measurements: $5 \text{ gal} \times 60 \text{ sec} = 200 \text{ GPM} = .45 \text{ cfs}$
1.5 sec

(not within 5 sec rule)
capacity based on theoretical



MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SW 1/4 NW 1/4, SEC. 26, TWP. 4N, RGE. 20.

Place(s) of Use ☒

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	20	26							X										

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

☒ None
☐ Other

JUN 13 1994

Examiner's Signature

Checked by


Approved by

John J. [Signature]
Kay G. [Signature]

Date 11/3/83

Date 11/7/84

Date 10/2/80



16" well
15 HP
submersible
pump

RECEIVED

JUN 13 1994



p/u



5 HP Booster
pump

RECEIVED

JUN 13 1994

Bucket near
on outflow



RECEIVED
Aug. 10 1988

Department of Water Resources
Western Regional Office

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following applications have
been filed to appropriate the public
waters of the State of Idaho:

63-10660 ✓ *df*

NAUGLE, WAYNE
RT. 2 BOX 2184
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: SWNW Sec 26 T 04N
R 02W

Use: INDUSTRIAL (.500 CFS)
Date Filed: 7/14/1988

In: T04N R02W S26 SWNW
63-10662

ALLENDAL FARM INC.
P.O. BOX 428
WILDER, ID 83676
Source: GROUNDWATER
Diversion Pt: LOT 4 (SWSW) Sec
18 T 04N R 04W

Use: IRRIGATION (4.000 CFS)
Date Filed: 7/14/1988

In: T04N R04W S18 NENE NWNE
SWNE SENE Lot 4 (SWSW)
SESW NESE NWSE SWSE
SESE

363.0 ACRES TOTAL
63-10663

HIXON, BILL
10345 W. AMITY RD.
BOISE, ID 83709
Source: GROUNDWATER
Diversion Pt: SWNE Sec 12 T 04N
R 06W

Use: IRRIGATION (1.600 CFS)
Date Filed: 7/21/1988

In: T04N R06W S12 SWNE SENW
80.0 ACRES TOTAL

The permits will be subject to all
prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Western Region,
2735 Airport Way, Boise, Idaho
83705 on or before AUGUST 22,
1988.

R. KEITH HIGGINSON
Director
August 3, 10, 1988

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Debra Martin del Campo

of Nampa, Canyon County, Idaho, being first duly sworn, deposes
and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of eighteen years,
and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a
daily, (except Saturday) newspaper published in the City of Nampa
and Caldwell, in the County of Canyon, State of Idaho; that the said
newspaper is in general circulation in the said County of Canyon,
and in the vicinity of Nampa and Caldwell, and has been uninter-
ruptedly published in said County during a period of seventy-eight
consecutive weeks prior to the first publication of the notice, a copy
of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper

Two times

in the regular and entire issue of said paper, and was printed in
the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

August 3, 10, 1988

Debra Martin del Campo
Subscribed and sworn to before me this

10th

day of

August

19 88

Janna Lusk
Notary Public, Residing at Nampa, Idaho

MICROFILMED

DEC 08 1988

**MY COMMISSION EXPIRES
JULY 12th, 1991**

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10660

Priority: July 14, 1988

Maximum Diversion Rate: 0.50 CFS

Maximum Diversion Volume: 45.6 AF

This is to certify, that WAYNE NAUGLE

RT 2

7027 HWY 20

NAMPA ID 83651

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 14, 1988; and has submitted Proof of Beneficial Use on August 29, 1989. An examination indicates that the works have a diversion capacity of .550 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
INDUSTRIAL	07/01 to 09/30	0.50 CFS	45.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNW , Sec. 26, Township 04N, Range 02W
CANYON County

PLACE OF USE: INDUSTRIAL

TWN RGE SEC

04N 02W 26

SWNW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Water used under this right if discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.
6. Industrial use is for a mint stilling operation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 30TH day of MAY, 1994.

MICHAEL W. HEN

Acting for Keith Higginson, Director

JUN 13 1994

RECEIVED
AUG 29 1989

Receipt 120
replaced by WOU5015

For Office Use Only
Fee Received \$100.00
Date 8/25/89
Receipt # 46120
Receipt by SL
Reviewed by
Sent to region

Department of Water Resources
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

* no computer receipt
available upon
payment

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10660

Name(s) of Permit Holder: Wayne Naugle

Post Office Address: 7027 Hwy 20 Rt. 2
Nampa, Id 83651 Telephone No. 466-9075

Source of Water: ground water

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark Industrial use at

mint still

Total rate and/or volume for which proof is submitted .50 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 9/27/88

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No Fee enclosed \$ 100.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

AS ABOVE - CAN do exam anytime
(Name) (Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

8/25/89
Date

Wayne Naugle
Signature of Permit Holder (and title, if appropriate)

NOV 21 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Wayne Naugle Phone 466-9075
Post office address Rt. 2 Box 2184 Nampa, Idaho 83651
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is NW ^{N/A} 1/4 of SW 1/4 of NW 1/4, Govt. Lot _____
Sec. 26 Township 4N Range 2W B.M. Canyon County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.50 for Industrial purposes from 1 July to 30 Sept. (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.50 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. well w/ pump to mint still
water system
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 6" inches; proposed depth of well is 500 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? no
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

DEC 08 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. Industrial Well for operation of a mint still

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	2W	26							X										


Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

- Who owns the property at the point of diversion? Wayne Nangle
- Who owns the land to be irrigated or place of use? Wayne Nangle
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Still has been in operation for past 6 yrs, using water from existing domestic well but it cannot supply enough water for present level of operation

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

DEC OR 1988

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wayne Nangle
(Applicant)

Proposed Priority 7/14/88
Received by CEB Date 14 July Time 10:00 Preliminary check by CEB SL
Fee \$ 45⁰⁰ Received by CEB # W000480 Date 14 July 88
Publication prepared by GG Date 7-27-88 Published in Press-Tribune
Publication approved DR Date 8/15/88 8/3 & 8/10/88


ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10660, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 89.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
Water used under this permit if discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.

Witness my hand this 27th day of September, 1988.


Director WRS

MICROFILMED

DEC 08 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 31, 1994

WAYNE NAUGLE
RT 2
7027 HWY 20
NAMPA ID 83651

RE: WATER RIGHT NO. 63-10660

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in black ink, appearing to be 'Jim Johnson', written over a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED
JUN 13 1994

WR0749NP
No. L63-10660

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 05/25/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	WAYNE NAUGLE RT 2 7027 HWY 20 WAMPA ID 83651 (208) 466-9075	07/14/1988	INDUSTRIAL	07-01 09-30	0.50 CFS	45.60 AFA
				TOTAL DIVERSION:	0.50 CFS	45.60 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.55 CFS

Point(s) of Diversion: T04N R02W S26 SWNW CANYON County

Place of use Legal Description for: INDUSTRIAL

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
04N	02W	26	:							I										:

Pou County: CANYON

Other Rights: NONE

Other Water Rights Listing Overlapping Place(s) of use:
63-10437

Conditions of Approval:

- 09E - Water used under this right if discharged into a natural
- channel or subsurface system shall meet Idaho Water Quality
- Standards.

Remarks: Industrial use is for a mint stilling operation.


Dates:	App. Received:	07/14/1988	Priority Date:	07/14/1988
	Proof Due Date:	10/01/1989	Proof Made Date:	08/29/1989
	Exam Made Date:	08/13/1993	Exam Sent to S.O.:	01/28/1994
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 05/25/94 BCHAPMAN

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-10660 DATE 5-24-94



NAME Yes Check No Or Address Change?

PRIORITY DATE ✓ Advance? Advanced to:
Order to reinstate needed?
Incorrect fee for rate recommended?

SOURCE ✓ Changes or just clarification of originally intended source?
Notice of Intent to Void necessary?

POINT OF DIV ✓ Amendment needed?
 ✓ Overlaps?

PLACE OF USE ✓ Amendment needed?
 ✓ Overlaps?

DIV RATE ✓ Measurement done? YES Theoretical only? ✓
Q = .55CFS 5 GAL BUCKET DID NOT
WORK. Used theoretical
Capacity: .55 Combined rates exceed capacity
Allowable amount: Permit limit @ .50CFS

ANNUAL VOLUME ✓ Season of use: 7-1 to 9-30
Calculations: Q = 45.6
Flow limit: .50 cfs x 92 x 1.9835 = 91.2/2 = 45.6
Combined volumes exceed capacity/allowable

USES ✓ Change(s) in Nature of Use?
Amendment necessary?

REMARKS ✓ Multiple p/d(s) in 1/4 1/4?
 ✓ Other

CONDITIONS ✓ Measuring/Locking Devices
 ✓ Watermaster control - District
 ✓ Irrigation Overlap
092 Water Quality
 ✓ Other

COMMENTS: Use is for a mint still

RECOMMENDED	CFS	VOLUME	LICENSE <u>✓</u>
<u>Industrial</u>	<u>.50</u>	<u>45.6</u>	
<u> </u>	<u> </u>	<u> </u>	1ST AMENDMENT LETTER <u> </u>
<u> </u>	<u> </u>	<u> </u>	FINAL AMENDMENT LETTER <u> </u>



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 31 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10660

1. Owner: Wayne Nangle Phone No. 466-9075

Current Address: Rt 2 Box 2184 Nampa 83651

2. Accompanied by: Mrs. Nangle EXAM DATE: 8/13/93

Address: Franklin Rd, Meridian Phone No. 466-3789

Relationship to Permit Holder: Daughter in law - still operator

3. Source: Ground Water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-08391, -10437

2. Other water rights with the same point of diversion: 63-08391

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NW	26	4N	2W	Canyon	USGS Quad


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	2W	26							I										

RECEIVED
JUN 13 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		15	submersible		16" → 2"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gal bucket						

2. Measurements: $5 \text{ gal} \times 60 \text{ sec} = 200 \text{ GPM} = .45 \text{ cfs}$
 1.5 sec

(not within 5 sec rule)
 capacity based on theoretical

E. NARRATIVE/REMARKS/COMMENTS

A 16" well with a 15HP submersible pump supplies water to a mint still that runs 12 hrs/day, July through Sept. The well also provides water to a domestic in the NWNWNW, sec 26, which was not included on this permit.

The ground water is pumped into an aluminum ^(400 gal) trough, then re-pumped into the still via 5HP Red Jacket booster pump and a 2" line. A bucket measurement was conducted on the overflow from the trough while the booster pump was off and the ground water was being pumped into the trough. This measurement was not used since the 5 gal bucket filled in less than 5 sec (1.5 sec).

License 63-08391 is for the same still but the well listed on the license is now only used for domestic purposes. Rather than filing a transfer to add a PD to that license, the owner filed this permit. Since 63-08391 is now only used for a domestic, the owner did not claim this license in the SRBA. 63-08391 will be considered abandoned and disallowed in the SRBA. No other water rts are used.

Have conditions of permit approval been met? ☒ yes ☐ no

APPROVED
JUN 13 1994

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$\frac{15 \times 8.8 \times .7}{30 + 60 \times 2.31} = .55 \text{ cfs}$$

running at 40' per pump records
psi per owner

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

$$\cancel{.5 \times 92 \text{ days} \times 1.9835 = 91.2 \text{ afa}} \quad (7/1 - 9/30)$$

$$\frac{12 \text{ hrs}}{\text{day}} \times \frac{\text{day}}{24 \text{ hrs}} \times .5 \text{ cfs} \times 92 \text{ days} \times 1.9835 \frac{\text{Af}}{\text{cfs day}} = 45.6$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Industrial</u>	<u>7/1</u>	<u>9/30</u>	<u>.50</u>	<u>91.2 45.6</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>.50 cfs</u>	<u>45.6 afa</u>


2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Loi Gaudin Date 8/19/93

Reviewer _____ Date _____

JUN 13 1994



WATER RIGHT LICENSE

THIS IS TO CERTIFY, that Kenneth W. Naugle

Beneficial Use Period of Use Rate of Diversion Annual Volume

Commercial from July 1 to September 1 at 0.18 cfs and 22.5 acre feet

Domestic from January 1 to December 31 at 0.04 cfs and 1.2 acre feet

(1 Unit) from _____ to _____ at _____ cfs and _____

(both dates inclusive)

Description and location of place of use:


[illegible]

Total number of acres irrigated _____

JUN 13 1994

RECEIVED
JUN 13 1994

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SW 1/4 NW 1/4, SEC. 26, TWP. 4N, RGE. 2W.

Place(s) of Use ☒

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	2W	26							X										

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

JUN 13 1994

Examiner's Signature

Jan G. [Signature]

Date 11/3/83

Checked by

Kay C. [Signature]

Date 11/17/84

Approved by

Date 10/2/86

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: 63-10660

2. OWNER: Ken Nangle Phone: 466-3789
Address: Box 2173 Nampa

3. WELL LOCATION: Twp 4N, Rge. 2W, Sec. 26, SW 1/4 NW 1/4
County Canyon (Provide sketch map and photo on reverse.)

4. DRILLER: Pete Cope Lic. No. 213
When Drilled? 1988

5. WELL CONSTRUCTION:

Casing Diameter 16 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 428 ft. Method Drilled Reverse Rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving good
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water 15 ft. Water Temperature cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: 60 (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☒ Domestic	☐ Irrigation	☐ Stock
☐ Test	☐ Municipal	☒ Industrial
☐ Abandoned	☐ Waste Disposal/Injection	☐ Not Used
☐ Other: _____		

NOT RECORDED
JUN 13 2004

8. **POSSIBLE CONTAMINATION SOURCES:**

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9.

REMARKS: Drilled under lic 63-8391 when actually for this permit. This was for a new well. The well for 63-8391 is still used for domestic purposes and was not abandoned.

Lee G. Ganner
Signature of Dept. Representative & Title

8/13/93
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

RECEIVED
JUN 13 1994

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Kenneth Naugle
Rt. #2 - Box 2173
Address Nampa, ID 83651
Owner's Permit No. 63-8391

7. WATER LEVEL

Static water level 15 feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

- ☐
- New well
- ☐
- Deepened
- ☒
- Replacement
-
- ☐
- Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other

Discharge G.P.M.	Pumping Level	Hours Pumped

3. PROPOSED USE

- ☐
- Domestic
- ☒
- Irrigation
- ☐
- Test
- ☐
- Municipal
-
- ☒
- Industrial
- ☐
- Stock
- ☐
- Waste Disposal or Injection
-
- ☐
- Other _____ (specify type)

4. METHOD DRILLED

- ☐
- Rotary
- ☐
- Air
- ☐
- Hydraulic
- ☒
- Reverse rotary
-
- ☐
- Cable
- ☐
- Dug
- ☐
- Other _____

5. WELL CONSTRUCTION


Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness Diameter From To
.250 inches 16 inches + 18" feet 383 feet
.250 inches 16 inches 423 feet 428 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number From To
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☒ Yes ☐ No
Manufacturer's name Roscoe Moss
Type Wirewrap Model No. _____
Diameter 16 Slot size .040 Set from 383 feet to 423 feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☒ Yes ☐ No ☐ Size of gravel 3/8 -
Placed from 327 feet to 433 feet
Surface seal depth 50 Material used in seal: ☒ Cement grout
☐ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
From 50' to 327' (Sand & Bentonite)
☐ Cemented between strata
Describe access port 2"

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
28	0	7	Topsoil		
	7	26	Riverrock		
	26	30	Brn. Clay		
	30	34	Sand		
	34	51	Brn. Clay		
	51	57	Fine Sand		
	58	64	Brown Clay		
	64	65	Fine Sand		
	65	73	Brn. Clay w/Sandy Strks.		
	73	79	Brn. Clay		
	79	109	Med. Brown Sand		
	109	120	Brown Clay		
	120	121	Brown Sand		
	121	123	Brown Clay w/sandy strks.		
	123	125	Brown Clay		
	125	138	Med. Coarse Brn. Sand		
	138	179	Brown Clay		
	179	212	Med. to fine brown sand		
	212	223	Clay		
	223	240	Clay w/sand		
	240	266	Blue Clay		
	266	273	Fine Brown Sand		
	273	287	Very fine Brown Sand		
	287	293	Blue Clay		
	293	303	Blue Clay w/sand strks.		
	303	368	Brn. Clay w/Sand Stks.		
	368	378	Fine to coarse Brn. Sand		
	378	382	Brn. Clay		
	382	383	Fine to coarse Brn. Sand		
	383	422	Coarse Brown Sand		
	422	424	Brown Clay		
	424	426	Blue Clay		
	426	430	Coarse Blue Sand		
	430	433	Blue Clay		

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County Canyon

SW 1/4 NW 1/4 Sec. 26, T. 4N, N/S, R. 2W E/W.

10.

Work started 7/17/88 finished 7/25/88

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

Pete Cope Drilling Co., Inc.

Firm Name _____ Firm No. 2136505 West Chinden Blvd.Address Meridian, ID Date 7/25/88Signed by (Firm Official) Pete Cope V.P.

and

(Operator) Joseph Jones


JUN 18 1988




16" well
15 HP
submersible
pump

10

JUN 13 1994



p/u



5 HP Booster
pump

1994 JUN 13

JUN 13 1994



Bucket near
on outflow

October 27, 1989

WAYNE NAUGLE
RT. 2 BOX 2184
NAMPA, ID 83651

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10660

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

NOV 21 1989

WAYNE NAUGLE
RT. 2 BOX 2184
NAMPA, ID 83651

July 31, 1989
138492

PROOF DUE NOTICE

RE: PERMIT NO. 63-10660

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

NOV 21 1989

Drilling Permit No. 63-88-W-130
Water Permit No. 63-10660
Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

RECEIVED

JUL 19 1988

(Authorizing Construction of a Well)*

Department of Water Resources

1. Applicant Wayne Naugle
2. Address Rt. 2 Box 2184 Nampa, Idaho 83651
Telephone 466-9075
☒ Well Owner ☐ Well Operator ☐ Other, specify _____
3. Proposed well location SW 1/4 NW 1/4, or Gov't lot No. _____,
Sec. 26, Twp. 4N, Rge. 2W, County Canyon,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)
☐ Domestic ☐ Stockwater ☐ Monitoring
☐ Irrigation ☒ Industrial ☐ Municipal
☐ Injection ☐ Other, Specify _____
5. Well construction information:
☒ New well ☐ Deepen ☐ Replace
Proposed surface diameter 6" Maximum depth 500
Anticipated bottom hole temperature:
☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)
6. Anticipated construction start date 1 Aug 1988
7. Well Driller (if known) Pete Cope 213
Address Meridian, Idaho
8. Applicant's signature Wayne Naugle MICROFILMED
Title Owner DEC 08 1988
Date 7-14-88

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

(X) Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

8. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.

Dated this 14 day of July, 1988.

Signed

Title


Ernest E Ballou
For Western Region Manager

Received by EEB Fee 100.00 Date 14 July 88

DEC 08 1988

Receipt No. 12000480 Construction start extension to 1 Aug 88

Extension approved by _____



Form 238
9/82

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

USE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT

SEP 20 1988

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

Department of Water Resources 1. WELL OWNER Name <u>Kenneth Naugle</u> Rt. #2 - Box 2173 Address <u>Nampa, ID 83651</u> Owner's Permit No. <u>63-10660</u>		7. WATER LEVEL Static water level <u>15</u> feet below land surface. Flowing? ☐ Yes ☐ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ <i>Describe artesian or temperature zones below.</i>																																																																																																																																																																																		
2. NATURE OF WORK ☐ New well ☐ Deepened ☒ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Bailor ☐ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																														
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																																		
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☒ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th rowspan="2">Water Yes No</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td>28</td><td>0</td><td>7</td><td>Topsoil</td><td></td></tr><tr><td></td><td>7</td><td>26</td><td>Riverrock</td><td></td></tr><tr><td></td><td>26</td><td>30</td><td>Brn. Clay</td><td></td></tr><tr><td></td><td>30</td><td>34</td><td>Sand</td><td></td></tr><tr><td></td><td>34</td><td>51</td><td>Brn. Clay</td><td></td></tr><tr><td></td><td>51</td><td>57</td><td>Fine Sand</td><td></td></tr><tr><td></td><td>58</td><td>64</td><td>Brown Clay</td><td></td></tr><tr><td></td><td>64</td><td>65</td><td>Fine Sand</td><td></td></tr><tr><td></td><td>65</td><td>73</td><td>Brn. Clay w/Sandy Strks.</td><td></td></tr><tr><td></td><td>73</td><td>79</td><td>Brn. Clay</td><td></td></tr><tr><td></td><td>79</td><td>109</td><td>Med. Brown Sand</td><td></td></tr><tr><td></td><td>109</td><td>120</td><td>Brown Clay</td><td></td></tr><tr><td></td><td>120</td><td>121</td><td>Brown Sand</td><td></td></tr><tr><td></td><td>121</td><td>123</td><td>Brown Clay w/sandy strks.</td><td></td></tr><tr><td></td><td>123</td><td>125</td><td>Brown Clay</td><td></td></tr><tr><td></td><td>125</td><td>138</td><td>Med. Coarse Brn. Sand</td><td></td></tr><tr><td></td><td>138</td><td>179</td><td>Brown Clay</td><td></td></tr><tr><td></td><td>179</td><td>212</td><td>Med. to fine brown sand</td><td></td></tr><tr><td></td><td>212</td><td>223</td><td>Clay</td><td></td></tr><tr><td></td><td>223</td><td>240</td><td>Clay w/sand</td><td></td></tr><tr><td></td><td>240</td><td>266</td><td>Blue Clay</td><td></td></tr><tr><td></td><td>266</td><td>273</td><td>Fine Brown Sand</td><td></td></tr><tr><td></td><td>273</td><td>287</td><td>Very fine Brown Sand</td><td></td></tr><tr><td></td><td>287</td><td>293</td><td>Blue Clay</td><td></td></tr><tr><td></td><td>293</td><td>303</td><td>Blue Clay w/sand strks.</td><td></td></tr><tr><td></td><td>303</td><td>368</td><td>Brn. Clay w/Sand Stks.</td><td></td></tr><tr><td></td><td>368</td><td>378</td><td>Fine to coarse Brn. Sand</td><td></td></tr><tr><td></td><td>378</td><td>382</td><td>Brn. Clay</td><td></td></tr><tr><td></td><td>382</td><td>383</td><td>Fine to coarse Brn. Sand</td><td>✓</td></tr><tr><td></td><td>383</td><td>422</td><td>Coarse Brown Sand</td><td>✓</td></tr><tr><td></td><td>422</td><td>424</td><td>Brown Clay</td><td></td></tr><tr><td></td><td>424</td><td>426</td><td>Blue Clay</td><td></td></tr><tr><td></td><td>426</td><td>430</td><td>Coarse Blue Sand</td><td>✓</td></tr><tr><td></td><td>430</td><td>433</td><td>Blue Clay</td><td></td></tr></tbody></table>		Bore Diam.	Depth		Material	Water Yes No	From	To	28	0	7	Topsoil			7	26	Riverrock			26	30	Brn. Clay			30	34	Sand			34	51	Brn. Clay			51	57	Fine Sand			58	64	Brown Clay			64	65	Fine Sand			65	73	Brn. Clay w/Sandy Strks.			73	79	Brn. Clay			79	109	Med. Brown Sand			109	120	Brown Clay			120	121	Brown Sand			121	123	Brown Clay w/sandy strks.			123	125	Brown Clay			125	138	Med. Coarse Brn. Sand			138	179	Brown Clay			179	212	Med. to fine brown sand			212	223	Clay			223	240	Clay w/sand			240	266	Blue Clay			266	273	Fine Brown Sand			273	287	Very fine Brown Sand			287	293	Blue Clay			293	303	Blue Clay w/sand strks.			303	368	Brn. Clay w/Sand Stks.			368	378	Fine to coarse Brn. Sand			378	382	Brn. Clay			382	383	Fine to coarse Brn. Sand	✓		383	422	Coarse Brown Sand	✓		422	424	Brown Clay			424	426	Blue Clay			426	430	Coarse Blue Sand	✓		430	433	Blue Clay	
Bore Diam.	Depth		Material		Water Yes No																																																																																																																																																																															
	From	To																																																																																																																																																																																		
28	0	7	Topsoil																																																																																																																																																																																	
	7	26	Riverrock																																																																																																																																																																																	
	26	30	Brn. Clay																																																																																																																																																																																	
	30	34	Sand																																																																																																																																																																																	
	34	51	Brn. Clay																																																																																																																																																																																	
	51	57	Fine Sand																																																																																																																																																																																	
	58	64	Brown Clay																																																																																																																																																																																	
	64	65	Fine Sand																																																																																																																																																																																	
	65	73	Brn. Clay w/Sandy Strks.																																																																																																																																																																																	
	73	79	Brn. Clay																																																																																																																																																																																	
	79	109	Med. Brown Sand																																																																																																																																																																																	
	109	120	Brown Clay																																																																																																																																																																																	
	120	121	Brown Sand																																																																																																																																																																																	
	121	123	Brown Clay w/sandy strks.																																																																																																																																																																																	
	123	125	Brown Clay																																																																																																																																																																																	
	125	138	Med. Coarse Brn. Sand																																																																																																																																																																																	
	138	179	Brown Clay																																																																																																																																																																																	
	179	212	Med. to fine brown sand																																																																																																																																																																																	
	212	223	Clay																																																																																																																																																																																	
	223	240	Clay w/sand																																																																																																																																																																																	
	240	266	Blue Clay																																																																																																																																																																																	
	266	273	Fine Brown Sand																																																																																																																																																																																	
	273	287	Very fine Brown Sand																																																																																																																																																																																	
	287	293	Blue Clay																																																																																																																																																																																	
	293	303	Blue Clay w/sand strks.																																																																																																																																																																																	
	303	368	Brn. Clay w/Sand Stks.																																																																																																																																																																																	
	368	378	Fine to coarse Brn. Sand																																																																																																																																																																																	
	378	382	Brn. Clay																																																																																																																																																																																	
	382	383	Fine to coarse Brn. Sand	✓																																																																																																																																																																																
	383	422	Coarse Brown Sand	✓																																																																																																																																																																																
	422	424	Brown Clay																																																																																																																																																																																	
	424	426	Blue Clay																																																																																																																																																																																	
	426	430	Coarse Blue Sand	✓																																																																																																																																																																																
	430	433	Blue Clay																																																																																																																																																																																	
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☒ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____																																																																																																																																																																																				
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>.250</u> inches</td><td><u>16</u> inches</td><td><u>+ 18"</u> feet</td><td><u>383</u> feet</td></tr><tr><td><u>.250</u> inches</td><td><u>16</u> inches</td><td><u>423</u> feet</td><td><u>428</u> feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>Roscoe Moss</u> Type <u>Wirewrap</u> Model No. _____ Diameter <u>16</u> Slot size <u>.04</u> Set from <u>383</u> feet to <u>423</u> feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☒ Yes ☐ No ☐ Size of gravel <u>3/8</u> - Placed from <u>327</u> feet to <u>433</u> feet Surface seal depth <u>50</u> Material used in seal: ☒ Cement grout ☐ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent From <u>50'</u> to <u>327'</u> (Sand & Bentonite) ☐ Cemented between strata Describe access port <u>2"</u>		Thickness	Diameter	From	To	<u>.250</u> inches	<u>16</u> inches	<u>+ 18"</u> feet	<u>383</u> feet	<u>.250</u> inches	<u>16</u> inches	<u>423</u> feet	<u>428</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet																																																																																																																																																			
Thickness	Diameter	From	To																																																																																																																																																																																	
<u>.250</u> inches	<u>16</u> inches	<u>+ 18"</u> feet	<u>383</u> feet																																																																																																																																																																																	
<u>.250</u> inches	<u>16</u> inches	<u>423</u> feet	<u>428</u> feet																																																																																																																																																																																	
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																																	
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																																	
Number	From	To																																																																																																																																																																																		
_____ perforations	_____ feet	_____ feet																																																																																																																																																																																		
_____ perforations	_____ feet	_____ feet																																																																																																																																																																																		
_____ perforations	_____ feet	_____ feet																																																																																																																																																																																		
6. LOCATION OF WELL Sketch map location <u>must</u> agree with written location. N <table border="1"><tr><td></td><td></td><td></td></tr><tr><td>W</td><td>X</td><td>E</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table> S Subdivision Name _____ DEC 08 1988 Lot No. _____ Block No. _____ County <u>Canyon</u> <u>SW 1/4 NW 1/4 Sec. 26 T. 4N N/S, R. 2W E/W.</u>					W	X	E										10. Work started <u>7/17/88</u> finished <u>7/25/88</u>																																																																																																																																																																			
W	X	E																																																																																																																																																																																		
		11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Pete Cope Drilling Co., Inc. Firm Name _____ Firm No. <u>213</u> 6505 West Chinden Blvd. Address <u>Meridian, ID</u> Date <u>7/25/88</u> Signed by (Firm Official) <u>Pete Cope V.P.</u> and (Operator) <u>Joseph Jones</u>																																																																																																																																																																																		

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
September 28, 1988

WAYNE NAUGLE
RT. 2 BOX 2184
NAMPA, ID 83651

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 63-10660

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also

MICROFILMED

DEC 08 1988

enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

Gary Spackman
Supervisor, Water Allocation Section

GS: SC
Enclosures

UNRECORDED

DEC 08 1988

[illegible]

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Debra Martin del Campo
of Nampa, Canyon County, Idaho, being first duly sworn, deposes
and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.
2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.
3. That the notice, of which the annexed is a printed copy, was published in said newspaper
- Two times
- in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.
4. That said notice was published the following dates:
- August 3, 10, 1988

Ricci Martin del Campo
Subscribed and sworn to before me this 10th day of August 19 88


Notary Public, Residing at Nampa, Idaho

**MY COMMISSION EXPIRES
JULY 12th, 1991**

MICROFILMED

DEC 08 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

JULY 27, 1988

Press-Tribune
P.O. Box 9399
Nampa, ID 83652

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before AUGUST 22, 1988.

Yours truly,

JUDY PENSE
Secretary

Encl.

MICROFILMED

DEC 08 1988

63-10660

NAUGLE, WAYNE
RT. 2 BOX 2184
NAMPA, ID 83651

Source: GROUNDWATER

Diversion Pt:

SWNW Sec 26 T 04N R 02W
(.500 CFS)

Use: INDUSTRIAL

Date Filed: 7/14/1988

In: T04N R02W S26

SWNW

MICROFILMED

DEC 08 1988