

DEC 08 1980

1990年12月

$$R \mid 2E$$

→ Pd & place of use

T 3N

26

MICROFILMED

DEC 08 1988

Bob	Debolt-	Vice Pres.
Sue	Arnold-	Manager

Lynne McFarlin President
(Applicant)

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10653

Lakewood Homeowners

Assoc. No. 3

P.O. Box 5034

Boise, ID 83705

Source: Groundwater

Division Pt: NENW Sec. 26 T 03N
R 02E

Use: Irrigation (.120 CFS)

Date Filed: 06/27/1988

In: T03N R02E S26 NENW — 5.0
Acres Total

63-10654

Wisniewsky, Julie

4801 Hillside Ave.

Boise, ID 83703

Source: Groundwater

Division Pt: NWSW Sec. 20 T 04N
R 02E

Use: Irrigation (.060 CFS)

Use: Domestic (.060 CFS)

Date Filed: 06/24/1988

In: T04N R02E S20 NWSW — 2.0
Acres Total

63-10655

Strother, Jeffrey A.

Strother, Margaret L.

2655 Leslie Dr.

Meridian, ID 83642

Source: Groundwater

Division Pt: SENE Sec. 5 T 03N
R 01E

Use: Irrigation (.020 CFS)

Use: Domestic (.020 CFS)

Date Filed: 6/30/1988

In: T03N R01E S05 SENE — 0.6
Acres Total

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on, or before, August 8, 1988.

R. KEITH HIGGINSON
Director

Pub. July 21, 28, 1988

9121

RECEIVED

JUL 29 1988

STATE OF IDAHO)

) ss.

COUNTY OF ADA)

Department of Water Resources
Western Regional Office

Debbie Richards

, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for 2

☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of July 21, 19 88

and ending with the issue of July 28, 19 88

Debbie Richards

Subscribed and sworn to before me this 28th

July, 19 88

MICROFILMED


DEC 08 1988

Notary Public for Idaho, Residing at Boise, Idaho

Janice M. G. Adams


PERMIT 63-10653
LAKEWOOD PRIVATE PARK
TURF AREA = 2.8 ACRES

Unplatted



JAN 09 1991

STATE OF PENNSYLVANIA
PERM 63-10653 INIT CMV
1. R. S. Q/Q
P/D 3N 2E 26 NENW
SCALE
PHOTO ID. X-59



PERMIT 63-10653

PHOTO #1

8-INCH WELL EQUIPPED WITH 3 HP SUBMERSIBLE
PUMP AND AUTOMATIC SPRINKLER SYSTEM.



PHOTO #2

VIEW OF PARK LOOKING WEST FROM RAINDROP
STREET.



MICROFILMED

JAN 69

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10653

Priority: June 27, 1988

Maximum Diversion Rate: 0.06 CFS
Maximum Diversion Volume:¹ 12.6 AF

This is to certify, that LAKEWOOD HOMEOWNERS ASSN. NO. 3

P.O. BOX 5034

BOISE, ID 83705

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 27, 1988; and has submitted Proof of Beneficial Use on July 14, 1989. An examination indicates that the works have a diversion capacity of .100 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.06 CFS	12.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 26, Township 03N, Range 02E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	02E	26	NENW	2.8		2.8

Total number of acres irrigated: 2.8

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED

JAN 09 1991


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10653

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 12TH
day of DECEMBER, 1990.

Acting for


R. Keith Higginson, Director

MICROFILMED

JAN 09 1981

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

DEC 08 1988

Ident. No. 62-10653

APPROVED

1. Name of applicant Lakewood Homeowners Association No. 3 Phone 342-0560
Post office address P.O. Box 5034 Boise, ID 83705

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of -- $\frac{1}{4}$, Govt. Lot _____
Sec. 26 Township 3N Range 2E B.M. Ada County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .12 cfs for Irrigation purposes from 4/1 to 9/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum) (60 gpm)

5. Total quantity to be appropriated is (a) .12 cfs and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump & pipeline

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 6 inches; proposed depth of well is 100 feet.

d. Is ground water with a temperature of greater than 90°F being sought? no

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

DEC 08 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. community park N/A 6/27/88
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	2E	26					5.0												5.0

Total number of acres to be irrigated 5.0

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Lakewood Homeowners Association

b. Who owns the land to be irrigated or place of use? "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Sprinkling of the community park. System is designed to irrigate at a rate of 60 gpm

RECORDED

DEC 08 1988

Proposed Priority 6/27/88

Received by ECB Date 27 June 88 Time 11:Am Preliminary check by SC

Fee \$ 30.00 Receipted by SP # W000401 Date 27 June 88

Publication prepared by GG Date 7-13-88 Published in ID Statesman

Publication approved SP Date 8/5/88 7/21 & 7/28/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10653, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 1989.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Witness my hand this 30th day of August, 1988.

R. Kirk Higgins
Director

MICROFILMED

DEC 08 1988

STATE OF IDAHO)
)
COUNTY OF ADA)

SS.

Department of Water Resources
Western Regional Office

Debbie Richards, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for 2

☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of July 21, 1988

and ending with the issue of July 28, 1988

Debbie Richards

Subscribed and sworn to before me this 28th

MICROFILMED

July, 1988

DEC 08 1988

Julie M. Gading
Notary Public for Idaho, Residing at Boise, Idaho

December 18, 1990

LAKEWOOD HOMEOWNERS ASSN. NO. 3
P.O. BOX 5034
BOISE, ID 83705

RE: WATER RIGHT NO. 63-10653

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

RECEIVED

JAN 09 1991

November 21, 1990

LAKEWOOD HOMEOWNERS ASSN. NO. 3
P.O. BOX 5034
BOISE, ID 83705

RE: WATER RIGHT NO. 63-10653

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED
JAN 69 1991

LICENSE REVIEW CHECKLIST

Permit No. 63-10653

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance
Order to reinstate needed? yes no ☒

Total cfs Limited by fee OK

Limited by capacity

Total volume Limited by flow
Chart checked for AF rate/ac ☒ 4.5

Capacity Actual measurement checked ☒ 4.5

Theoretical checked ☒

If greater than permit, check for other rts

Source Changed? yes no ☒

If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒

More than one per 44? Remember remark

Check p/d overlap N/A

Uses Check irrigation period of use w/ chart 3/5-11/15

P/U Verify with map ☒ permit ☒

> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 44

Description of non-irrig uses

Special overlap condition

Conditions Measuring device

W.Master control

Overlap R32

Water quality

Other

Dates/Misc Water district

App Rec'd date ☒

Proof Rec'd date ☒

Comments/Changes to Examiner's Recommendations:

License 10-day ☒ 30-day

Back of field report signed? ☒

Reviewer S. Curtis Date 11-8-90
Review time 12 minutes

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

63-10653

Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

☒ Blank Field Report Form

☒ Copy of Permit

☐ Copies of any Amendments/Orders with conditions of approval

YES Well Inspection Form Needed

☒ Copy of U.S.G.S. Quad

NONE Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index CWJ 5/23/90 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☒ Other: NEARBY WELLS

Check of P/U index CWJ 5/23/90 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☒ Other: SEPARATE PROPERTIES

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? N/A (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

☒ Fully completed and signed Field Report Form

☒ Photographs of Point of Diversion and Place of Use

C. Review and Processing:

Exam Completed JUNE 19, 1990 [Signature] (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent RL 7/3/90 (Initial and date)

Exam Reviewed by Manager of Regional Office DWR 7/5/90 (Initial and date)

Exam Date Entered in Computer 7-19-90 (Initial and date)

Exam sent to State Office 7-19-90 [Signature] (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 20 1990

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10653

1. Owner: LAKEWOOD HOMEOWNERS ASS. NO. 3

Phone No. 336-5690

Current Address: P.O. BOX 5034, BOISE, IDAHO 83705

2. Accompanied by: LINDA Mc FAIN

EXAM. DATE: JUNE 19, 1990

Address: 562 HIBISCUS, BOISE, IDAHO

Phone No. 336-2625

Relationship to Permit Holder: PRES. OF HOMEOWNERS ASSOC.

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-02392, 63-02418, 63-10818, 63-08402, 63-09658 ☐ Copies Attached

2. Other water rights with same point of diversion: 63-08402, 63-10818 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached

RECEIVED

JAN 09 1991

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

AN 8-INCH WELL EQUIPPED WITH A 3 HP SUBMERSIBLE PUMP SUPPLIES WATER FOR IRRIGATION OF LAKEWOOD PARK. THE SYSTEM OPERATES AT 60 PSI WITH 8 SPRINKLERS ON A SETTING, RAINBIRD 25 WITH 5/32-INCH NOZZLES.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
WELL	UNKNOWN	3	—	SUBMERSIBLE	DISCHARGE 1 1/2-INCH

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
WELL			NE	NN	26	3N	2E	ADA	ORTHO PHOTO MAP, SUBDIVISION PLAT

6. **Place(s) of Use:**

Indicate Method of Determination SAME AS ITEM 5

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	2E	26					28												2.8

Do not use this space

MICROFILMED

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PRESSURE GAUGE	HAND HELD					

2. Measurements:

60 PSI. WITH 8 HEADS, RAINBIRD IMPULSE SPRINKLERS MODEL 25, 25
5/32-INCH ORIFICES = 5.4 GAL/MIN EACH FOR A TOTAL OF 43 GAL/MIN.
WELL SEAL PREVENTED WATER LEVEL MEASUREMENT - MAINTENANCE
SUPERVISOR INFORMATION WAS 8-10 FT SO ASSUMED PUMPING
LEVEL AT 15 FT.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: 43 GAL/MIN = 0.10 cfs

2. Alternate Method for Checking Purposes: HORSEPOWER EQUATION $\frac{3 \times 8.8 \times 7}{15 + (2.31 \times 60)} = 0.12 \text{ cfs}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)
Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: AT APPROVED DIVERSION RATE $2.8 \text{ A} \times 0.03 \text{ cfs/A} = 0.08 \text{ cfs}$

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 28 \times 4.5 = 12.6 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{0.08}{0.07} \times \frac{184}{100} \times 1.9835 = 29.3 \text{ AFA}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 12.6 \text{ AFA}$

2. Volume Calculations for Other Uses: NONE

RECORDED

JAN 6 9 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

THIS PARK WAS ORIGINALLY IRRIGATED WITH BOISE WATER CORP. SYSTEM, BUT IS NOW SOLELY IRRIGATED FROM THE WELL AND PUMP UNDER PERMIT 63-10653. PERMIT 63-10818 IS FROM A NEARBY BUT DIFFERENT HOMEOWNERS ASS. WITH DIFFERENT P/D AND P/U. OTHER WELLS AND WATER SUPPLIES ARE NOT USED IN ANY WAY ON THIS PARK, OVERLAP NOT ASSOCIATED WITH PERMIT 63-10653.

LICENSED 63-02418 FOR THIS RR DOES NOT SHOW IN ADJUDICATION FILES AND PRESENT STATUS IS UNCERTAIN; OWNER NOT AWARE OF THIS RIGHT.

I. RECOMMENDATIONS

1. Recommended Amounts

As per item G1
↓


Beneficial Use	Period of Use		Rate of Diversion Q (cfs) *	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	9/31	0.07 0.08	12.6
Totals:			0.08 0.07 cfs	12.6 AFA

2. Recommended Amendments NONE

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name CLIFTON W. JOHNSON
Signature Clifton W. Johnson
Certification Date _____
Field Report Preparation Date JUNE 19, 1990




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

NOT RECORDED

JAN 60 1991

PERMIT 63-10653
LAKEWOOD PRIVATE PARK
TURF AREA = 2.8 ACRES

Unplatted



W/16 $\frac{523}{526}$ The
TRUE POINT
OF BEGINNING

Sylvan Park Sub.

N-S 1/4
NW 1/4

SW COR SEC. 23



STATUTORY REQUIREMENTS
PERM 63-156.5 INIT 21 Table P
1. R. S. Q/Q
P/D 2N 2E 26 48 11W
SCALE
PHOTO ID. X-57
EEP

PERMIT 63-10653

PHOTO #1

8-INCH WELL EQUIPPED WITH 3 HP SUBMERSIBLE
PUMP AND AUTOMATIC SPRINKLER SYSTEM.




PHOTO #2

VIEWS OF PARK LOOKING WEST FROM RAINBOW
STREET.



MICROFILMED

JAN 69

RECEIVED
JUL 20 1990

Department of Water Resources

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10653

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP____, Rge____, Sec.____, ____1/4____1/4
or Lot_____.

2. Owner: _____
Address_____, City_____, St_____

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port:	Yes___No ☒	Static Water Level: <u>NO MEASURE</u>
Pressure Gauge:	Yes___No ☒	Casing Diameter: <u>8-INCH</u>
Flowing:	Yes___No ☒	Temperature: <u>NOT CHECKED</u>

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes___No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

MICROFILMED

JAN 09 1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10653

Date: 9/20/89

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change _____ If yes, prepare a data entry
☒ Proof received timely _____
_____ Reinstated

Source of Water:

- ☐ Surface water
☒ Groundwater
 ☒ 1. well log in file
 ☒ 2. drilling permit
 ☒ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
 ☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Proof Acceptable

Priority Calculation:

Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

<i>NA</i>	

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED
JUL 14 1989

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received 7/12/89 50.00
Date _____
Receipt # W003584
Received by RW
Reviewed by RW 7/23/89
Sent to region copy
Retained @ Western

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10653

Name(s) of Permit Holder: Lakewood Homeowners Association No. 3

Post Office Address: PO Box 5034, Boise Idaho 83705

Telephone No. 336-5690 336-2625
Linda McFain

Source of Water: Ground Water

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation ✓ 5 ac (acres) Other/Remark Water for common

area - Park.

Total rate and/or volume for which proof is submitted 0.12 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 8/88 (per WER 106)

Measuring Device: Required? Yes ✓ No ✓ No
Installed? Yes ✓ No ✓ No
Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ✓ No ✓ No
Installed? Yes ✓ No ✓ No

Person to contact to accompany the Department representative during the field examination:

Linda McFain (President) 336-2625/336-5690
(Name) (Telephone Number)

562 Hibiscus, Boise, Idaho 83706
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

7-12-89 Linda McFain Lakewood #3 President
Date Signature of Permit Holder (and title, if appropriate)

Microfilmed
OCT 20 1989

138376
June 30, 1989

LAKEWOOD HOMEOWNERS ASSOC. NO. 3
P.O. BOX 5034
BOISE, ID 83705

PROOF DUE NOTICE

RE: PERMIT NO. 63-10653

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

OCT 20 1989

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Lakewood
Address _____
Owner's Permit No. 63-88-W-122

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness _____ Diameter _____ From _____ To _____
.250 inches 8 inches + 1 feet 68 feet
.250 inches 6 inches 59 feet 70 feet
.250 inches 6 inches 80 feet 83 feet
_____ inches _____ inches _____ feet _____ feet
Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☒ Yes ☐ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☒ Yes ☐ No
Manufacturer's name Johnson's Stainless Steel
Type _____ Model No. _____
Diameter 6 Slot size 25 Set from 70 feet to 80 feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 18 Material used in seal: ☐ Cement grout
☐ Bentonite ☒ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
Weld _____
☐ Cemented between strata
Describe access port _____

7. WATER LEVEL

Static water level 7 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

8. WELL TEST DATA

☒ Pump ☒ Bailer ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>80 GPM</u>	<u>42 ft</u>	<u>1 hr.</u>

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
<u>8</u>	<u>0</u>	<u>2</u>	<u>Top Soil</u>		☒
	<u>3</u>	<u>5</u>	<u>Gravel & sandy soil</u>		☒
	<u>5</u>	<u>30</u>	<u>Sand & Gravel</u>	☒	
	<u>30</u>	<u>33</u>	<u>Light Brown Sandy Clay</u>		☒
	<u>33</u>	<u>37</u>	<u>Sand</u>	☒	
	<u>37</u>	<u>41</u>	<u>Brown Sandy Clay</u>		☒
	<u>41</u>	<u>42</u>	<u>Gray Sandy Clay</u>		☒
	<u>42</u>	<u>44</u>	<u>Silted</u>	☒	
	<u>44</u>	<u>49</u>	<u>Sandy Clay</u>		☒
	<u>49</u>	<u>60</u>	<u>fine sand</u>	☒	
<u>8</u>	<u>60</u>	<u>68</u>	<u>Sandy Brown Clay</u>		☒
<u>6</u>	<u>68</u>	<u>85</u>	<u>Sand (some coarse)</u>	☒	

RECEIVED
OCT 07 1988

Department of Water Resources

RECEIVED
OCT 4 1988


Department of Water Resources
Western Regional Office

10.

Work started 7/25/88 finished 8/12/88

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name Lakewood
Lot No. _____ Block No. _____
DEC 02 1988

County Ada
NE 1/4 NW 1/4 Sec. 26, T. 3 N, R. 2 EW.

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

Firm Name Boise Valley Pump & Drilling Firm No. 207
Address 2950 S. Garden Date 9/10/88
Signed by (Firm Official) Ron E. Moseley
and
(Operator) Gary R. Fulton

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Lakewood

Address _____

Owner's Permit No. 63-88-W-122

2. NATURE OF WORK

☒ New well

☐ Deepened

☐ Replacement

☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☐ Domestic

☒ Irrigation

☐ Test

☐ Municipal

☐ Industrial

☐ Stock

☐ Waste Disposal or Injection

☐ Other _____ (specify type)

4. METHOD DRILLED

☐ Rotary

☐ Air

☐ Hydraulic

☐ Reverse rotary

☒ Cable

☐ Dug

☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness

Diameter

From

To

.250 inches

8 inches

1 feet

68.5 feet

.250 inches

6 inches

59 feet

70 feet

.250 inches

6 inches

80 feet

83 feet

_____ inches

_____ inches

_____ feet

_____ feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☒ Yes ☐ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number

From

To

_____ perforations

_____ feet

_____ feet

_____ perforations

_____ feet

_____ feet

_____ perforations

_____ feet

_____ feet

Well screen installed? ☒ Yes ☐ No

Manufacturer's name Johnson's Stainless Steel

Type _____ Model No. _____

Diameter 6 Slot size 25 Set from 70 feet to 80 feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 18 Material used in seal: ☐ Cement grout ☒ Bentonite ☒ Puddling clay ☐ _____

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld

☐ Cemented between strata

Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location.

N

W

E

S

County Ada

NE 1/4 NW 1/4 Sec. 26, T. 3 N, R. 2 E.

Subdivision Name Lakewood

Lot No. _____ Block No. _____

7. WATER LEVEL

Static water level 7 feet below land surface.

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ OF. Quality _____

Describe artesian or temperature zones below.

8. WELL TEST DATA

☒ Pump

☒ Bailor

☒ Air

☐ Other _____

Discharge G.P.M.

Pumping Level

Hours Pumped

80 GPM

42 ft

1 hr.

9. LITHOLOGIC LOG

Bore Diam.

Depth

Material

Water

From

To

Yes

No

8

0 2

Top Soil

☒ ☒

3 5

Gravel + sandy soil

☒ ☒

5 30

Sand + Gravel

☒ ☒

30 33

Light Brown sandy clay

☒ ☒

33 37

Sand

☒ ☒

37 41

Brown sandy clay

☒ ☒

41 42

Grey sandy clay

☒ ☒

42 44

Gravel

☒ ☒

44 49

Sandy clay

☒ ☒

49 60

Fine sand

☒ ☒

60 68

Sandy Brown clay

☒ ☒

68 85

Sand (some coarse)

☒ ☒

10.

Work started 7/25/88 finished 8/12/88

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Boise Valley Pump & Drilling Firm No. 207

Address 2950 S. Garden Date 9/10/88

Signed by (Firm Official) Don E. M... ..

and (Operator) Gary R. Fulton

Drilling Permit No. 63-88-W-122
Water Permit No. 63-10653
Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

1988

1. Applicant Lakewood Homeowners Association No. 3
2. Address P.O. Box 5034 Boise, ID 83705
Telephone 336-2625 - president
342-5560 - business mgr.
- (X) Well Owner () Well Operator () Other, specify _____
3. Proposed well location NE 1/4 NW 1/4, or Gov't lot No. _____,
Sec. 26, Twp. 30, Rge. 2E, County Ada,
Lot, block and subdivision Lot 1, Blk 3, Lakew
4. Proposed use of well: (Check all that apply)
() Domestic () Stockwater () Monitoring
(X) Irrigation () Industrial () Municipal
() Injection () Other, Specify _____
5. Well construction information:
(X) New well () Deepen () Replace
Proposed surface diameter 6" Maximum depth 100'
Anticipated bottom hole temperature: _____
(X) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Anticipated construction start date ASAP
7. Well Driller (if known) Boise Valley Pump & Well Driller 207
Address 2950 S Garden Boise, ID 83705
8. Applicant's signature Linda McFair
Title Lakewood #3 Homeowners Assn President
Date 6/27/88

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

DEC 08 1988

ACTION OF IDWR

☒ Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

8. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.

MICROFILMED

DEC 08 1988

Dated this 27 day of June, 1988.

Signed Erwin E. Ballou for Dave T. Hill

Title Mgr. Western Region

Received by AS Fee 100.00 Date 6/27/88

Receipt No. W000400 Construction start extension to _____

Extension approved by _____

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
August 31, 1988

LAKEWOOD HOMEOWNERS ASSOC. NO. 3
P.O. BOX 5034
BOISE, ID 83705

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 63-10653

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also

MICROFILMED

DEC 08 1988

enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

Gary Spackman
Supervisor, Water Allocation Section

GS: SC
Enclosures

Microfilm

DEC 08 1988

PD 5/11 3N 2E S. 26 NEW

orm No. 202a
/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY Steve Latta DATE 6/27/88 APPLICATION NUMBER 63-10653

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee \$ 30
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.) *no - But see back*
- ☒ Overlapping point of diversion *no*
 - ☐ Yes ☐ No Field check required
 - ☐ Yes ☐ No Field check by _____
 - ☐ Yes ☐ No Field report attached
 - ☐ Yes ☐ No Critical groundwater area
 - ☒ Yes ☐ No Groundwater management area
 - ☐ Yes ☐ No Send dam safety information
 - ☐ Yes ☐ No Send power requirement letter
 - ☐ Yes ☐ No Send fish farm requirement letter
 - ☐ Yes ☐ No Power residency affidavit
 - ☐ Yes ☐ No Power efficiency form
 - ☐ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
 - ☐ Yes ☐ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☒ See reverse side for additional information

REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested AUG 10 1988

RECEIVED
AUG 10 1988
Department of Water Resources

P/W overlay

Records indicate that 63-2418 is a ^{groundwater} lease to irrigate, among other lands, 40 acres in NE1/4 S. 26, an area that includes the land in this application. Information from the L.H.A. #3 indicates that no private wells irrigate the 5 acres in question (currently uses city water).
Question: is 63-2418 still valid in its P/W description?

PROCESSING ☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

ND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
NONE ☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

NAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest August 8, 1988
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached Approve, Dkr
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. 63 ^{P05}
☐ Yes ☒ No Special conditions of approval or cover letter below.

Date of priority recommended ☐ See below for additional information
By Dkr Date 6/27/88
8/9/88

STATE OFFICE REVIEW P23, P05, P16 46
By KW ☐ See below for additional information
Date 8/24/88

DITIONAL INFORMATION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

JULY 13, 1988

The Idaho Statesman
P.O. Box 40
Boise, ID 83707

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before AUGUST 8, 1988.

Yours truly,

JUDY PENSE
Secretary

Encl.

RECEIVED

DEC 08 1988

63-10653

LAKEWOOD HOMEOWNERS ASSOC. NO. 3
P.O. BOX 5034
BOISE, ID 83705

Source: GROUNDWATER

Diversion Pt: NENW Sec 26 T 03N R 02E

Use: IRRIGATION (.120 CFS)

Date Filed: 6/27/1988

In: T03N R02E S26 NENW

5.0 ACRES TOTAL

MICROFILMED

DEC 08 1988

WATER RIGHT
DATA ENTRY LOG

[illegible]